

Vital Statistics of the Bengal Presidency.

SICKNESS AND MORTALITY

IN THE

EUROPEAN ARMY OF THE BENGAL PRESIDENCY FROM
1870 TO 1879:

AS

AGGREGATE OF THE STATISTICS OF THE TEN-YEAR
PERIOD,

BY

THE LATE

JAMES L. ERYDEN, M.D., *Surgeon-Major*,

AND

ARTHUR L. STEPHEN, M.A., M.B., *Surgeon-Major*,

PRESENTED TO THE GOVERNMENT OF INDIA IN THE SANITARY AND MEDICAL DEPARTMENTS.



SIMLA :

GOVERNMENT CENTRAL BRANCH PRESS.

1882

S. 168

Vol. 16.
~~_____~~
Vital Statistics of the Bengal Presidency.



SICKNESS AND MORTALITY

IN THE

102-a-6

EUROPEAN ARMY OF THE BENGAL PRESIDENCY FROM
1870 TO 1879:

AN

AGGREGATE OF THE STATISTICS OF THE TEN-YEAR
PERIOD,

INDIA, BY Sanitary Commissioner

THE LATE

JAMES L. BRYDEN, M.D., *Surgeon-Major*,

AND

ARTHUR STEPHEN, M.A., M.B., *Surgeon-Major*,

STATISTICAL OFFICERS TO THE GOVERNMENT OF INDIA IN THE SANITARY AND MEDICAL DEPARTMENTS.



S I M L A :

GOVERNMENT CENTRAL BRANCH PRESS.

1882.

(541.2)
312(54)
29715
9-12-63

SL

PREFACE.

THE late Surgeon-Major Bryden had, in 1880, commenced the compilation of the Statistics of the European Army of India for the ten-year period 1870-79, when, in consequence of failing health, he was compelled to go to England on sick leave. On his departure from India he hoped, after spending a few months at home, to return with renewed strength, to finish this work, and to continue his other duties. Unfortunately for science in general, and for Epidemiological Science in India in particular, his hopes were not realized, for the disease from which he was suffering increased, and he died in November 1880. As it has fallen to my lot to take Surgeon-Major Bryden's place as Statistical Officer, I have, to the best of my ability, completed the tables which he commenced. They contain the aggregate of the Statistics of the European Army of India for the years 1870-79, and are compiled on exactly the same plan as the tables which were published in 1873, giving the statistics of the European Army of the Bengal Presidency for the ten-year period 1860-69.

In the following introductory pages the experience of the Army of the Bengal Presidency, and of the Army of India as a whole, during the ten years 1870-79, is compared with that of the preceding ten years. The principal diseases which contributed to make up the sickness and mortality of the Army during these ten years are also shortly commented on, and the effect which age and length of Indian service have on the health of the European soldier in this country is illustrated by means of a few special tables.

SIMLA:
19th June 1882. }

A. STEPHEN.



Digitized by the Internet Archive
in 2015

<https://archive.org/details/b24749345>

REPORT

ON THE

SICKNESS AND MORTALITY OF THE EUROPEAN ARMY OF INDIA

DURING THE

TEN-YEAR PERIOD 1870-79.

THE average strength of the European Army of India for the ten years 1870-79 was 57,742. During this period there were 851,564 admissions into hospital; the average number daily sick was 3,472, and the number of deaths 11,166, giving an average annual admission-rate of 1474·8, a daily sick-rate of 60·1, and a death-rate of 19·34 per 1,000. There are no statistics in this Office of the Army of India previous to 1870, so that the health of the European Army as a whole during the period 1870-79 cannot be compared with that of the preceding ten-year period.

2. During the ten years 1860-69 the average death-rate of the European Army of the Bengal Presidency was 29·98 per 1,000. In the succeeding ten years 1870-79 (including the casualties in Afghanistan in 1878 and 1879), the mortality in that Presidency fell to 21·00 per 1,000—a reduction of 8·98 per 1,000. Moreover, of this reduced death-rate a considerable portion was due to Afghanistan; for, although comparatively few of those on active service in that country died of wounds, the mortality from disease was very great. Excluding the troops on active service during 1879, and taking into account only the men in cantonments, the average death-rate of the troops in the Bengal Presidency during the ten years 1870-79 was only 19·20 per 1,000. The admission-rate for the Bengal Presidency, which during the period 1860-69 was 1754·9 per 1,000, fell during the following ten-year period to 1522·0 per 1,000, and the daily sick-rate for the same period fell from 67·1 to 60·9 per 1,000.

3. During the period 1870-79 the average admission-rate in the European Army of Madras was 1264·4, the daily sick-rate was 60·2, and the death-rate 17·69 per 1,000. In the Bombay Army the average admission-rate for the same period was 1533·5, the daily sick-rate was 57·4, and the death-rate 15·27 per 1,000.* The average admission-rate in the Madras Army during the ten years 1860-69 was 1,396, the daily sick-rate 62·0, and the death-rate 20·27 per 1,000. In the Bombay Army during the same ten years the daily sick-rate was 59·8, and the death-rate 21·46 per 1,000; and during the nine years 1861-69, the admission-rate of that army was 1,152 per 1,000.

4. Not only have the sickness and mortality of the European troops of the Bengal Presidency as a whole considerably diminished, but the health of each of the provincial areas into which the Presidency is divided has also improved, as may be seen from the accompanying statement.

The troops of each of the provincial areas of the Bengal Presidency healthier during 1870-79 than during 1860-69.

* See the Annual Reports of the Sanitary Commissioner with the Government of India for the years 1870 and 1871.

Statement contrasting the sickness and mortality of the European Troops in the different provincial areas of the Bengal Presidency during the ten-year periods 1860-69 and 1870-79.

			BENGAL PROPER.		GANGETIC PROVINCES AND OUDH.		MEERUT AND ROHILCUND.	
			1860-69.	1870-79.	1860-69.	1870-79.	1860-69.	1870-79.
Admission-rate	1821·2	1310·7	1614·6	1410·3	1576·4	1461·2
Daily sick-rate	69·6	54·3	69·5	66·3	72·8	58·5
Death-rate	29·57	14·43	28·59	20·06	26·61	18·31

			AGRA AND CENTRAL INDIA.		PUNJAB.		HILL STATIONS.	
			1860-69.	1870-79.	1860-69.	1870-79.	1860-69.	1870-79.
Admission-rate	2160·2	1530·1	1740·7	1847·2	1069·5	1041·0
Daily sick-rate	74·1	61·5	56·7	62·9	49·5	47·9
Death-rate	38·48	18·41	25·24	20·71	14·78	12·23

The death-rates have thus fallen in each of the provincial areas: in the Punjab only has there been an increase in the admission and daily sick-rates.

5. Although the mortality has fallen in all the provincial areas, the diminution has been much greater in some than in others.

Decrease in the admission and death-rates greater in some provincial areas than in others.

With the exception of the hill stations, the death and daily sick-rates in the Punjab during the period 1860-69 were lower than in any of the other provincial areas, and only two provinces had a lower admission-rate. During the last ten-year period, on the other hand, the Punjab had the highest admission and death-rates, and, next to the Gangetic Provinces and Oudh, it had the highest daily sick-rate. Bengal Proper, again, which, during the period 1860-69, had, next to Agra and Central India, the highest death-rate, during the period 1870-79 had a very much lower death-rate than any of the other provincial areas in the plains. This death-rate was indeed but little in excess of that in the hill stations. Its daily sick and admission-rates were also lower than those of the other provinces in the plains. This diminution in the sickness and mortality among the troops in Bengal Proper is principally due to the great improvement that has taken place in the health of the men stationed at Fort William. Nearly one-half of the European troops of Bengal Proper are cantoned in that fortress, and there the average death-rate has fallen from 25·19 to 10·78 per 1,000. The health of the troops stationed in Dum-Dum and Barrackpore has also, however, considerably improved during the last ten years. The troops stationed in Agra and Central India have also enjoyed much better health during the ten years 1870-79 than they did during the former ten-year period. The death-rate of that provincial area is not half so high as it was during 1860-69, and the admission and daily sick-rates have also fallen very considerably. In the Gangetic Provinces, in Oudh, and also in Meerut and Rohileund, a marked improvement has taken place, but not in the same proportion as in Bengal Proper and in Agra and Central India.

6. Although the average mortality of the Bengal Presidency for the ten-year period 1870-79 is much less than that

Diminution in the death-rate in the Bengal Presidency not gradual from year to year.

for the ten-year period immediately preceding it, the improvement has not been gradual from year to year. The death-rate of 1879, the highest of any year during the period, was 44·15 per 1,000. This high mortality was partly due to the severe epidemic of cholera which in that year caused a mortality of 16·18 per 1,000, and partly to the excessive mortality that occurred among the troops in Afghanistan. During that year 9,500 of the men belonging to the Bengal Army were on active service in

Afghanistan, and among them there was a death-rate of 88·12 per 1,000. The year 1872 was, next to 1879, the most unhealthy of the period. In it the death-rate rose to 27·45 per 1,000, but in that year the mortality from cholera alone was 10·66 per 1,000. The year 1877 had the lowest mortality during the period—in it the death-rate was only 11·64 per 1,000—and 1874 comes next in order with a mortality of 14·62 per 1,000.

7. The average death-rate of the European troops in the Bengal Presidency during the first five years of the ten-year period 1870-79 was 19·53 per 1,000, and during the second five years it was 22·42. If the Army of Afghanistan for 1879 be excluded, and the Army in cantonments alone be taken into account, the death-rate for the second five years of the period was 18·85 per 1,000, or slightly under the average of the first five years. In the European Army of the Madras Presidency the average death-rate for the first five years of the period was 18·19, and for the second five years 17·18 per 1,000, so that in the second five years there was a diminution of 1 per 1,000 in the death-rate. The death-rate in the Bombay Army, on the other hand, has risen 2 per 1,000 during the second five years of the period; in the first five years it averaged 14·32, and in the second five 16·29 per 1,000. Taking the Army of India as a whole, with the exception of the troops in Afghanistan in 1879, the average death-rate during the first five years of the period was 18·31, and during the second five years 18·07 per 1,000.

8. Of the principal diseases which contributed to the death-rate of the European Army of the Bengal Presidency, cholera is the one in which the greatest diminution has taken place during the ten-year period 1870-79. During the ten years 1860-69 the average annual mortality from cholera was 9·24 per 1,000, and during the period 1870-79 it fell to 4·18 per 1,000. During the former period about 30 per cent. of the total death-rate was due to cholera, and in the latter period less than 20 per cent. was due to that cause. Not only has the mortality from cholera decreased very much in the Bengal Presidency as a whole, but the diminution is well marked in each of the provincial areas.

Table contrasting the mortality from cholera among European Troops in the provincial areas of the Bengal Presidency during the two ten-year periods 1860-69 and 1870-79.

Provincial Areas.	Average death-rate per 1,000 during the period 1860-69.	Average death-rate per 1,000 during the period 1870-79.
Bengal Proper	6·26	·85
Gangetic Provinces and Oudh	8·12	4·24
Meerut and Rohileund	6·55	2·06
Agra and Central India	15·94	3·22
Punjab	8·89	3·95
Hill Stations	1·80	1·60

9. Although the total mortality from cholera has thus diminished very much during these last ten years, the number of deaths out of each 100 cases treated for that disease has increased. During the period 1860-69, of those attacked by cholera 62·72 per cent. died, but during the period 1870-79 the percentage rose to 70·26. Cholera has not only become more fatal during the period 1870-79, as compared with the period immediately preceding it, but it has, comparing each ten-year period with the one preceding it, gradually become more virulent in the Bengal Presidency from 1827, the year in which the death-rate from that disease is first given, up to the present time.

* *Died out of each 100 cases of cholera treated in the European Army of Bengal from 1827 to 1880.*

Year.	Died out of each 100 cases treated.	Year.	Died out of each 100 cases treated.
1827	28·13	1854	50·54
1828	29·77	1855	50·00
1829	22·89	1856	57·85
1830	26·13	1857	No records.
1831	23·50	1858	54·34
1832	21·12	1859	50·17
1833	31·96	1860	53·25
1834	32·31	1861	64·04
1835	26·04	1862	61·28
1836	16·17	1863	75·11
1837	33·42	1864	69·59
1838	27·70	1865	72·50
1839	18·50	1866	60·00
1840	31·25	1867	60·87
1841	38·46	1868	65·52
1842	43·46	1869	63·55
1843	39·77	1870	42·86
1844	44·81	1871	61·00
1845	48·67	1872	66·61
1846	40·74	1873	64·70
1847		1874	100·00†
1848		1875	67·66
1849		1876	70·55
1850		1877	84·21
1851		1878	73·04
1852		1879	74·47
1853		1880	71·37

10. During the period 1870-79 the percentage of deaths among the European

Percentage of deaths from cholera to number treated in the Madras and Bombay Presidencies.

troops attacked with cholera in the Madras Presidency was 58·49, and in the Bombay Presidency during the same period the percentage was 73·27.

11. The seasons of greatest prevalence of cholera in the different provincial

Seasonal prevalence of cholera during 1870-79 agrees with former experience as noted by Bryden.

areas during the period 1870-79 agree with the experience of former years as noted by Dr. Bryden in his report on epidemic cholera in the Bengal Presidency.

Monthly distribution of cholera in Bengal Proper.

12. European troops of Bengal Proper,‡ 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	2	...	5	1	3	2	2	...	2	1	2	3	23

Admitted in each month per cent. of the total admissions.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	8·70	...	21·74	4·34	13·04	8·70	8·70	...	8·70	4·34	8·70	13·04	100

There has been so little cholera among the European troops stationed in Bengal Proper during these ten years that the above table happily contains but few data; but, as far as it goes, it coincides with former experience. Bengal Proper is in the endemic area. The spring cholera from March to May is the great cholera of the year, and 39·12 per cent. of the admissions took place during these three months. The cholera of the monsoon season from July to September is the least important, with 17·40 per cent. of the admissions, and the cholera of the cold weather from November to January takes a midway place with 30·44 per cent.

* See Bryden's Epidemic Cholera in the Bengal Presidency, page 234.

† Only eight cases occurred in 1874, all of which proved fatal.

‡ The stations which make up this and the other provincial groups of Military stations may be ascertained in detail on reference to the tables.

Monthly distribution of cholera in the Gangetic Provinces and in Oudh.

13. European troops of the Gangetic Provinces and Oudh, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	...	2	7	38	39	24	41	133	161	16	41	3	505

Admitted in each month per cent. of the total admissions.

1870-79	...	·40	1·39	7·52	7·72	4·75	8·12	26·34	31·88	3·17	8·12	·59	100
---------	-----	-----	------	------	------	------	------	-------	-------	------	------	-----	-----

The provincial area of the Gangetic provinces and Oudh is, according to Dr. Bryden, in the eastern division of the epidemic area, and the cholera of the monsoon season is the great cholera of the year. From July to September 66·34 per cent. of the total admissions took place. The spring and cold weather cholera are, however, distinctly represented, but in the spring cholera April and May take the place of March and April in the endemic area. 16·63 per cent. of the total admissions took place in March, April and May, and 8·71 per cent. in the cold weather months, in November, December and January.

Monthly distribution of cholera in Rohilcund and Meerut.

14. European Troops of Rohilcund and Meerut, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	2	4	7	3	...	28	73	2	119

Admitted in each month per cent. of the total admissions.

1870-79	1·68	3·36	5·88	2·52	...	23·53	61·35	1·68	100
---------	-----	-----	------	------	------	------	-----	-------	-------	------	-----	-----	-----

The Rohilcund and Meerut Division is in the western division of the epidemic area. Here the cholera of the monsoon season is more distinctly the principal cholera of the year than it is in the Gangetic Provinces; for out of a total of 119 admissions among the European troops during the ten-year period 1870-79, 101 occurred in the monsoon season, from July to September, or 84·88 per cent. The cold weather cholera, from November to January, was not represented by a single admission during the period; and in the spring cholera, from March to May, there were only 13 cases, or 10·92 per cent. of the whole, 7 out of the 13 having occurred in May.

Monthly distribution of cholera in Agra and in Central India.

15. European troops of Agra and Central India, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	...	1	44	20	20	50	35	10	...	1	181

Admitted in each month per cent. of the total admissions.

1870-79	...	·55	24·31	11·05	11·05	27·63	19·34	5·52	...	·55	100
---------	-----	-----	-----	-----	-------	-------	-------	-------	-------	------	-----	-----	-----

In this provincial area the spring cholera is much more distinctly marked than it is in Rohilkund and Meerut, but it is later in manifesting itself than in the eastern division of the epidemic area. During the ten years under review, 24·31 per cent. of the admissions among the European troops occurred in May, not a single case having occurred in March and April. The cholera of the monsoon season is, however, the principal cholera of the year. In July, August and September there were 105 admissions, or 58·02 per cent. of the total for the year. The cold weather cholera was scarcely represented; during the ten years there was only one admission during the cold weather months—November, December and January—or ·55 per cent. of the whole.

Monthly distribution of cholera in the Punjab.

16. European troops of the Punjab,
1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	20	67	69	42	195	101	115	3	...	612

Admitted in each month per cent. of the total admissions.

1870-79	3·27	10·95	11·28	6·86	31·86	16·50	18·79	·49	...	100
-------------	-----	-----	-----	------	-------	-------	------	-------	-------	-------	-----	-----	-----

16. As in the last two provincial areas, the spring cholera appears later than in the eastern areas. May and June in this area take the place of April and May, in the Gangetic Provinces. From April to June there were 156 admissions from cholera among the European troops in the Punjab during the period 1870-79, or 25·50 per cent. of the total admissions. As in the other portions of the western division of the epidemic area, the cholera of the monsoon season is by far the most important one, but it is later in manifesting itself than in the eastern districts, August, September and October taking the place of July, August and September. In the Peshawar District more especially, cholera has on several occasions been very prevalent in October. In these three months there were 411 admissions from cholera among the European troops during the period under review, being 67·15 per cent. of the whole. During the ten years the cold weather cholera was not represented at all. Three cases occurred in November, but these seem rather to have been the termination of the cholera of the monsoon season than the representative of the cold weather cholera of the endemic area.

Monthly distribution of cholera in Rajpootana,
Malwa and Sind.

17. European troops of Rajpootana,
Malwa and Sind, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	1	...	5	16	10	10	59	21	6	10	1	139

Admitted in each month per cent. of the total admissions.

Years.	Jan.	Feb.	Mar.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	72	...	3.60	11.51	7.19	7.19	42.45	15.11	4.32	7.19	72	100

This provincial area is situated to the west of Agra and Central India, and cholera has very much the same distribution in it as in that area. The spring cholera is seen in April and May, the May cholera being more severe than that of April. In these two months 15.11 per cent. of the total admissions among the European troops occurred during the years 1870-79. During the same period 64.75 per cent. of the admissions occurred during the monsoon season—in July, August and September. The cold weather cholera was more marked during this period than in Agra and Central India. From November to January there were 11 admissions, or 7.91 per cent. of the whole.

Monthly distribution of cholera in Nagpur and the Deccan.

18. European troops of Nagpur and the Deccan, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	2	9	1	2	76	11	35	36	8	1	3	1	185

Admitted in each month per cent. of the total admissions.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	1.08	4.87	.54	1.08	41.08	5.95	18.92	19.46	4.32	.54	1.62	.54	100

This area extends from Kamptec in the north to the 15th degree of N. latitude in the south, but none of the stations occupied by European troops are under the influence of the north-east monsoon. Among the European troops of this area the spring cholera took the most prominent place during the ten years under review. But out of the 78 cases that occurred during April and May, 71 took place at Secunderabad in May 1871. This severe outbreak has probably given the spring cholera of this area a greater prominence than a more extended experience might do; but it shows that the spring cholera in the Deccan may be a very important one. This severe outbreak at Secunderabad also takes away from the cholera of the monsoon season of June, July and August the prominence that it would otherwise have had. During these three months there were 82 admissions among the European troops during these ten years, or 44.33 per cent. of the total number admitted. That the cholera of the monsoon season, *viz.*, June, July and August, is the most important one in this area is shown by the following table, which gives the deaths from cholera recorded among the Civil population during the same ten years:—

Monthly distribution of cholera among the Civil population of the Deccan, *viz.*, Berars, Hyderabad Assigned Districts, Khandeish, Nassik, Ahmednagar, Poona, Sholapur, Satara, Kaladji, Belgaum, Dharwar, Kanara, Ratnaghiri, Tanna, Bombay and Colaba.

19. Civil population of the Deccan,* 1870-79—

Cholera deaths for each month of the period.

Years.	Jan.	Feb.	Mar.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	6,083	7,949	13,036	19,305	31,917	44,642	59,775	49,889	21,133	9,784	5,180	4,977	273,670

* In the Hyderabad Assigned Districts the cholera statistics for the years 1870-74 were not available.

Died in each month per cent. of the total deaths.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	2.22	2.91	4.76	7.06	11.66	16.31	21.84	18.23	7.72	3.85	1.89	1.82	100

Thus 56.38 per cent. of the deaths recorded from cholera among the civil population in the Deccan occurred during the monsoon season from June to August.

Monthly distribution of cholera among the troops on the western side of the Madras Presidency, viz., Bellary, Bangalore, Cannanore, Malliaporum and Calicut.

20. European troops stationed on the western side of the Madras Presidency exposed principally to the south-west monsoon, 1870-79—

Cholera admissions for each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	1	2	...	2	...	5	7	1	1	1	3	2	25

Admitted in each month per cent. of the total admissions.

1870-79 ...	4.00	8.00	...	8.00	...	20.00	28.00	4.00	4.00	4.00	12.00	8.00	100
-------------	------	------	-----	------	-----	-------	-------	------	------	------	-------	------	-----

Monthly distribution of cholera among the troops on the eastern coast of the Madras Presidency, viz., Trichinopoly, St. Thomas' Mount and Madras.

21. European troops stationed on the eastern coast of the Madras Presidency principally exposed to the north-east monsoon, 1870-79—

Cholera admissions for each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	4	1	7	5	3	2	2	1	2	1	...	2	30

Admitted in each month per cent. of the total admissions.

1870-79 ...	13.33	3.33	23.33	16.67	10.00	6.67	6.67	3.33	6.67	3.33	...	6.67	100
-------------	-------	------	-------	-------	-------	------	------	------	------	------	-----	------	-----

There have been so few cases of cholera among the European troops of the Madras Presidency during the years 1870-79 that the two preceding tables are of little value. As far as they go, they seem to show that on the western coast the cholera of the south-west monsoon season, viz., June to August, is distinctly marked, and that the cold weather cholera is also of considerable importance. The table for the troops on the east coast gives the spring cholera as the principal one of the year, with a distinctly marked cold weather cholera.

The two following tables give the cholera statistics of the civil population of the Madras Presidency during the same ten-year period.

Monthly distribution of cholera among the Civil population of the western districts of the Madras Presidency, viz., Bellary, Kurnool, Coimbatore, Neilgherries, South Kanara, Malabar and Mysore.

22. Civil population of the Western districts of the Madras Presidency exposed principally to the south-west monsoon, 1870-79—

Cholera deaths for each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	14,314	17,408	18,475	19,022	21,285	19,730	15,132	11,799	10,901	9,436	11,897	18,380	187,779.

Died in each month per cent. of the total deaths.

1870-79 ...	7.62	9.27	9.84	10.13	11.34	10.51	8.06	6.28	5.81	5.02	6.33	9.79	100
-------------	------	------	------	-------	-------	-------	------	------	------	------	------	------	-----

Monthly distribution of cholera among the Civil population of the Eastern Districts of the Madras Presidency, viz., Ganjam, Vizagapatam, Godavery, Kistna, Cuddapah, Nellore, North Arcot, Madras, Chingleput, South Arcot, Tanjore, Tinnevely, Trichinopoly, Madura and Salem.

23. Civil population of the eastern districts of the Madras Presidency exposed principally to the north-east monsoon, 1870-79—

Cholera deaths for each month for the period.

Years.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	79,486	56,254	42,510	33,404	44,215	48,880	73,303	65,839	44,599	24,057	24,489	41,995	579,031

Died in each month per cent. of the total deaths.

1870-79 ...	13.73	9.72	7.34	5.77	7.64	8.44	12.67	11.37	7.70	4.14	4.23	7.25	100
-------------	-------	------	------	------	------	------	-------	-------	------	------	------	------	-----

24. From these two tables it appears that the reported deaths from cholera among the civil population of the districts towards the west coast are slightly more numerous during the cold weather months, when the north-east monsoon is blowing, than they are during the months of the south-west monsoon. 26.68 per cent. of the reported deaths occurred in December, January and February, and 24.85 per cent. during June, July and August—the south-west monsoon months. On the other hand, more cases of cholera seem to occur among the inhabitants of the eastern districts during the south-west monsoon months than during the north-east monsoon months. During June, July and August, 32.48 per cent. of the reported deaths took place, and 30.70 per cent. during December, January and February. Civil statistics must always, however, be received with a certain degree of caution, so that these two tables cannot be regarded as giving, with absolute accuracy, the history of cholera in the Madras Presidency during the ten years 1870-79. They are, however, sufficiently accurate to show that in the Madras Presidency the cholera outbreaks of the south-west and north-east monsoon seasons are nearly equal in magnitude; that in March, April and May cholera is also frequently seen; that on the east coast the disease is least frequently seen in October and November; and that on the west coast, September and October are the months of least frequency.

Monthly distribution of cholera in British Burma.

25. European troops of British Burma,
1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	43	3	14	41	4	11	2	118

Admitted in each month per cent of the total admissions.

1870-79	36·44	2·54	11·86	34·75	3·39	9·32	1·70	100
-------------	-----	-----	-----	-------	------	-------	-------	------	------	------	-----	-----	-----

In British Burma the spring cholera is seen in April, as in the eastern division of the epidemic area, and, as in India, with the exception of the Madras Presidency and Bengal Proper, the principal cholera of the year occurs during the south-west monsoon, *viz.*, July, August and September. Of the 43 admissions which occurred in April, 28 took place at Thayetmyo in April 1870, so that the April cholera for this ten-year period is probably more prominent than longer experience would give it. During this ten-year period 36·44 per cent. of the admissions occurred in April, and 47·46 per cent. during the monsoon months in July, August and September. There was not a single admission from cholera among the European troops of British Burma in the cold weather months in November, December and January during the ten years under review.

26. In the tables of the Bengal Presidency for the ten-year period 1860-69 Death-rate from fevers as a whole nearly the same enteric fever was included under “Remittent and continued fevers.” The average death-rate from fevers taken as a whole in Bengal during the period 1860-69 was 3·58 per 1,000. During the ten-year period 1870-79 the average death-rate from the same causes was 4·02 per 1,000, an increase of ·44 per 1,000. Before enteric fever was recognised as a distinct disease, many cases which would now be denominated enteric fever were then more than probably called chronic diarrhœa. As the death-rate from diarrhœa has fallen from ·75 per 1,000 during the period 1860-69 to ·12 per 1,000 during the next ten-year period, a much greater relative reduction than has taken place in the case of dysentery; it is probably the case that the slightly increased mortality from fevers is more apparent than real.

27. Out of 4·02 per 1,000, the total mortality from fevers in the Bengal Presidency during the ten-year period 1870—79, 2·28 per 1,000 was due to enteric fever. In the Army of India as a whole the mortality caused by enteric fever was 2·03 per 1,000; in the Madras Presidency the death-rate from that disease was 1·42; and in Bombay 1·75 per 1,000. The enteric fever statistics are, however, probably far from correct, as what one medical officer calls enteric fever may be called simple continued fever by a second, and remittent fever by a third.

28. Enteric fever is either a much more fatal disease in this country than it is in England and the Continent of Europe, or a great many cases, which in Europe are called cases of enteric fever, are in this country entered under some other denomination. The mortality from enteric fever in Europe is under 20 per cent., whereas out of 2,365 admissions from that disease among the European troops of the Army of India during the period 1870-79, 1,168 died, or at the rate of 43·83 per cent.

29. Enteric fever has been seen in all parts of India. During the last ten years it appeared in almost every station occupied by European troops. Whatever part local conditions may play as causes of the disease, these local causes

seem to be secondary to a general seasonal cause. It is more prevalent at certain seasons than at others, and these results are so constant for the different provincial areas of India that the greater prevalence of the disease at these times would appear in the main to be dependent on some common cause.

30. In the two following tables the number of deaths and the death-rates

Number of deaths and death-rates from enteric fever, month by month, for each of the provincial areas of India. 1870-79 are given, month by month, for each of the provincial areas of India. The death-rates have been given in preference to the admission-rates, because in fatal cases the diagnosis of the disease was confirmed by means of *post-mortem* examinations.

Enteric fever deaths among European troops in each of the provincial areas for each month of the period.

Provincial areas.	Jan.	Feb.	Mar.	Apl.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Bengal Proper	1	2	1	1	3	5	2	15
Gangetic Provinces } and Oudh }	11	8	10	22	34	19	20	26	24	9	6	11	200
Rohileund and Meerut	5	2	5	12	25	14	6	6	13	11	4	4	107
Agra and Central India	6	4	2	9	5	2	2	7	19	16	9	2	83
Punjab ...	8	12	10	21	38	58	29	26	22	17	8	11	260
Hill stations of Bengal	1	...	1	3	7	8	17	18	7	9	2	1	74
Rajpootana, Malwa, } Sind and Aden }	4	8	3	9	9	6	3	10	40	19	11	9	131
Deccan and Nagpur...	7	4	3	10	13	9	8	12	26	12	4	3	111
Southern India ...	8	7	3	8	1	6	8	3	5	4	...	6	59
Burma and Pegu ...	1	2	1	...	4	2	2	12
Hill stations of Mad- } ras and Bombay }	...	1	...	2	3	5	...	3	...	1	3	...	18
Total ...	51	49	39	97	136	127	98	116	161	100	47	49	1,070*

* This total does not agree with the total of Table I, as casualties on the march and in the field are not included in it.

EUROPEAN TROOPS OF INDIA, 1870-79.

Died from enteric fever in each month per cent. of the total deaths.

Provincial areas.	Jan.	Feb.	Mar.	Apl.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Bengal Proper	6·67	13·33	6·67	6·67	20·00	33·33	13·33	100·00
Gangetic Provinces } and Oudh }	5·50	4·00	5·00	11·00	17·00	9·50	10·00	13·00	12·00	4·50	3·00	5·50	100·00
Rohileund and Meerut	4·67	1·87	4·67	11·22	23·36	13·08	5·61	5·61	12·15	10·28	3·74	3·74	100·00
Agra and Central India	7·23	4·82	2·41	10·84	6·03	2·41	2·41	8·43	22·89	19·28	10·84	2·41	100·00
Punjab ...	3·07	4·61	3·85	8·08	14·62	22·31	11·15	10·00	8·46	6·54	3·08	4·23	100·00
Hill stations of Bengal	1·35	...	1·35	4·06	9·46	10·81	22·97	24·33	9·46	12·16	2·70	1·35	100·00
Rajpootana, Malwa, } Sind and Aden }	3·05	6·11	2·29	6·87	6·87	4·58	2·29	7·63	30·54	14·50	8·40	6·87	100·00
Deccan and Nagpur...	6·31	3·60	2·70	9·01	11·71	8·11	7·21	10·81	23·43	10·81	3·60	2·70	100·00
Southern India ...	13·56	11·87	5·08	13·56	1·70	10·17	13·56	5·08	8·47	6·78	...	10·17	100·00
Burma and Pegu ...	8·33	16·67	8·33	...	33·33	16·67	16·67	100·00
Hill stations of Mad- } ras and Bombay }	...	5·55	...	11·11	16·67	27·78	...	16·67	...	5·55	16·67	...	100·00
Total ...	4·77	4·58	3·64	9·06	12·71	11·87	9·16	10·84	15·05	9·35	4·39	4·58	100·00

31. The deaths from enteric fever in Bengal Proper, Burma and Pegu

and in the hill stations of Madras and Bombay, are so few as to render their portion of the above table of little value.

Taking the Army of India as a whole, there are seen to be two maxima—one in May and June, and the other in September. In Agra and Central India, in the Deccan and Nagpur, and in Rajpootana, Malwa, Sind and Aden, the September maximum is the higher one; whereas in the Gangetic Provinces and Oudh, in Meerut and Rohileund, and in the Punjab, the higher maximum is in May or June. In the hill stations of the Bengal Presidency there is only one maximum—in July and August—the percentage gradually rising from February till June, with a sudden rise in July and August, and again a sudden fall in September. In Southern India there is no maximum, but the mortality is pretty evenly distributed throughout the year. This behaviour of enteric fever throughout India agrees so closely

with the periods of greatest heat, that it is more than probable that the enteric fever and the heat maxima are connected with each other. In the plains of Northern India and in the Deccan, the months of greatest heat are June, before the rains commence, and September, after the rains cease; May, June and September are the months of greatest prevalence of enteric fever in these provinces. In the hill stations of Bengal the greatest heat occurs in the end of June and the beginning of July, just before the rains commence, and enteric fever has its maximum death-rate in the hills in July and August. Southern India, again, is so near the equator, that the temperature remains very nearly the same throughout the year, and in that provincial area enteric fever has no distinct rise and fall.

Statement showing the number of deaths from Enteric Fever in the European Army of India during the five-year period 1875-79, classified according to Ages and Periods of Indian Service.

Indian Service.	Aggregate Strength on 1st July at different periods of Indian Service during the five years.	AGES.							Annual Death-rate per 1,000 of Strength.
		Under 20 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 years and over.	Total Aggregate Strength 289,529.	
		Aggregate Strength 7,395.	Aggregate Strength 94,646.	Aggregate Strength 95,613.	Aggregate Strength 47,235.	Aggregate Strength 35,498.	Aggregate Strength 9,112.		
Under 1 year ...	41,852	16	215	50	11	4	1	297	7·10
1 year and under 2 years	37,669	5	125	53	3	2	1	189	5·02
2 years " 3 " ...	31,478	...	40	28	5	1	...	74	2·35
3 " 4 " ...	30,474	1	20	28	3	3	...	55	1·80
4 " 5 " ...	28,485	...	7	16	2	...	1	26	·91
5 " 6 " ...	24,333	14	5	1	...	20	·82
6 " 7 " ...	18,868	13	3	1	...	17	·90
7 " 8 " ...	75,221	4	...	1	...	5	·31
8 " 9 "	4	3	3	...	10	
9 " 10 "	2	2	
10 years and over	4	1	1	6	
Total ...	288,380								
Number of Deaths ...		22	407	210	41	17	4	701	
Annual Death-rate per 1,000 of Strength		2·97	4·30	2·20	·87	·48	·44	...	

NOTE.—The Aggregate Strength on the 1st of July at different periods of service for these 5 years is 288,380, and at the different ages 289,529, the strengths given by some of the corps at different periods of service being slightly different from the strengths given at the different ages.

32. The above table shows that recent arrival in India and youth are

Recent arrival in India and youth both powerful factors in producing enteric fever, recent arrival being the more powerful of the two.

both powerful factors in producing enteric fever, and at the same time it shows that recent arrival is the more powerful of the two. The aggregate strength of boys under 20 years of age in the European Army of India during the 5 years 1875-79 was 7,395, and of these 22 died of enteric fever, or 2·97 per 1,000. Out of an aggregate strength of 94,646 between the ages of 20 and 24, there were 407 deaths from the same disease, or 4·30 per 1,000, a much greater mortality than among those under 20 years of age. There were 210 deaths from this disease among the men between 25 and 29 years of age, out of an aggregate strength of 95,613, at the rate of 2·20 per 1,000, a mortality nearly equal to that among boys under 20 years of age. The mortality from enteric fever among men of 30 years of age and over was inconsiderable; out of an aggregate strength of 91,875 men of 30 years of age and over during these 5 years, there were only 62 deaths, or ·67 per 1,000. Hence, the mortality from enteric fever among boys under 20 years of age is much smaller than among men from 20 to 24 years of age. The mortality from this cause among men of 25 to 29 years of age is nearly the same as that among boys under 20 years of age, and after 30 years of age the mortality from enteric fever is very small. During the same five years the aggregate strength of men under one year's service was 41,852; of these, 297 died from enteric fever, or 7·10 per 1,000. The aggregate strength of the men of one year's service and under two years' was 37,669; among them

there were 189 deaths from this cause, at the rate of 5·02 per 1,000. There were 74 deaths among men who had served between two and three years in India, whose aggregate strength was 31,478, a death-rate of 2·35 per 1,000. The death-rate from enteric fever among men between three and four years' Indian service was 1·80; among those from four to seven years' service it was ·88; and among those of seven years' service and upwards it was ·31 per 1,000. Hence the mortality from enteric fever among men of less than one year's Indian service is much greater than the mortality from the same cause among men who have served longer in the country, and it is very much greater than the mortality among men of the age of 20 to 24, the period of life which furnishes the greatest number of fatal cases of enteric fever as shown by the statistics of these five years.

33. There were 318,493 admissions and 818 deaths from intermittent, remittent and continued fevers during the ten-year period 1870-79 in the European Army of India, giving an admission-rate of 551·6, and a death-rate of 1·42 per 1,000 from these diseases. Of this number, 220,717 admissions and 631 deaths occurred in the Bengal Presidency, the admission-rate being 607·3 and the death-rate 1·74 per 1,000. These fevers are much more prevalent in the Punjab than in the other divisions of the Presidency; and in that Province the admission-rate from fevers as a whole has risen from 741·3 during the ten-year period 1860-69 to 969·7 per 1,000 during the ten-year period under review. The admission-rate is also greater in Meerut and Rohilcund than it was during the former ten-year period, but in the other provinces it has fallen.

34. In the Madras Presidency there were 29,413 admissions from fevers, excluding enteric fever, and 69 deaths during the ten-year period 1870-79, with an admission-rate of 266·5, and a death-rate of ·62 per 1,000. This is less than half the admission and death-rates from the same diseases in the Bengal Presidency. During the ten-year period 1860-69 the admission-rate from fevers in the Madras Presidency was 236·3 per 1,000.

35. There were 68,363 admissions and 118 deaths from the same fevers in the Bombay Presidency during the period 1870-79, with an admission-rate of 659·9 and a death-rate of 1·14 per 1,000. The admission-rate is slightly higher than that of the Bengal Presidency from the same causes, but the death-rate is considerably less than in Bengal. During the years 1863-69 the average admission-rate from fevers in Bombay was 277·1 per 1,000.

36. During the ten-year period 1870-79 there were 12,009 admissions from dysentery and 22,683 from diarrhœa among the European troops of the Bengal Presidency, being at the rate of 33·1 per 1,000 from the former and 62·4 per 1,000 from the latter disease. The deaths from dysentery in Bengal during that period were 496, and from diarrhœa 44; the death-rate from dysentery being 1·37, and from diarrhœa ·12 per 1,000. This is a considerable improvement in the admission and death-rates from these diseases as compared with the preceding ten years. During the period 1860-69 the average admission-rate from dysentery in Bengal was 48·9, and the death-rate 2·72 per 1,000, and the corresponding rates from diarrhœa were 109·4 and ·75 per 1,000. As stated above, some cases which were formerly called chronic diarrhœa may now be denominated enteric fever, and this is rendered more likely by the fact that, during 1860-69, ·69 per cent. of the diarrhœa cases died, and during the period 1870-79 only ·19 per cent.

37. In the Madras Presidency during 1870-79 the average admission-rate from dysentery was 76·9, and the death-rate 2·32 per 1,000; diarrhœa gave an admission-rate of 64·8 and a death-rate of ·04 per 1,000 for the same period. Dysentery was thus much more prevalent and more fatal in Madras than in Bengal during these ten years. Diarrhœa occurred with equal frequency in both Presidencies, but was less fatal in Madras than in Bengal. During the ten years 1860-69 the admission-

rate from dysentery in Madras was 84·9, and from diarrhœa 86·3 per 1,000, so that, as compared with the previous ten-year period, taking the two diseases together, there has been a reduction of 30 per 1,000 during the period 1870-79.

38. The admission-rate from dysentery in the Bombay Presidency during the years 1870-79 was 27·6, and from diarrhœa 60·8, and the death-rates were ·98 and ·17 per 1,000 respectively.

Dysentery and diarrhœa in the Army of Bombay.

During the period under review dysentery was thus less prevalent and less fatal in Bombay than it was either in Bengal or in Madras. The admission-rate from dysentery in the Bombay Presidency during the years 1863-69 was 19·1, and from diarrhœa 45·7 per 1,000. Both the diseases have thus increased in frequency during the last ten years.

39. In the European Army of India 28,780 admissions and 1,267 deaths were recorded under "Hepatitis" during the ten-year period 1870-79. This gives an admission-rate of 49·8 and a death-rate

Hepatitis in the Army of India and in the Army of Bengal.

of 2·19 per 1,000. In the Army of Bengal the admission-rate was 47·1 and the death-rate 2·04 per 1,000. In the preceding ten-year period the admission-rate was 59·2 and the death-rate 3·31 per 1,000. A considerable reduction has thus taken place in both the admission-rate and the death-rate, and the diminution has been pretty evenly distributed over the different sections of the Presidency.

40. There were 7,417 admissions and 349 deaths from hepatitis in the European Army of Madras during the years 1870-79, an admission-rate of 67·2, and a death-rate of 3·16 per 1,000—much higher rates than those for Bengal. During the immediately preceding ten-year period the admission-rate from hepatitis was 70·2, so that very little diminution has taken place in the frequency of this disease.

Hepatitis in the Madras Army.

41. During the period 1870-79 there were 4,234 admissions and 177 deaths from hepatitis in the European Army of the Bombay Presidency, the admission-rate being 40·9, and the death-rate 1·71 per 1,000—slightly less than the corresponding-rates for Bengal. For the years 1863-69 the average admission-rate from this disease in Bombay was 26·6 per 1,000. Hepatitis thus appears to have been more prevalent of late in the Bombay Presidency—an experience opposed to that of Bengal and Madras.

Hepatitis in the Bombay Army.

42. In the European Army of Bengal there were 30,578 admissions and 455 deaths from respiratory diseases during the years 1870-79, an admission-rate of 84·1, and a death-rate of 1·25 per 1,000. Of the 455 deaths, 123 occurred in 1879, and 85 of these took place among the troops on active service in Afghanistan. Excluding the troops on active service in Afghanistan, and for 1879 taking account only of the troops in cantonments, the number of admissions for the ten-year period in Bengal was 29,326, and the number of deaths 370, an admission-rate of 82·9 and a death-rate of 1·05 per 1,000.

Respiratory diseases in the Bengal Army.

43. As might be expected, the admission and death-rates from these diseases are much higher in the Punjab than in any of the other provincial areas of the Presidency. In the Punjab the average admission-rate for these ten years was 100·7 and the death-rate 1·59 per 1,000.

Respiratory diseases very prevalent in the Punjab.

44. That cold is not, however, the only cause of the greater frequency of respiratory diseases in the Punjab is shown by the fact that the hill stations of the Bengal Presidency give an admission-rate of 82·6 and a death-rate of ·84 per 1,000—lower rates than those for the Punjab; and yet the hill stations have a lower temperature than the plains of the Punjab. Malarial fevers are much more prevalent in the Punjab than in the other provincial areas of the Bengal Presidency, and certain forms of pneumonia seem to have an intimate connection with malarial fevers. During the period

Respiratory diseases closely connected with malarial fevers.

1860-69 the admission-rate from respiratory diseases in the Bengal Presidency was 74·7, and the death-rate ·99 per 1,000; so that, even excluding the Army of Afghanistan, these diseases have become more prevalent and fatal during the last ten years. The increase in the mortality is, however, entirely due to the increased death-rate from these diseases in the Punjab. In the Punjab the death-rate has risen from ·89 to 1·59 per 1,000, and in all the other provincial areas of the Presidency it has fallen. But during the last ten years the admission-rate from fevers has risen in the Punjab, and fallen in all the other provincial areas, with the exception of Meerut and Rohilcund. It is also worthy of remark that the admission-rate from respiratory diseases has also risen in Meerut and Rohilcund, though the death-rate has fallen. These facts are brought out in the following table:—

Statement contrasting the admission-rates from fevers (chiefly malarial) and the admission and death-rates from respiratory diseases in the different provincial areas of the Bengal Presidency during the ten-year periods 1860-69 and 1870-79.

PROVINCIAL AREAS.	TEN-YEAR PERIOD 1860-69.			TEN-YEAR PERIOD 1870-79.		
	Fevers.*	Respiratory diseases.		Fevers, excluding enteric.	Respiratory diseases.	
	Admission-rate per 1,000.	Admission-rate per 1,000.	Death-rate per 1,000.	Admission-rate per 1,000.	Admission-rate per 1,000.	Death-rate per 1,000.
Bengal Proper	567·5	71·2	1·07	406·8	48·8	·32
Gangetic Provinces and Oudh ...	467·0	64·5	·93	341·0	65·6	·43
Rohilcund and Meerut ...	410·4	72·0	·88	551·4	78·8	·63
Agra and Central India ...	995·7	78·4	·99	690·6	71·5	·74
Punjab	741·3	80·2	·89	964·9	100·7	1·59

* This includes the admission-rate from enteric fever.

45. In the European Army of the Madras Presidency there were 6,338 admissions and 35 deaths from respiratory diseases during 1870-79, an admission-rate of 57·4, and a death-rate of ·32 per 1,000. These are very much smaller than the corresponding rates in the Bengal Presidency. The higher temperature of the cold weather months, and the comparatively low admission-rate from malarial fevers, probably account for the comparative freedom of Madras from respiratory diseases. During the ten-year period 1860-69 the average admission-rate from these diseases in Madras was 43·2, so that they have increased in frequency of late years.

46. In the European Army of Bombay the admissions from respiratory diseases during 1870-79 were 6,614 and the deaths 72, an admission-rate of 63·9, and a death-rate of ·70 per 1,000. During this period Bombay has thus held a midway place between Bengal and Madras as regards these diseases. The admission-rate from respiratory diseases among the European troops of this Presidency during the period 1863-69 was 23·0 per 1,000.

47. The admissions from venereal diseases in the European Army of India during the ten-year period 1870-79 were 117,485, an admission-rate of 203·5 per 1,000. The admission-rates of 1878 and 1879 from these diseases were considerably above the average rate of the period.

48. 75,811 of the admissions from venereal diseases during this ten-year period occurred among the Bengal troops with an admission-rate of 208·6 per 1,000. In the immediately preceding ten-year period the admission-rate from these diseases was 265·5 per 1,000—a very much higher admission-rate than the average of the last ten years. Although the average admission-rate of the ten years 1870-79 is thus less than that of the preceding ten-year period, the

diminution has not been gradual, but the rate has varied very much from year to year, as may be seen from the following table :—

Table showing the annual admission-rate from venereal diseases in the European Army of Bengal for 20 years 1860-79.

Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.
1860	338·0	1865	227·2	1870	202·7	1875	212·4
1861	369·1	1866	217·7	1871	208·8	1876	194·7
1862	318·1	1867	170·6	1872	190·7	1877	202·5
1863	281·7	1868	199·2	1873	167·0	1878	288·8
1864	254·9	1869	200·3	1874	200·1	1879	270·3 *

* Excluding the troops on active service in Afghanistan.

49. Thus the admission-rate from venereal diseases was very high in 1860 and 1861, and gradually fell from 1862 to 1867, in which year it reached the rate of 170·6 per 1,000. The rate again rose nearly 30 per 1,000 in 1868 to 199·2 per 1,000, and remained about the same from that year to 1877, with the exception of 1873, in which year it fell to 167·0 per 1,000, the lowest recorded admission-rate. There was again a sudden rise in 1878 and 1879, the average admission-rates from venereal diseases in these two years being nearly the same as the rate in 1863.

50. There were 21,874 admissions from venereal diseases in the European Army of Madras during the ten years under review, giving an admission-rate of 198·1 per 1,000—a little under the average admission-rate in Bengal. During the period 1860-69 the admission-rate was 236·6, considerably under the average of the following ten years. As in the Bengal Presidency the admission-rate from venereal diseases has varied much from year to year during the 20 years 1860-79, as may be seen from the following table :—

† Table showing the annual admission-rate from venereal diseases in the European Army of Madras for 20 years 1860-79.

Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.
1860	267·0	1865	227·7	1870	165·9	1875	208·6
1861	293·3	1866	234·7	1871	180·3	1876	184·4
1862	304·5	1867	208·5	1872	164·6	1877	231·8
1863	257·3	1868	250·5	1873	152·2	1878	250·2
1864	269·2	1869	192·8	1874	188·9	1879	261·6

† The admission-rates for the years 1860-69 have been taken from the Madras Sanitary Reports.

51. In the European Army of Bombay there were 19,800 admissions from venereal diseases during 1870-79, an admission-rate of 191·1 per 1,000, slightly less than the admission-rate from the same causes in Madras. The admission-rate from venereal diseases in Bombay during the period 1863-69 was 127·5 per 1,000, very considerably less than the average rate of the succeeding ten years.

The following Table gives the admission-rates year by year from venereal diseases in the European Army of Bombay for 15 years 1865-79 :—

**Table showing the annual admission-rate from venereal diseases in the European Army of Bombay for 15 years 1865-79.*

Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.
1865	201·8	1870	180·4	1875	174·4
1866	212·1	1871	174·4	1876	178·8
1867	227·6	1872	154·8	1876	205·0
1868	204·4	1873	181·1	1878	230·6
1869	159·0	1874	170·8	1879	269·9

* The admission-rates for the years 1865-69 have been taken from the Bombay Sanitary Reports.

52. The average death-rates from the principal diseases of the European Army of India is given in the following

The average death-rates from the principal diseases in the Army of India.

table. The details for each of the ten years are entered in this table, as well as

the composition of the standard derived from the aggregate of the statistics of the ten-year period 1870-79 :—

Composition of the death-rate of the Army of India in each year of the ten years 1870-79, cholera being excluded.

CAUSES OF DEATHS.	Standard of ten years 1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.
Hepatitis ...	2·19	3·28	2·73	2·45	2·33	2·16	1·85	1·68	1·62	2·25	1·68
Enteric fever ...	2·03	1·58	1·62	1·87	1·34	1·70	1·44	1·82	1·60	3·64	3·59
Accidental and suicidal deaths ...	1·90	1·76	1·81	1·63	1·70	1·66	1·73	1·61	1·92	1·68	3·50†
Apoplexy ...	1·52	1·67	·83	1·93	1·29	·95	1·73	1·63	1·22	1·73	2·17
Dysentery ...	1·48	2·11	1·34	1·85	1·31	1·23	·84	1·16	·82	1·73	2·49
Fevers not enteric ...	1·42	2·57	1·74	1·38	1·11	·86	1·04	·59	·56	1·43	2·96
Heart diseases ...	1·19	1·50	1·63	1·28	1·53	1·25	1·03	1·05	·98	·83	·80
Phthisis pulmonalis ...	1·18	1·47	1·53	1·24	1·16	1·03	1·25	1·07	·93	1·06	1·05
Respiratory diseases ...	·97	1·23	·99	·95	·85	·52	·77	·66	·49	·74	2·52
Delirium tremens ...	·18	·27	·39	·19	·09	·14	·14	·10	·12	·25	·17
Diarrhœa ...	·12	*	·12	·17	·10	·03	·14	·05	·07	·07	·30
All other causes ...	1·94	2·55	1·71	2·02	1·69	1·87	2·20	1·58	1·54	2·05	2·25
Died per 1,000 from all causes...	16·12	19·99	16·44	16·96	14·50	13·40	14·16	13·00	11·87	17·46	23·48

Percentage of deaths from the principal causes in each year of the ten years 1870-79, cholera being excluded.

CAUSES OF DEATHS.	Standard of ten years 1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.
Hepatitis ...	13·59	16·41	16·61	14·44	16·07	16·12	13·06	12·92	13·65	12·89	7·16
Enteric fever ...	12·59	7·90	9·85	11·03	9·24	12·69	10·17	14·00	13·48	20·85	15·29
Accidental and suicidal deaths ...	11·79	8·80	11·01	9·61	11·72	12·39	12·22	12·39	16·18	9·62	†14·91
Apoplexy ...	9·43	8·36	5·05	11·38	8·90	7·09	12·22	12·53	10·28	9·91	9·24
Dysentery ...	9·18	10·56	8·15	10·91	9·03	9·18	5·93	8·92	6·91	9·91	10·60
Fevers not enteric ...	8·81	12·86	10·58	8·14	7·66	6·42	7·35	4·54	4·72	8·19	12·61
Heart diseases ...	7·38	7·50	9·92	7·55	10·55	9·33	7·27	8·08	8·26	4·75	3·41
Phthisis pulmonalis ...	7·32	7·35	9·31	7·31	8·00	7·69	8·83	8·23	7·83	6·07	4·47
Respiratory diseases ...	6·02	6·15	6·02	5·60	5·86	3·88	5·43	5·08	4·12	4·24	10·73
Delirium tremens ...	1·12	1·35	2·37	1·12	·62	1·04	·99	·77	1·01	1·42	·73
Diarrhœa ...	·74	*	·73	1·00	·69	·22	·99	·39	·59	·40	1·27
All other causes ...	12·03	12·76	10·40	11·91	11·66	13·95	15·54	12·15	12·97	11·75	9·58
All causes ...	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

* Included with dysentery.

† Of these, 71 were killed in action or died of wounds received in battle.

Excluding cholera, hepatitis was the principal cause of death in the European Army of India during the ten-year period 1870-79, 13·59 per cent. of the deaths being due to that cause. Enteric fever and suicidal deaths and other deaths by violence come next on the list, causing respectively 12·59 and 11·79 per cent. of the total deaths. Next come apoplexy, dysentery and fevers, not enteric; about 9 per cent. of the total deaths being due to each of these causes. After these come heart diseases and phthisis pulmonalis, each contributing over 7 per cent. of the death-rate; and then follow respiratory diseases with a percentage of 6·02.

53. The two following tables give the statistics of regiments in the first year of their Indian service for the ten-year period 1870-79 as compared with the experience of the Army generally:—

Table giving the admissions, number daily sick, total deaths, and deaths from the principal diseases among regiments in the first year of their Indian service and in the Army generally for the ten years 1870-79.

Years.	STRENGTH.		ADMISSIONS.		DAILY SICK.		DEATHS.		DEATHS FROM									
									ENTERIC FEVER.	OTHER FEVERS.	APOPLEXY.	DYSSENTERY AND DIARRHOEA.	HEPATITIS.					
	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.
1870	54,578	4,331	89,800	6,479	3,428	249	1,152	124	87	18	140	30	91	20	115	14	179	14
1871	56,806	4,372	82,345	5,638	3,291	223	996	78	92	23	99	14	47	3	83	12	155	3
1872	58,870	4,000	88,130	6,517	3,306	245	1,425	118	110	12	81	11	114	15	119	7	144	6
1873	58,769	4,608	78,054	7,266	3,253	282	899	102	79	38	65	2	76	10	83	7	137	18
1874	59,308	3,934	80,520	7,152	3,409	275	806	103	101	40	51	3	56	11	75	8	128	11
1875	58,409	4,959	78,141	6,443	3,315	252	1,021	117	84	24	61	7	101	14	57	6	108	4
1876	57,858	4,304	78,773	6,219	3,277	271	886	115	105	31	34	4	94	24	70	10	97	4
1877	57,260	4,192	71,992	5,750	3,196	262	728	64	92	20	32	2	70	11	5	2	93	10
1878	56,475	4,719	93,257	9,632	3,821	383	1,212	158	206	56	80	22	98	14	102	17	127	5
1879	59,082	4,851	110,552	10,277	4,431	404	2,041	122	212	40	175	7	128	23	165	10	99	6
Ten years	577,416	44,269	851,564	71,373	34,719	2,849	11,166	1,101	1,168	302	818	102	875	145	920	93	1,267	81

Table comparing the admission-rate, daily sick-rate, total death-rate, and the death-rates from the principal diseases of regiments in the first year of their Indian service, with the corresponding rates of the Army generally for the ten years 1870-79.

YEARS.	STRENGTH.		RATIO PER 1,000 OF STRENGTH.													
			Admission-rate.		Daily sick-rate.		Death-rate.		DEATH-RATE FROM							
									Enteric fever.	Other fevers.	Apoplexy.	Dysentery and diarrhoea.	Hepatitis.			
	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.
1870	...	54,578	4,331	1,645	1,496	63·57	21·11	28·63	1·59	4·16	2·57	6·93	1·67	4·62	2·11	3·23
1871	...	56,806	4,372	1,450	1,290	58·51	17·53	17·84	1·62	5·26	1·74	3·20	·83	·68	1·46	2·74
1872	...	58,870	4,000	1,497	1,629	56·62	24·21	29·50	1·87	3·00	1·38	2·75	1·93	3·75	2·02	1·75
1873	...	58,769	4,608	1,328	1,577	55·61	15·30	22·14	1·34	8·25	1·11	·43	1·29	2·17	1·41	1·52
1874	...	59,308	3,934	1,358	1,818	57·70	13·58	26·18	1·70	10·17	·86	·76	·95	2·80	1·26	2·03
1875	...	58,409	4,959	1,338	1,299	57·51	17·48	23·59	1·44	4·84	1·04	1·41	1·73	2·82	·98	1·21
1876	...	57,858	4,304	1,361	1,444	57·63	15·32	26·72	1·82	7·20	·59	·93	1·63	5·58	1·21	2·32
1877	...	57,260	4,192	1,257	1,371	56·62	12·71	15·27	1·60	4·77	·56	·48	1·22	2·62	·89	·48
1878	...	56,475	4,719	1,651	2,041	68·81	21·46	33·48	3·64	11·87	1·43	4·66	1·73	2·97	1·80	3·60
1879	...	59,082	4,851	1,871	2,118	75·83	34·55	25·15	3·59	8·25	2·96	1·44	2·17	4·74	2·79	2·06
Ten years...	577,416	44,269	1,475	1,612	60·64	19·34	24·87	2·03	6·82	1·42	2·30	1·52	3·28	1·60	2·10	2·19

The above tables show that, as a rule, regiments in the first year of their Indian service have a higher mortality than the Army generally. Enteric fever is by far the principal cause of this higher death-rate. Fresh arrivals also suffer more severely from heat apoplexy than more seasoned men do, and their death-rate from fevers, other than enteric, and from dysentery and diarrhoea, is also slightly higher. The death-rate from hepatitis, on the other hand, is higher in the Army generally than it is among men in the first year of their Indian service.

54. The following tables give the number of deaths and the average death-rates of the men composing the European Army of India at different ages for the nine years 1871-79, as well as the corresponding deaths and death-rates in the separate European Armies of Bengal, Madras, and Bombay:—

Deaths and death-rates at different ages.

Distribution according to age of the aggregate strength of the European Army of India during the nine years 1871-79.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
525,540	21,900	171,716	158,826	98,305	173,098	14,058

Deaths of the nine-year period 1871-79 and the death-rates at the different ages.

CAUSES OF DEATHS.		NUMBER OF DEATHS BY AGES.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				Total.
		Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	
Cholera	...	22	575	568	638	1.00	3.35	3.57	3.69	8.61	28.85	30.75	31.79	100
Enteric fever	...	56	644	298	89	2.55	3.75	1.88	.51	29.34	43.15	21.64	5.87	100
Other fevers	...	15	233	211	212	.68	1.36	1.33	1.22	14.81	29.63	28.98	26.58	100
Apoplexy	...	5	150	181	447	.23	.87	1.14	2.58	4.77	18.05	23.65	53.53	100
Delirium tremens	3	23	6502	.14	.38	...	3.70	25.93	70.37	100
Dysentery and diarrhoea	...	7	178	255	365	.32	1.04	1.61	2.11	6.30	20.47	31.69	41.54	100
Hepatitis	...	3	166	325	593	.14	.97	2.05	3.43	2.12	14.72	31.11	52.05	100
Phthisis pulmonalis	...	5	137	151	298	.23	.80	.95	1.72	6.22	21.62	25.68	46.48	100
Heart diseases	...	1	29	92	478	.05	.17	.58	2.76	1.40	4.78	16.29	77.53	100
All other diseases	...	13	308	374	764	.60	1.78	2.35	4.41	6.57	19.47	25.71	48.25	100
All diseases	...	127	2,423	2,478	3,949	5.80	14.11	15.60	22.81	9.95	24.19	26.75	39.11	100
All diseases, excluding cholera	...	105	1,848	1,910	3,311	4.80	10.76	12.03	19.12	10.27	23.04	25.76	40.93	100
Injuries and other deaths from violence	...	11	208	309	473	.50	1.21	1.94	2.74	7.82	18.94	30.36	42.88	100
All causes, excluding cholera	...	116	2,056	2,219	3,784	5.30	11.97	13.97	21.86	9.98	22.54	26.31	41.17	100

Distribution according to age of the aggregate strength of the European Army of Bengal during the nine years 1871 to 1879.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
329,616	12,297	107,387	101,645	62,466	37,196	8,623
					108,287	

Deaths of the nine-year period 1871-79 and the death-rates at the different ages.

CAUSES OF DEATHS.	NUMBER OF DEATHS BY AGES.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				Total.
	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	
Cholera ...	19	485	481	512	1.56	4.51	4.73	4.73	9.98	29.06	30.48	30.48	100
Enteric fever	39	463	216	62	3.17	4.31	2.13	.57	31.14	42.31	20.92	5.60	100
Other fevers	13	181	164	176	1.06	1.68	1.61	1.63	17.73	28.09	26.82	27.26	100
Apoplexy	3	107	114	278	.24	1.00	1.12	2.57	4.87	20.28	22.72	52.13	100
Delirium tremens	...	2	14	3602	.14	.33	...	4.08	28.57	67.35	100
Dysentery and diarrhoea	6	124	151	183	.49	1.15	1.48	1.69	10.19	23.91	30.77	35.13	100
Hepatitis	1	92	193	325	.08	.86	1.90	3.00	1.37	14.73	32.53	61.37	100
Pneumonia	2	76	107	194	.16	.71	1.05	1.79	4.31	19.14	28.30	48.25	100
Heart diseases	...	19	54	28818	.53	2.66	...	5.34	15.73	78.93	100
All other diseases	7	218	269	534	.57	2.03	2.65	4.93	5.60	19.94	26.03	48.43	100
All diseases	90	1,767	1,763	2,588	7.32	16.45	17.34	23.90	11.26	25.31	26.67	36.76	100
All diseases, excluding cholera	71	1,282	1,282	2,076	5.77	11.94	12.61	19.17	11.66	24.13	25.48	38.73	100
Injuries and other deaths from violence	4	134	204	297	.38	1.25	2.01	2.74	5.21	19.75	31.75	43.29	100
All causes, excluding cholera	75	1,416	1,486	2,373	6.10	13.19	14.62	21.31	10.93	23.63	26.19	39.25	100

Distribution according to age of the aggregate strength of the European Army of Madras during the nine years 1871-79.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
100,941	4,435	31,057	28,534	20,405	36,915 13,321	3,189

Deaths of the nine-year period 1871-79 and the death-rates at the different ages.

CAUSES OF DEATHS.	NUMBER OF DEATHS BY AGES.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				Total.
	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	
Cholera	3	29	48	68	68	93	168	184	1325	1813	3275	3587	100
Enteric fever	6	86	41	10	136	277	144	27	2329	4743	2466	462	100
Other fevers	1	23	23	12	22	74	81	33	1048	3524	3857	1571	100
Apoplexy	1	22	36	79	22	71	126	214	508	1640	2910	4942	100
Delirium tremens	...	1	4	18	...	03	14	49	...	455	2121	7424	100
Dysentery and diarrhoea	1	37	67	132	22	119	235	358	300	1621	3202	4877	100
Hepatitis	2	47	81	181	45	151	284	490	464	1557	2928	5051	100
Phthisis pulmonalis...	1	26	26	63	22	84	91	171	598	2282	2473	4647	100
Heart diseases	...	6	21	124	...	19	74	336	...	443	1725	7832	100
All other diseases	1	44	40	119	23	142	141	322	366	2261	2245	5128	100
All diseases	16	321	387	806	360	1033	1358	2184	730	2093	2752	4425	100
All diseases, excluding cholera	13	292	339	738	292	940	1190	2000	660	2126	2691	4523	100
Injuries and other deaths from violence	5	40	52	99	113	129	182	268	1633	1864	2631	3872	100
All causes, excluding cholera	18	332	391	837	405	1069	1372	2268	792	2090	2683	4435	100

Distribution according to age of the aggregate strength of the European Army of Bombay during the nine years 1871-79.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
94,983	5,168	33,272	28,647	15,434	27,896 10,218	2,244

Deaths of the nine-year period 1871-79 and the death-rates at the different ages.

CAUSES OF DEATH.	NUMBER OF DEATHS BY AGES.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				Total.
	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	
Cholera	61	39	58	...	1.83	1.36	2.08	...	34.72	25.81	39.47	100
Enteric fever	11	95	41	17	2.13	2.86	1.43	.61	30.3	40.68	20.34	8.68	100
Other fevers	1	29	24	24	.19	.87	.84	.86	6.8	31.52	30.44	31.16	100
Apoplexy	1	21	31	90	.19	.63	1.08	3.23	3.71	12.28	21.05	62.96	100
Delirium tremens	5	1118	.39	32.73	67.27	100
Dysentery and diarrhoea	...	17	37	5051	1.29	1.79	...	14.21	35.93	49.86	100
Hepatitis	...	27	51	8781	1.78	3.12	...	14.19	31.17	54.64	100
Phthisis pulmonalis	2	35	18	41	.39	1.05	.63	1.47	11.02	29.66	17.80	41.52	100
Heart diseases	1	4	17	66	.19	.12	.59	2.36	5.83	3.68	18.10	72.39	100
All other diseases	5	46	65	111	.97	1.39	2.27	3.98	11.27	16.15	26.36	46.22	100
All diseases	21	335	328	555	4.06	10.07	11.45	19.89	8.93	22.15	25.18	43.74	100
All diseases, excluding cholera	21	274	289	497	4.06	8.24	10.09	17.81	10.10	20.48	25.11	44.31	100
Injuries and other deaths from violence	2	34	53	77	.39	1.02	1.85	2.76	6.48	16.94	30.73	45.85	100
All causes, excluding cholera	23	308	342	574	4.45	9.26	11.94	20.57	9.63	20.02	25.84	44.51	100

55. The number of boys under 20 years of age, given in the foregoing tables, is comparatively small, so that the statistics are not of so much value as they would have been had the numbers been larger. As far as they go, these tables, however, show that the mortality under 20 years of age is small, and probably very much smaller than at other ages. Were these boys to be exposed to great hardships, such as are experienced on active service, the result might, however, be very different.

56. In the European Army of India as a whole (excluding boys under 20 years of age), the men from 20 to 24 years of age had the smallest death-rate during these nine years. Men from 25 to 29 years of age, however, had nearly as low a death-rate, and the great mortality was among men of 30 years of age and over. Thus it appears that there is no great increase in the mortality up to 30 years of age, but beyond that age the effect of climate begins to tell, and among men of 30 years of age and over the death-rate rapidly rises. The experience of the three Armies in this particular is the same as that of India taken as a whole; the death-rate remains comparatively low up to 30 years of age and then rapidly rises.

57. As was first shown by Dr. Bryden, the principal cause of death among young soldiers in India is enteric fever. In the Army of India, excluding cholera and deaths by violence, during the nine years 1871-79, 34·85 per cent. of the deaths among soldiers of 20 to 24 years of age resulted from enteric fever, and in the Bengal Army for the same period the percentage was as high as 36·12. Men from 25 to 29 years of age suffer to a much less extent from this disease. In the Army of India, excluding deaths from cholera and violent deaths, 15·60 per cent. of the deaths among soldiers at that period of life resulted from enteric fever. In the Army of Bengal the percentage was 16·85, in Madras 12·09, and in Bombay 14·19. Among men of 30 years of age and over, enteric fever is an uncommon cause of death. Excluding, as before, deaths from cholera and violent deaths, only 2·69 per cent. of the deaths among soldiers of 30 years of age and over, during the nine years 1871-79, were due to enteric fever; in Bengal the percentage was 2·99, in Madras 1·36, and in Bombay 3·42.

58. Excluding boys under 20 years of age, the young soldier suffers rather more from fevers, other than enteric fever, than the older soldier, but the difference is slight. Hepatitis is the most frequent cause of death among soldiers of 25 years of age and over—a disease which comparatively seldom attacks men under 25 years of age. Apoplexy, delirium tremens and heart diseases are also much more fatal among men over than under 25 years of age. Dysentery, diarrhoea, and phthisis pulmonalis also cause a greater mortality among men over 25 years of age, but the difference is not so great as in the case of hepatitis, apoplexy, delirium tremens and heart diseases.

59. The following set of tables gives the death-rates among the men of the Army of India as a whole and of the separate Armies of Bengal, Madras, and Bombay at different periods of residence in India for the three years 1877-79.

Death rates at different periods of service.

Distribution by length of residence of the aggregate strength of the European Army of India during the three years 1877 to 1879.

ARMY AS A BODY.		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
171,514	...	49,345	65,226	39,484	17,459

Deaths of the three-year period 1877 to 1879 and the death-rates at the different periods of residence.

Causes of deaths.	NUMBER OF DEATHS.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.			
	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
Cholera	301	367	181	79	6.10	5.62	4.58	4.52	29.30	26.99	22.00	21.71
Enteric fever	325	133	46	6	6.59	2.04	1.17	.34	64.99	20.12	11.54	3.35
Other fevers	115	108	41	23	2.33	1.66	1.04	1.32	36.69	26.14	16.38	20.79
Apoplexy	120	89	52	35	2.43	1.36	1.32	2.01	34.13	19.10	18.54	28.23
Delirium tremens	7	13	8	3	.14	.20	.20	.17	19.72	28.17	23.94	31.10
Dysentery and diarrhoea	108	97	70	43	2.19	1.49	1.77	2.46	27.69	18.84	22.37	31.10
Hepatitis	64	114	95	46	1.30	1.75	2.40	2.63	16.09	21.66	29.70	32.55
Pneumonia	51	60	43	23	1.03	.92	1.09	1.32	23.62	21.10	25.00	30.28
Heart diseases	24	40	41	45	.49	.61	1.04	2.53	10.39	12.92	22.03	54.66
All other diseases	127	191	133	103	2.57	2.93	3.37	5.90	17.40	19.84	22.82	39.94
All diseases	1,242	1,212	710	406	25.17	18.58	17.98	23.25	29.62	21.86	21.16	27.36
All diseases, excluding cholera	941	845	529	327	19.07	12.96	13.40	18.73	29.72	20.19	20.89	29.20
Suicidal deaths	18	33	31	18	.36	.50	.79	1.03	13.43	18.66	29.48	38.43
Accidental deaths*	70	96	110	35	1.42	1.47	2.78	2.00	18.51	19.17	36.25	26.07
All causes, excluding cholera	1,029	974	670	380	20.85	14.93	16.97	21.76	27.98	20.04	22.77	29.21

* Including men killed in action, those drowned in the Kahl River, and those who died from wounds received in battle.

Distribution by length of residence of the aggregate strength of the European Army of Bengal during the three years 1877 to 1879.

ARMY AS A BODY.		First and second years.		Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
108,692		30,799		41,927	23,914	12,022

Deaths of the three-year period 1877 to 1879 and the death-rates at the different periods of residence.

CAUSES OF DEATHS.	NUMBER OF DEATHS.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.			
	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
Cholera	259	328	145	60	8.41	7.82	6.06	4.99	30.83	28.67	22.21	18.29
Enteric fever	269	93	35	5	8.73	2.22	1.46	.42	68.05	17.30	11.38	3.27
Other fevers	92	91	31	18	2.99	2.17	1.29	1.50	37.61	27.29	16.23	18.87
Apoplexy	88	55	23	28	2.86	1.31	.96	2.33	38.34	17.56	12.87	31.23
Delirium tremens	6	11	5	1	.19	.26	.21	.08	25.67	35.14	28.38	10.81
Dysentery and diarrhoea	78	64	35	21	2.53	1.53	1.46	1.75	34.80	21.04	20.09	24.07
Hepatitis	45	70	36	33	1.46	1.67	1.50	2.74	19.81	22.66	20.35	37.18
Phthisis pulmonalis	37	40	26	13	1.20	.96	1.09	1.08	27.72	22.17	25.17	24.94
Heart diseases	17	27	25	25	.55	.64	1.04	2.08	12.76	14.85	24.13	48.26
All other diseases	95	138	93	63	3.09	3.29	3.89	5.24	19.92	21.21	25.08	33.79
All diseases	986	917	454	267	32.01	21.87	18.96	22.21	33.67	23.01	19.96	23.36
All diseases, excluding cholera	727	589	309	207	23.60	14.05	12.90	17.22	34.82	20.73	19.04	25.41
Suicidal deaths	13	17	13	11	.42	.41	.54	.91	18.42	17.99	23.68	39.91
Accidental deaths*	47	78	83	21	1.53	1.86	3.47	1.75	17.77	21.60	40.30	20.33
All causes, excluding cholera	787	684	405	239	25.55	16.32	16.91	19.88	32.48	20.75	21.49	25.28

* Including men killed in action, those drowned in the Kabul River, and those who died from wounds received in battle.

Distribution by length of residence of the aggregate strength of the European Army of Madras during the three years 1877 to 1879.

ARMY AS A BODY.		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
	32,482 *	9,364	11,285	8,554	3,279

Deaths of the three-year period 1877 to 1879 and the death-rates at the different periods of residence.

CAUSES OF DEATHS.		NUMBER OF DEATHS.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.					RATIO OF LIABILITY IN PERCENTAGES.			
		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	Total=100.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
Cholera	..	17	24	21	11	1.82	2.13	2.45	3.36	100	18.66	21.82	25.10	34.42
Enteric fever	..	29	13	8	..	3.10	1.15	.94	..	100	59.73	22.16	18.11	..
Other fevers	..	12	4	4	3	1.28	.36	.47	.92	100	42.24	11.88	15.51	30.37
Apoplexy	..	23	12	18	3	2.46	1.06	2.10	.92	100	37.62	16.21	32.11	14.06
Delirium tremens	..	1	..	3	2	.11	..	.35	.61	100	10.28	..	32.71	57.01
Dysentery and diarrhoea	..	21	19	24	14	2.24	1.68	2.80	4.27	100	20.38	15.29	25.48	38.85
Hepatitis	..	16	27	43	8	1.71	2.39	5.03	2.44	100	14.78	20.66	43.47	21.09
Phthisis pulmonalis	..	8	11	14	4	.85	.98	1.64	1.21	100	18.16	20.94	35.04	25.86
Heart diseases	..	2	6	10	15	.21	.53	1.17	4.58	100	3.24	8.16	18.03	70.57
All other diseases	..	14	26	23	18	1.50	2.30	2.69	5.48	100	12.53	19.22	22.47	45.78
All diseases	..	143	142	168	78	15.28	12.58	19.64	23.79	100	21.43	17.65	27.55	33.37
All diseases, excluding cholera	..	126	118	147	67	13.46	10.45	17.19	20.43	100	21.88	16.98	27.94	33.20
Suicidal deaths	..	2	6	7	3	.21	.53	.82	.92	100	8.47	21.37	33.06	37.10
Accidental deaths	..	13	7	18	8	1.39	.62	2.10	2.44	100	21.22	9.46	32.06	37.26
All causes, excluding cholera	..	141	131	172	78	15.06	11.60	20.11	23.79	100	21.34	16.44	28.50	33.72

Distribution by length of residence of the aggregate strength of the European Army of Bombay during the three years 1877 to 1879.

ARMY AS A BODY.		First and second years.		Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
30,340		9,182		12,014	6,986	2,158

Deaths of the three-year period 1877 to 1879 and the death-rates at the different periods of residence.

CAUSES OF DEATHS.		NUMBER OF DEATHS.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				Total = 100.				
First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.			
Cholera	25	15	15	8	272	125	215	371	2767	1272	2187	3774	100					
Enteric fever	27	27	3	1	294	225	43	46	4836	3700	707	757	100					
Other fevers	11	13	6	2	120	108	86	93	2948	2653	2113	2286	100					
Apoplexy	9	22	11	4	98	183	157	185	1573	2937	2520	2970	100					
Delirium tremens	...	2	17	10000	100					
Dysentery and diarrhoea	9	14	11	8	98	117	157	371	1319	1574	2114	4993	100					
Hepatitis	3	17	16	5	33	141	229	232	520	2220	3606	3654	100					
Phthisis pulmonalis	6	9	3	6	65	75	43	278	1410	1627	933	6030	100					
Heart diseases	5	7	6	5	55	58	86	232	1276	1346	1995	5383	100					
All other diseases	18	27	17	22	196	225	243	1019	1165	1337	1444	6054	100					
All diseases	113	153	88	61	1231	1274	1259	2827	1868	1933	1910	4289	100					
All diseases, excluding cholera	88	138	73	53	959	1149	1044	2456	1710	2049	1862	4379	100					
Suicidal deaths	3	10	11	4	33	83	157	185	721	1812	3428	4039	100					
Accidental deaths	10	11	9	6	108	91	129	278	1782	1502	2129	4587	100					
All causes, excluding cholera	101	159	93	63	1100	1323	1330	2919	1649	1983	1993	4375	100					

60. These tables show that for the three years 1877-79, the death-rate from

Death-rate in the Army of India greatest in first and second years of Indian service due to the excessive mortality in the Bengal Army at this period of service.

disease in the European Army of India among men in their first and second year's of Indian service, is greater than at any of the other three periods of service given in the tables. This is due to the excessive death-rate in the Bengal Army among men in the first and second years of their service. Up to two years' service the average death-rate in Bengal during these three years was 23·60 per 1,000; among men in their third to sixth year of Indian service the death-rate was 14·05; among men in their seventh to tenth year it was 12·90; and among men of ten years' service and over, the death-rate was 17·22 per 1,000.

61. The experience of the same three years in Madras and Bombay is

In the Madras Army death-rate highest among men of ten years' service and over.

different to that of Bengal. In Madras, excluding deaths from cholera and violent deaths, the death-rate among men in their seventh to tenth year was 17·19 per 1,000, and among men of ten years' service and over, 20·43 per 1,000; whereas the death-rate among men in their first and second year's service was only 13·46. In this Presidency during the three years 1877-79, the men in their third to sixth year of service had the lowest death-rate; among them it was only 10·45 per 1,000.

62. In Bombay, again, during the same three years the men under two

Death-rate in Bombay also highest among men of ten years' service and over.

years' service had the lowest death-rate. The rate of mortality remained nearly the same among the men from their third up to their tenth year of service; among those in their third to sixth year the death-rate, excluding cholera deaths and deaths by violence, was 11·49; and among those in their seventh to tenth year it was 10·44 per 1,000. Men of ten years' service and over suffered much more severely, the death-rate among them being 24·56 per 1,000.

63. Enteric fever is by far the most frequent cause of death among

Enteric fever the most frequent cause of death among recent arrivals.

soldiers in the first and second year of their Indian service. Excluding deaths from cholera and violent deaths, 34·54 per cent. of the deaths in the Army of India during the years 1877-79 among men of two years' service and under was due to enteric fever. In the Bengal Presidency the corresponding percentage was 37·00. Among men in their third to sixth year of Indian service in the Bengal Army the percentage was 15·79; among those in their seventh to tenth year it was 11·33, and among men of 10 years' service and over, only 2·42 per cent. of the deaths was due to enteric fever.

64. These tables seem to show that recent arrival in India plays a more

Recent arrival a more powerful pre-disposing cause of enteric fever than youth.

important part in the pre-disposition to enteric fever than youth does. Taking the Army of Bengal, which suffers most from enteric fever, the percentage of liability to enteric fever during the years 1871-79 among boys of 20 years of age and under, was 31·14, among men of 20 to 24 years of age 42·34, among those of 25 to 29 years of age 20·92, and among those 30 years old and upwards 5·60. Hence the liability among those under 20 years of age was very much less than among those between 20 to 24 years old, and the liability among those between 25 and 29 years of age was still considerable. On the other hand, the percentage of liability of the soldier in Bengal in the first and second years of his Indian service is as high as 68·05, whereas it falls to 17·30 among men in their third to sixth years of Indian service, and is only 11·38 among men in the seventh to tenth year of their service. The soldier in the first and second years of his Indian service falls a victim to fevers other than enteric fever, and to apoplexy more readily than the man who has passed a longer time in the country, and he also suffers very severely from dysentery and diarrhoea. The diseases which produce the greatest mortality among men of ten years' service and over are hepatitis, heart diseases, dysentery and apoplexy.

Distribution according to age of the aggregate strength of the European Army of India during the nine years 1871 to 1879.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
525,540	21,900	171,716	158,826	98,305	60,735	14,058

Invaliding of the nine-year period 1871 to 1879 and the invaliding rates at the different ages.

CAUSES OF INVALIDING.	NUMBER INVALIDED.						INVALIDED PER 1,000 OF THE ABOVE STRENGTH.				RATIO OF LIABILITY IN PERCENTAGES.				Total=103.
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	
Fevers ..	5	218	270	168	182	95	1.15	1.70	1.71	3.70	13.92	20.58	20.70	44.80	100
Phthisis pulmonalis ..	23	542	595	320	220	56	2.92	3.75	3.26	3.69	21.44	27.53	23.94	27.09	100
Rheumatism ..	4	180	297	214	383	242	.95	1.87	2.18	8.36	7.11	14.90	16.32	62.57	100
Syphilis ..	3	184	341	216	167	34	.97	2.15	2.20	2.69	12.11	26.84	27.47	33.58	100
Epilepsy and brain affection ..	8	199	170	80	74	19	1.07	1.07	.81	1.24	25.54	25.54	19.33	29.59	100
Mental affections ..	4	180	185	131	68	17	.95	1.16	1.33	1.14	20.74	25.33	29.04	24.89	100
Heart diseases and palpitation ..	16	824	717	262	270	100	4.34	4.51	2.67	4.95	26.36	27.38	16.21	30.05	100
Bronchitis and asthma ..	4	83	147	115	200	119	.45	.93	1.17	4.27	6.61	13.63	17.15	62.61	100
Dysentery and diarrhoea ..	14	429	451	236	180	81	2.29	2.84	2.40	3.49	20.78	25.77	21.78	31.67	100
Hepatitis ..	7	570	952	684	683	255	2.98	5.99	6.96	12.54	10.47	21.04	24.45	44.04	100
Spleen diseases ..	5	66	78	45	45	16	.36	.49	.46	.81	16.98	23.11	21.70	38.21	100
Debility and anaemia ..	37	697	896	730	1,731	1,206	3.79	5.64	7.42	39.27	6.75	10.05	13.22	69.98	100
All other causes ..	22	580	756	494	588	310	3.11	4.76	5.02	12.00	12.50	19.12	20.17	48.21	100
All causes ..	152	4,752	5,855	3,695	4,791	2,550	25.33	36.86	37.59	48.15	12.80	18.62	18.99	49.59	100

Distribution according to age of the aggregate strength of the European Army of Bengal during the nine years 1871 to 1879.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
329,616	12,297	107,387	101,645	62,466	37,196	8,625

Invaliding of the nine-year period 1871 to 1879 and the invaliding rates at the different ages.

CAUSES OF INVALIDING.	NUMBER INVALIDED.						INVALIDED PER 1,000 OF THE ABOVE STRENGTH.				RATIO OF LIABILITY IN PERCENTAGES.				Total=100.
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	
Fevers	2	100	138	96	111	52	85	136	154	356	1163	1860	2107	4870	100
Phthisis pulmonalis	17	343	369	201	147	33	301	363	322	393	2183	2632	2335	2850	100
Rheumatism	3	92	187	140	268	168	79	184	224	951	549	1280	1558	6613	100
Syphilis	...	80	163	126	93	21	67	160	202	249	988	2360	2979	3673	100
Epilepsy and brain affections	5	118	103	43	42	11	103	101	69	116	2648	2596	1774	2982	100
Mental affections	3	113	122	91	47	11	97	120	146	127	1980	2449	2979	2592	100
Heart diseases and palpitation	11	589	482	167	170	71	501	474	267	526	2834	2681	1510	2975	100
Bronchitis and asthma	4	49	99	73	131	85	44	98	117	471	603	1342	1603	6452	100
Dysentery and diarrhoea	6	158	194	104	58	44	137	191	166	223	1911	2664	2315	3110	100
Hepatitis	3	316	536	404	459	172	267	527	647	1377	947	1870	2296	4887	100
Spleen diseases	5	38	54	34	32	13	36	53	54	98	1494	2199	2241	4066	100
Debility and anæmia	20	343	500	448	1,097	759	303	492	717	4050	545	885	1289	7281	100
All other causes	15	338	463	301	360	189	295	456	482	1198	1213	1876	1983	4928	100
All causes	94	2,677	3,410	2,228	3,015	1,629	2315	3355	3567	10135	1195	1732	1841	5232	100

Distribution according to age of the aggregate strength of the European Army of Madras during the nine years 1871 to 1879.

Aggregate strength.		Under 20.		20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
1,50,941		4,435		31,057	28,534	20,405	13,321	3,189

Invaliding of the nine-year period 1871 to 1879 and the invaliding rates at the different ages.

CAUSES OF INVALIDING.	NUMBER INVALIDED.						INVALIDED PER 1,000 OF THE ABOVE STRENGTH.				RATIO OF LIABILITY IN PERCENTAGES.			
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.
Fevers ...	1	14	23	11	12	4	42	80	54	97	15.38	29.31	19.78	35.53
Phthisis pulmonalis ...	4	112	128	74	42	17	3.27	4.49	3.63	3.57	21.86	30.02	24.26	23.86
Rheumatism	41	46	41	61	43	1.16	1.61	2.01	6.30	10.47	14.53	18.14	56.86
Syphilis ...	3	67	94	55	49	7	1.97	3.29	2.70	3.39	17.36	28.98	23.79	29.87
Epilepsy and brain affections ...	3	49	33	26	15	6	1.46	1.16	1.27	1.27	28.30	22.48	24.61	24.61
Mental affections	29	33	27	13	3	82	1.16	1.32	97	19.20	27.17	30.91	22.72
Heart diseases and palpitation ...	5	142	120	65	68	19	4.14	4.20	3.19	5.27	24.64	25.00	18.99	31.37
Bronchitis and asthma	16	21	23	39	19	45	74	1.13	3.51	7.72	12.69	19.38	60.21
Dysentery and diarrhoea ...	6	217	174	108	99	28	6.28	6.10	5.29	7.70	24.75	24.05	20.85	30.35
Hepatitis ...	2	163	233	189	137	53	4.65	8.17	9.26	11.51	13.84	24.32	27.57	34.27
Spleen diseases	2	1	1	4	1	06	03	05	30	13.64	6.82	11.36	68.18
Debility and anæmia ...	6	110	132	130	336	236	3.27	4.63	6.37	34.65	6.69	9.46	13.02	70.83
All other causes ...	4	111	121	100	114	58	3.24	4.24	4.90	10.42	14.21	18.60	21.49	45.70
All causes ...	34	1,073	1,159	850	989	494	31.19	40.62	41.65	89.83	15.34	19.98	20.49	44.19

Distribution according to age of the aggregate strength of the European Army of Bombay during the nine years 1871 to 1879.

Aggregate Strength.		Under 20.		20 to 24.		25 to 29.		30 to 34.		35 to 39.		40 and upwards.	
94,983		5,168		33,272		28,647		15,434		10,218		2,244	

Invaliding of the nine-year period 1871 to 1879 and the invaliding rates at the different ages.

CAUSES OF INVALIDING.	NUMBER INVALIDED.						INVALIDED PER 1,000 OF THE ABOVE STRENGTH.				RATIO OF LIABILITY IN PERCENTAGES.			
	Under 20.		20 to 24.		25 to 29.		30 to 34.		35 to 39.		40 and upwards.		Total=100.	
	20 to 24.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	35 and upwards.	35 and upwards.	Total=100.
Fevers ...	104	2	104	109	61	59	39	2.76	3.80	3.95	7.86	15.02	42.79	100
Phthisis pulmonalis ...	87	2	87	98	45	31	6	2.32	3.42	2.92	2.97	19.95	25.51	100
Rheumatism ...	47	1	47	64	33	54	31	1.25	2.23	2.14	6.82	10.05	54.82	100
Syphilis ...	37	...	37	84	35	25	6	.96	2.93	2.27	2.49	11.10	28.79	100
Epilepsy and brain affections ...	32	...	32	34	11	17	2	.83	1.19	.71	1.53	19.48	35.92	100
Mental affections ...	38	1	38	30	13	8	3	1.01	1.05	.84	.88	26.72	23.28	100
Heart diseases and palpitation ...	93	...	93	115	30	32	10	2.42	4.01	1.94	3.37	20.61	28.71	100
Bronchitis and asthma ...	18	...	18	27	19	30	15	.47	.94	1.23	3.61	7.52	57.76	100
Dysentery and diarrhoea ...	54	2	54	83	24	23	9	1.46	2.90	1.56	2.57	17.20	30.27	100
Hepatitis ...	91	2	91	183	91	87	30	2.42	6.39	5.90	9.39	10.04	38.96	100
Spleen diseases ...	26	...	26	23	10	9	2	.67	.80	.65	.88	22.33	29.33	100
Debility and anæmia ...	244	11	244	264	152	298	211	6.63	9.22	9.85	40.85	9.96	61.38	100
All other causes ...	131	3	131	172	93	114	63	3.49	6.01	6.02	14.20	11.74	47.78	100
All causes	1,002	24	1,002	1,286	617	787	427	26.69	44.89	39.98	97.42	12.77	46.62	100

65. In the above tables are given the total invaliding rates and the invaliding rates at different ages of the European Army of India as a whole, and of the

Invaliding rates at different ages.

Armies of Bengal, Madras and Bombay separately during the years 1871-79. In the Army of India the invaliding rate among men of 24 years of age and under is comparatively low, being 25·33 per 1,000. The rate among men of 25 to 29 years of age is very nearly the same as that among men of the age of 30 to 34 years, being 36·86 per 1,000 among the former, and 37·59 among the latter. Among men of 35 years of age and upwards the invaliding ratio during these nine years amounted to 98·15 per 1,000. Although the amount of invaliding varies a little in the Armies of the different Presidencies, the relative amount at the different ages is nearly the same in all as in the Army of India, as a whole, except that in Bombay there is rather less invaliding among men from 30 to 34 years of age than among those of the age of 25 to 29.

66. Palpitation is the most frequent cause of invaliding among men of 24 years of age and under. The next most frequent causes are anæmia and debility, and after them hepatitis, phthisis pulmonalis, and dysentery and diarrhœa. Among soldiers of 35 years of age and upwards debility and anæmia are by far the most frequent causes of invaliding; 40·01 per cent. of the cases of invaliding in the Army of India at this age, during the years 1871-79, were from these causes. After these, Hepatitis and rheumatism are the most frequent causes of invaliding among old soldiers.

67. This table gives the invaliding rates in the European Army of India during the years 1877-80 at different periods of Indian service. The average during the first and second years of Indian Service was 31·00 per 1,000. Among men in their third to sixth year of service the rate was 38·31, and among those in their seventh to tenth year it was 40·72 per 1,000. Among men of ten years service and over the ratio was 76·01 per 1,000—nearly twice as great as that among men in their third to tenth year of service.

68. The principal causes of invaliding among men in their first and second years of Indian service were debility and anæmia, phthisis pulmonalis, hepatitis and fevers. Among men of ten years' service and over, debility and anæmia were much the most frequent causes of invaliding. During the years 1877 to 1880 these diseases caused 44·10 per cent. of the total invaliding at that period of service. After debility and anæmia, hepatitis was the most frequent cause of invaliding among men of ten years' service and over, and after it rheumatism and fevers ; but the numbers invalided from these latter were comparatively small.

ERRATA.

Table I	Page VIII	...	Died out of each hundred cases treated from Intermittent Fever—For "0.4" read ".04."
" V	" XII	...	Death-rate from Apoplexy—For "1.42" read "1.42."
" XI	" XVIII	...	In the Heading—read "Gangetic" before "Provinces."
" XVII	" XXIV	...	Suicidal death-rate—For "1.3" read "1.38."
" XIX	" XXVI	...	Death-rate from Apoplexy—For "0.7" read ".07."
		" "	Phthisis Pulmonalis—For "48" read ".48."
" XX	" XXVII	...	Total deaths from "Other Fevers, and Apoplexy,—Read "31" and "3" respectively.
" XXXII	" XXXIX	...	Mortality relative to the number treated—Read "Gangetic Provinces and Oudh" for "Gangetic Provinces."
" XL	" LVI	...	Death-rate from Delirium Tremens—For "1.1" read ".11."
" LXXXVIII	" CIV	...	Died out of each hundred cases treated from Intermittent Fever—For "0.3" read ".03."
" XCVI	" CXII	...	Death-rate from Delirium Tremens—For "38" read ".38."
" CXXI	" CXXXVII	...	In Section III.—Omit 1 death from 'Other Fevers, in 1872,' and read total "4" for "5" and in the same year read "Deaths from all other causes, 4" for "3" and total "22" for "21."
" CCXXXVII	" CCLV	...	Admission-rate from Eye Diseases—For "1" read "1.3."
" CCXXXIX	" CCLVII	...	Admissions from Respiratory Diseases in 1874—For "9" read ".97." Admissions from Phthisis Pulmonalis in 1874—For "..." read ".8."
" CCLXIV	" CCLXXXII	...	In the Heading—Read "Agra District" for "Agra."
" CCLXXXIII	" CCXCI	...	In death-rate table—Read "Total rates from Delirium Tremens 100.00" for "00.00."
" CCLXXVII	" CCXCVIII	...	Admission-rate from Dysentery in Agra and Central India in January—Read "1.3" for ".3."
" CCLXXX	" CCCVI	...	Opposite "All other causes" an asterisk should be placed.
" CCLXXXIII	" CCCIX	...	" "
" CCC	" CCCXLIV	...	Transfer 1 death " in Chakrata from November to October.



CONTENTS.

I.—STATISTICS OF PRESIDENCIES AND PROVINCES.

Table showing the Aggregate of Sickness and Mortality among the European Troops composing the Army of India during the Ten-Year Period, and the prevalence of the Principal Diseases in each Month	I
General Statistics of Sickness and Mortality of the European Army of India for each Year of the Ten-Year Period	II
I.—Daily Sick-rate of each Month of the Ten Years.	
II.—Composition of the Admission-rate of each Year and of the Ten-Year Period.	
III.—Death-rate of each Year and of the Period, and the Chief Causes of Mortality.	
IV.—Prevalence of Cholera in each Month during the Ten Years.	
Sickness and Mortality in the European Army of the Bengal Presidency during the Ten-Year Period	III
General Statistics of the European Army of the Bengal Presidency for each Year of the Ten-Year Period	IV
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army of the Madras Presidency during the Ten-Year Period	V
General Statistics of the European Army of the Madras Presidency for each Year of the Ten-Year Period	VI
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army of the Bombay Presidency during the Ten-Year Period	VII
General Statistics of the European Army of the Bombay Presidency for each Year of the Ten-Year Period	VIII
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army of Bengal Proper during the Ten-Year Period	IX
General Statistics of the European Army of Bengal Proper for each Year of the Ten-Year Period	X
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in the Gangetic Provinces and in Oudh during the Ten-Year Period	XI
General Statistics of the European Army serving in the Gangetic Provinces and in Oudh for each Year of the Ten-Year Period	XII
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in Meerut and Rohilcund during the Ten-Year Period	XIII
General Statistics of the European Army serving in Meerut and Rohilcund for each Year of the Ten-Year Period	XIV
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in Agra and in Central India during the Ten-Year Period	XV
General Statistics of the European Army serving in Agra and in Central India for each Year of the Ten-Year Period	XVI
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in the Punjab during the Ten-Year Period	XVII
General Statistics of the European Army serving in the Punjab for each Year of the Ten-Year Period	XVIII
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in the Hill Stations of the Bengal Presidency during the Ten-Year Period	XIX

TABLE.

SOUTHERN INDIA.

BELLARY	CLXXII	AND	CLXXIII
BANGALORE	CLXXIV	"	CLXXV
CANNANORE	CLXXVI	"	CLXXVII
MALLIAPOORUM	CLXXVIII	"	CLXXIX
CALICUT	CLXXX	"	CLXXXI
TRICHINOPOLY	CLXXXII	"	CLXXXIII
ST. THOMAS' MOUNT	CLXXXIV	"	CLXXXV
MADRAS	CLXXXVI	"	CLXXXVII

BURMA AND PEGU.

RANGOON	CLXXXVIII	"	CLXXXIX
TOUNGOO	CXC	"	CXCI
THAYETMYO	CXCII	"	CXCIII
PORT BLAIR	CXCIV	"	CXCV

HILL STATIONS AND CONVALESCENT DEPÔTS (MADRAS AND BOMBAY PRESIDENCIES.)

MOUNT ABOO	CXCVI	"	CXCVII
PURANDHAR	CXCVIII	"	CXCIX
WELLINGTON	CC	"	CCI

IV.—MONTHLY DISTRIBUTION OF DISEASE.

Sickness and Mortality of the European Army of India in each Month of the Ten-Year Period	CCII	TO	CCXIII
Sickness and Mortality of the European Army of the Bengal Presidency in each Month of the Ten-Year Period	CCXIV	"	CCXXV
Sickness and Mortality of the European Army of the Madras Presidency in each Month of the Ten-Year Period	CCXXVI	"	CCXXXVII
Sickness and Mortality of the European Army of the Bombay Presidency in each Month of the Ten-Year Period	CCXXXVIII	"	CCXLIX
Ratio in which the European Army of India has been affected by the Chief Causes of Sickness and Mortality in each Month...			CCL
Relative Liability in each Month of the European Army of India to the Chief Causes of Sickness and Mortality,—shown in Percentages			CCLI
Ratios of each Month for the European Army of the Bengal Presidency	CCLII	AND	CCLIII
" " " Madras "	CCLIV	"	CCLV
" " " Bombay "	CCLVI	"	CCLVII
" " " serving in Bengal Proper	CCLVIII	"	CCLIX
" " " the Gangetic Provinces and in Oudh	CCLX	"	CCLXI
" " " Rohilcund and Meerut	CCLXII	"	CCLXIII
" " " Agra and Central India...	CCLXIV	"	CCLXV
" " " the Punjab...	CCLXVI	"	CCLXVII
" " " Rajpootana, Malwa, Sind, and Aden	CCLXVIII	"	CCLXIX
" " " the Deccan and Nagpore	CCLXX	"	CCLXXI
" " " Southern India	CCLXXII	"	CCLXXIII
" " " Burma and Pegu	CCLXXIV	"	CCLXXV
Statement contrasting in the different Presidencies the Liability in each Month of the European Army to the Chief Causes of Sickness			CCLXXVI
A.—Daily Sick-rate and Admission-rates for the Chief Diseases.			
B.—Monthly Percentage of the Annual Sick-rate and Admission-rates.			
Statement contrasting in the different Provinces the Liability in each Month of the European Army to the Chief Causes of Sickness			CCLXXVII
(Details as above.)							
Statement contrasting in the different Presidencies the Liability in each Month of the European Army to the Chief Causes of Mortality...			CCLXXVIII
A.—General Death-rate and Death-rates for the Chief Causes of Mortality.			
B.—Monthly Percentage of the Annual Death-rate.			
Statement contrasting in the different Provinces the Liability in each Month of the European Army to the Chief Causes of Mortality			CCLXXIX
A.—General Death-rate and Death-rates for the Chief Causes of Mortality.			
B.—Monthly Percentage of the Annual Death-rate.			
Number of Deaths out of each Hundred Cases Treated in each Month in the European Army of India on the Totals for the Ten-Year Period			CCLXXX
" " " European Army of the Bengal Presidency			CCLXXXI
" " " Madras			CCLXXXII
" " " Bombay			CCLXXXIII
Ratio in which the Suicidal Deaths of the European Army of India have occurred in each Month, and the Number of Suicides in each Month of the Ten-Year Period			CCLXXXIV

TABLE.

V.—DISTRIBUTION BY PROVINCES OF SPECIAL DISEASES.

Admissions from Cholera in each Month of the Ten-Year Period in the different						
Provinces	CCLXXXV
" " Smallpox	CCLXXXVI
" " Enteric Fever	CCLXXXVII
" " Intermittent Fever	CCLXXXVIII
" " Remittent and Continued Fevers	CCLXXXIX
" " Fevers as a class, excluding Enteric Fever	CCXC
" " Apoplexy	CCXCI
" " Dysentery	CCXCII
" " Diarrhœa	CCXCIII
" " Hepatitis	CCXCIV
" " Respiratory Diseases	CCXCV
" " Phthisis Pulmonalis	CCXCVI

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS.

Distribution in each Month of the Total Deaths of the Principal Military Stations during the Ten-Year Period, Cholera Deaths being excluded ...						CCXCVII
Distribution by Months of the Total Deaths from Cholera in the Principal Military Stations ...						CCXCVIII
" " " Enteric Fever ...						CCXCIX
" " " Fevers, excluding Enteric Fever ...						CCC
" " " Apoplexy ...						CCCI
" " " Dysentery ...						CCCH
" " " Hepatitis ...						CCCHII

VII.—INVALIDING OF THE EUROPEAN ARMY.

Invaliding Ratios for each Year of the Ten-Year Period of the European Army of						
India.	CCCTV
" " Bengal Presidency	CCCV
" " Madras	CCCVI
" " Bombay	CCCVII

VIII.—CAUSES OF FLUCTUATION IN STRENGTH OF THE EUROPEAN ARMY.

Causes of Fluctuation in Strength of the European Army of India ...						CCCVIII
" " Bengal ...						CCCIX
" " Madras ...						CCCX
" " Bombay... ..						CCCXI

IX.—DETAIL OF ADMISSIONS AND DEATHS AND CAUSES OF INVALIDING.

Statement showing the Causes of Deaths returned in the General Tables under the Head "All other Causes" ...						CCCXII
Detail of the Causes of Admissions into Hospital in each Year, and the Number of Admissions and Deaths and Cases Invalided during the Ten Years ...						CCCXIII

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY.

Sickness and Mortality among the Women of the European Army of India during the Ten-Year Period and the prevalence of the Principal Diseases in each Month ...						CCCXIV
" " " Children ...						CCCXV
" " " Women ...						CCCXVI
" " " Children ...						CCCXVII
" " " Women ...						CCCXVIII
" " " Children ...						CCCXIX
" " " Women ...						CCCXX
" " " Children ...						CCCXXI
Causes of Sickness and Mortality among the Women of the European Army of India in each Year, and for the Ten-Year Period ...						CCCXXII
Ratios of Sickness and Mortality of each Year and for the Period ...						CCCXXIII
Causes of Sickness and Mortality among the Children of the European Army of India in each Year, and for the Ten-Year Period ...						CCCXXIV
Ratios of Sickness and Mortality of each Year, and for the Ten-Year Period ...						CCCXXV
Causes of Sickness and Mortality among the Women of the European Army of the Bengal Presidency in each Year, and for the Ten-Year Period ...						CCCXXVI
Ratios of Sickness and Mortality of each Year and for the Period ...						CCCXXVII
Causes of Sickness and Mortality among the Children of the European Army of the Bengal Presidency in each Year, and for the Ten-Year Period ...						CCCXXVIII
Ratios of Sickness and Mortality of each Year and for the Period ...						CCCXXIX
Causes of Sickness and Mortality among the Women of the European Army of the Madras Presidency in each Year, and for the Ten-Year Period ...						CCCXXX
Ratios of Sickness and Mortality of each Year and for the Period ...						CCCXXXI

TABLE.

Causes of Sickness and Mortality among the Children of the European Army of the Madras Presidency in each Year, and for the Ten-Year Period	CCCCXXXII
Ratios of Sickness and Mortality of each Year and for the Period	CCCCXXXIII
Causes of Sickness and Mortality among the Women of the European Army of the Bombay Presidency in each Year, and for the Ten-Year Period	CCCCXXXIV
Ratios of Sickness and Mortality of each Year and for the Period	CCCCXXXV
Causes of Sickness and Mortality among the Children of the European Army of the Bombay Presidency in each Year, and for the Ten-Year Period	CCCCXXXVI
Ratios of Sickness and Mortality of each Year and for the Period	CCCCXXXVII
Number of Deaths and the Chief Causes of Mortality among the Women of the European Army of India in the Principal Military Stations occupied from 1870-79	CCCCXXXVIII
Detail of the Causes of Admissions among the Women of the European Army of India in each Year, and for the Ten-Year Period	CCCCXXXIX
" " " Children	CCCCXL
" " " Children	CCCCXLI

I.—STATISTICS OF PRESIDENCIES AND PROVINCES, 1870-79.

I.—STATISTICS OF THE EUROPEAN ARMY OF INDIA, 1870-79.

I.*

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS composing the ARMY of INDIA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.		
January	569,507	31,299	55.0	738	1.30	7	5	55	6	41	14	7	65	1	110	3	121	60	78	2	1	2	73	8	79		
February	572,582	31,135	54.4	573	1.00	7	5	55	4	21	9	3	38	1	91	...	57	52	61	...	1	4	70	6	88		
March	579,703	30,055	51.8	622	1.07	19	10	43	2	36	19	3	54	1	95	1	49	64	53	...	1	7	86	10	89		
April	584,156	31,158	53.3	749	1.28	92	16	104	4	56	53	9	43	2	71	2	25	47	41	4	63	5	109		
May	582,672	33,653	57.8	1,014	1.74	215	11	150	4	72	151	9	55	3	77	1	32	52	36	2	82	4	58		
June	581,733	35,252	60.6	1,295	2.23	328	5	141	3	77	291	19	56	6	90	1	26	38	51	3	75	12	73		
July	579,850	36,530	63.0	1,078	1.86	239	2	108	2	61	164	15	69	9	101	1	25	59	60	1	2	1	79	4	76		
August	578,551	38,198	66.0	1,264	2.18	435	...	131	4	84	62	7	85	8	127	5	12	60	60	1	4	91	7	80			
September	576,654	39,937	69.3	1,209	2.10	330	1	171	14	93	53	12	105	8	130	2	17	57	47	96	4	69		
October	570,239	39,325	69.0	997	1.75	138	1	103	11	92	24	13	106	9	132	1	35	64	58	2	2	3	97	7	99		
November	579,072	36,955	63.8	812	1.40	41	...	53	14	71	20	6	89	12	142	1	55	55	64	1	1	4	95	3	85		
December	574,277	33,125	57.7	815	1.42	13	4	54	11	35	15	3	88	7	101	...	108	77	67	1	1	8	79	14	129		
						1,864	60	1,168	79	739	875	106	853	67	1,267	18	562	685	679	8	10	42	986	84	1,014†		
Died per 1,000 of the Average Strength.																											
For the Ten Years	577,416	34,719	60.1	11,166	19.34	3.22	10	2.03	1.42	1.52	1.18	1.48	1.2	2.19	1.03	1.97	1.19	1.18	1.01	1.02	1.07	1.71	1.14	1.76			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73 and 1876)	132	10	339	728	876	550	1,103	807	1,542	1,525	644	309	8,565	14.8	...
Cholera	11	16	25	150	311	457	358	650	454	180	67	18	2,687	4.7	69.11
Smallpox	47	46	65	101	65	21	16	1	4	2	12	28	2,608	4.6	14.71
Enteric Fever	159	122	137	275	386	245	233	264	371	199	116	153	2,665	4.6	43.63
Fever, Intermittent	12,379	9,447	9,150	11,427	14,298	15,291	18,035	21,219	28,852	34,616	29,628	20,481	224,823	389.4	0.4
Fevers, Remittent and Continued	2,714	2,842	4,470	7,973	10,745	10,484	10,849	10,491	11,979	10,473	6,546	4,104	93,670	162.2	7.9
Apoplexy	34	37	67	150	339	692	447	180	126	81	48	26	2,227	3.9	39.29
Delirium Tremens	163	117	159	159	174	164	224	238	207	204	142	128	2,079	3.6	5.10
Dysentery	1,731	1,348	1,372	1,740	1,736	1,688	2,170	2,708	2,623	2,304	1,990	1,956	23,356	40.4	3.65
Diarrhoea	1,944	1,727	2,269	3,279	3,041	2,873	4,714	5,193	3,568	2,601	2,352	2,574	36,135	62.6	1.9
Hepatitis	2,016	1,905	1,994	2,145	2,454	2,611	2,887	2,875	2,900	2,698	2,277	2,018	28,780	49.8	4.40
Spleen disease	217	247	247	258	287	297	362	302	286	368	284	321	3,476	6.0	1.29
Respiratory diseases	5,077	4,450	4,009	3,793	3,586	2,814	2,895	2,830	2,627	2,985	3,656	4,808	43,530	75.4	4.35
Phthisis Pulmonalis	372	292	319	282	322	385	469	449	453	506	513	446	4,808	8.3	14.12
Scurvy	12	16	18	10	21	22	18	27	17	23	28	18	230	0.4	...
Rheumatism	2,781	2,701	2,822	2,829	2,821	2,795	3,137	2,920	2,696	2,555	2,357	2,357	32,803	56.8	...
Veneral diseases	11,601	10,891	11,580	11,712	9,732	8,639	9,385	8,716	8,238	8,762	8,779	9,450	117,485	203.5	...
Eye diseases	737	706	999	1,145	1,102	925	1,016	1,211	1,091	998	733	698	11,411	19.8	...
Abscess and Ulcer	3,922	3,835	4,260	4,750	4,584	4,876	5,467	4,858	4,219	3,861	3,619	3,471	51,722	89.6	...
Wounds and Accidents	4,532	4,588	5,214	5,142	4,711	4,112	4,249	3,900	3,959	4,245	3,994	5,303	54,039	93.6	...
All other Causes	7,031	7,035	8,007	9,045	9,618	9,533	11,033	10,662	9,904	9,282	8,099	7,406	106,655	184.7	47
	57,612	52,378	57,522	67,093	71,209	69,474	79,072	80,591	86,116	88,498	75,926	66,073	851,564		
Admitted per 1,000 of the Average Strength in each Month.															
	101.2	91.5	99.2	114.9	122.2	119.4	136.4	139.3	149.3	155.2	131.1	115.1	1,474.8		

* This is the aggregate of the Statistics of the whole Army of India for the 10-Year Period. The Provincial Tables which follow do not include Troops on Active Service and on † Accidental, Suicidal, and other Deaths from violence.

I.—STATISTICS OF THE EUROPEAN ARMY OF INDIA, 1870-79.

II.*

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS composing the ARMY of INDIA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	54,578	56.7	58.4	57.9	59.1	64.6	66.6	66.7	69.3	71.4	69.5	60.6	52.0	62.8
1871	...	56,806	51.6	53.0	53.5	53.6	58.0	62.3	64.5	66.3	65.0	61.7	55.0	50.5	57.9
1872	...	58,870	51.7	49.8	47.5	49.6	54.4	56.4	56.2	61.6	67.7	67.0	58.9	53.5	56.2
1873	...	58,769	52.0	47.8	48.9	51.7	53.3	55.7	58.8	61.9	64.4	61.7	55.5	51.5	55.3
1874	...	59,303	50.5	50.8	47.3	51.6	53.8	56.5	61.9	67.3	66.4	65.8	61.2	56.6	57.5
1875	...	58,409	56.0	54.7	49.5	52.8	55.7	57.7	61.1	59.6	61.5	62.2	57.4	53.1	56.8
1876	...	57,358	50.3	51.3	49.0	50.2	54.1	57.0	58.3	59.6	65.5	66.0	61.7	55.8	56.6
1877	...	57,260	51.7	50.9	48.4	47.9	53.0	57.0	59.6	63.0	62.8	60.1	59.9	56.0	55.8
1878	...	56,475	57.7	59.5	54.6	56.3	61.7	65.8	66.8	71.2	81.6	83.9	80.6	72.3	67.7
1879	...	59,082	71.7	68.5	62.7	60.7	69.0	71.3	76.1	80.4	86.1	92.2	86.9	74.6	75.0
Ten Years, 1870-79	...	577,416	55.0	54.4	51.8	53.3	57.8	60.6	63.0	66.0	69.3	69.0	63.8	57.7	60.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	1.9	3.1	738.1	3.6	6.3	40.7	68.7	55.3	6.0	71.7	9.5	62.7	191.2	24.4	93.7	89.8	178.7	1,645.4
1871	2.1	3.6	529.0	2.2	5.1	39.5	62.8	58.1	6.6	76.1	9.7	63.2	196.8	23.3	94.5	95.0	182.0	1,449.6
1872	10.7	3.8	472.3	4.5	4.2	44.7	74.9	52.8	5.1	68.5	9.9	58.8	179.0	22.3	91.0	87.8	306.7	1,497.0
1873	1.3	3.6	456.1	2.9	2.8	40.9	53.9	56.8	6.6	76.9	9.2	56.3	166.7	21.0	90.4	89.0	193.7	1,328.1
1874	2	4.1	461.7	2.4	3.1	36.6	49.2	53.0	5.9	82.6	8.3	62.6	192.7	20.6	92.9	94.5	187.3	1,357.7
1875	4.9	2.8	445.6	4.1	3.4	35.8	62.6	46.5	7.3	71.1	8.9	51.7	205.1	20.4	88.3	96.8	182.6	1,337.8
1876	3.5	4.6	480.5	4.3	3.3	33.9	50.5	49.1	5.8	72.4	8.1	57.0	189.9	17.4	83.1	97.5	200.6	1,361.5
1877	1.3	4.1	387.0	4.1	3.3	31.9	50.4	43.5	5.0	67.7	7.3	53.7	208.5	16.1	87.2	102.2	184.0	1,257.3
1878	5.4	8.5	662.1	4.5	2.8	49.3	70.3	43.6	4.1	74.3	6.0	51.0	271.3	16.7	90.9	94.9	195.6	1,651.3
1879	14.9	8.0	893.5	5.7	2.1	51.0	82.7	40.0	7.8	91.8	6.4	51.3	234.8	15.8	84.2	88.5	192.7	1,871.2
Ten Years, 1870-79	4.7	4.6	551.6	3.9	3.6	40.4	62.6	49.8	6.0	75.4	8.3	56.8	203.5	19.8	89.6	93.6	200.6	1,474.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	1.12	1.76	18.23	21.11	1,152	61	6	87	140	91	15	115	179	2	67	82	80	131	96	
1871	1.09	1.81	14.63	17.53	996	62	1	92	99	47	22	83	155	1	56	93	87	95	103	
1872	7.25	1.63	15.33	24.21	1,425	427	11	110	81	114	11	119	144	1	56	75	73	107	96	
1873	.80	1.70	12.80	15.30	899	47	11	79	65	76	5	83	137	2	50	90	68	87	99	
1874	.18	1.66	11.74	13.58	806	11	8	101	51	56	8	75	123	1	31	74	61	103	98	
1875	3.32	1.73	12.43	17.48	1,021	194	2	84	61	101	8	57	108	6	45	60	73	121	101	
1876	2.32	1.61	11.39	15.32	886	134	...	105	34	94	6	70	97	1	38	61	62	91	93	
1877	.84	1.92	9.95	12.71	728	48	1	92	32	70	7	51	93	1	28	56	53	86	110	
1878	4.00	1.68	15.78	21.46	1,212	226	15	206	80	98	14	102	127	2	42	47	60	98	95	
1879	11.07	3.50	19.98	34.55	2,041	654	5	212	175	128	10	165	99	1	149	47	62	127	207	
Ten Years, 1870-79	3.22	1.90	14.22	19.34	11,166	1,864	60	1,168	818	875	106	920	1,267	18	562	685	679	1,046	1,098	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	3	9	37	5	10	28	5	2	4	1	1	105
1871	3	3	72	6	3	2	4	...	24	2	119
1872	1	10	34	28	51	282	155	67	5	1	634
1873	13	2	8	8	10	14	3	16	2	76
1874	2	1	2	2	4	...	1	12
1875	3	10	20	12	21	121	76	17	6	...	288
1876	2	4	4	30	9	10	24	45	29	45	202
1877	7	7	2	2	6	8	10	4	9	11	73
1878	2	2	1	10	41	3	38	85	95	11	13	6	305
1879	34	120	370	171	96	69	22	1	...	883
Ten Years, 1870-79	11	16	25	150	311	457	358	650	454	180	67	18	2,697

* See note at foot of preceding page.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE BENGAL PRESIDENCY, 1870-79.

III.*

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS composing the ARMY of BENGAL during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January ...	360,136	19,532	54·2	459	1·27	2	5	34	5	20	6	4	33	1	51	2	103	40	38	1	1	2	52	6	50	
February ...	362,146	19,519	53·9	336	·93	1	5	31	4	12	5	10	50	...	52	26	38	49	5	44	
March ...	366,950	19,093	52·0	381	1·04	13	6	33	2	28	8	1	26	...	49	1	33	35	32	...	1	5	53	6	40	
April ...	366,552	19,782	51·0	479	1·31	45	11	75	1	39	17	3	26	1	41	2	23	29	33	4	39	5	85	
May ...	365,415	21,729	59·5	703	1·92	167	7	123	2	63	61	4	38	3	48	1	28	35	27	50	4	34	
June ...	364,931	22,780	62·4	971	2·66	292	5	115	3	61	204	13	38	6	47	1	18	29	32	3	48	8	45	
July ...	363,616	23,413	64·4	754	2·07	174	1	85	1	49	133	9	40	4	67	1	17	35	43	1	...	1	48	1	44	
August ...	362,848	24,475	67·5	900	2·48	357	...	100	3	63	50	5	50	5	78	4	7	37	38	1	1	3	51	1	46	
September ...	361,856	25,672	70·9	855	2·36	304	1	99	10	77	40	8	57	6	77	2	14	33	30	58	1	38	
October ...	358,599	25,078	69·9	693	1·93	128	...	67	7	76	14	7	65	5	86	1	25	39	38	3	67	5	60	
November ...	364,619	23,411	64·2	535	1·47	29	...	35	12	53	8	3	60	7	86	1	43	33	36	1	66	2	56	
December ...	363,509	20,996	57·8	565	1·55	7	4	33	10	27	10	1	53	6	58	...	92	43	51	...	1	6	56	12	95	
						1,519	45	830	60	571	556	60	496	44	741	16	455	414	436	3	5	35	643	56	646	
Died per 1,000 of the Average Strength.																										
For the Ten Years	363,431	22,123	60·9	7,631	21·00	4·18	·12	2·28	1·74	1·53	·17	1·37	·12	2·04	·04	1·25	1·14	1·20	·01	·01	·10	1·77	·15	1·78		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73 and 1876) ...	10	2	8	196	322	113	268	468	1,312	1,353	531	172	4,755	13·1	...
Cholera ...	2	3	17	74	210	412	261	543	410	166	49	10	2,162	5·9	70·26
Smallpox ...	28	34	41	73	51	19	13	1	2	...	9	23	294	·8	15·31
Enteric Fever ...	95	73	90	204	325	205	177	181	244	134	86	99	1,913	5·3	43·39
Fever, Intermittent ...	8,398	5,999	5,802	7,793	9,966	10,188	11,802	14,256	19,994	24,451	21,526	14,427	154,605	425·4	·04
Fevers, Remittent and Continued ...	1,524	1,595	2,561	5,598	8,100	7,710	8,189	7,883	9,127	7,421	4,183	2,311	66,112	181·9	·86
Apoplexy ...	13	10	34	72	139	460	386	151	86	46	28	13	1,438	4·0	38·66
Delirium Tremens ...	74	60	83	71	97	89	123	121	122	106	66	64	1,076	3·0	5·58
Dysentery ...	802	576	698	1,027	1,014	829	932	1,343	1,411	1,277	1,099	1,001	12,009	33·1	4·13
Diarrhœa ...	1,109	966	1,333	2,224	2,024	1,686	2,792	3,422	2,425	1,626	1,438	1,588	22,683	62·4	·19
Hepatitis ...	1,013	1,049	1,145	1,285	1,513	1,675	1,810	1,828	1,804	1,613	1,273	1,120	17,129	47·1	4·33
Spleen disease ...	169	184	183	108	207	213	265	231	217	273	229	244	2,583	7·1	·62
Respiratory diseases ...	3,702	3,193	2,809	2,671	2,571	1,894	1,920	1,906	1,773	1,997	2,518	3,594	30,578	84·1	1·49
Phthisis Pulmonalis ...	211	149	185	197	191	236	290	278	308	322	345	265	2,979	8·2	14·64
Scurvy ...	8	9	12	8	14	18	12	18	10	18	22	15	164	·5	3·05
Rheumatism ...	2,067	1,892	1,974	1,947	1,925	1,889	2,083	1,987	1,818	1,725	1,616	1,686	22,549	62·0	} 49
Veneral diseases ...	7,790	7,339	7,715	7,718	6,330	5,439	5,924	5,453	4,959	5,441	5,459	6,214	75,811	208·6	
Eye diseases ...	482	465	608	802	762	573	616	775	689	597	446	438	7,313	20·1	
Abscess and Ulcer ...	2,288	2,170	2,427	2,595	2,456	2,636	3,417	3,035	2,523	2,137	2,103	1,961	29,748	81·9	
Wounds and Accidents ...	2,863	2,816	3,273	3,198	2,923	2,466	2,489	2,322	2,393	2,556	2,289	3,312	33,005	90·8	
All other Causes ...	3,967	4,138	4,876	5,361	5,773	5,845	6,882	6,568	6,293	5,537	4,765	4,259	64,229	176·7	
	36,560	32,722	36,015	43,195	46,913	44,595	50,660	52,773	57,880	58,796	50,210	42,816	553,135		
Admitted per 1,000 of the Average Strength in each Month.															
	101·5	90·4	98·1	117·8	128·4	122·2	139·3	145·4	160·0	164·0	137·7	117·8	1,522·0		

* This is the aggregate of the Statistics of the European Army of the Bengal Presidency for the 10-Year Period. The Provincial Tables of Bengal which follow do not include Troops on Active Service and on the March.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE BENGAL PRESIDENCY, 1870-79.

IV.*

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS composing the ARMY of BENGAL in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK IN EACH MONTH OF THE PERIOD.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	33,373	56.2	56.6	57.0	60.0	66.0	67.0	69.2	71.2	75.6	71.3	62.5	52.4	63.8
1871	...	35,122	51.2	53.8	54.2	54.0	60.2	63.6	65.0	69.4	69.1	63.9	51.5	50.0	59.2
1872	...	36,507	50.7	47.9	47.0	46.1	55.9	58.2	58.2	63.8	70.2	69.1	59.3	52.3	56.8
1873	...	36,617	49.0	45.5	47.2	52.7	54.8	58.4	60.7	64.1	66.5	60.9	54.8	51.9	55.7
1874	...	37,278	49.1	50.6	47.6	53.5	58.1	60.6	64.4	71.4	69.2	65.6	60.1	54.4	58.7
1875	...	37,184	53.9	54.9	50.6	53.6	57.1	58.6	61.9	59.6	61.8	63.8	59.8	55.9	57.6
1876	...	36,582	51.2	52.1	49.9	50.8	56.2	59.2	59.3	60.2	67.8	69.4	63.3	55.8	58.0
1877	...	36,179	51.3	50.5	48.5	48.0	52.8	56.9	57.8	60.5	59.5	55.6	55.8	54.7	54.3
1878	...	35,836	55.6	57.7	54.2	57.9	64.1	68.4	69.0	71.6	81.6	83.5	80.8	74.5	68.3
1879	...	38,755	73.2	68.8	64.3	60.2	69.4	73.3	73.0	82.2	87.7	95.9	88.7	73.2	76.1
Ten Years, 1870-79	...	363,431	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	69.9	64.2	57.8	60.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	1.5	2.9	831.6	3.0	5.6	37.6	65.2	57.0	6.7	77.1	10.1	69.7	202.7	25.6	85.0	85.9	164.7	1,731.9
1871	1.2	3.8	590.5	1.8	3.7	34.2	61.7	59.7	8.0	85.0	9.0	67.7	208.8	21.0	86.3	90.6	168.7	1,507.7
1872	16.0	2.9	495.9	4.3	4.0	35.0	77.5	56.0	6.5	75.6	9.5	64.0	190.7	21.4	80.2	85.0	286.6	1,514.1
1873	1.4	3.9	516.1	3.2	2.5	29.1	49.9	50.5	8.1	84.4	8.8	59.5	187.0	19.9	80.9	84.7	179.9	1,349.8
1874	2.2	4.7	552.8	2.6	2.5	26.2	51.4	45.2	6.4	94.6	8.1	67.5	200.1	22.4	84.7	91.9	182.5	1,443.8
1875	5.4	3.1	499.8	4.1	2.4	27.9	62.5	40.8	9.0	70.7	8.9	59.1	212.4	20.7	80.3	94.2	177.0	1,387.5
1876	4.5	4.7	537.7	4.6	2.5	26.7	48.5	46.3	7.4	81.3	8.3	65.0	194.7	17.1	77.2	98.4	198.5	1,443.4
1877	5.5	3.7	408.9	4.3	2.3	20.3	43.8	40.7	6.3	73.9	7.3	60.1	202.5	14.7	80.7	104.3	173.3	1,251.3
1878	5.7	11.5	686.2	4.3	2.2	33.7	68.6	33.8	4.0	83.7	6.1	53.8	288.3	17.3	87.2	91.9	184.7	1,675.5
1879	21.7	10.9	935.4	6.5	2.1	53.4	90.9	37.1	8.5	104.0	6.0	53.3	218.7	15.6	76.9	81.4	189.0	1,913.4
Ten Years, 1870-79	5.9	5.3	607.3	4.0	3.0	33.1	62.4	47.1	7.1	84.1	8.2	62.0	208.6	20.1	81.9	90.8	191.1	1,522.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	63	1.86	20.19	22.68	757	21	6	55	93	54	9	74	130	2	53	52	53	93	62
1871	71	1.74	15.38	17.83	626	25	1	60	79	28	9	45	96	1	48	58	58	57	61
1872	10.66	1.75	15.04	27.45	1,002	389	7	59	65	58	5	74	86	1	48	41	36	69	64
1873	90	1.66	12.84	15.40	564	33	10	56	51	50	2	34	66	1	42	52	44	62	61
1874	21	1.71	12.70	14.62	545	8	7	75	41	36	7	47	72	1	20	51	44	72	64
1875	3.66	1.53	12.13	17.32	614	136	1	59	44	71	1	27	55	6	35	29	46	77	57
1876	3.14	1.35	11.53	16.02	586	115	...	64	26	65	4	41	52	1	29	37	41	62	49
1877	44	1.63	9.57	11.64	421	16	1	56	24	41	5	21	55	1	21	34	32	55	59
1878	4.16	1.53	15.94	21.63	775	149	7	168	57	52	8	55	67	1	36	31	42	47	55
1879	16.18	4.38	23.59	44.15	1,711	627	5	178	151	101	10	122	62	1	123	29	40	92	170†
Ten Years, 1870-79	4.18	1.93	14.89	21.00	7,631	1,519	45	830	631	556	60	540	741	16	455	414	436	686	702

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	2	2	9	3	4	19	4	1	4	1	...	49
1871	3	3	1	3	2	2	...	23	...	2	41
1872	1	6	31	24	38	271	143	66	3	...	584
1873	1	1	4	2	10	14	3	15	1	51
1874	2	2	5
1875	3	10	8	2	17	70	71	15	5	...	201
1876	4	10	5	8	23	42	27	44	163
1877	...	1	1	1	4	2	84	6	...	4	19
1878	1	...	1	...	39	1	14	54	...	6	1	2	204
1879	34	117	364	144	93	67	22	1	...	842
Ten Years, 1870-79	2	3	17	74	210	412	261	548	410	166	49	10	2,162

* See note at foot of preceding page.

† Sixty-two of these were killed in battle, 9 died of wounds received in battle, and 46 were drowned while crossing the Kabul river in 1879.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE MADRAS PRESIDENCY, 1870-79.

V.*

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS composing the ARMY of MADRAS during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	108,075	6,415	59·4	159	1·47	5	...	12	...	12	4	2	22	...	37	1	5	11	18	1	11	1	17	
February ...	108,865	6,513	59·8	148	1·36	6	...	15	...	4	2	1	23	...	29	...	2	19	12	10	1	25	
March ...	111,254	5,894	53·0	133	1·19	6	3	5	...	3	8	2	17	1	25	...	7	17	9	1	17	1	11	
April ...	112,176	6,069	54·1	167	1·49	38	2	14	1	6	27	5	12	1	15	14	5	15	...	12	
May ...	111,929	6,343	56·7	201	1·80	36	3	11	1	7	53	3	16	...	20	...	1	9	5	17	...	14	
June ...	111,598	6,655	56·9	164	1·47	21	...	13	...	5	23	4	15	...	30	...	3	6	13	15	1	15	
July ...	111,252	6,976	62·7	177	1·59	36	1	16	...	6	12	1	18	...	27	...	5	11	9	16	...	19	
August ...	111,129	7,242	65·2	178	1·60	15	...	17	...	6	6	1	23	1	36	...	1	17	12	1	18	5	19	
September ...	110,502	7,234	65·9	181	1·64	12	...	26	...	5	5	1	33	1	32	17	10	23	1	15	
October ...	108,474	7,084	65·3	161	1·48	2	1	13	...	4	5	4	32	...	38	...	5	15	11	2	12	1	16	
November ...	110,253	6,833	62·0	132	1·20	5	...	5	...	7	4	1	18	...	34	...	1	13	14	12	1	17	
December ...	109,248	6,425	58·8	152	1·39	4	...	10	...	2	3	1	28	1	26	...	5	22	12	2	10	1	25	
						186	10	157	2	67	157	26	256	5	349	1	35	171	130	3	...	4	176	13	205	
Died per 1,000 of the Average Strength.																										
For the Ten Years ...	110,396	6,644	60·2	1,953	17·69	1·68	·09	1·42	·62		142	·24	2·32	·04	3·16	·01	·32	1·55	1·18	·03	...	·04	1·59	·12	1·86	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73 and 1876) ...	103	8	67	57	202	169	238	188	148	68	13	12	1,273	11·5	58·49
Cholera ...	8	12	8	65	80	28	63	17	19	5	7	6	318	2·9	
Smallpox ...	5	6	16	11	7	1	1	...	2	2	2	2	55	·5	18·18
Enteric Fever ...	47	33	27	37	36	25	50	49	62	26	10	29	431	3·9	36·43
Fever, Intermittent ...	883	1,239	991	968	1,098	1,345	1,480	1,497	1,673	1,711	1,278	1,308	15,471	140·2	·01
Fever, Remittent and Continued ...	774	780	1,052	1,309	1,376	1,377	1,397	1,222	1,271	1,328	1,109	947	13,942	126·3	·48
Apoplexy ...	12	13	21	44	136	64	16	15	12	11	8	6	358	3·3	43·85
Delirium Tremens ...	52	32	45	41	39	41	53	49	38	44	42	35	511	4·6	5·09
Dysentery ...	722	595	489	523	571	690	933	976	896	753	645	688	8,486	76·9	3·02
Diarrhoea ...	458	453	525	561	580	687	1,073	864	565	456	428	508	7,158	64·8	·07
Hepatitis ...	681	574	513	513	575	574	684	677	703	697	642	584	7,417	67·2	4·71
Spleen disease ...	13	25	24	34	19	28	27	19	13	29	13	24	268	2·4	·37
Respiratory diseases ...	598	569	576	562	534	446	511	501	463	551	520	507	6,338	57·4	·55
Phthisis Pulmonalis ...	94	74	76	55	70	79	85	104	79	98	103	113	1,030	9·3	12·62
Scurvy	1	3	1	2	1	2	5	2	2	2	1	22	·2	...
Rheumatism ...	392	392	402	400	404	458	512	465	450	475	395	350	5,125	46·4	·47
Veneral diseases ...	2,069	1,818	2,040	2,088	1,724	1,643	1,826	1,685	1,743	1,750	1,755	1,733	21,874	198·1	
Eye diseases ...	108	95	131	125	128	176	229	234	181	203	173	137	1,920	17·4	·47
Abscess and Ulcer ...	908	945	993	1,205	1,207	1,230	1,076	953	897	909	777	789	11,889	107·7	
Wounds and Accidents ...	889	967	1,067	983	918	897	940	923	804	848	834	1,086	11,156	101·1	·47
All other Causes ...	1,834	1,710	1,843	2,135	2,242	2,145	2,387	2,321	2,063	2,150	1,913	1,796	24,539	222·3	

I.—STATISTICS OF THE EUROPEAN ARMY OF THE MADRAS PRESIDENCY, 1870-79.

VI.*

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS composing the ARMY of MADRAS in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	10,697	59.8	69.4	62.6	62.4	67.2	70.1	70.3	71.4	65.5	64.2	55.5	50.2	64.1
1871	...	10,844	53.8	56.4	53.4	51.2	55.0	60.8	63.2	60.4	59.1	59.9	56.2	58.2	57.5
1872	...	11,544	57.3	61.1	53.3	53.3	58.5	60.9	59.4	66.1	70.2	66.4	56.4	52.1	59.5
1873	...	11,487	61.8	54.0	55.8	53.7	54.0	54.8	60.7	65.4	67.7	66.8	61.9	56.2	59.4
1874	...	11,501	54.1	54.5	44.7	50.2	49.0	51.4	57.7	60.7	64.3	66.9	68.4	66.3	57.3
1875	...	11,041	65.8	60.4	48.7	52.2	56.2	60.4	60.7	57.9	59.4	58.0	50.8	50.6	56.8
1876	...	11,034	52.9	52.9	47.8	49.7	50.1	52.5	57.2	60.8	63.4	58.9	59.5	58.6	55.4
1877	...	10,989	53.4	54.3	49.2	48.6	52.9	57.8	64.1	68.4	68.0	66.8	65.0	58.7	58.9
1878	...	10,815	66.6	67.6	56.7	50.7	60.3	65.1	65.2	68.6	71.0	71.7	73.0	67.4	65.7
1879	...	10,444	69.1	69.9	58.7	60.6	64.2	63.2	69.2	72.5	70.6	73.5	73.9	70.0	68.0
Ten Years, 1870-79	...	110,396	59.4	59.8	53.0	54.1	56.7	56.9	62.7	65.2	65.9	65.3	62.0	58.8	60.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	5.1	4.0	438.4	5.0	7.8	68.9	69.9	63.7	7.1	61.6	6.3	54.5	165.9	23.3	123.5	117.7	233.2	1,455.9
1871	7.0	4.4	167.1	2.2	8.7	73.0	60.4	66.5	3.0	62.4	12.2	55.7	180.3	17.4	122.4	114.0	236.5	1,193.2
1872	4	6.8	267.7	4.8	4.7	85.1	76.9	59.3	2.0	64.8	11.3	49.8	164.6	19.3	123.6	102.9	313.4	1,357.4
1873	2.2	4.2	236.8	2.2	2.9	91.8	76.5	81.7	2.7	59.6	10.8	52.1	152.2	20.5	108.7	96.9	268.8	1,270.6
1874	1	3.0	187.1	1.5	3.0	82.2	45.6	82.5	2.5	60.3	10.7	54.2	183.9	13.8	103.0	96.2	209.3	1,143.9
1875	6	2.1	196.3	2.1	4.3	68.7	55.2	71.1	1.1	44.1	10.7	31.4	208.6	14.5	96.8	93.4	208.7	1,109.7
1876	3.1	4.4	200.1	4.4	4.6	63.9	60.5	63.3	1.5	60.4	9.2	43.2	184.4	14.1	91.9	93.9	228.1	1,131.0
1877	3.3	6.2	218.5	2.3	4.4	73.2	68.4	61.6	1.2	50.1	9.4	38.6	231.8	19.5	101.2	88.0	199.9	1,177.6
1878	4.0	1.9	360.5	4.1	3.9	93.9	72.3	61.8	1.8	56.0	6.3	42.6	250.2	14.0	102.3	99.5	217.0	1,392.1
1879	3.5	1.7	409.2	4.0	2.2	66.1	62.4	58.9	1.5	54.2	6.0	41.6	261.6	17.4	103.3	109.5	225.3	1,428.4
Ten Years, 1870-79	2.9	3.9	266.5	3.3	4.6	76.9	64.8	67.2	2.4	57.4	9.3	46.4	198.1	17.4	107.7	101.1	234.5	1264.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory dis- eases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	3.65	2.06	15.23	20.94	224	39	...	14	10	19	3	26	37	...	6	20	10	18	22
1871	3.32	2.21	14.57	20.10	218	36	...	16	9	6	7	25	39	...	5	21	13	17	24
1872	1.17	1.22	17.59	18.98	210	2	2	27	8	28	4	32	38	...	1	24	19	20	14
1873	1.22	2.36	14.71	18.29	210	14	1	9	8	11	1	42	46	...	4	25	13	9	27
1874	.09	1.48	11.39	12.96	149	1	1	12	2	8	1	23	38	...	5	12	13	17	17
1875	.36	2.71	11.78	14.85	164	4	...	7	4	8	2	17	35	...	2	22	14	19	30
1876	1.54	1.81	12.42	15.77	174	17	...	22	5	21	2	19	22	...	1	14	11	20	20
1877	1.73	2.28	12.82	16.83	185	19	...	22	3	14	1	24	28	...	2	16	12	19	25
1878	2.77	1.67	17.38	21.82	236	30	6	13	12	27	5	35	37	1	5	9	13	25	18
1879	2.30	2.01	12.35	16.66	174	24	...	15	8	15	...	19	29	...	4	8	12	19	21
Ten Years, 1870-79	1.68	1.98	14.03	17.69	1,953	186	10	157	69	157	26	261	349	1	35	171	130	183	218

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	1	7	28	2	6	9	1	1	55
1871	71	2	1	...	1	...	1	...	76
1872	1	...	1	2	...	4
1873	12	1	...	6	1	...	25
1874	1	1
1875	1	...	2	7
1876	...	2	3	20	3	2	...	1	2	1	34
1877	...	5	7	1	1	6	2	...	8	...	1	...	36
1878	...	1	1	...	2	...	17	...	5	...	2	...	43
1879	1	5	26	3	2	37
Ten Years, 1870-79	8	12	8	65	80	28	63	17	19	5	7	6	318

*See note at foot of preceding Table.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE BOMBAY
PRESIDENCY, 1870-79.

VII.*

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS composing the ARMY of BOMBAY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January	101,278	5,351	52·8	120	1·18	9	1	9	4	1	10	...	19	...	13	9	22	10	1	12
February	101,571	5,102	50·2	89	·88	9	...	5	2	...	6	1	12	...	3	7	11	...	1	2	11	...	19
March	101,499	5,068	49·9	108	1·06	...	1	5	...	5	3	...	11	...	21	...	9	12	12	1	16	3	9
April	105,428	5,307	50·3	103	·98	9	3	15	2	11	9	1	5	...	15	...	2	4	6	9	...	12
May	105,328	5,582	53·0	110	1·04	12	1	16	1	2	32	2	1	...	9	...	3	8	4	9	...	10
June	105,204	5,817	55·3	160	1·52	15	...	13	...	8	64	2	3	...	13	...	5	3	6	12	3	13
July	104,982	6,141	58·5	147	1·40	29	...	7	1	6	19	5	11	5	7	...	3	13	8	...	2	...	15	3	13
August	104,574	6,481	62·0	186	1·78	63	...	14	1	15	6	1	12	2	13	1	4	6	10	22	1	15
September	104,296	6,981	66·9	173	1·66	14	...	46	4	11	8	3	15	1	21	...	3	7	7	15	2	16
October	103,166	7,160	69·4	143	1·39	8	...	23	4	12	5	2	9	4	8	...	5	10	9	...	2	...	18	1	23
November	104,200	6,710	64·4	145	1·39	7	...	13	2	11	8	2	11	5	22	...	11	9	14	1	17	...	12
December	101,520	5,652	55·7	98	·97	2	...	11	1	6	2	1	7	...	17	...	11	12	4	1	13	1	9
						159	5	181	17	101	162	20	101	18	177	1	72	100	113	2	5	3	167	15	163
Died per 1,000 of the Average Strength.																									
For the Ten Years	103,587	5,946	57·4	1,582	15·27	1·53	·05	1·75	1·14	1·56	·19	·98	·17	1·71	·01	·70	·97	1·09	·02	·05	·03	1·61	·14	1·57	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73)	19	...	264	475	352	268	597	151	82	104	100	125	2,537	24·5	73·27
Cholera	1	11	21	17	34	85	25	9	11	2	217	2·1	8·47
Smallpox	14	6	...	17	7	1	2	1	3	59	·6	56·39
Enteric Fever	17	16	20	34	25	15	11	34	65	39	20	25	321	3·1	·03
Fever, Intermittent	3,098	2,209	2,357	2,663	3,234	3,758	4,753	5,466	7,185	8,454	6,824	4,746	54,747	523·5	74
Fevers, Remittent and Continued	416	467	857	1,156	1,269	1,397	1,263	1,386	1,581	1,724	1,254	846	13,616	131·4	37·59
Apoplexy	9	14	12	34	64	168	45	14	28	24	12	7	431	4·2	4·07
Delirium Tremens	37	25	31	47	38	34	48	68	47	54	34	29	492	4·7	3·53
Dysentery	207	177	185	190	151	169	305	389	316	269	236	267	2,861	27·6	·29
Diarrhoea	377	308	361	494	437	500	849	907	578	519	486	478	6,294	60·8	41·8
Hepatitis	322	282	335	347	366	362	393	370	393	388	362	314	4,234	40·9	16
Spleen disease	35	38	40	56	61	56	70	52	56	66	42	53	625	6·0	1·09
Respiratory diseases	777	688	624	560	481	474	464	423	391	437	588	707	6,614	63·9	14·14
Phthisis Pulmonalis	67	69	58	30	61	70	85	69	71	86	65	68	799	7·7	11·36
Scurvy	4	6	3	1	5	3	4	4	5	3	4	2	44	·4	43
Rheumatism	332	417	446	482	492	448	512	468	428	385	348	321	5,129	49·5	
Venereal diseases	1,742	1,734	1,795	1,906	1,678	1,557	1,635	1,578	1,536	1,571	1,565	1,503	19,800	191·1	
Eye diseases	147	146	200	218	212	176	171	202	221	198	164	123	2,178	21·0	
Abscess and Ulcer	726	720	840	950	921	1,010	974	870	799	815	739	721	10,085	97·4	
Wounds and Accidents	775	805	874	961	870	749	820	745	762	841	771	905	9,878	95·4	
All other Causes	1,230	1,187	1,288	1,549	1,603	1,543	1,764	1,773	1,583	1,595	1,421	1,351	17,887	172·7	
Admitted per 1,000 of the Average Strength in each Month.															
102·7	91·7	104·4	115·5	117·2	121·4	141·0	144·0	154·9	170·4	144·4	124·1	1,533·5			

* This is the aggregate of the Statistics of the European Army of the Bombay Presidency for the 10-Year Period. The Provincial Tables of Bombay which follow do not include Troops on Active Service and on the March.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE BOMBAY PRESIDENCY, 1870-79.

VIII.*

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS composing the ARMY of BOMBAY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	10,509	55.6	51.8	55.6	52.6	57.8	62.0	55.8	61.3	61.7	68.8	59.7	52.6	58.3
1871	...	10,840	50.6	47.0	51.4	51.4	54.0	60.0	63.8	62.2	57.8	56.1	54.9	44.8	54.6
1872	...	10,819	49.3	44.2	43.0	47.4	45.4	45.5	46.3	49.8	56.8	60.7	60.1	54.0	50.3
1873	...	10,665	52.1	48.9	47.5	46.3	47.3	47.2	50.0	50.4	53.2	58.8	51.2	45.5	49.8
1874	...	10,529	51.1	47.7	49.3	46.5	43.5	47.5	57.9	59.9	59.2	65.2	57.0	54.1	53.2
1875	...	10,184	52.1	47.4	46.1	50.8	50.2	51.4	53.3	61.4	62.7	60.8	55.9	46.1	53.6
1876	...	10,242	44.6	46.8	46.9	48.5	51.3	54.2	55.9	56.3	59.9	61.6	58.4	52.7	53.0
1877	...	10,092	51.6	48.1	47.3	46.8	53.8	56.6	61.2	66.3	68.9	68.5	69.4	57.6	58.0
1878	...	9,825	55.8	57.4	53.9	50.2	54.6	57.1	60.6	72.5	93.7	98.8	88.1	68.6	67.3
1879	...	9,883	68.0	65.7	60.2	63.1	72.7	71.9	76.3	81.6	95.8	98.1	93.4	85.3	78.0
Ten Years, 1870-79	...	103,587	52.8	50.2	49.9	50.3	53.0	55.3	58.5	62.0	66.9	69.4	64.4	55.7	57.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	1	3.0	746.4	4.4	6.7	22.0	78.4	41.4	2.4	64.8	10.6	48.6	180.4	21.7	91.0	73.9	167.3	1,563.1	
1871	2	2.3	691.6	3.4	6.2	23.2	59.2	44.5	5.7	60.9	9.2	56.4	174.4	26.9	93.1	90.2	170.2	1,517.6	
1872	4.3	3.7	611.2	5.1	4.1	34.6	63.9	34.9	4.0	48.5	9.5	51.1	154.8	18.1	92.4	81.1	367.2	1,588.5	
1873	...	1.6	486.1	2.8	3.5	27.1	43.8	52.0	5.6	70.0	8.6	50.2	181.1	25.0	103.4	95.4	159.9	1,316.1	
1874	3	3.0	439.1	2.7	5.1	23.7	45.6	48.0	8.2	64.4	6.8	54.5	170.8	21.7	110.9	101.6	179.8	1,286.2	
1875	7.9	2.7	518.0	6.3	6.2	29.0	70.7	40.4	7.8	69.0	6.8	46.7	174.4	25.5	108.3	110.0	174.3	1,404.0	
1876	5	4.3	507.2	3.2	4.7	27.5	46.8	44.1	4.6	53.2	6.2	43.3	178.8	21.4	94.6	97.9	178.7	1,317.0	
1877	1.8	3.0	492.0	3.8	5.1	28.6	54.6	33.7	4.2	64.9	5.0	47.1	205.0	17.1	95.2	110.2	194.3	1,365.6	
1878	5.9	4.6	905.9	5.7	3.6	35.3	74.3	37.1	7.0	60.5	5.3	50.3	230.6	17.3	91.8	100.8	212.1	1,348.1	
1879	4	2.9	1,241.0	4.5	2.2	25.6	71.8	31.4	11.2	83.7	8.7	46.0	269.9	14.7	92.5	94.4	172.4	2,173.3	
Ten Years, 1870-79	...	2.1	3.1	659.9	4.2	4.7	27.6	60.8	40.9	6.0	63.9	7.7	49.5	191.1	21.0	97.4	95.4	198.2	1,533.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	10	1.14	15.03	16.27	171	1	...	18	37	18	3	15	12	...	8	10	17	20	12	12
1871	0.9	1.66	12.27	14.02	152	1	...	16	11	13	6	13	20	...	3	14	16	21	18	18
1872	3.33	1.66	13.87	18.86	204	36	2	24	8	28	2	13	20	...	7	10	18	18	18	18
1873	...	1.03	10.69	11.72	125	14	6	15	2	7	25	...	4	13	11	16	11	11
1874	19	1.62	8.83	10.64	112	2	...	14	8	12	...	6	18	...	6	11	4	14	17	17
1875	5.30	1.37	14.25	20.92	213	54	1	18	13	22	5	13	18	...	8	9	13	25	14	14
1876	19	2.34	9.77	12.30	126	2	...	19	3	8	...	10	23	...	8	10	10	9	24	24
1877	1.29	2.57	8.23	12.09	122	13	...	14	5	15	1	6	10	...	5	6	9	12	26	26
1878	4.79	2.24	13.43	20.46	201	47	2	25	11	19	1	12	23	...	1	7	5	26	22	22
1879	30	1.61	13.87	15.78	156	3	...	19	16	12	...	24	8	...	22	10	10	16	22	16
Ten Years, 1870-79	1.53	1.71	12.03	15.27	1,582	159	5	181	118	162	20	119	177	1	72	100	113	177	178	178

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871	1	2
1872	3	13	11	12	1	46
1873	3	3
1874	1	...	2	3
1875	11	10	2	50	5	1	1	...	80
1876	1	...	1	2	5
1877	1	1	1	2	8	2	1	2	...	1	18
1878	8	2	...	7	20	6	5	10	...	58
1879	2	1	1	4
Ten Years, 1870-79	1	1	...	11	21	17	34	85	25	9	11	2	217

* See note at foot of preceding Table.

I.—STATISTICS OF PROVINCES, 1870-79.

IX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in BENGAL PROPER during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January ...	18,722	923	49·3	24	1·28	2	1	1	1	...	2	...	5	2	2	1	1	2	4
February ...	19,670	940	47·8	16	·81	1	...	1	1	4	2	5	1	1
March ...	19,049	878	46·1	16	·84	5	...	2	2	1	2	2	2	...
April ...	19,192	907	47·3	15	·78	1	1	1	...	1	2	...	2	...	1	2	2	2	...
May ...	19,061	977	51·3	25	1·31	3	3	...	2	...	2	1	...	2	2	1	5	4	...
June ...	19,023	1,036	54·5	18	·95	1	3	1	2	...	4	2	1	2	2	...
July ...	18,994	1,138	59·9	23	1·21	1	...	3	...	2	1	...	2	...	2	...	3	1	5	3	2	...
August ...	18,944	1,207	63·7	32	1·69	1	...	2	4	1	6	3	2	4	7	...
September ...	18,936	1,199	63·3	24	1·27	1	...	5	...	1	1	...	4	1	...	1	2	3	6	...
October ...	18,816	1,141	60·6	34	1·81	1	...	2	...	3	1	1	5	...	9	1	2	4	3	2	...
November ...	18,107	1,010	55·8	25	1·38	1	6	...	1	2	...	5	1	...	2	1	5	1	...
December ...	18,449	962	52·1	21	1·14	1	1	4	1	6	...	1	1	1	1	4	...
						16	1	15	1	19	13	3	24	3	50	4	6	23	25	3	29	2	36
Died per 1,000 of the Average Strength.																									
For the Ten Years	18,914	1,027	54·3	273	14·43	·85	·05	·79	1·06	·69	·16	1·27	·16	2·64	·21	·32	1·22	1·32	·16	1·53	·10	1·90	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872) ...	1	...	7	196	309	71	60	36	1	681	36·0	...
Cholera ...	2	...	5	1	3	2	2	...	2	...	2	3	23	1·2	69·57
Smallpox	1	2	·1	50·00
Enteric Fever ...	2	6	5	...	4	2	3	4	7	2	39	2·1	38·46
Fever, Intermittent ...	366	191	147	184	179	186	232	274	238	258	476	558	3,289	173·9	·03
Fevers, Remittent and Continued ...	147	152	202	294	358	522	507	629	431	423	427	223	4,405	232·9	·43
Apoplexy ...	2	1	5	10	7	9	1	1	3	4	2	1	46	2·5	28·26
Delirium Tremens ...	8	3	4	4	4	7	2	9	7	5	6	...	59	3·1	5·08
Dysentery ...	75	57	51	63	70	58	93	113	96	91	65	76	908	48·0	2·64
Diarrhoea ...	70	44	44	53	61	55	122	128	97	88	68	69	899	47·5	·33
Hepatitis ...	83	71	75	62	91	115	107	117	102	110	79	78	1,090	57·6	4·59
Spleen disease ...	6	7	4	5	8	7	4	6	12	7	4	3	73	3·9	5·48
Respiratory diseases ...	69	94	84	57	74	66	86	95	60	65	85	88	923	48·8	·65
Phthisis Pulmonalis ...	17	7	12	10	15	16	26	21	25	16	23	17	205	10·8	12·20
Scurvy	1	1	·1	...
Rheumatism ...	59	51	59	64	90	80	96	80	69	71	61	60	840	44·4	...
Venerical diseases ...	341	334	391	308	301	243	277	304	247	309	276	287	3,618	191·3	...
Eye diseases ...	12	26	29	23	24	16	14	17	14	17	20	25	237	12·5	·44
Abscess and Ulcer ...	140	120	144	120	128	143	161	174	145	113	107	90	1,585	83·8	...
Wounds and Accidents ...	160	171	181	152	156	140	141	148	124	137	115	146	1,771	93·6	...
All other Causes ...	222	260	303	309	332	327	433	447	465	433	310	255	4,096	216·6	...
	1,782	1,596	1,753	1,916	2,214	2,065	2,457	2,603	2,145	2,151	2,127	1,981	24,790		
Admitted per 1,000 of the Average Strength in each Month.															
	95·2	81·1	92·0	99·8	116·2	108·6	129·4	137·4	113·3	114·3	117·5	107·4	1,310·7		

I.—STATISTICS OF PROVINCES, 1870-79.

X.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in BENGAL PROPER in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	1,995	40.8	45.3	53.5	56.2	63.9	66.9	71.0	71.1	67.5	69.0	51.0	50.8	59.1
1871	...	1,975	48.6	54.0	42.3	44.0	44.9	49.3	52.3	52.3	56.3	51.5	55.4	51.8	50.1
1872	...	1,974	61.6	62.2	55.5	60.6	74.0	71.2	71.7	71.6	72.9	61.9	53.9	56.5	64.8
1873	...	1,900	61.4	57.7	46.3	49.6	55.9	50.7	70.5	68.6	66.5	55.1	54.1	49.4	58.4
1874	...	2,007	36.4	36.5	34.4	47.3	48.6	57.5	63.8	67.8	65.7	61.1	53.3	47.0	52.3
1875	...	1,978	40.7	38.2	36.5	32.9	37.7	46.1	54.4	63.0	59.4	51.5	45.1	35.9	45.0
1876	...	2,008	56.1	49.7	52.1	51.2	42.7	43.5	51.7	62.7	60.5	70.2	67.9	69.1	56.3
1877	...	1,867	50.9	40.5	44.5	46.1	48.6	46.9	45.6	47.7	56.9	63.8	65.6	59.2	50.9
1878	...	1,808	50.3	52.1	44.6	38.7	34.0	47.8	52.1	58.8	59.6	53.2	56.6	51.8	50.1
1879	...	1,308	46.2	40.1	54.7	44.9	67.3	54.8	68.1	73.0	69.3	73.3	57.2	51.2	57.3
Ten Years, 1870-79	...	18,914	49.3	47.8	46.1	47.3	51.3	54.5	59.9	63.7	63.3	60.6	55.8	52.1	54.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	1.5	2.0	303.2	3.0	3.0	67.7	43.6	71.2	6.5	34.6	4.0	48.1	209.5	21.6	80.7	86.2	193.0	1,179.4
1871	...	1.0	4.1	366.1	2.0	2.5	47.1	62.8	101.3	7.1	39.0	6.1	47.1	154.9	10.6	87.1	108.3	244.1	1,291.2
1872	...	1.5	1.0	434.2	6.1	2.0	62.3	62.3	104.4	7.1	72.4	24.3	63.3	187.9	13.7	78.0	124.1	582.6	1,827.2
1873	...	1.6	.5	296.3	1.6	2.6	53.7	43.7	85.8	2.1	52.1	23.2	50.5	143.7	8.4	75.3	109.5	245.7	1,196.3
18745	5.0	366.1	2.0	5.5	59.8	56.8	25.4	.5	44.9	12.0	44.9	153.4	10.0	92.2	79.7	175.3	1,134.0
1875	3.5	274.5	1.5	3.5	34.9	45.0	37.9	2.0	45.0	8.6	26.8	179.5	12.4	118.3	79.4	172.9	1,047.5
1876	...	2.5	2.5	531.4	2.0	2.0	50.8	50.8	48.8	2.5	75.2	10.0	37.8	210.6	12.4	68.2	83.2	236.1	1,426.8
1877	...	1.6	...	472.4	3.7	3.7	23.0	25.2	34.3	4.3	46.1	5.9	46.6	219.1	9.1	57.8	79.8	214.3	1,246.9
1878	...	1.1	.5	527.9	1.1	2.6	29.0	33.7	23.2	2.1	31.1	6.8	36.9	206.0	10.0	95.4	82.2	218.1	1,307.7
18797	.7	548.2	.7	3.8	50.5	50.5	35.9	4.6	45.9	6.1	41.3	278.3	16.1	84.1	109.3	240.1	1,516.8
Ten Years, 1870-79	...	1.2	2.1	406.8	2.3	3.1	48.0	47.5	57.6	3.9	48.8	10.8	44.5	191.3	12.5	83.8	93.6	252.8	1,310.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	1.00	1.51	14.03	16.54	33	2	1	...	1	1	...	5	9	...	1	2	1	7	3
187151	2.02	16.19	18.72	37	2	1	16	...	5	2	4	4	4
1872	...	1.01	2.53	14.69	18.23	36	2
187353	1.58	12.10	14.21	27	1
187450	1.99	17.44	19.93	40	1
1875	2.53	9.10	11.63	23
1876	...	2.49	1.99	9.96	14.44	29	5
1877	...	1.07	2.68	5.36	9.11	17	2
1878	...	1.05	1.59	6.84	9.48	18	2
1879	1.53	8.41	9.94	13	1	2	1	1	2	1	2	2
Ten Years, 1870-7985	2.00	11.58	14.43	273	16	1	15	20	13	3	27	50	4	6	23	25	32	38

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1	1	...	3
1871	1	1	2
1872	1	3
1873	1	3
1874	1	1
1875
1876
1877	...	1	3	5
1878	...	1	1	3
1879	1	2
Ten Years, 1870-79	...	2	...	5	1	3	2	...	2	1	2	3	23

I.—STATISTICS OF PROVINCES, 1870-79.

XI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the PROVINCES and in OUDH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number of Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.
January	73,046	4,412	60·4	72	·99	11	1	2	1	...	5	...	12	...	6	5	10	10	...	9
February	76,447	4,836	63·3	52	·68	8	2	...	11	...	6	6	5	7	...	4
March	80,180	4,960	61·6	78	·97	...	3	10	...	7	2	...	3	...	10	...	3	8	4	7	...	14
April	78,624	4,989	63·5	111	1·41	24	6	22	...	7	2	...	9	1	15	4	6	1	6
May	78,255	5,112	65·3	174	2·22	28	4	34	1	19	31	...	9	2	14	...	1	5	7	8	10
June	77,983	5,245	67·3	155	1·99	18	3	19	...	10	56	...	4	1	9	...	2	6	4	8	14
July	77,770	5,339	68·7	125	1·61	20	1	20	...	3	22	...	7	...	17	...	1	4	7	8	14
August	77,552	5,582	72·0	209	2·69	80	...	26	...	16	6	...	14	...	20	...	2	8	10	12	12
September	77,113	5,755	74·6	240	3·11	112	...	24	1	15	9	...	14	1	23	...	1	8	11	13	7
October	75,894	5,514	72·7	109	1·44	12	...	9	2	3	6	...	8	1	22	...	2	7	8	1	...	11	14
November	69,033	4,641	67·2	102	1·48	23	...	6	1	3	1	...	11	1	14	...	3	7	9	10	13
December	71,705	4,208	58·7	101	1·41	2	2	11	...	4	2	...	9	...	12	...	6	7	12	15	...	16
						323	19	200	6	89	138	6	95	7	179	1	33	75	93	3	114	14	133
Died per 1,000 of the Average Strength.																									
For the Ten Years	76,159	5,049	66·3	1,528	20·06	4·24	·25	2·63	1·25	1·81	·08	1·25	·09	2·35	·01	·43	·98	1·22	·04	1·50	·18	1·75	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872-73 and 1876)	7	2	1	...	12	42	208	425	928	1,029	341	106	3,101	40·7	...
Cholera	...	2	7	38	39	24	41	133	161	16	41	3	505	6·6	63·96
Smallpox	...	12	14	30	16	10	5	2	8	99	1·3	19·19
Enteric Fever	38	25	22	72	74	44	33	43	55	26	19	35	486	6·4	41·15
Fever, Intermittent	599	590	725	978	1,008	1,021	1,285	1,291	1,554	2,146	1,556	1,017	13,770	180·8	·04
Fever, Remittent and Continued	353	409	793	1,382	1,341	1,288	1,291	1,316	1,564	1,285	714	468	12,204	160·2	·73
Apoplexy	1	...	9	17	63	161	64	22	15	12	5	3	372	4·9	37·10
Delirium Tremens	22	17	19	17	22	16	26	18	23	17	21	17	235	3·1	2·55
Dysentery	191	133	195	267	211	160	250	376	326	270	205	223	2,807	36·8	3·38
Diarrhoea	240	232	474	508	420	269	541	763	539	304	317	398	5,005	65·7	·14
Hepatitis	241	269	273	290	350	384	409	406	443	381	270	258	3,974	52·2	4·50
Spleen disease	24	20	28	22	31	26	26	34	23	30	22	19	305	4·0	·33
Respiratory diseases	506	479	516	481	377	299	361	348	358	358	394	519	4,996	65·6	·66
Phthisis Pulmonalis	43	32	36	44	36	56	62	61	72	86	83	67	678	8·9	13·72
Scurvy	3	3	1	1	4	3	1	5	1	...	2	5	29	·4	...
Rheumatism	353	349	396	325	349	350	382	453	375	366	282	258	4,243	55·7	·33
Veneral diseases	2,235	2,383	2,465	2,111	1,927	1,695	1,889	1,599	1,649	1,771	1,493	1,611	22,828	299·7	
Eye diseases	137	129	213	222	218	212	235	272	210	169	121	99	2,237	29·4	
Abscess and Ulcer	554	550	636	651	678	776	993	804	713	605	510	447	7,917	104·0	
Wounds and Accidents	532	562	731	660	599	528	533	473	445	513	448	652	6,676	87·7	
All other Causes	908	1,025	1,220	1,149	1,330	1,340	1,594	1,520	1,514	1,348	1,059	934	14,941	196·2	
Admitted per 1,000 of the Average Strength in each Month.															
95·7	94·5	109·0	117·8	116·4	111·6	131·5	133·6	142·2	141·4	114·5	99·7	1,410·3			

I.—STATISTICS OF PROVINCES, 1870-79.

XII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the GANGETIC PROVINCES and in OUDH in each year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	7,185	60.5	56.7	56.4	65.1	62.5	64.0	65.4	67.6	70.8	69.3	52.9	47.9	61.8
1871	8,126	52.3	57.0	57.2	59.5	64.3	66.6	67.2	72.1	72.0	67.7	58.0	53.4	62.4
1872	8,251	54.1	52.1	47.1	50.6	54.8	59.3	60.8	69.2	74.1	71.7	69.4	50.9	58.8
1873	8,049	53.4	57.2	60.9	58.4	57.9	63.9	63.5	61.1	65.3	57.9	65.9	54.2	59.9
1874	8,540	57.6	53.4	59.4	71.6	73.3	70.1	78.6	90.5	85.8	75.2	65.6	64.3	71.2
1875	7,790	67.1	76.4	72.6	66.6	60.9	63.6	69.0	66.4	67.8	68.3	59.9	49.5	65.9
1876	7,390	53.8	63.4	65.7	67.1	70.6	75.3	72.5	67.5	73.7	83.8	77.7	62.5	69.6
1877	7,326	64.6	67.1	58.7	56.1	60.5	65.0	63.7	69.4	69.6	60.5	63.0	61.8	63.3
1878	7,168	67.5	70.6	63.8	66.5	71.4	68.5	74.4	72.5	80.3	85.5	79.3	66.8	72.0
1879	6,341	74.9	79.7	79.3	76.1	80.6	79.5	71.5	83.4	88.6	94.0	95.5	77.1	81.5
Ten Years, 1870-79	...		76,159	60.4	63.3	61.6	63.5	65.3	67.3	68.7	72.0	74.6	72.7	67.2	58.7	66.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phtisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	5.4	3.8	355.1	3.5	6.6	45.8	65.8	67.8	2.9	51.0	8.1	61.7	286.5	39.8	106.0	81.5	162.8	1,354.1
1871	4.7	5.8	342.3	1.4	2.7	37.0	53.5	56.7	4.6	52.7	8.2	53.1	287.1	35.1	95.0	78.0	158.9	1,276.8
1872	17.7	3.4	253.8	5.2	2.7	38.8	79.8	57.2	4.0	53.6	9.8	59.5	229.4	39.1	99.3	79.9	472.6	1,505.8
1873	4.9	8.7	344.3	5.8	2.7	38.0	63.0	50.2	5.3	72.3	10.1	60.3	250.4	30.4	110.1	78.6	240.5	1,375.6
1874	7	9.6	357.4	2.6	3.4	44.9	71.8	48.2	3.8	85.9	11.0	51.0	333.7	39.5	107.3	88.7	218.6	1,478.1
1875	8.5	4.6	223.4	2.6	2.1	29.4	62.4	43.0	3.1	55.3	9.1	52.1	372.0	20.8	89.7	75.6	181.2	1,234.9
1876	4.7	7.2	319.9	7.7	3.4	35.0	59.9	59.5	7.2	74.1	8.8	63.6	310.6	20.4	102.4	105.3	296.6	1,486.3
1877	1.0	1.8	297.3	6.7	2.5	23.9	50.9	49.0	4.3	57.6	6.7	57.9	257.6	19.1	111.4	103.7	210.0	1,261.4
1878	16.3	7.8	319.3	5.6	2.7	37.9	82.5	46.9	2.2	74.8	7.4	51.5	354.2	21.8	104.6	94.6	220.5	1,450.6
1879	1.9	11.7	655.1	9.1	2.4	36.7	67.2	42.3	2.2	80.0	9.3	45.4	324.7	24.0	116.7	94.6	202.3	1,725.6
Ten Years, 1870-79	6.6	6.4	341.0	4.9	3.1	36.8	65.7	52.2	4.0	65.6	8.9	55.7	299.7	29.4	104.0	87.7	238.6	1,410.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths	
		a Violent Deaths.	b Diseases.																	
1870	...	2.37	1.53	19.07	22.97	165	17	1	14	25	8	1	17	35	...	4	10	9	13	11
1871	...	2.83	1.97	13.54	18.34	149	23	...	18	15	8	...	17	23	...	4	8	9	8	16
1872	...	11.15	1.69	12.97	25.81	213	92	2	10	13	15	...	13	22	...	5	8	6	13	14
1873	...	3.23	1.61	15.41	20.25	163	26	9	31	5	23	...	2	15	...	7	13	11	8	13
187470	2.92	16.52	20.14	172	6	2	39	10	9	1	15	22	...	1	10	16	16	25
1875	...	5.65	2.06	10.39	18.10	141	44	...	15	2	12	...	3	17	...	4	2	11	14	16
1876	...	3.11	1.90	12.85	17.86	132	23	...	21	4	17	...	12	9	...	1	10	9	12	14
187768	2.46	10.10	13.24	97	5	1	7	6	10	1	5	12	...	2	10	8	12	18
1878	...	11.58	.97	12.28	24.83	178	83	2	23	2	15	2	10	14	...	2	...	7	7	7
187963	2.05	15.93	18.61	118	4	2	22	13	21	1	8	10	...	3	...	7	14	13
Ten Years, 1870-79	...	4.24	1.93	13.89	20.06	1,528	323	19	200	95	138	6	102	179	1	33	75	93	117	147

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	...	7	3	3	19	2	...	4	...	39
1871	3	3	1	2	2	23	...	38
1872	5	23	8	10	56	...	2	...	146
1873	1	1	3	1	10	...	1	...	39
1874	1	...	1	2	6
1875	7	1	...	10	66
1876	9	2	6	13	4	35
1877	1	...	3	...	2	7
1878	1	38	67	117
1879	5	4	1	...	12
Ten Years, 1870-79	...	2	7	38	39	24	41	133	161	16	41	3	505

I.—STATISTICS OF PROVINCES, 1870-79.

XIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in MEERUT and ROHILCUND during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January	40,438	2,011	49·7	36	·89	...	1	5	...	1	1	1	4	1	5	...	3	5	1	...	1	4	...	3
February	41,989	2,104	50·1	36	·86	...	2	5	1	1	10	...	3	...	4	6	...	7
March	43,385	2,116	48·8	43	·99	...	1	1	5	1	2	...	9	1	1	6	4	...	4
April	40,563	2,067	51·0	49	1·21	...	3	1	12	...	2	3	1	...	5	...	4	4	2	7	...	3
May	40,269	2,277	56·5	77	1·91	...	5	2	25	...	4	12	1	3	...	5	...	2	6	1	8	...	2
June	39,989	2,377	59·4	81	2·03	...	1	1	14	...	5	18	1	2	...	11	...	4	4	5	10	...	5
July	39,903	2,346	58·8	49	1·23	...	1	...	6	...	2	14	...	5	...	9	1	1	2	6	1	...	1
August	39,784	2,640	66·4	67	1·68	...	16	...	6	...	4	5	1	3	3	12	3	4	7	...	6
September	39,631	2,909	73·4	118	2·98	...	53	...	13	...	7	7	4	9	1	7	...	1	3	2	7	...	4
October	39,170	2,832	72·3	78	1·99	...	2	...	11	1	10	1	...	10	1	12	...	3	4	3	1	13	...	5
November	35,687	2,319	65·0	52	1·46	4	1	3	1	...	8	1	17	...	2	2	4	5	...	4
December	36,433	1,936	53·1	42	1·15	4	...	1	7	2	7	...	1	4	7	3	...	6
						82	8	107	2	39	64	10	54	9	109	2	25	40	46	...	1	1	75	4	50	
Died per 1,000 of the Average Strength.																										
For the Ten Years	39,770	2,328	58·5	728	18·31	2·06	·20	2·69	1·03	1·61	·25	1·36	·23	2·74	·05	·63	1·01	1·16	...	·02	·02	1·89	·10	1·26		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	...	2	1	1	207	166	44	35	456	11·5	...
Cholera	7	28	73	2	119	3·0	68·91
Smallpox	...	9	5	5	8	12	11	52	1·3	15·38
Enteric Fever	...	12	6	9	28	71	22	...	36	17	12	6	251	6·3	42·63
Fever, Intermittent	...	639	576	624	811	1,077	1,130	1,526	2,458	2,881	1,635	974	17,222	433·0	·01
Fever, Remittent and Continued	...	117	131	229	492	561	522	435	605	707	207	87	4,707	118·4	·83
Apoplexy	...	3	3	4	9	19	51	33	21	13	8	2	169	4·2	37·87
Delirium Tremens	...	14	10	5	10	15	11	18	20	22	13	8	156	3·9	6·41
Dysentery	...	93	47	63	96	108	78	168	212	188	150	143	1,430	36·0	3·78
Diarrhoea	...	111	108	165	291	211	163	197	385	234	155	119	2,516	63·3	·36
Hepatitis	...	109	131	135	148	191	191	184	223	219	205	159	2,017	50·7	5·40
Spleen disease	...	19	20	16	15	20	31	33	26	31	41	24	284	7·4	·68
Respiratory diseases	...	301	302	332	271	253	205	240	262	240	248	278	3,134	78·8	·80
Phthisis Pulmonalis	...	18	14	18	15	14	19	39	30	34	35	32	297	7·5	15·49
Scurvy	2	...	2	3	1	3	1	2	...	15	·4	6·67
Rheumatism	...	213	225	215	161	188	194	236	210	158	153	151	2,312	58·1	...
Veneral diseases	...	974	829	882	788	672	577	583	572	517	507	449	7,978	200·6	...
Eye diseases	...	67	62	67	97	103	51	63	84	87	57	45	827	20·8	...
Abscess and Ulcer	...	241	266	311	289	296	300	394	345	337	265	229	3,488	87·7	·47
Wounds and Accidents	...	321	351	367	357	338	281	278	257	264	281	288	3,708	93·2	...
All other Causes	...	436	477	582	567	618	600	715	738	651	507	455	6,962	175·1	...
	3,699	3,566	4,033	4,457	4,777	4,426	5,118	6,455	7,063	6,496	4,359	3,661	58,110		
Admitted per 1,000 of the Average Strength in each Month.															
	91·5	84·9	93·0	109·9	118·6	110·7	128·3	162·3	178·2	165·8	122·1	100·5	1,461·2		

I.—STATISTICS OF PROVINCES, 1870-79.

XIV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in MEERUT and ROHILCUND in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	3,700	52.3	57.5	55.3	50.7	53.0	55.8	57.2	63.0	79.1	75.8	62.4	43.2	58.9
1871	...	4,234	53.9	61.5	65.2	53.3	62.2	63.7	65.0	75.5	81.5	75.3	67.2	53.0	65.0
1872	...	4,119	50.2	44.6	46.0	49.5	56.2	56.9	55.3	64.3	76.6	70.0	52.5	52.1	56.6
1873	...	3,920	46.8	37.7	36.5	41.6	46.1	48.3	48.2	54.8	59.9	61.2	60.9	56.4	49.8
1874	...	3,933	54.8	55.6	46.1	44.1	53.7	60.8	60.2	77.4	79.7	72.8	72.7	60.9	61.3
1875	...	4,395	53.1	53.1	48.4	62.7	57.4	54.5	58.0	56.4	64.0	57.7	50.5	41.5	54.6
1876	...	4,393	45.7	45.5	43.5	42.7	46.9	55.0	55.9	56.2	63.4	60.6	56.2	41.7	51.0
1877	...	4,135	41.0	42.2	45.8	46.9	53.2	52.3	50.9	58.8	57.1	49.4	56.8	44.1	49.8
1878	...	3,721	38.3	39.1	39.5	55.1	70.8	81.8	69.6	68.2	75.7	90.1	86.2	72.2	64.8
1879	...	3,219	65.7	63.6	63.7	66.2	68.8	68.3	70.5	95.7	105.0	118.1	97.1	76.9	79.5
Ten Years, 1870-79	...	39,770	49.7	50.1	48.8	51.0	56.5	59.4	58.8	66.4	73.4	72.3	65.0	53.1	58.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	8	3.0	416.1	1.1	6.5	44.3	55.4	6.7	51.1	11.9	58.6	222.7	22.4	81.6	89.5	146.5	1,284.1	
1871	...	4.7	571.6	1.4	3.8	55.0	78.4	74.4	11.6	137.5	12.5	74.2	188.9	21.5	113.8	98.0	211.9	1,659.2	
1872	...	17.5	2.9	528.3	7.8	6.6	49.0	81.3	55.3	126.6	102.5	5.6	88.6	162.4	20.2	93.2	84.0	1,622.5	
1873	...	2	5.9	439.5	4.4	4.4	31.2	75.5	49.5	4.4	81.4	4.6	59.4	135.7	20.4	81.6	74.5	1,229.3	
1874	5.6	868.3	3.6	4.6	23.1	61.2	57.5	4.1	69.7	5.1	55.4	201.1	16.5	84.9	93.8	1,730.2	
1875	...	7.7	2.0	450.7	4.1	4.3	37.1	70.8	32.3	7.3	71.7	4.6	43.2	211.6	24.3	89.0	103.8	1,323.8	
1876	...	1.8	3.0	390.9	4.6	2.7	29.3	46.0	41.9	3.6	56.7	9.1	47.8	162.1	23.2	71.7	104.0	1,166.2	
1877	5.3	229.7	3.6	3.6	18.4	37.3	39.4	6.5	72.1	8.0	53.7	165.2	18.2	74.5	110.8	1,016.7	
1878	...	3	22.3	521.1	4.8	1.3	37.9	74.2	52.4	5.9	60.7	5.4	43.8	283.3	21.0	94.6	83.6	1,503.6	
1879	11.2	1263.8	7.8	1.0	30.1	50.9	39.1	11.8	80.8	8.1	55.9	305.4	19.5	93.2	84.8	2,263.4	
Ten Years, 1870-79	...	3.0	6.3	551.4	4.2	3.9	36.0	63.3	50.7	7.4	78.8	7.5	58.1	200.6	20.8	87.7	93.2	188.3	1,461.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	1.62	17.03	18.65	69	...	3	6	2	4	2	8	18	1	3	3	7	6	6
1871	1.18	15.35	16.53	70	...	1	8	5	1	2	7	15	...	2	3	4	12	5
1872	...	11.90	1.21	20.87	33.98	140	49	...	7	11	5	4	14	11	...	11	4	5	14	5
1873	...	25	1.79	13.01	15.05	59	1	1	7	4	6	...	7	10	...	1	2	5	8	7
1874	1.02	13.73	14.75	58	4	2	7	...	12	16	...	3	3	4	4	4
1875	...	5.92	2.05	13.65	21.62	95	26	1	7	2	9	...	5	7	...	4	8	13	9	9
1876	...	1.14	1.14	12.97	15.25	67	5	...	8	3	12	...	4	11	...	5	6	7	5	5
187748	9.68	10.16	42	7	1	3	10	4	4	2	2	2
1878	...	27	2.42	15.85	18.54	69	1	2	33	1	6	...	1	6	1	1	6	3	9	9
187962	17.71	18.33	59	18	11	7	...	2	6	...	2	2	8	9	2
Ten Years, 1870-79	...	2.06	1.36	14.89	18.31	728	82	8	107	41	64	10	63	109	2	25	40	77	54	54

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	2	3
1871
1872	13	59	72
1873	1	1
1874
1875	1	6	14
1876	1	7	2	6	...	1	24
1877	6	8
1878	1
1879	1
Ten Years, 1870-79	2	4	7	3	...	28	73	2	119

I.—STATISTICS OF PROVINCES, 1870-79.

XV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the AGRA DISTRICT and in CENTRAL INDIA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.														
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtthis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.											
January	...	40,379	2,207	54.7	47	1.16	6	...	4	2	...	7	6	5	4	4	4	2	7	7								
February	...	41,535	2,318	55.8	48	1.16	4	...	5	6	5	4	4	4	4	1	1	10							
March	...	42,364	2,294	54.1	32	.76	2	...	4	5	4	3	2	2	1	1	1	6							
April	...	41,457	2,178	52.5	38	.92	2	...	6	2	5	1	7	7	5	5	2							
May	...	41,175	2,346	57.0	68	1.65	5	...	6	6	6	4	2	2	2	3	7							
June	...	41,066	2,348	57.2	73	1.78	1	...	3	4	5	4							
July	...	41,061	2,436	59.3	55	1.34	2	...	3	7	9							
August	...	40,938	2,711	66.2	90	2.20	7	...	6	1	9							
September	...	40,862	3,053	74.7	96	2.35	19	...	3	1	8							
October	...	40,423	3,076	76.1	84	2.08	16	...	9	13	11							
November	...	37,990	2,715	71.5	73	1.92	9	...	7	11							
December	...	38,323	2,284	59.6	44	1.15	2	...	1	8	9							
							131	6	83	11	64	55	6	51	3	84	...	30	56	38	...	1	3	61	5	60										
Died per 1,000 of the Average Strength.																		3.22	.15	2.04	1.85	1.35	.15	1.26	.07	2.0774	1.38	.9402	.07	1.50	.12	1.48
For the Ten Years	40,631	2,497	61.5	748	18.41		3.22	.15	2.04	1.85	1.35	.15	1.26	.07	2.0774	1.38	.9402	.07	1.50	.12	1.48											

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	6	176	149	38	8	377	9'3	...	
Cholera	...	1	44	20	20	50	35	10	...	1	181	4'4	72'38	
Smallpox	...	3	6	18	9	1	39	1'0	15'38	
Enteric Fever	...	8	6	10	20	14	3	13	46	32	15	...	179	4'4	46'37	
Fever, Intermittent	1,191	939	890	1,005	1,175	1,099	1,612	2,371	3,463	3,918	2,859	1,711	22,233	54'7	2'05	
Fevers, Remittent and Continued	177	201	372	576	578	495	541	680	740	773	462	231	5,826	143'4	1'10	
Apoplexy	...	1	2	7	22	57	25	13	10	6	4	...	148	3'6	37'16	
Delirium Tremens	...	5	8	6	7	4	20	11	16	16	7	...	113	2'6	5'31	
Dysentery	...	52	53	72	60	61	62	60	183	182	140	103	53	1,081	4'72	
Diarrhoea	...	102	91	150	141	116	107	231	405	247	149	113	1,967	48'4	1'15	
Hepatitis	...	95	121	118	139	170	167	171	180	205	202	147	1,849	45'5	4'54	
Spleen disease	...	10	18	27	14	21	27	24	29	39	27	31	294	7'2	...	
Respiratory diseases	...	284	299	281	268	322	180	202	199	172	207	207	2,905	71'5	1'03	
Phthisis Pulmonalis	...	20	15	15	15	23	17	25	19	30	27	22	280	6'1	15'32	
Scurvy	...	2	2	...	5	3	5	...	17	5'88	
Rheumatism	...	209	215	213	179	182	174	193	208	194	149	154	2,217	54'6	...	
Veneral diseases	...	853	882	902	829	741	639	737	687	536	552	505	6,660	209'8	...	
Eye diseases	...	59	50	87	83	56	52	57	92	80	99	44	53	812	20'0	...
Abscess and Ulcer	...	220	247	290	285	311	350	391	315	252	236	246	197	3,340	82'2	...
Wounds and Accidents	...	309	317	353	329	301	240	270	222	240	243	214	363	3,401	83'7	...
All other Causes	...	383	492	522	527	593	600	626	620	594	612	470	382	6,421	158'0	...
	3,983	3,957	4,318	4,502	4,746	4,299	5,212	6,298	7,247	7,562	5,636	4,411	62,171			
Admitted per 1,000 of the Average Strength in each Month.																
	98'6	95'3	101'9	108'6	115'3	104'7	126'9	153'8	177'4	187'1	148'4	115'1	1,530'1			

I.—STATISTICS OF PROVINCES, 1870-79.

XVI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the AGRA DISTRICT and in CENTRAL INDIA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	4,274	70.7	72.4	69.4	70.2	71.6	73.1	83.1	90.6	91.1	89.1	77.5	67.3	77.5
1871	...	4,120	54.6	48.0	50.1	53.5	57.8	61.9	66.7	79.3	83.1	83.6	75.9	61.4	64.6
1872	...	4,213	57.2	54.4	49.4	43.4	47.6	46.6	46.3	53.8	70.4	66.0	51.4	41.1	52.2
1873	...	4,133	36.4	35.6	40.4	42.1	42.8	45.9	50.5	53.2	63.8	57.4	46.6	39.3	46.4
1874	...	4,096	48.5	55.7	48.2	56.4	50.9	46.4	47.8	60.0	65.9	68.8	67.4	58.5	56.1
1875	...	4,310	53.3	52.6	47.6	42.9	57.8	59.9	59.8	60.5	69.7	68.8	65.9	56.5	58.0
1876	...	3,982	44.1	50.2	47.2	43.5	51.6	51.2	50.6	48.9	59.6	61.2	57.9	45.9	51.2
1877	...	3,631	48.9	47.9	61.4	55.9	56.2	53.8	54.7	64.7	61.7	53.6	59.6	51.6	55.9
1878	...	4,156	48.4	55.0	51.3	54.4	63.1	63.1	59.9	66.1	81.9	101.8	107.7	89.3	69.5
1879	...	3,517	55.7	86.0	77.5	64.4	72.4	71.3	74.9	87.3	103.6	119.9	110.9	83.5	85.9
Ten Years, 1870-79	...	40,631	54.7	55.8	54.1	52.5	57.0	57.2	59.3	66.2	74.7	76.1	71.5	59.6	61.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	5	1.4	1,207.7	3.3	4.4	33.7	64.6	47.5	7.3	70.4	13.1	69.0	235.4	24.1	90.8	85.9	163.5	2,122.6
1871	2	1.9	1,063.9	1.2	5.8	26.2	46.4	41.7	13.8	73.3	4.9	67.0	204.4	26.5	94.7	99.0	157.5	1,928.4
1872	7.9	7	650.1	3.6	4.0	23.5	47.2	36.8	7.6	64.5	9.5	73.1	157.4	19.0	63.6	68.6	222.9	1,463.0
1873	1.4	7	437.2	1.7	1.7	15.2	32.7	46.0	4.6	54.5	2.9	42.1	176.2	17.4	70.9	75.7	137.9	1,118.0
1874	...	5.1	627.4	2.7	1.7	18.1	46.9	55.7	4.6	97.1	4.1	58.1	194.6	22.0	82.0	86.7	155.1	1,461.9
1875	6.5	5	467.0	3.5	1.2	27.1	53.6	53.8	7.0	58.2	5.3	42.7	160.3	28.8	75.6	83.5	166.6	1,241.3
1876	1.3	3.3	577.9	2.7	1.3	19.6	35.1	48.0	4.0	92.7	4.8	53.0	167.2	17.3	73.3	87.9	137.8	1,327.2
1877	1.3	6.0	280.1	5.7	2.1	13.9	32.9	39.9	12.0	73.9	5.7	60.3	226.6	10.4	103.9	96.1	174.1	1,144.9
1878	20.0	19.7	582.8	7.2	2.4	37.5	65.2	39.7	2.9	58.2	6.3	34.8	300.0	17.6	85.9	76.8	181.5	1,538.5
1879	5.1	5.1	1,020.5	5.1	3.1	53.7	58.6	46.5	9.1	74.5	3.7	44.1	288.6	14.8	83.0	77.4	191.6	1,983.5
Ten Years, 1870-79	4.4	4.4	690.6	3.6	2.8	26.6	48.4	45.5	7.2	71.5	6.1	54.6	209.8	20.0	82.2	83.7	168.7	1,530.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen cases.	Respiratory diseases.	Heart diseases.	Pulmonarys.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	47	3.51	18.25	22.23	95	2	...	2	13	7	1	11	16	...	2	5	7	14	15
1871	24	1.70	16.51	18.45	76	1	...	8	21	1	...	4	11	...	3	9	3	8	7
1872	4.75	.95	9.73	15.43	65	20	...	1	3	6	...	3	10	...	3	5	5	5	4
1873	97	1.93	9.20	12.10	50	4	10	2	...	3	5	11	2	5	8
1874	...	1.22	10.74	11.96	49	...	4	8	5	2	...	1	2	...	2	4	3	6	5
1875	5.57	.93	10.21	16.71	72	24	...	2	3	8	...	4	3	...	4	4	5	11	4
1876	25	1.76	5.78	7.79	31	1	...	6	2	4	...	1	5	...	2	1	1	1	7
1877	1.31	1.04	12.01	14.36	55	5	...	13	1	7	...	2	7	...	6	5	1	4	4
1878	14.92	1.44	22.38	38.74	161	62	2	34	5	9	...	8	13	...	3	9	5	3	6
1879	3.41	1.42	21.90	26.73	94	12	...	9	12	9	2	16	7	...	5	3	6	8	5
Ten Years, 1870-79	3.22	1.60	13.59	18.41	748	131	6	83	75	55	6	54	84	...	30	56	38	65	65

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	1	1	2
1871	1	1
1872	5	16	...	2	33
1873	5	4	6
1874	1
1875	17	...	3	28
1876	1	5
1877	5	5
1878	39	1	...	17	1	...	1	83
1879	2	1	13	2	18
Ten Years, 1870-79	...	1	44	20	20	50	35	10	...	1	181

I.—STATISTICS OF PROVINCES, 1870-79.

XVII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the PUNJAB during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.			
January	131,914	7,513	57.0	160	1.21	...	3	8	1	5	1	2	11	...	15	1	46	15	15	1	21	3	12
February	128,128	6,999	54.6	88	.69	...	2	12	2	5	2	...	2	...	10	...	15	5	10	11	2	10
March	125,315	6,391	51.0	105	.84	...	1	10	...	12	3	1	7	...	11	...	11	11	6	1	1	14
April	113,375	5,673	50.0	112	.99	12	...	21	1	12	5	...	5	...	6	...	7	6	8	1	11	...	17
May	101,320	5,723	56.5	186	1.84	57	...	38	1	12	4	3	10	...	9	...	6	13	9	11
June	99,800	6,158	61.7	279	2.80	56	...	58	...	19	81	8	12	...	7	1	2	7	7	1	10	10
July	99,754	6,422	64.4	247	2.48	30	...	29	1	23	86	5	11	...	11	...	6	10	7	12
August	99,291	6,716	67.6	280	2.82	125	...	26	1	23	32	4	6	...	11	1	2	13	12	1	12	...	12
September	99,272	7,670	77.3	251	2.53	76	1	22	4	38	19	1	13	...	18	1	8	10	8	21	1	10
October	100,424	8,130	81.0	253	2.52	85	...	17	4	36	4	2	17	2	18	...	8	10	14	21	1	14
November	119,290	9,003	75.5	175	1.47	3	...	8	6	25	3	1	18	1	26	...	21	10	13	19	1	20
December	129,585	8,408	64.9	190	1.47	...	1	11	8	13	4	1	19	2	14	...	47	15	18	...	1	3	19	1	1	13
						444	8	260	29	223	244	28	131	5	156	4	179	125	127	...	1	8	188	11	155	
Died per 1,000 of the Average Strength.																										
For the Ten Years	112,288	7,067	62.9	2,326	20.71	3.95	.07	2.32	2.24	2.17	.25	1.17	.05	1.39	.04	1.59	1.11	1.1301	.07	1.67	.10	1.3		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872 and 1876)	9	108	14	131	1.2	...
Cholera	20	67	69	42	195	101	115	3	...	612	5.5	...
Smallpox ...	12	13	13	12	13	4	7	1	2	...	4	5	86	.8	72.55
Enteric Fever ...	28	23	32	44	83	89	59	42	44	38	24	30	536	4.8	9.30
Fever, Intermittent ...	4,811	3,236	2,890	3,059	3,658	4,025	4,488	5,599	10,050	13,494	13,170	8,501	76,981	685.6	48.51
Fever, Remittent and Continued ...	522	647	767	2,071	4,229	3,699	4,041	3,911	4,905	3,820	1,886	960	31,355	279.3	.04
Apoplexy ...	4	4	9	17	25	146	254	87	38	18	6	3	611	5.4	.71
Delirium Tremens ...	19	18	37	29	39	39	46	47	40	43	22	26	405	3.6	39.93
Dysentery ...	230	158	153	231	240	182	203	270	401	400	355	267	3,093	27.5	4.24
Diarrhea ...	362	313	340	745	675	455	574	886	695	531	499	517	6,532	58.7	.08
Hepatitis ...	359	338	370	329	324	395	454	439	415	411	419	393	4,646	41.4	3.36
Spleen disease ...	95	105	95	52	51	63	82	76	65	111	123	141	1,059	9.4	.38
Respiratory diseases ...	1,784	1,417	1,112	795	714	583	560	577	475	613	1,029	1,616	11,305	100.7	1.58
Phthisis Pulmonalis ...	76	54	47	44	51	52	78	69	69	80	129	92	841	7.5	15.10
Scurvy ...	3	6	6	3	4	2	7	8	4	4	5	9	61	.5	1.04
Rheumatism ...	860	770	756	630	533	486	545	524	490	535	623	721	7,473	66.5	...
Veneral diseases ...	2,404	2,094	2,107	1,984	1,411	1,218	1,209	1,065	976	1,115	1,471	1,927	13,981	169.0	...
Eye diseases ...	155	156	216	242	228	150	164	226	218	170	148	133	2,206	19.6	...
Anseess and Uleer ...	861	742	794	734	631	701	1,076	1,041	722	557	665	713	9,237	82.3	...
Wounds and Accidents ...	1,173	1,068	1,236	1,199	922	734	728	679	710	747	855	1,278	11,329	100.9	...
All other Causes ...	1,459	1,433	1,623	1,645	1,539	1,698	2,053	1,962	1,696	1,530	1,687	1,548	19,878	177.0	...
	15,217	12,525	12,603	13,888	15,437	14,790	16,075	17,704	22,116	24,341	23,231	18,894	207,421		
Admitted per 1,000 of the Average Strength in each Month.															
	115.4	97.8	100.6	122.5	152.4	148.2	167.2	178.3	222.8	242.4	194.8	145.8	1,847.2		

I.—STATISTICS OF PROVINCES, 1870-79.

XVIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the PUNJAB in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	10,582	61.3	60.0	61.1	62.6	72.3	72.1	70.5	71.6	85.4	81.3	78.1	58.9	69.1
1871	...	11,084	52.8	52.0	49.6	45.7	55.9	61.5	61.1	68.9	65.1	56.0	48.8	43.1	54.2
1872	...	12,118	48.1	49.8	45.1	44.1	50.7	56.5	54.4	61.4	70.3	73.1	71.8	58.9	56.8
1873	...	12,181	48.7	45.1	45.0	52.8	54.1	55.5	59.1	62.9	70.4	67.0	65.0	56.0	56.4
1874	...	11,587	49.2	48.1	45.8	41.7	51.1	58.5	61.0	63.1	61.8	68.1	65.1	56.6	55.4
1875	...	11,888	53.4	51.0	44.0	48.6	53.2	55.5	59.9	56.0	61.7	76.9	71.3	72.1	58.8
1876	...	11,295	62.5	56.7	46.3	43.6	47.3	54.1	53.9	64.0	83.1	84.4	68.6	65.6	60.4
1877	...	11,522	55.9	51.5	43.8	40.4	49.5	60.6	61.1	62.4	57.6	62.1	61.6	62.3	55.6
1878	...	10,524	60.7	57.5	59.6	54.8	62.3	72.4	75.0	84.0	110.7	120.8	129.0	106.0	79.1
1879	...	9,507	82.8	79.1	76.9	74.5	73.0	75.3	90.1	87.5	109.9	136.7	118.1	90.1	91.0
Ten Years, 1870-79	...	112,288	57.0	54.6	51.0	50.0	56.5	61.7	64.4	67.6	77.3	81.0	75.5	64.9	62.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																			
YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	1	4.3	1,446.0	4.6	6.8	29.2	68.2	43.3	7.2	105.0	9.8	72.6	149.0	23.9	84.4	92.0	176.6	2,323.0
1871	...	4.3	767.3	2.7	3.7	27.8	58.7	53.4	8.2	89.6	7.2	63.3	172.1	23.1	75.5	92.6	144.8	1,594.3	...
1872	...	19.3	3.9	754.2	4.4	5.0	32.2	75.8	53.6	6.7	83.8	8.5	53.1	183.9	24.8	77.3	93.8	187.2	1,667.5
1873	...	1	2.5	801.8	3.0	2.8	26.9	39.3	49.4	13.3	100.1	8.3	62.1	130.0	18.5	77.3	95.7	165.8	1,596.9
1874	...	1	2.5	776.9	3.4	1.7	16.6	42.7	42.1	10.5	110.0	6.8	81.0	127.0	19.7	79.8	94.9	180.9	1,596.6
1875	...	4.0	4.5	834.8	8.1	3.5	23.7	60.3	34.3	14.0	114.8	9.2	66.8	149.6	19.3	83.1	107.7	171.4	1,729.1
1876	...	6.4	4.6	928.1	6.2	3.0	20.0	46.0	38.2	10.2	92.1	6.1	79.9	147.9	17.2	82.9	111.8	194.6	1,795.2
1877	...	1	3.1	689.9	5.8	2.9	19.2	48.7	33.2	6.1	95.3	6.8	69.1	160.7	14.7	81.0	117.2	176.3	1,530.1
1878	...	1	10.2	1,208.1	5.6	3.2	39.1	58.3	31.9	4.8	95.5	5.7	65.4	265.7	18.9	91.6	108.3	189.7	2,202.1
1879	...	26.7	9.2	1,611.1	11.7	3.5	44.9	96.3	31.2	13.2	124.4	6.4	50.8	222.5	15.8	93.0	94.0	214.1	2,668.8
Ten Years, 1870-79	...	5.5	4.8	961.9	5.4	3.6	27.5	58.7	41.4	9.4	100.7	7.5	66.5	169.0	19.6	82.3	100.9	179.5	1,847.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																		
YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.												
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.
		a Violent Deaths.	b Diseases.															
1870	...	1.23	23.25	24.48	259	...	1	31	37	32	4	16	24	1	30	18	19	33
1871	...	1.80	16.33	18.13	201	22	30	13	6	7	17	1	26	16	24	19
1872	...	13.86	2.15	16.42	32.43	168	5	33	27	25	1	24	22	1	17	17	12	25
1873	...	1.64	12.65	14.29	174	13	22	15	1	10	18	...	23	13	14	25
187409	1.12	10.27	11.48	13	18	13	3	10	13	...	9	18	4	18
1875	...	2.27	.92	15.15	18.34	28	27	41	1	9	10	...	20	7	15	22
1876	...	4.43	1.15	11.42	17.00	16	12	27	2	7	14	...	12	13	8	17
1877	1.65	9.03	10.68	13	14	17	3	5	13	...	9	6	7	17
187810	1.62	17.76	19.48	...	1	47	38	18	4	25	12	...	10	6	14	12
1879	...	20.72	1.47	22.52	45.01	197	1	44	27	43	3	23	13	...	23	11	10	19
Ten Years, 1870-79	...	3.95	1.48	15.28	20.71	444	8	260	252	244	28	136	156	4	179	125	127	197

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.													
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	20	67	69	42	195	101	115	3	...	612

I.—STATISTICS OF PROVINCES, 1870-79.

XIX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the HILL STATIONS of the BENGAL PRESIDENCY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January ...	22,817	891	39.0	24	1.05	1	1	1	2	5	4	1	1	5	...	3
February ...	24,695	961	38.9	15	.61	1	7	3	2
March ...	29,506	1,200	41.0	18	.61
April ...	40,912	1,913	46.8	22	.54
May ...	52,332	2,650	50.6	48	.92
June ...	54,607	2,803	51.3	53	.97
July ...	56,710	3,059	53.9	71	1.25
August ...	57,221	3,006	52.5	110	1.92
September ...	57,174	2,830	49.5	59	1.03
October ...	50,949	2,305	46.1	45	.90
November ...	32,982	1,441	43.7	21	.64
December ...	22,436	939	41.9	25	1.11
						67	...	74	4	27	3	4	43	6	52	2	35	50	20	1	1	3	68	8	38
Died per 1,000 of the Average Strength.																									
For the Ten Years ...	41,787	2,001	47.9	511	12.23	1.60	...	1.77	.74	0.7	.10	1.15	.11	1.25	.05	.84	1.20	.48	.02	.02	.07	1.63	.19	.91	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fevers, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral disease
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
													43,625		
Admitted per 1,000 of the Average Strength in each Month.															
72.9	69.6	76.3	96.0	102.6	94.7	105.2	95.7	86.3	72.8	62.3	64.8	1,044.0			

I.—STATISTICS OF PROVINCES, 1870-79.

XX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the HILL STATIONS of the BENGAL PRESIDENCY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	3,402	38.0	33.5	31.4	35.3	45.5	45.1	46.4	49.7	42.5	34.4	44.8	34.2	40.9
1871	"	3,652	37.6	48.4	49.1	57.3	53.0	55.2	56.9	46.6	44.8	41.1	36.3	47.2	48.5
1872	"	3,379	44.4	40.2	46.0	39.1	45.0	44.9	49.9	44.0	42.1	40.0	37.3	33.5	42.9
1873	"	4,149	45.2	34.0	43.3	51.7	54.3	57.5	60.4	64.8	55.6	46.6	38.2	40.7	51.3
1874	"	4,511	40.2	38.8	36.5	43.7	40.9	46.1	50.2	49.4	44.6	40.9	41.4	38.2	43.5
1875	"	4,450	39.7	40.6	42.3	44.1	50.8	48.4	48.6	44.0	38.5	34.0	35.0	38.7	42.9
1876	"	5,393	33.1	32.7	42.6	46.7	52.3	49.5	52.4	49.4	45.7	45.1	39.8	38.2	45.6
1877	"	5,082	33.9	35.1	36.6	38.6	41.0	44.5	45.9	45.5	50.0	43.8	38.5	37.6	42.5
1878	"	4,470	29.1	39.7	36.1	59.4	58.9	60.6	60.2	60.1	56.6	56.5	57.6	70.6	56.2
1879	"	3,299	76.2	63.2	52.3	62.5	75.3	63.6	67.1	68.5	69.2	76.7	76.0	66.9	69.4
Ten Years, 1870-79		41,787	39.0	38.9	41.0	46.8	50.6	51.3	53.9	52.5	49.5	46.1	43.7	41.9	47.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	3	...	371.8	...	4.4	14.1	52.3	40.6	1.4	96.7	6.4	74.4	120.8	11.5	46.5	89.4	112.3	1,042.9	
1871	...	3	273.5	...	2.7	24.4	83.5	39.7	3.6	102.1	7.4	93.4	188.4	9.9	63.7	88.4	128.4	1,114.7	
1872	10.4	2.1	115.1	...	2.4	22.2	88.5	31.1	2.6	72.8	5.4	65.4	161.3	10.0	50.0	84.6	122.5	846.7	
1873	...	2.9	384.9	...	1.0	20.2	44.1	37.1	3.6	102.7	4.8	59.3	143.2	12.8	50.6	83.2	129.9	1,081.0	
1874	...	1.6	194.7	...	1.3	10.6	32.6	32.1	4.0	100.9	5.5	80.0	145.0	11.8	62.5	104.4	124.6	911.8	
1875	...	1.6	250.4	...	1.4	14.8	61.3	30.3	3.4	69.0	5.4	78.4	169.7	17.8	53.7	104.9	134.2	996.2	
1876	...	3.0	296.7	...	1.3	23.2	41.7	40.8	9.4	72.9	9.4	58.8	177.8	12.6	46.0	81.8	134.1	1,016.0	
1877	178.4	1.6	1.2	20.8	45.6	35.8	4.5	56.9	3.7	50.0	197.6	12.0	41.7	100.5	121.8	878.2	
1878	...	13.9	255.1	...	1.7	28.9	60.4	36.7	3.1	85.9	5.4	60.6	273.8	12.5	61.3	91.5	133.7	1,123.9	
1879	...	11.8	16.7	554.4	...	1.2	40.0	113.0	53.9	12.7	75.2	6.6	67.0	220.4	10.3	67.0	101.2	208.5	1,560.2
Ten Years, 1870-79	...	2.3	5.0	280.4	...	1.6	21.6	59.5	37.5	4.9	82.6	6.0	67.8	180.9	12.3	54.2	93.1	133.8	1,044.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	2.65	8.52	11.17	38	4	...	1	2	5	...	3	9	...	5	9	
1871	...	5.5	8.49	9.04	33	1	1	6	...	6	5	...	2	2	
1872	6.22	5.9	11.25	18.06	61	21	...	8	2	12	4	...	2	1	1	10	2	
1873	...	1.69	8.19	9.88	41	3	5	1	1	5	2	...	2	6	1	2	7	
1874	...	1.33	8.20	9.53	43	3	3	...	1	...	3	...	4	6	5	12	6	
1875	...	1.57	5.84	8.31	37	3	2	4	...	1	3	1	8	7	
1876	2.23	7.4	10.38	13.35	72	12	...	9	3	1	...	8	7	...	6	6	4	12	4	
1877	...	5.9	5.90	6.49	33	11	1	4	2	...	1	6	...	5	3	
1878	...	6.7	12.07	13.64	61	22	2	1	...	2	11	...	5	4	...	9	3	
1879	9.09	9.1	17.83	27.83	92	30	...	14	8	...	1	11	8	...	2	4	...	8	3	
Ten Years, 1870-79	1.60	1.10	9.53	12.23	511	67	...	74	4	54	52	2	35	50	20	73	46	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872
1873	3	28	1	3	35
1874
1875
1876	1	5	1	...	7
1877	16	16
1878
1879	5	9	11	30
Ten Years, 1870-79	1	6	8	9	58	12	3	1	...	93

I.—STATISTICS OF PROVINCES, 1870-79.

XXI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in RAJ-
POOTANA, MALWA, SIND, and ADEN during the TEN YEARS, from 1870 to 1879, and the Prevalence of the Principal
Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.	
January ...	52,506	2,678	51.0	70	1.33	4	...	5	3	1	8	...	8	...	10	4	15	5	2	5
February ...	53,667	2,661	49.6	50	.93	8	...	4	1	...	3	...	3	...	2	2	4	7	...	16
March ...	54,333	2,625	48.3	50	.92	3	...	5	1	...	7	5	1	1	5
April ...	55,032	2,681	48.7	54	.98	4	1	9	...	4	5	...	3	...	6	...	1	2	2	7	...	8
May ...	54,871	2,793	50.9	64	1.17	11	1	9	...	1	21	4	...	1	3	2	7
June ...	55,084	2,957	53.7	107	1.94	9	...	6	...	5	60	1	1	...	5	...	4	2	4	3	1	6
July ...	55,653	3,094	55.6	72	1.29	8	...	3	1	3	17	4	4	1	5	...	2	4	4	5	1	10
August ...	55,373	3,331	60.2	113	2.04	47	...	10	1	10	2	1	3	1	5	1	1	5	6	13	1	6
September ...	54,950	3,917	71.3	129	2.35	11	...	40	3	11	7	3	8	1	17	...	1	3	4	10	1	9
October ...	54,955	4,116	74.9	99	1.80	7	...	19	2	7	5	1	9	3	6	...	2	5	4	13	1	13
November ...	52,487	3,681	70.1	75	1.43	7	...	11	2	9	4	1	3	...	8	...	2	3	3	11	...	7
December ...	51,085	2,998	58.7	60	1.17	1	...	9	...	3	1	...	4	...	9	...	6	6	2	1	10	1	7
						105	2	131	9	67	127	12	53	6	87	1	37	44	57	1	2	...	94	9	99	
Died per 1,000 of the Average Strength.																										
For the Ten Years ...	54,166	3,128	57.7	943	17.41	1.94	.94	2.42	1.40	2.34	.22	.98	.11	1.61	.02	.68	.81	1.05	.02	.04	...	1.74	.16	1.83		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73) ...	18	...	3	7	201	165	520	104	7	60	95	122	1,302	24.0	...
Cholera	1	...	5	16	10	10	59	21	7	10	1	140	2.6	75.00
Smallpox ...	4	1	1	4	4	1	3	18	11.11	
Enteric Fever ...	12	13	15	19	15	6	5	18	54	29	14	16	216	4.0	60.65
Fever, Intermittent ...	1,601	1,214	1,217	1,374	1,704	1,773	2,158	3,137	4,943	5,767	4,135	2,889	31,912	589.2	.03
Fevers, Remittent and Continued ...	168	225	415	569	662	766	645	663	1,041	1,021	635	429	7,244	133.7	.92
Apoplexy ...	1	7	6	21	49	157	41	9	26	16	5	3	341	6.3	37.24
Delirium Tremens ...	24	15	12	24	20	14	28	39	36	30	20	15	277	5.1	4.33
Dysentery ...	110	84	105	91	65	75	127	217	195	169	116	102	1,456	26.9	3.64
Diarrhœa ...	225	199	217	294	233	219	334	529	367	310	225	225	3,377	62.4	.18
Hepatitis ...	132	146	176	171	228	211	230	225	239	239	192	139	2,328	43.0	3.74
Spicen disease ...	17	24	25	30	42	31	41	26	36	46	24	36	378	7.0	1.02
Respiratory diseases ...	458	394	356	303	252	260	263	210	199	235	311	401	3,642	67.2	15.66
Phthisis Pulmonalis ...	28	22	28	10	33	25	47	36	34	35	32	34	364	6.7	9.09
Scurvy ...	1	2	2	...	3	2	1	3	2	2	3	1	22	.4	
Rheumatism ...	215	221	245	245	267	229	313	262	222	217	200	181	2,817	52.6	
Veneral diseases ...	832	838	850	889	790	722	740	689	674	652	609	670	8,955	165.3	
Eye diseases ...	88	93	119	121	104	87	95	103	134	106	90	75	1,215	22.4	
Abscess and Ulcer ...	372	376	429	489	516	581	617	530	453	451	373	339	5,526	102.0	
Wounds and Accidents ...	463	436	485	512	463	406	502	417	415	445	312	495	5,351	99.4	
All other Causes ...	705	671	690	860	896	946	1,149	1,140	971	918	777	791	10,514	194.1	
	5,474	4,982	5,396	6,038	6,563	6,686	7,866	8,421	10,069	10,755	8,208	6,967	87,425		
Admitted per 1,000 of the Average Strength in each Month.															
	101.3	92.8	99.3	109.7	119.6	121.4	141.3	152.1	183.2	195.7	156.4	136.4	1,614.0		

I.—STATISTICS OF PROVINCES, 1870-79.

XXII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in RAJPOOTANA, MALWA, SIND, and ADEN in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	4,900	45.1	56.8	58.1	55.6	56.9	61.2	55.3	67.7	81.9	84.2	77.0	60.0	63.9
1871	...	5,620	50.4	49.7	55.3	55.7	54.5	61.2	58.7	60.1	60.8	59.4	59.1	43.2	55.7
1872	...	5,587	52.1	48.3	41.9	41.8	41.2	42.8	49.4	54.1	67.1	74.4	71.2	68.2	54.4
1873	...	5,275	50.1	48.0	45.8	47.9	51.0	51.8	53.2	50.2	58.5	69.6	68.7	54.0	53.8
1874	...	5,464	52.6	50.0	45.6	43.4	43.7	43.7	53.7	58.8	58.6	70.0	57.8	53.9	52.5
1875	...	5,587	48.9	44.1	43.4	49.8	48.4	48.0	52.2	58.6	68.6	62.5	54.3	45.3	51.9
1876	...	5,368	44.4	45.2	43.6	47.0	55.2	54.7	52.9	55.8	65.6	63.4	59.8	53.4	53.7
1877	...	5,549	46.9	45.3	49.0	41.7	46.9	56.6	55.5	56.5	62.8	60.5	61.7	51.3	52.8
1878	...	5,591	46.4	47.8	48.3	47.2	47.5	52.7	58.3	66.7	89.5	102.1	88.8	69.0	63.3
1879	...	5,226	72.8	63.2	55.9	57.7	64.7	65.5	67.1	74.1	102.1	106.4	104.1	87.9	76.7
Ten Years, 1870-79	...	54,166	51.0	49.6	48.3	48.7	50.9	53.7	55.6	60.2	71.3	74.9	70.1	58.7	57.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	2.0	985.5	7.1	7.6	22.3	86.5	33.3	2.0	66.1	7.8	56.9	190.2	25.7	105.3	79.0	214.5	1,801.8	
1871	...	4.3	751.4	5.3	6.6	29.5	79.0	52.7	6.6	71.0	5.9	72.4	200.9	29.5	105.2	96.9	214.5	1,731.9	
1872	...	6.1	4.1	812.4	7.5	6.6	30.6	69.1	3.6	42.8	8.6	38.8	152.9	17.6	96.0	83.8	367.4	1,785.5	
1873	...	2.3	624.9	4.9	4.6	25.2	51.4	52.7	6.6	82.1	10.0	53.3	153.2	19.9	99.5	103.3	197.9	1,491.8	
1874	...	4.6	453.1	3.7	4.8	20.9	33.7	55.3	12.8	56.4	6.4	47.7	133.2	25.8	111.8	104.1	169.7	1,244.0	
1875	...	9.5	2.5	475.7	9.8	5.2	25.4	58.5	37.9	9.6	65.1	6.3	49.8	146.4	27.7	114.4	114.6	1,311.6	
1876	...	7	6.0	515.8	4.8	5.6	19.7	48.8	46.8	5.6	55.0	6.1	46.6	152.8	25.5	98.0	101.2	200.6	
1877	...	4	3.6	437.6	5.6	4.9	22.3	37.1	34.9	4.7	75.3	4.0	49.9	163.8	17.8	98.6	110.8	1,339.6	
1878	...	7.5	6.4	862.2	8.4	3.2	40.4	85.0	42.8	7.3	71.0	4.5	52.0	164.4	19.3	93.2	102.5	1,293.9	
1879	...	4	3.8	1362.0	5.6	2.3	31.6	76.2	35.0	10.5	89.0	8.0	52.8	198.6	15.3	98.4	94.9	2,281.1	
Ten Years, 1870-79	...	2.6	4.0	722.9	6.3	5.1	26.9	62.4	43.0	7.0	67.2	6.7	52.0	165.3	22.4	102.0	99.4	218.8	1,614.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Cause s.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.22	17.35	18.57	91	8	27	13	2	2	9	...	1	4	4	15	6
1871	... 18	1.78	13.34	15.30	86	1	...	15	6	11	3	2	2	...	2	7	7	8	10
1872	... 4.83	2.51	16.64	23.98	134	27	...	16	6	22	1	5	12	...	5	4	12	10	14
1873	...	1.14	12.89	14.03	74	10	2	13	2	5	12	...	1	8	9	6	6
1874	...	2.38	9.33	11.71	64	13	4	8	...	4	6	...	4	4	8	6	13
1875	... 6.62	1.79	14.50	22.91	128	37	...	11	10	17	2	5	10	...	6	3	5	12	10
1876	... 3.7	3.17	9.68	13.22	71	2	...	14	2	6	...	5	7	...	2	5	4	7	17
1877	... 3.6	2.52	8.47	11.35	63	2	...	9	2	12	1	1	5	...	4	1	6	6	14
1878	... 6.08	1.97	15.74	23.79	133	34	2	21	7	15	1	2	14	...	3	3	14	11	11
1879	... 3.8	1.34	17.22	18.94	99	2	...	14	10	16	4	...	12	5	6	13	7
Ten Years, 1870-79	...	1.94	13.48	17.41	943	105	2	131	76	127	12	59	87	1	37	44	57	97	108

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871	1
1872	3	3	2	6	10	12	36
1873
1874
1875	9	...	31	...	1	53
1876	1	1	...	1	4
1877	1	2
1878	2	5	...	10	...	42
1879	2	2
Ten Years, 1870-79	...	1	...	5	16	10	10	59	21	7	10	1	140

I.—STATISTICS OF PROVINCES, 1870-79.

XXIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the DECCAN and in NAGPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.			All other Causes.
January	71,351	4,031	56·5	70	·98	7	...	7	1	...	9	...	20	...	4	2	7	6	1	6
February	72,489	3,998	55·2	57	·79	3	...	4	3	...	11	1	14	5	2	6	...	7
March	74,397	3,786	50·9	71	·95	1	4	3	...	1	5	1	9	...	15	...	3	8	4	...	1	...	6	...	7
April	78,438	3,945	50·3	70	·89	1	4	10	1	6	12	2	6	...	9	...	1	4	3	8	...	7
May	78,176	4,097	52·4	125	1·60	34	3	13	1	5	29	2	2	...	10	...	1	8	4	7	...	4
June	78,984	4,261	53·9	95	1·20	10	...	9	...	3	16	1	4	...	16	...	2	1	5	9	...	4
July	79,248	4,542	57·3	96	1·21	26	...	8	...	4	4	1	7	...	9	...	2	10	4	13	...	13
August	78,925	4,849	61·4	128	1·62	24	...	12	...	8	4	...	13	1	21	...	3	7	9	...	1	...	10	1	7
September	78,758	4,904	62·3	110	1·40	6	...	26	1	4	1	...	21	...	12	...	2	8	4	15	...	11
October	76,389	4,831	63·2	102	1·34	12	2	6	1	2	16	...	19	...	4	12	7	12	...	11
November	74,613	4,604	61·7	87	1·17	1	...	4	...	2	4	2	16	4	22	...	2	6	9	7	...	14
December	71,134	4,042	56·8	65	·91	3	1	3	2	1	16	...	19	...	5	7	3	1	3
						106	11	111	6	49	82	12	130	8	186	...	29	78	61	...	2	1	102	8	94
Died per 1,000 of the Average Strength.																									
For the Ten Years	76,075	4,324	56·8	1,076	1·14	1·39	·14	1·46	·72	1·08	·16	1·71	·11	2·44	...	·38	1·02	·80	...	·03	·01	1·34	·11	1·24	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872-73)	...	2	...	243	456	150	103	95	72	80	64	7	3	1,275	16·8	...
Cholera	...	2	9	1	2	76	11	35	36	8	1	3	1	185	2·4	57·29
Smallpox	...	6	9	16	17	8	1	1	1	1	2	63	·8	17·46
Enteric Fever	...	15	10	8	26	27	15	22	37	48	27	9	13	257	3·4	43·19
Fever, Intermittent	...	1,468	1,186	1,199	1,321	1,526	1,979	2,809	2,934	3,242	3,566	2,861	2,035	26,126	343·4	·02
Fever, Remittent and Continued	...	434	440	708	932	1,053	1,026	952	918	858	1,074	843	574	9,812	129·0	·50
Apoplexy	...	7	6	12	28	47	49	6	7	1	8	7	3	181	2·4	45·30
Delirium Tremens	...	33	17	34	27	19	27	23	42	21	39	27	20	329	4·3	3·65
Dysentery	...	323	254	215	196	192	201	393	508	485	430	338	366	3,901	51·3	3·33
Diarrhoea	...	279	252	276	325	331	409	911	760	447	379	287	371	5,027	66·1	·16
Hepatitis	...	311	239	215	242	226	224	238	241	311	340	295	273	3,155	41·5	5·90
Spleen disease	...	17	21	16	24	15	25	28	22	17	30	17	18	250	3·3	...
Respiratory diseases	...	491	454	439	367	347	284	310	338	343	380	401	448	4,487	59·0	·65
Phthisis Pulmonalis	...	36	46	27	18	32	47	42	51	47	60	44	51	501	6·6	12·18
Scurvy	...	1	2	1	...	2	...	2	2	4	1	2	...	17	·2	11·76
Rheumatism	...	275	299	272	270	276	288	355	290	314	274	233	223	3,369	44·3	...
Veneral diseases	...	1,472	1,439	1,524	1,575	1,353	1,244	1,411	1,371	1,315	1,449	1,318	1,264	16,735	220·0	...
Eye diseases	...	87	67	125	121	121	119	136	183	150	164	102	79	1,454	19·1	...
Abscess and Ulcer	...	601	570	667	739	733	714	642	547	576	561	530	542	7,422	97·5	...
Wounds and Accidents	...	588	657	729	698	682	559	613	579	538	620	594	674	7,531	99·0	...
All other Causes	...	980	975	1,053	1,114	1,208	1,108	1,169	1,151	1,103	1,196	1,043	1,010	13,110	172·3	...
													105,187			
Admitted per 1,000 of the Average Strength in each Month.																
104·1	95·5	104·6	108·3	107·8	106·8	128·6	127·8	125·7	139·1	119·8	111·4	1,382·7				

I.—STATISTICS OF PROVINCES, 1870-79.

XXIV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the DECCAN and in NAGPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	7,611	49.3	46.6	52.2	48.9	55.4	56.3	52.1	55.7	53.1	52.7	49.2	46.0	51.6
1871	..	"	7,783	44.0	45.4	47.1	47.0	53.5	57.8	63.0	59.4	55.0	56.2	54.0	49.8	52.9
1872	...	"	8,307	52.7	48.4	45.5	53.9	54.3	54.2	48.4	57.7	64.2	61.3	55.8	56.9	54.5
1873	...	"	8,082	58.5	48.4	48.8	45.5	42.5	40.7	46.9	52.1	51.6	50.4	45.9	45.4	48.0
1874	...	"	8,022	54.7	51.5	47.8	44.3	38.9	42.8	53.3	52.4	53.8	55.2	58.9	52.8	50.7
1875	...	"	7,352	55.7	51.5	46.0	47.0	47.9	52.6	58.4	58.4	54.8	58.4	58.4	50.6	53.5
1876	...	"	7,384	57.6	56.9	49.4	48.5	45.9	49.9	54.4	55.4	55.4	58.3	58.2	54.7	53.6
1877	...	"	7,368	55.6	56.4	47.3	49.7	56.9	54.8	61.1	70.0	68.4	71.5	71.6	64.6	60.7
1878	...	"	7,106	70.5	73.1	63.3	58.3	62.1	64.1	62.9	75.7	87.2	88.0	85.8	71.6	71.6
1879	...	"	7,060	65.8	72.5	65.1	60.9	68.5	68.2	75.4	81.6	83.5	85.6	85.0	76.9	74.7
Ten Years, 1870-79	...		76,075	56.5	55.2	50.9	50.3	52.4	53.9	57.3	61.4	62.3	63.2	61.7	56.8	56.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- cases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	1	3.3	371.8	1.4	5.1	51.9	59.5	23.0	1.5	51.6	6.7	34.7	172.0	19.6	87.9	81.9	200.1	1,172.1	
1871	...	9.6	1.5	439.4	1.4	6.6	36.0	51.5	37.6	3.9	50.3	6.9	45.2	180.0	24.4	94.7	96.4	137.4	1,222.8	
1872	...	1.6	6.1	394.4	4.5	2.8	76.2	79.6	35.9	2.5	61.1	8.8	52.4	167.1	20.1	109.4	83.8	294.7	1,401.0	
1873	7	349.3	1.3	2.6	55.6	57.9	57.3	3.5	63.5	6.3	49.9	186.1	26.1	105.8	102.1	184.1	1,252.0	
1874	...	4	1.7	339.9	9	4.5	38.9	51.9	50.4	1.7	73.2	6.7	56.2	215.9	14.8	98.8	101.4	195.5	1,252.8	
1875	...	3.3	3.3	451.3	1.8	5.8	47.3	83.7	49.8	3.3	66.8	7.9	36.7	223.3	17.8	101.2	112.1	198.4	1,413.8	
1876	...	1.1	6.6	430.0	4.9	4.5	44.0	51.9	43.3	3.0	59.9	6.1	38.3	221.0	17.0	88.0	101.3	175.3	1,296.2	
1877	...	3.1	5.8	435.5	2.0	5.3	42.3	84.3	36.4	3.4	48.3	4.5	38.1	243.0	20.4	103.7	109.8	160.2	1,346.2	
1878	...	4.8	2.8	726.0	3.4	4.1	78.5	84.4	42.4	3.8	56.6	4.9	47.8	295.4	14.2	91.8	103.6	187.8	1,752.3	
1879	...	6	1.8	850.1	2.4	2.1	40.9	57.9	37.8	6.8	57.2	6.5	40.9	317.0	15.6	91.9	100.2	155.8	1,785.5	
Ten Years, 1870-79		...	2.4	3.4	472.4	2.4	4.3	51.3	66.1	41.5	3.3	50.0	6.6	44.3	220.0	19.1	97.5	99.0	190.1	1,382.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mencs.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monals.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	13	79	12.22	13.14	100	1	...	14	9	8	2	20	11	...	7	7	9	6	6
1871	4.63	1.68	11.42	17.73	138	36	...	5	5	5	3	11	27	...	3	9	6	15	13
1872	1.20	1.48	16.13	17.81	148	10	4	21	9	16	2	27	23	...	2	13	7	11	4
1873	...	1.48	10.89	12.37	100	...	1	4	8	2	...	23	30	...	2	9	3	6	12
1874	25	50	8.10	8.85	71	2	...	4	4	5	...	4	23	...	1	10	5	9	4
1875	2.04	1.36	13.06	16.46	121	15	1	10	4	6	4	12	20	...	2	6	11	20	10
1876	1.41	1.22	11.78	13.41	99	3	...	19	3	15	...	8	16	...	7	7	5	7	9
1877	1.90	2.58	8.41	12.89	95	14	...	14	3	6	...	7	11	...	1	6	6	8	19
1878	3.24	1.83	13.22	18.29	130	23	5	11	5	13	1	16	16	...	2	5	4	16	13
1879	28	1.70	8.50	10.48	74	2	...	9	5	6	...	10	10	...	2	6	5	7	12
Ten Years, 1870-79	1.39	1.35	11.40	14.14	1,076	106	11	111	55	82	12	138	186	...	29	78	61	105	102

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871	7	75
1872	1	...	2	...	1	13
1873	2
1874	1	3
1875	2	24
1876	1	19	...	1	...	8
1877	...	1	3	2	1	23
1878	1	1	1	34
1879	1	4
Ten Years, 1870-79	...	2	9	1	2	76	11	35	36	8	1	3	185

I.—STATISTICS OF PROVINCES, 1870-79.

XXV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in SOUTHERN INDIA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January ...	45,061	2,807	62·3	63	1·38	3	...	8	...	5	3	...	18	1	...	6	8	6	...	5	
February ...	45,534	2,917	64·1	58	1·27	3	...	7	...	3	...	1	8	...	8	...	2	7	5	3	...	11	
March ...	48,475	2,684	55·4	45	·93	5	...	3	...	1	3	...	3	...	7	...	3	7	3	8	...	2	
April ...	48,461	2,710	55·9	48	·99	3	...	8	...	2	10	1	3	1	5	6	1	5	...	7	
May ...	47,514	2,779	58·5	62	1·30	1	...	1	1	2	21	3	7	...	6	4	2	7	...	5	
June ...	47,390	2,848	60·1	59	1·24	6	...	6	...	3	7	1	6	...	10	...	1	3	5	5	...	7	
July ...	47,430	2,996	63·2	61	1·29	7	1	8	...	2	5	1	2	...	14	...	3	4	1	7	...	6	
August ...	47,560	3,032	63·8	51	1·07	1	...	3	...	2	2	1	7	...	10	6	2	4	...	10	
September ...	47,297	3,037	64·2	44	·93	1	...	3	...	1	...	1	3	1	9	4	3	10	...	6	
October ...	46,528	2,982	64·1	51	1·10	1	...	4	...	1	2	1	9	...	10	...	2	4	5	2	2	...	7	
November ...	46,283	2,992	64·6	37	·80	2	4	1	10	4	5	3	...	3	
December ...	44,635	2,774	62·1	63	1·41	3	...	6	...	2	1	1	4	...	9	...	2	11	4	7	...	13	
						36	1	59	1	28	52	11	60	2	116	1	13	66	44	2	67	5	78	
Died per 1,000 of the Average Strength.																										
For the Ten Years	46,847	2,880	61·5	642	13·70	·77	·02	1·26	·62	1·11	·23	1·28	·04	2·48	·02	·28	1·41	·94	·04	1·43	·11	1·66	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872-73) ...	102	7	36	31	77	52	122	58	71	36	3	9	604	12·9	} ·31
Cholera ...	5	3	7	7	3	7	9	2	3	2	3	4	55	1·2	
Smallpox ...	3	1	6	3	1	...	1	...	1	...	2	...	18	·4	
Enteric Fever ...	30	20	14	20	13	12	20	14	17	6	3	20	189	4·0	
Fever, Intermittent ...	281	709	587	474	497	497	485	420	316	332	391	408	5,427	115·8	
Fevers, Remittent and Continued ...	349	328	520	644	554	562	641	531	534	559	526	496	6,244	133·3	
Apoplexy ...	4	4	8	14	63	13	9	3	4	3	...	3	128	2·7	
Delirium Tremens ...	24	16	13	16	18	19	25	22	14	18	17	13	215	4·6	
Dysentery ...	218	192	160	208	214	252	337	302	239	228	203	245	2,798	59·7	
Diarrhoea ...	170	169	236	221	179	242	284	211	155	138	177	196	2,378	50·8	
Hepatitis ...	252	220	218	208	207	216	243	258	245	248	252	248	2,815	60·1	
Spleen disease ...	5	9	16	21	12	16	12	12	10	9	7	8	137	2·9	
Respiratory diseases ...	154	198	233	255	235	200	222	198	174	207	199	176	2,451	52·3	
Phthisis Pulmonalis ...	39	30	27	22	28	41	43	42	34	52	48	52	458	9·8	
Scurvy	2	1	1	1	5	·1	
Rheumatism ...	142	130	176	190	177	204	187	224	174	186	156	129	2,075	44·3	
Venereal diseases ...	844	747	870	886	780	755	879	836	932	837	896	837	10,099	215·6	
Eye diseases ...	34	42	47	52	63	86	133	104	92	92	86	57	888	18·9	
Abscess and Ulcer ...	399	442	419	578	585	593	516	443	414	459	400	360	5,608	119·7	
Wounds and Accidents ...	355	400	453	446	379	413	396	404	348	397	373	461	4,828	103·1	
All other Causes ...	794	698	830	956	956	906	1,015	967	831	917	801	779	10,450	223·1	
	4,204	4,365	4,876	5,252	5,043	5,086	5,579	5,052	4,639	4,727	4,543	4,504	57,870		
Admitted per 1,000 of the Average Strength in each Month.															
	93·3	95·9	100·6	108·4	106·1	107·3	117·6	106·2	98·1	101·6	98·2	100·9	1,235·3		

I.—STATISTICS OF PROVINCES, 1870-79.

XXVI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in SOUTHERN INDIA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	5,178	56.5	76.1	65.1	63.9	71.2	71.1	72.3	68.9	59.4	62.0	51.1	51.0	64.3
1871	"	4,892	59.8	60.5	48.2	48.1	48.9	56.7	60.4	58.0	54.4	52.8	56.9	61.5	55.4
1872	"	4,949	61.8	67.4	55.0	57.7	57.9	60.5	60.1	63.1	63.6	60.4	55.3	56.2	60.2
1873	"	4,979	65.9	59.9	57.1	53.8	52.2	56.4	61.4	66.1	68.6	67.2	61.8	63.9	61.5
1874	"	4,748	53.5	52.8	47.9	55.5	54.2	53.6	60.7	67.7	69.5	76.7	80.5	73.1	62.3
1875	"	4,586	73.5	70.7	53.8	53.2	61.0	60.3	59.1	56.9	58.2	55.0	53.2	48.2	58.7
1876	"	4,703	53.1	52.1	45.6	44.4	43.5	44.7	47.3	49.6	49.9	43.4	48.8	46.9	47.8
1877	"	4,726	49.1	52.4	53.2	43.2	47.0	52.1	58.4	56.8	63.6	64.3	67.4	60.1	55.4
1878	"	4,598	64.0	67.6	54.7	60.7	67.0	65.8	69.5	73.8	77.7	74.7	81.8	83.1	70.0
1879	"	3,490	85.1	84.3	77.9	85.9	89.5	86.4	89.2	80.6	83.8	85.9	92.4	83.5	85.4
Ten Years, 1870-79	...	46,847	62.3	64.1	55.4	55.9	58.5	60.1	63.2	63.8	64.2	64.1	64.6	62.1	61.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	2.9	4.6	587.1	6.6	7.3	40.3	73.6	57.9	10.6	59.7	6.6	41.2	153.2	20.5	122.4	119.7	216.5	1,530.7
1871	...	4	5.1	115.9	1.8	11.0	57.6	43.1	52.3	3.1	64.4	12.7	49.9	138.6	16.6	135.0	117.9	254.5	1,079.9
1872	8.1	165.9	4.0	5.7	59.6	69.3	60.2	3.2	72.7	14.1	60.2	173.2	22.2	137.8	130.9	370.8	1,357.9
1873	7.4	154.5	1.8	2.8	90.8	62.3	76.1	2.8	47.4	13.1	47.8	183.8	21.3	131.3	96.6	260.3	1,203.1
1874	4.6	178.2	2.1	2.5	73.3	33.3	78.1	4.0	51.2	10.5	48.6	215.9	15.6	126.6	106.6	211.9	1,163.0
1875	...	1.1	1.5	192.5	1.5	2.6	46.4	38.2	63.9	4	34.9	7.4	33.6	215.7	20.9	103.6	87.2	208.9	1,060.4
1876	...	2.5	.9	136.7	1.9	3.0	48.3	45.3	53.8	1.0	42.7	6.2	38.3	161.2	11.7	99.5	89.3	196.9	939.2
1877	...	2.5	4.2	183.0	.4	2.8	56.3	48.9	55.4	.4	41.3	8.5	34.9	279.7	20.3	100.5	71.1	167.4	1,077.6
1878	...	2.0	.9	349.1	2.4	5.0	59.2	40.2	46.7	1.5	52.9	8.9	37.6	301.2	15.4	116.4	93.5	189.0	1,321.9
1879	...	1.7	1	467.7	4.9	2.0	67.0	49.0	53.9	.6	54.1	9.4	51.3	394.6	22.6	121.5	117.5	295.1	1,712.9
Ten Years, 1870-79	...	1.2	4.0	249.1	2.7	4.6	59.7	50.8	60.1	2.9	52.3	9.8	44.3	215.6	18.9	119.7	103.1	236.5	1,235.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	... 2.12	1.74	13.52	17.33	90	11	...	6	4	10	...	8	15	...	3	11	4	9	9
1871	2.25	11.24	13.49	66	9	3	1	5	9	8	...	2	7	5	6	11
1872	1.21	12.33	13.54	67	12	1	11	1	6	10	6	6	7	6
1873	2.01	10.64	12.65	63	6	2	3	1	6	14	...	2	6	4	7	10
1874	2.11	11.58	13.69	65	...	1	6	1	4	1	9	14	...	1	7	4	7	10
1875	2.62	8.07	11.56	53	5	...	5	10	...	2	6	4	3	12
1876	1.49	1.70	9.36	59	3	5	...	1	4	7	3	6	8
1877	1.27	1.48	10.37	62	9	2	2	...	5	10	...	1	6	6	6	7
1878	1.74	1.30	13.27	75	4	8	7	2	6	12	...	1	3	6	11	6
1879	1.14	10.89	42	6	5	4	...	4	9	...	1	...	2	7	4
Ten Years, 1870-79	1.77	11.16	13.70	642	36	1	59	29	52	11	62	116	1	13	66	44	69	83

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	7	15
1871	6	1	2
1872	1
1873
1874
1875	2	1	5
1876	1
1877	...	4	2	...	7	2	12
1878	...	1	1	3	1	12
1879	2	2	...	2	...	9
Ten Years, 1870-79	...	5	3	7	7	3	7	9	2	3	3	4	55

I.—STATISTICS OF PROVINCES, 1870-79.

XXVII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in BURMAH and PEGU during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

[illegible]

CAUSES OF ADMISSIONS.		NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73)	1	...	19	125	117	80	81	64	11	8	3	509	24.8	...
Cholera	43	3	14	41	4	11	2	118	5.8	63.56
Smallpox	1	...	3	1	...	10	1	7	...	14.29
Enteric Fever	...	4	4	3	1	2	5	2	...	1	2	35	1.7	34.29
Fever, Intermittent	...	70	86	53	57	79	163	151	123	104	103	84	283	1,361	66.4	...
Fevers, Remittent and Continued	...	113	103	117	154	202	216	221	182	166	192	179	132	1,977	96.5	40
Apoplexy	...	2	2	3	12	25	5	3	6	6	4	3	1	72	3.5	45.83
Delirium Tremens	...	4	7	15	15	12	7	11	12	6	9	10	9	117	5.7	5.98
Dysentery	...	165	116	87	84	147	218	281	210	178	122	112	129	1,849	90.2	2.92
Diarrhoea	...	65	74	82	80	156	205	275	150	100	84	67	88	1,435	70.0	...
Hepatitis	...	125	98	98	98	135	140	173	156	169	132	108	88	1,520	74.2	2.96
Spleen disease	4	1	1	2	4	1	2	17
Respiratory diseases	...	107	70	82	79	67	76	82	75	95	122	88	103	1,046	51.0	19
Phthisis Pulmonalis	...	7	6	11	10	7	10	12	11	8	12	12	8	114	5.6	9.65
Scoury	1	3	1	1	1	1	1	1	10
Rheumatism	...	52	66	69	59	82	85	94	59	75	92	74	47	854	41.7	...
Veneral diseases	...	270	219	261	321	210	229	219	171	167	172	201	161	2,601	126.9	...
Eye diseases	...	19	16	17	13	13	23	20	20	14	23	20	17	215	10.5	...
Abscess and Ulcer	...	130	128	156	183	195	187	202	181	144	142	109	127	1,894	91.9	43
Wounds and Accidents	...	139	162	204	189	178	177	166	166	171	145	165	225	2,087	101.8	...
All other Causes	...	255	243	282	391	462	471	477	464	440	405	370	285	4,515	221.8	...
		1,527	1,407	1,545	1,821	2,101	2,350	2,521	2,077	1,922	1,778	1,613	1,711	22,373		
Admitted per 1,000 of the Average Strength in each Month.																
		78.9	74.6	75.9	86.2	97.2	110.2	119.3	99.6	93.5	87.1	80.6	84.0		1,091.6	

I.—STATISTICS OF PROVINCES, 1870-79.

XXVIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in BURMAH and PEGU in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	1,669	57.3	58.9	59.4	60.9	61.9	75.0	70.2	64.1	53.7	53.3	46.9	42.6	58.7
1871	...	"	1,819	33.9	40.1	45.6	47.1	48.8	54.3	59.8	49.7	49.8	46.2	42.1	38.1	46.2
1872	...	"	1,998	27.7	37.7	36.2	33.1	41.2	47.7	43.7	37.7	33.1	33.6	34.1	26.0	36.0
1873	...	"	2,076	33.2	34.3	36.6	31.7	35.8	38.5	43.9	55.3	52.9	45.1	40.0	35.9	40.0
1874	...	"	2,113	32.2	36.3	35.1	38.1	38.3	36.6	43.7	47.0	47.5	44.2	41.2	40.1	40.2
1875	...	"	2,065	36.1	34.5	32.1	43.2	43.2	57.5	54.3	48.4	47.0	48.9	38.6	36.1	43.4
1876	...	"	2,024	37.1	36.8	40.4	40.4	48.0	58.2	61.5	62.2	67.0	52.2	56.4	54.4	50.9
1877	...	"	1,910	44.9	40.7	40.3	46.1	45.0	47.8	55.3	55.6	51.8	49.1	44.5	39.9	47.1
1878	...	"	1,923	49.3	54.2	47.0	36.4	44.4	58.6	57.3	49.3	50.8	54.4	56.2	39.1	49.4
1879	...	"	2,871	47.1	45.1	30.0	39.9	46.3	50.0	60.3	65.7	54.1	55.3	58.8	62.0	51.9
Ten Years, 1870-79	...		20,406	39.6	41.7	39.7	41.3	45.0	51.8	54.9	54.0	50.8	48.4	46.5	42.1	46.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	23.4	6	232.5	3.6	16.2	79.7	56.3	68.3	1.8	58.1	6.0	74.3	135.4	24.6	142.0	155.8	309.1	1,387.7
1871	...	6.0	203.5	3.3	8.8	85.8	69.8	74.2	6	61.6	8.2	48.4	157.2	10.4	100.0	127.0	208.9	1,173.7
1872	...	1.0	65.5	1.0	2.5	67.6	33.5	67.1	...	35.0	3.0	27.5	117.6	10.5	85.1	78.1	352.4	947.4
1873	11.1	3.4	83.3	3.9	2.4	97.3	80.9	81.9	5	57.3	6.7	39.5	101.2	10.1	73.2	72.3	244.2	969.2
1874	...	5	116.8	9	4.8	117.9	52.1	93.2	9	47.3	4.3	43.1	107.9	3.3	80.0	66.7	162.8	904.4
1875	...	5	117.4	1.4	10.5	95.5	58.7	71.6	1.4	43.0	7.6	22.4	126.0	6.7	98.3	94.0	210.9	967.5
1876	...	5	114.6	1.0	6.0	105.2	73.6	66.7	1.0	43.0	10.9	46.4	148.2	13.8	80.5	90.4	283.2	1,085.0
1877	...	5.2	113.1	5.2	5.2	119.4	68.1	67.0	...	57.6	3.1	42.4	144.0	8.4	77.0	101.6	250.8	1,069.1
1878	...	4.7	230.9	7.8	1.6	96.7	86.8	77.5	1.6	58.2	2.1	53.0	125.3	12.0	102.4	120.1	248.6	1,229.8
1879	...	12.2	310.4	6.3	2.4	51.2	104.5	72.4	7	51.9	4.2	31.4	117.0	8.7	90.9	119.8	225.7	1,210.7
Ten Years, 1870-79	...	5.8	162.9	3.5	5.7	90.2	70.0	74.2	8	51.0	5.6	41.7	126.9	10.5	91.9	101.8	247.4	1,091.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																							
YEAR.	DIED PER 1,000 OF STRENGTH.					Total Deaths.	CAUSES OF DEATHS.																
	A. Cholera.	B. All other Causes.		C. All Causes.	Cholera.		Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.				
		a Violent Deaths.	b Diseases.																				
1870	...	16.18	3.00	7.18	26.36	44	27	5	2	...	2	1	5		
1871	1.10	10.44	11.54	21	2	3	...	1	1	2	4	2		
1872	2.50	8.00	10.50	21	2	2	3	...	3	5		
1873	...	5.78	2.41	15.89	24.08	50	12	2	1	5	...	9	6	8	...	1	5		
1874	...	4.7	95	7.57	8.99	19	6	4	1	...	1	2		
1875	3.34	7.16	10.50	22	2	1	...	1	2	5	7		
1876	3.46	8.89	12.35	25	1	...	6	7		
1877	...	3.14	4.19	14.13	21.46	41	1	1	...	4	8		
1878	...	3.12	3.12	17.68	23.92	46	6	1	5	...	10	4	2	...	3	6		
1879	...	8.01	3.48	11.50	22.99	66	23	...	3	1	7	9	9	3	...	1	10		
Ten Years, 1870-79	...	3.66	2.78	10.88	17.32	355	75	1	12	8	33	7	54	45	...	2	26	11	24	...	57		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.													
ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.													
YEAR.	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Total Admissions.
1870	28	1	6	3	...	1	39
1871
1872
1873	12	1	4	6
1874	1	23
1875	1	1
1876	1
1877
1878	8	2	10
1879	2	6	1	9
Ten Years, 1870-79	43	3	14	41	4	11	2	118

I.—STATISTICS OF PROVINCES, 1870-79.

XXIX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the HILL STATIONS and CONVALESCENT DEPOTS of MADRAS and BOMBAY PRESIDENCIES during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
January	4,572	286	62·6	5	1·09	1	2	...	1

I.—STATISTICS OF PROVINCES, 1870-79.

XXX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the HILL STATIONS and CONVALESCENT DEPOTS in MADRAS and BOMBAY PRESIDENCIES in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	650	86.1	78.7	85.4	82.4	84.2	98.7	100.9	88.9	82.9	101.4	92.1	69.9	87.7
1871	...	"	681	51.0	54.4	36.6	63.4	78.1	83.4	73.4	76.6	77.9	70.1	75.7	77.8	69.0
1872	...	"	685	69.6	55.0	28.0	47.0	65.4	61.0	66.7	59.4	54.9	60.9	73.3	76.6	59.9
1873	...	"	790	98.6	67.2	73.7	81.9	91.5	86.3	86.7	69.4	67.7	65.9	73.3	63.3	78.5
1874	...	"	880	44.6	44.7	51.9	72.8	74.0	93.4	92.3	85.1	88.0	87.8	75.1	100.2	70.5
1875	...	"	891	87.8	81.6	60.0	61.9	68.5	62.8	62.0	48.5	54.5	50.8	36.5	38.7	58.4
1876	...	"	874	35.4	43.3	71.4	88.8	80.8	79.5	80.6	75.5	77.6	77.5	71.7	69.8	74.4
1877	...	"	992	58.9	57.2	40.6	67.9	83.3	82.5	107.8	131.5	104.9	80.6	57.5	60.3	81.7
1878	...	"	829	50.5	43.5	45.5	53.0	60.1	65.9	68.4	63.5	54.5	63.3	54.4	51.0	57.9
1879	...	"	908	48.3	50.3	48.4	57.7	73.5	62.4	61.4	65.8	53.1	64.7	57.6	62.3	60.6
Ten Years, 1870-79	...		8,178	62.6	58.0	54.1	68.0	75.9	77.4	80.0	77.4	72.3	71.9	64.7	66.4	70.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	3.1	581.5	1.5	16.9	46.2	53.9	46.2	4.6	101.5	9.2	138.5	126.2	20.0	81.5	104.6	501.5	1,836.9	
1871	...	1.4	703.4	...	2.9	57.3	58.7	74.9	5.9	83.7	10.3	92.5	211.5	23.5	120.4	73.4	368.6	1,888.4	
1872	...	1.5	848.2	...	2.9	38.0	78.8	52.6	1.5	68.6	7.3	80.3	156.2	19.0	93.4	58.4	281.7	1,794.2	
1873	654.5	...	1.3	30.4	63.3	82.3	12.6	81.0	11.4	102.5	141.8	25.3	108.8	72.1	360.8	1,753.2	
1874	...	1.1	358.0	3.4	1.1	33.0	37.5	26.1	8.0	94.3	20.5	88.6	163.6	37.5	115.9	92.1	336.3	1,417.0	
1875	...	3.4	268.3	4.5	1.1	38.2	34.8	41.5	9.0	46.0	7.9	38.2	240.2	12.3	65.1	41.9	193.0	1,048.3	
1876	...	1.1	470.3	8.0	8.0	45.8	75.5	66.4	4.6	139.6	13.7	75.5	145.3	20.6	101.8	84.7	302.0	1,568.6	
1877	...	2.0	515.2	3.0	4.0	62.5	77.6	85.7	3.0	107.9	30.2	59.5	187.5	16.1	97.8	90.7	323.6	1,678.4	
1878	...	4.8	600.8	1.2	1.2	59.1	41.0	67.5	8.4	27.7	6.0	36.2	171.3	12.1	78.4	70.0	339.0	1,524.7	
1879	...	2.2	763.2	5.5	2.2	50.7	30.8	34.2	14.3	73.8	7.7	28.6	239.0	17.6	95.8	84.8	159.7	1,610.1	
Ten Years, 1870-79	...	5	4.4	565.1	3.2	3.9	46.3	54.8	57.7	7.3	82.8	13.0	71.2	180.4	20.3	95.8	77.7	309.8	1,594.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	13.85	13.85	9	2	1	1	1	1	
1871	1.47	13.22	14.69	10	1	5	1	1	...	1	
1872	...	1.46	14.60	17.52	12	...	1	1	
1873	1.27	18.98	20.25	16	2	1	
1874	1.14	10.23	11.37	16	1	...	1	...	1	4	...	2	3	1	...	
1875	1.12	13.47	14.59	10	1	1	1	...	2	1	
1876	2.28	12.59	14.87	13	1	4	3	
1877	2.02	14.11	17.14	13	3	...	2	...	2	1	
1878	...	1.01	1.21	13.27	14.48	17	...	1	1	1	1	1	1	
1879	1.10	12.12	13.22	12	2	...	1	...	1	2	1	
1879	12	1	...	1	2	2	2	1	
Ten Years, 1870-7925	1.35	13.56	15.16	124	2	...	18	4	7	2	15	15	...	8	15	6	21	11

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	1
1874
1875
1876	1
1877	1	1
1878
1879
Ten Years, 1870-79	1	1	...	1	1	4

I.—STATISTICS OF PROVINCES, 1870-79.

XXXI.

COMPARATIVE STATEMENT showing the GENERAL RATIOS of SICKNESS and MORTALITY in the different PRESIDENCIES on the AVERAGE of the TEN-YEAR PERIOD, 1870-79.

I.—DAILY SICK-RATE OF EACH MONTH.													
ARMIES.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate of the Period.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Army of Bengal ...	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	69.9	64.2	57.8	60.9
" of Madras ...	59.4	59.8	53.0	54.1	56.7	56.9	62.7	65.2	65.9	65.3	62.0	58.8	60.2
" of Bombay ...	52.8	50.2	49.9	50.3	53.0	55.3	58.5	62.0	66.9	69.4	64.4	55.7	57.4
Army of India ...	55.0	54.4	51.8	53.3	57.8	60.6	63.0	66.0	69.3	69.0	63.8	57.7	60.1

II.—COMPOSITION OF THE ADMISSION-RATE.														
ARMIES.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH.													Admission-rate of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	Eye diseases.	Rheumatism.	Veneral diseases.	All other Causes.	
Army of Bengal ...	5.9	5.3	607.3	4.0	33.1	62.4	47.1	84.1	8.2	20.1	62.0	208.6	373.9	1,522.0
" of Madras ...	2.9	3.9	266.5	3.3	76.9	64.8	67.2	57.4	9.3	17.4	46.4	198.1	450.3	1,264.4
" of Bombay ...	2.1	3.1	659.9	4.2	27.6	60.8	40.9	63.9	7.7	21.0	49.5	191.1	401.7	1,533.5
Army of India ...	4.7	4.6	551.6	3.9	40.4	62.6	49.8	75.4	8.3	19.8	56.8	203.5	393.4	1,474.8

III.—COMPOSITION OF THE DEATH-RATE.																
ARMIES.	DIED PER 1,000 OF THE AVERAGE STRENGTH.													TOTAL DEATH-RATE.		
	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	All other Causes.	Suicidal Deaths, and other Deaths out of Hospital.	All Causes.	Excluding Cholera.
Army of Bengal ...	4.18	.12	2.28	.17	1.57	1.53	.17	1.37	.12	2.04	1.25	1.20	3.22	1.78	21.00	16.82
" of Madras ...	1.63	.09	1.42	.02	.60	1.42	.24	2.32	.04	3.16	.32	1.18	3.34	1.86	17.69	16.01
" of Bombay ...	1.53	.05	1.75	.16	.98	1.56	.19	.98	.17	1.71	.70	1.09	2.83	1.57	15.27	13.74
Army of India ...	3.22	.10	2.03	.13	1.29	1.52	.18	1.43	.12	2.19	.97	1.18	3.17	1.76	19.34	16.12

IV.—MORTALITY RELATIVE TO THE NUMBER TREATED.													
ARMIES.	NUMBER OF DEATHS OUT OF EACH HUNDRED CASES TREATED.												
	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	All other Causes.
Army of Bengal ...	70.26	15.31	43.39	.04	.86	38.66	5.58	4.13	.19	4.33	1.49	14.64	.49
" of Madras ...	58.49	18.18	36.43	.01	.48	43.85	5.09	3.02	.07	4.71	.55	12.62	.47
" of Bombay ...	73.27	8.47	56.39	.03	.74	37.59	4.07	3.53	.29	4.18	1.09	14.14	.43
Army of India ...	69.11	14.71	43.83	.04	.79	39.29	5.10	3.65	.19	4.40	1.29	14.12	.47

I.—STATISTICS OF PROVINCES, 1870-79.

XXXII.

COMPARATIVE STATEMENT showing the GENERAL RATIOS of SICKNESS and MORTALITY in the different PROVINCES on the AVERAGE of the TEN-YEAR PERIOD, 1870-79.

I.—DAILY SICK-RATE OF EACH MONTH.

PROVINCES.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate of the Period.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Bengal Proper ...	49.3	47.8	46.1	47.3	51.3	54.5	59.9	63.7	63.3	60.6	55.8	52.1	54.3
Gangetic Provinces and Oudh ...	60.4	63.3	61.6	63.5	65.3	67.3	68.7	72.0	74.6	72.7	67.2	58.7	66.3
Meerut and Rohilcund ...	49.7	50.1	48.8	51.0	56.5	59.4	58.8	66.4	73.4	72.3	65.0	53.1	58.5
Agra and Central India ...	54.7	55.8	54.1	52.5	57.0	57.2	59.3	66.2	74.7	76.1	71.5	69.6	61.5
Punjab ...	57.0	54.6	51.0	50.0	56.5	61.7	64.4	67.6	77.3	81.0	75.5	64.9	62.9
Hill Stations ...	39.0	33.9	41.0	46.8	50.6	51.3	53.9	52.5	49.5	46.1	43.7	41.9	47.9
Rajpootana, Malwa, Sind, and Aden ...	51.0	49.6	48.3	48.7	50.9	53.7	55.6	60.2	71.3	74.9	70.1	58.7	57.7
Deccan and Nagpore ...	56.5	55.2	50.9	50.3	52.4	53.9	57.3	61.4	62.3	63.2	61.7	56.8	56.8
Southern India ...	62.3	64.1	55.4	55.9	58.5	60.1	63.2	63.8	64.2	64.1	64.6	62.1	61.5
Burmah and Pegu ...	39.6	41.7	39.7	41.3	45.0	51.8	54.9	54.0	50.8	48.4	46.5	42.1	46.4
Hill Stations and Hill Depôts (Madras and Bombay) ...	62.6	58.0	54.1	68.0	75.9	77.4	80.0	77.4	72.3	71.9	64.7	66.4	70.9

II.—COMPOSITION OF THE ADMISSION-RATE.

PROVINCES.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH.													Admission-rate of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Eye diseases.	Rheumatism.	Veneral diseases.	Respiratory diseases.	All other Causes.	
Bengal Proper ...	1.2	2.1	406.8	2.5	48.0	47.5	57.6	10.8	12.5	44.4	191.3	48.8	437.2	1,310.7
Gangetic Provinces and Oudh ...	6.6	6.4	341.0	4.9	36.8	65.7	52.2	8.9	29.4	55.7	299.7	65.6	437.4	1,410.3
Meerut and Rohilcund ...	3.0	6.3	551.4	4.2	36.0	63.3	50.7	7.5	20.8	58.1	200.6	78.8	380.5	1,461.2
Agra and Central India ...	4.4	4.4	690.6	3.6	26.6	48.4	45.5	6.1	20.0	54.6	209.8	71.5	344.6	1,530.1
Punjab ...	5.5	4.8	964.9	5.4	27.5	58.7	41.4	7.5	19.6	66.5	169.0	100.7	375.7	1,847.2
Hill Stations ...	2.3	5.0	280.4	.5	21.6	59.5	37.5	6.0	12.3	67.8	180.9	82.6	287.6	1,044.0
Rajpootana, Malwa, Sind, and Aden ...	2.6	4.0	722.9	6.3	26.9	62.4	43.0	6.7	22.4	52.0	165.3	67.2	432.3	1,614.0
Deccan and Nagpore ...	2.4	3.4	472.4	2.4	51.3	66.1	41.5	6.6	19.1	44.3	220.0	59.0	394.2	1,382.7
Southern India ...	1.2	4.0	249.1	2.7	59.7	50.8	60.1	9.8	18.9	44.3	215.6	62.3	406.8	1,235.3
Burmah and Pegu ...	5.8	1.7	162.9	3.5	90.2	70.0	74.2	5.6	10.5	41.7	126.9	51.0	447.6	1,091.6
Hill Stations and Hill Depôts (Madras and Bombay)5	4.4	565.1	3.2	46.3	54.8	57.7	13.0	20.3	71.2	180.4	82.8	494.5	1,594.2

III.—COMPOSITION OF THE DEATH-RATE.

PROVINCES.	DIED PER 1,000 OF THE AVERAGE STRENGTH.													TOTAL DEATH-RATE.	
	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	All other Causes.	Suicidal Deaths, and other Deaths out of Hospital.	Excluding Cholera.
Bengal Proper85	.05	.79	.05	1.01	.69	.16	1.27	.16	2.64	1.32	.32	3.22	1.90	14.43
Gangetic Provinces and Oudh ...	4.24	.25	2.63	.08	1.17	1.81	.08	1.25	.09	2.35	1.22	.43	2.71	1.75	20.06
Meerut and Rohilcund ...	2.60	.20	2.69	.05	.98	1.61	.25	1.36	.23	2.74	1.16	.63	3.09	1.26	18.31
Agra and Central India ...	3.22	.16	2.32	.27	1.58	1.35	.15	1.26	.07	2.07	.94	.74	3.09	1.48	18.41
Punjab ...	3.95	.07	2.32	.26	1.98	2.15	.17	1.17	.05	1.39	1.13	1.59	3.00	1.48	15.19
Hill Stations ...	1.60	...	1.77	.10	.64	.07	.10	1.15	.14	1.39	.48	.84	3.18	1.38	16.76
Rajpootana, Malwa, Sind, and Aden ...	1.94	.04	2.42	.16	1.24	2.34	.22	.98	.11	1.61	1.48	.68	2.79	.91	12.23
Deccan and Nagpore ...	1.39	.14	1.46	.08	.64	1.08	.16	1.71	.11	2.44	.80	.38	2.51	1.83	17.41
Southern India77	.02	1.26	.02	.60	1.11	.23	1.28	.04	2.48	.94	.28	3.01	1.24	14.14
Burmah and Pegu ...	3.66	.05	.5839	1.61	.34	2.63	...	2.20	.54	.10	2.63	1.66	13.70
Hill Stations and Hill Depôts (Madras and Bombay)25	...	2.2049	.85	.25	1.46	.37	1.83	.73	.98	4.77	.98	17.32

IV.—MORTALITY RELATIVE TO THE NUMBER TREATED.

PROVINCES.	NUMBER OF DEATHS OUT OF EACH HUNDRED CASES TREATED.												
	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	All other Causes.
Bengal Proper	69.57	50.00	38.46	.03	.43	28.26	5.08	2.64	.33	4.59	12.20	.65	.44
Gangetic Provinces	63.96	19.19	41.15	.04	.73	37.10	2.55	3.38	.14	4.50	13.72	.66	.33
Meerut and Rohilkund	68.91	15.38	42.63	.01	.83	37.87	6.41	3.78	.36	5.40	15.40	.80	.47
Agra and Central India	72.38	15.38	46.37	.05	1.10	37.16	5.31	4.72	.15	4.54	15.32	1.03	.50
Punjab	72.55	9.30	48.61	.04	.71	39.93	6.91	4.24	.08	3.36	15.10	1.58	.48
Hill Stations	68.37	...	35.07	.05	.84	15.00	6.16	5.32	.24	3.36	7.94	1.01	.37
Rajpootana, Malwa, Sind, and Aden	75.00	11.11	60.65	.03	.92	37.24	4.33	3.64	.18	3.74	15.66	1.02	.41
Deccan and Nagpore	57.29	17.46	43.19	.02	.50	45.30	3.65	3.33	.16	5.90	12.18	.65	.37
Southern India	65.45	5.66	31.22	.02	.45	40.63	5.12	2.15	.08	4.12	9.61	.53	.31
Burmah and Pegu	63.56	14.29	34.2946	45.83	5.98	2.92	...	2.96	9.65	.19	.43
Hill Stations and Hill Depôts (Madras and Bombay)	50.00	...	50.0041	26.92	6.25	3.17	.67	3.18	5.66	1.18	.63

I.—STATISTICS OF PROVINCES, 1870-79.

XXXIII.

TABLE showing the SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying the CONVALESCENT DEPOTS of the BENGAL PRESIDENCY during the HOT SEASON of the TEN YEARS, 1870-79.

(These Statistics have already been incorporated in the Provincial Tables which precede.)

DEPOTS.	Aggregate Strength of the Ten Years in the Month of June.	Deaths during the Period of Occupation.	Death-rate per 1,000 for Period of Occupation during the Ten Years.	CAUSES OF DEATHS DURING THE TEN YEARS.														
				Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Wounds and Accidents.	All other Causes.
Darjeeling	...	1,807	37	20.48	2	3	...	9	4	4	6	...	7
Naini Tal	...	3,213	33	10.27	1	...	4	...	13	...	2	4	...	7
Landour	...	2,177	26	11.94	1	...	8	...	2	1	...	7
Kasauli	...	5,678	114	20.08	23	1	7	...	5	3	7	...	25	11	2	10	...	16
Dalhousie	...	3,975	33	8.30	4	1	...	8	4	2	2	...	8
Murree	...	4,678	103	22.02	46	...	5	3	...	1	6	...	9	7	4	2	...	11
				69	1	14	...	14	5	1	22	1	72	29	18	33	...	56
				Died per 1,000 of the Strength of June.														
Ten Years	...	21,528	346	16.07	3.20	.05	.05	.65	.23	.05	1.02	.05	3.34	1.35	.84	1.53	...	2.60

CAUSES OF ADMISSIONS.	AGGREGATE OF THE ADMISSIONS OF THE TEN YEARS.						Total Admissions of the Ten Years.	Admitted per 1,000 of Strength of June.	Died out of each hundred cases treated.
	Darjeeling.	Naini Tal.	Landour.	Kasauli.	Dalhousie.	Murree.			
Cholera	46	...	65	111	5.1	62.16
Smallpox	2	3	6	.3	16.67
Enteric Fever	...	1	8	5	25	...	9	48	2.2
Fever, Intermittent	...	392	776	874	1,445	1,282	2,088	6,857	318.5
Fevers, Remittent and Continued	...	39	219	39	313	209	135	954	44.3
Apoplexy	...	1	4	3	8	1	3	20	.9
Delirium Tremens	...	2	2	...	14	4	8	30	1.4
Dysentery	...	76	118	55	136	96	62	543	25.2
Diarrhoea	...	91	188	85	660	257	215	1,496	69.5
Hepatitis	...	147	356	175	406	167	263	1,514	70.3
Respiratory diseases	...	162	331	126	375	330	430	1,763	81.9
Phthisis Pulmonalis	...	15	67	25	80	37	103	327	15.2
Rheumatism	...	122	259	158	414	273	329	1,555	72.2
Veneral diseases	...	314	668	252	682	675	557	3,148	146.2
Eye diseases	...	21	43	12	70	47	43	236	11.0
Abscess and Ulcer	...	80	214	92	312	159	204	1,061	49.3
Wounds and Accidents	...	86	198	120	282	202	232	1,120	52.0
All other Causes	...	264	905	332	1,112	690	1,079	4,382	203.5
Admitted per 1,000 of the Strength of June for the Period of Occupation.									

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXIV.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.		Aggregate of the Average Strength of the Ten Years.	NUMBER OF DEATHS FROM THE CHIEF CAUSES OF MORTALITY.															Total Deaths of the Period.	Death-rate per 1,000 of the Average Strength.
			Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Wounds and Accidents.	All other Causes.	Died out of Hospital, including Suicidal Deaths.		
Fort William	...	8,719	11	4	1	7	1	17	2	10	10	1	12	18	94	10.78
Dum-Dum	...	6,068	3	...	5	9	2	2	8	1	13	3	9	12	1	15	10	93	15.33
Barraekpore	...	4,056	2	1	10	11	7	...	9	1	20	1	4	3	...	8	8	85	20.96
BENGAL PROPER		18,914	16	1	15	20	13	3	24	3	50	6	23	25	2	36	36	273	14.43
Hazaribagh	...	4,697	6	1	28	7	2	...	3	...	6	1	2	5	1	7	6	75	15.97
Dinapore	...	8,503	18	3	16	5	14	3	21	3	37	2	12	4	...	13	20	171	20.11
Benares	...	4,988	13	...	7	12	15	...	6	...	19	...	6	6	1	5	11	101	20.25
Fyzabad	...	8,810	93	1	36	5	8	...	13	1	16	2	10	14	2	11	8	220	24.97
Lucknow	...	23,062	97	5	71	30	40	1	24	1	41	14	20	35	7	35	41	462	20.03
Sitapur	...	5,530	1	1	9	9	6	...	4	...	10	2	5	7	...	9	11	74	13.38
Fatehgarh	...	2,258	1	3	7	2	2	1	1	6	3	26	11.51
Cawnpore	...	8,423	36	4	17	10	23	...	12	1	17	7	9	9	1	18	19	183	21.73
Allahabad	...	9,163	52	4	15	15	23	1	11	1	20	3	9	12	1	14	11	192	20.95
GANGETIC PROVINCES AND OUDH		76,159	323	19	200	95	138	6	95	7	179	33	75	93	14	118	133	1,528	20.06
Shajahanpur	...	3,351	1	...	7	4	2	...	3	5	8	1	4	6	1	4	3	49	14.62
Barcilly	...	7,788	4	1	27	2	3	1	7	...	8	2	8	10	1	17	5	96	12.33
Moradabad	...	2,079	1	...	3	4	2	...	3	...	7	...	2	1	5	23	13.47
Roorkee	...	3,989	7	...	6	2	5	...	5	1	10	3	5	5	...	10	7	66	16.55
Meerut	...	11,222	59	5	38	14	22	7	29	3	59	14	12	14	1	26	18	321	22.57
Delhi	...	4,495	6	1	8	11	15	...	7	...	8	4	4	10	1	14	7	96	21.36
Muttra	...	3,846	4	1	18	4	15	2	9	1	5	1	...	7	5	72	18.72
ROHILCUND AND MEERUT		39,770	82	8	107	41	64	10	54	9	109	25	40	46	4	79	50	728	18.31
Agra	...	9,896	27	1	27	18	15	2	9	...	17	5	8	11	1	14	9	164	16.57
Morar	...	10,708	67	4	29	21	21	2	23	1	30	9	21	7	...	16	15	266	24.84
Gwalior Fortress	...	3,416	12	1	3	4	4	...	2	...	5	1	6	8	1	9	13	69	20.20
Jhansi	...	4,136	2	...	2	8	3	1	5	...	4	3	7	2	1	5	1	44	10.61
Nowgong	...	2,825	7	...	5	4	6	...	2	...	7	3	4	3	2	5	10	58	20.53
Saugor	...	4,590	11	...	13	9	1	1	4	...	7	7	5	6	...	7	4	75	16.34
Jubbulpore	...	4,974	5	...	4	11	5	...	6	2	14	2	5	1	...	8	8	71	14.27
AGRA AND CENTRAL INDIA		40,631	131	6	83	75	55	6	51	3	84	30	56	38	5	65	60	748	18.41
Umballa	...	13,298	23	...	29	8	22	2	9	...	18	6	13	18	2	21	23	194	14.59
Jullundur	...	7,075	9	1	16	25	11	2	16	...	9	19	8	9	...	13	7	136	19.22
Ferozepore	...	10,400	10	...	19	22	26	4	10	...	14	19	18	10	1	20	16	180	17.31
Mooltan	...	8,109	2	...	6	24	14	3	8	...	9	14	7	9	1	14	10	121	14.92
Dera Ismail Khan	...	993	1	...	1	1	3	...	1	...	2	...	5	1	1	17	17.12
Meean Meer	...	9,291	118	1	26	24	34	3	20	2	21	16	10	16	1	22	10	324	34.87
Fort Lahore	...	1,130	10	...	4	2	8	1	2	...	2	2	2	1	...	3	6	43	38.05
Amritsar and Govindgarh	...	2,532	2	...	4	11	8	1	1	...	4	1	2	1	5	42	16.59
Sialkot	...	10,161	10	1	30	33	18	4	12	...	17	9	7	13	2	17	9	182	17.91
Rawalpindi	...	16,145	25	2	37	25	16	...	16	1	25	24	18	17	1	24	21	252	15.61
Attock	...	1,697	3	1	6	1	14	1	2	2	1	1	1	6	2	41	24.16
Nowshera	...	5,744	5	...	7	13	22	1	6	...	9	11	3	4	...	9	10	100	17.41
Peshawar	...	15,274	172	2	44	45	40	4	20	1	7	27	16	22	1	24	11	436	28.55
PUNJAB		112,288	444	8	260	252	244	28	131	5	156	179	125	127	11	201	155	2,326	20.71
Darjeeling	...	630	2	...	2	1	5	7.94
Ranikhet	...	7,845	13	4	19	3	8	9	6	5	2	22	1	92	11.73
Chakrata	...	7,153	1	...	2	1	4	1	7	5	14	3	...	16	10	61	8.95
Dagshai	...	8,317	20	...	17	6	3	...	10	10	10	1	1	16	3	97	11.66
Subathu	...	6,645	9	...	24	3	2	1	6	2	7	2	9	4	3	9	5	86	12.94
Jutogh	...	858	1	2	7	10	11.66
Dharmasala (9 years)	...	651	4	1	1	6	9.22
Dilhousie (6 years)	...	400	1	1	2	5.00
Murree Hills	...	5,733	31	...	9	6	1	2	6	...	8	5	7	1	2	8	8	94	16.40
Cherat (9 years)	...	3,392	1	...	23	7	7	...	8	3	1	1	...	10	4	65	19.16
HILL STATIONS		41,787	67	...	74	31	3	4	48	6	52	35	50	20	8	75	38	511	12.23
BENGAL PRESIDENCY		363,431	1,519	45	830	631	556	60	496	44	741	455	414	436	56	702	646	7,631	21.00

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXIV—continued.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	NUMBER OF DEATHS FROM THE CHIEF CAUSES OF MORTALITY.															Total Deaths of the Period.	Death-rate per 1,000 of the Average Strength.
		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Wounds and Accidents.	All other Causes.	Died out of Hospital including Suicidal Deaths.		
Nusseerabad	6,363	13	...	27	17	14	1	10	2	15	7	5	4	1	18	17	151	23.73
Neemuch	4,260	55	...	16	9	10	3	8	...	8	1	4	4	6	124	29.11
Indore	937	8	...	1	3	1	2	1	1	19	20.28
Mhow	13,270	10	...	26	15	9	1	21	...	6	3	5	23	14	155	11.68
Deesa	7,065	3	...	10	9	24	3	5	1	12	8	6	17	...	18	8	124	17.55
Ahmedabad	2,735	12	...	11	8	17	1	1	...	9	3	4	1	...	7	8	79	28.88
Kurrachee and Ghizree	7,698	2	...	28	9	13	2	10	2	5	4	5	18	...	12	12	126	16.37
Hyderabad	3,764	7	3	11	1	3	3	2	2	4	10	46	12.22
Aden	7,277	1	...	2	2	25	...	11	...	16	7	9	5	1	4	21	104	14.29
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	105	2	131	76	127	12	53	6	87	37	44	57	9	98	99	943	17.41
Bombay	4,764	3	8	5	1	7	1	18	3	8	5	1	7	7	74	15.53
Asirgarh	812	1	2	1	2	1	...	1	1	9	11.09
Ahmednagar	4,612	4	...	3	3	5	1	3	...	3	...	2	...	1	8	6	40	8.62
Poona and Kirkee	20,984	40	1	22	14	11	3	20	5	30	8	21	24	3	23	20	250	11.91
Satara	1,708	...	1	3	1	1	1	1	...	1	2	4	1	...	1	3	20	11.71
Belgaum	9,660	1	1	8	3	2	1	3	1	14	6	5	3	1	13	13	75	7.76
Secunderabad	23,411	56	...	64	10	32	4	88	...	100	7	23	19	1	23	35	467	19.95
Kamptee	10,084	5	8	7	14	25	1	8	...	18	3	15	8	1	19	9	141	14.05
DECCAN AND NAGPORE	76,075	106	11	111	55	82	12	130	8	186	29	78	61	8	105	94	1,076	14.14
Bellary	8,609	3	...	3	13	4	1	3	1	11	2	11	8	...	12	13	85	9.87
Bangalore	16,678	8	...	32	6	6	4	12	...	36	3	25	15	3	23	23	197	11.81
Cannanore	6,579	2	1	15	2	3	2	17	...	27	4	5	6	...	6	9	93	14.90
Malliapoorum	921	2	...	2	1	2	...	3	...	2	1	15	16.29
Calicut	909	1	1	1	...	5	...	4	...	3	1	16	17.60
Trichinopoly	2,688	4	...	3	14	2	...	2	1	13	2	3	4	...	10	6	64	23.81
St. Thomas' Mount	3,639	1	...	5	1	11	1	14	...	17	...	9	5	...	9	7	80	21.98
Madras	6,825	16	...	1	2	11	1	4	...	6	2	8	6	2	10	18	87	12.75
SOUTHERN INDIA	46,847	36	1	59	29	52	11	60	2	116	13	66	44	5	70	78	642	13.70
Rangoon	8,145	3	1	3	1	5	2	33	...	17	1	11	3	3	12	24	119	14.61
Toungoo	4,299	1	...	2	4	12	2	17	...	13	...	5	1	...	6	9	72	16.75
Thayetmyo	6,553	71	...	6	2	15	3	4	...	14	1	9	5	1	5	16	152	22.18
Port Blair	1,199	1	1	1	1	...	1	2	...	1	4	12	10.01
BURMAH AND PEGU	20,496	75	1	12	8	33	7	54	...	45	2	26	11	4	24	53	355	17.32
Mount Aboo	1,069	2	1	2	1	4	...	1	1	3	1	...	3	2	21	19.64
Purundhar	825	2	1	1	...	2	1	7	8.48
Wellington	4,390	1	...	10	2	3	...	4	...	9	5	12	3	2	16	4	71	16.17
HILL STATIONS AND DEPÔTS	8,178	2	...	18	4	7	2	12	3	15	8	15	6	3	21	8	124	15.16
Army of Bengal	363,431	1,519	45	830	631	556	60	496	44	741	455	414	436	56	703	646	7,631	21.00
Army of Madras	110,396	186	10	157	69	157	26	256	5	349	35	171	130	13	184	205	1,953	17.69
Army of Bombay	103,587	159	5	181	118	162	20	101	18	177	72	100	113	15	178	163	1,582	15.27
ARMY OF INDIA	577,416	1,864	60	1,168	818	875	106	853	67	1,267	562	685	679	84	1,064	1,014	11,166	19.34

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXV.

TABLE showing the DEATH-RATE from ALL CAUSES and from the CHIEF DISEASES in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	DEATH-RATE PER 1,000 FROM THE CHIEF CAUSES OF MORTALITY.															AVERAGE ANNUAL DEATH-RATE.	
		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Wounds and Accidents.	All other Causes.	Died out of Hospital including Suicidal Deaths.	All Causes.	Excluding the Cholera-rate.
Fort William	8,719	1·26	·46	·11	·80	·11	1·95	·23	1·15	1·15	·11	1·38	2·07	10·78	9·52
Dum-Dum	6,068	·50	...	·82	1·48	·33	·33	1·32	·16	2·14	·50	1·48	1·98	·16	2·48	1·65	15·33	14·83
Barrackpore	4,056	·49	·25	2·46	2·71	1·72	...	2·22	·25	4·93	·25	·99	·74	...	1·98	1·97	20·96	20·47
BENGAL PROPER	18,914	·85	·05	·79	1·06	·69	·16	1·27	·16	2·64	·32	1·22	1·32	·10	1·90	1·90	14·43	13·58
Hazaribagh	4,697	1·28	·21	5·96	1·49	·43	...	·64	...	1·28	·21	·43	1·06	·21	1·49	1·28	15·97	14·69
Dinapore	8,503	2·12	·35	1·88	·59	1·65	·35	2·47	·35	4·35	·24	1·41	·47	...	1·53	2·35	20·11	17·99
Benares	4,988	2·61	...	1·40	2·41	3·01	...	1·20	...	3·81	...	1·20	1·20	·20	1·00	2·21	20·25	17·64
Fyzabad	8,810	10·56	·11	4·08	·57	·91	...	1·47	·11	1·82	·23	1·13	1·59	·23	1·25	·91	24·97	14·41
Lucknow	23,062	4·21	·21	3·08	1·30	1·73	·04	1·04	·04	1·78	·61	·87	1·52	·30	1·52	1·78	20·03	16·82
Sitapur	5,530	·18	·18	1·63	1·63	1·08	...	·72	...	1·81	·36	·90	1·27	...	1·63	1·99	13·38	13·20
Patchgarh	2,258	·44	1·33	3·10	·89	·89	·44	·44	2·65	1·33	11·51	11·51
Cawnpore	8,423	4·27	·47	2·02	1·19	2·73	...	1·42	·12	2·02	·83	1·07	1·07	·12	2·14	2·26	21·73	17·46
Allahabad	9,163	5·67	·43	1·64	1·64	2·51	·11	1·20	·11	2·18	·33	·98	1·31	·11	1·53	1·20	20·95	15·28
GANGETIC PROVINCES AND OUDH	76,159	4·24	·25	2·63	1·25	1·81	·08	1·25	·09	2·35	·43	·98	1·22	·18	1·55	1·75	20·06	15·82
Shahjahanpur	3,351	·30	...	2·09	1·19	·60	...	·89	1·49	2·39	·30	1·19	1·79	·30	1·19	·89	14·62	14·32
Bareilly	7,788	·51	·13	3·47	·26	·38	·13	·90	...	1·03	·26	1·03	1·28	·13	2·18	·64	12·33	11·82
Moradabad	2,079	·48	...	1·44	1·93	·96	...	1·44	...	3·37	...	·96	·48	2·41	13·47	12·99
Roorkee	3,989	1·76	...	1·51	·60	1·25	...	1·25	·25	2·51	·75	1·25	1·25	...	2·51	1·76	16·55	14·79
Meerut	14,222	4·15	·35	2·67	·98	1·55	·49	2·04	·21	4·15	·98	·85	·98	·07	1·83	1·27	22·57	18·42
Delhi	4,495	1·34	·22	1·78	2·45	3·34	...	1·56	...	1·78	·89	·89	2·22	·22	3·11	1·56	21·36	20·02
Muttra	3,846	1·04	·26	4·68	1·04	3·90	·52	2·34	·26	1·30	·26	...	1·82	1·30	18·72	17·68
ROHILCUND AND MEERUT	39,770	2·06	·20	2·69	1·03	1·61	·25	1·36	·23	2·74	·63	1·01	1·16	·10	1·98	1·26	18·31	16·25
Agra	9,896	2·73	·10	2·73	1·82	1·52	·20	·91	...	1·72	·50	·81	1·11	·10	1·41	·91	16·57	13·84
Morar	10,708	6·26	·37	2·71	1·96	1·96	·19	2·15	·09	2·80	·84	1·96	·65	...	1·50	1·40	24·84	18·58
Gwalior Fortress	3,416	3·51	·29	·88	1·17	1·17	...	·59	...	1·46	·29	1·76	2·34	·29	2·64	3·81	20·20	16·69
Jhansi	4,136	·48	...	·48	1·94	·73	·24	1·21	...	·97	·73	1·69	·48	·24	1·21	·24	10·64	10·16
Nowgong	2,825	2·48	...	1·77	1·42	2·12	...	·71	...	2·48	1·06	1·41	1·06	·71	1·77	3·54	20·53	18·05
Sangor	4,590	2·40	...	2·83	1·96	·21	·21	·87	...	1·53	1·53	1·09	1·31	...	1·53	·87	16·34	13·94
Jubbulpore	4,974	1·01	...	·80	2·21	1·01	...	1·21	·40	2·81	·40	1·01	·20	...	1·61	1·61	14·27	13·26
AGRA AND CENTRAL INDIA	40,631	3·22	·15	2·04	1·85	1·35	·15	1·26	·07	2·07	·74	1·38	·94	·12	1·59	1·48	18·41	15·19
Umballa	13,298	1·73	...	2·18	·60	1·66	·15	·68	...	1·35	·45	·98	1·35	·15	1·58	1·73	14·59	12·86
Jullundur	7,075	1·27	·14	2·26	3·54	1·56	·28	2·26	...	1·27	1·41	1·13	1·27	...	1·84	·99	19·22	17·95
Ferozpoore	10,400	·96	...	1·83	2·11	2·50	·38	·96	...	1·35	·96	1·73	·96	·10	1·93	1·54	17·31	16·35
Mooltan	8,109	·25	...	·74	2·96	1·73	·37	·99	...	1·11	1·73	·86	1·11	·12	1·72	1·23	14·92	14·67
Dera Ismail Khan	993	1·01	...	1·01	1·01	3·02	...	1·01	1·01	2·01	...	5·03	1·01	1·01	17·12	16·11
Meean Meer	9,291	12·70	·11	2·80	2·58	3·66	·32	2·15	·21	2·26	1·72	1·08	1·72	·11	2·37	1·08	34·87	22·17
Fort Lahore	1,130	8·85	...	3·54	1·77	7·08	·88	1·77	...	1·77	1·77	1·77	·88	...	2·66	5·31	38·05	29·20
Amritsar and Govindgarh	2,532	·79	...	1·58	4·35	3·16	·39	·39	...	1·68	·39	·79	...	·39	1·68	·79	16·59	15·80
Sialkot	10,161	·98	·10	2·95	3·25	1·77	·39	1·18	...	1·67	·89	·69	1·28	·20	1·67	·89	17·91	16·93
Rawalpindi	16,145	1·55	·12	2·29	1·55	·99	...	·99	·06	1·55	1·49	1·12	1·05	·06	1·49	1·30	15·61	14·06
Attock	1,697	1·77	·69	3·53	·59	8·25	·69	1·18	1·18	·69	·59	·59	3·53	1·18	24·16	23·39
Nowshera	5,744	·87	...	1·22	2·26	3·83	·17	1·05	...	1·57	1·92	·52	·70	...	1·56	1·74	17·41	16·54
Peshawar	15,274	11·26	·13	2·88	2·94	2·62	·26	1·31	·07	·46	1·77	1·05	1·44	·07	1·57	·72	28·55	17·29
PUNJAB	112,288	3·95	·07	2·32	2·24	2·17	·25	1·17	·05	1·39	1·59	1·11	1·13	·10	1·79	1·38	20·71	16·76
Darjeeling	630	3·17	...	3·17	1·59	7·94	7·94
Ranikhet	7,845	1·66	·51	2·42	·38	1·02	1·15	·76	·64	·25	2·81	·13	11·73	11·73
Chakrata	7,153	·14	...	·28	·14	·56	·14	·98	·70	1·96	·42	...	2·23	1·40	8·95	8·81
Dagshai	8,317	2·41	...	2·05	·72	·36	...	1·20	1·20	1·20	·12	·12	1·92	·36	11·66	9·25
Subathu	6,645	1·36	...	3·61	·45	·30	·15	·90	·30	1·05	·30	1·36	·60	·45	1·36	·75	12·94	11·58
Jutogh	858	1·17	2·33	8·16	11·66	11·66
Dharmasala (9 years)	651	6·14	1·54	1·54	9·22	3·03
Dalhousie (6 years)	400	2·50	2·50	5·00	5·00
Murree Hills	5,733	5·41	...	1·57	1·05	·17	·35	1·05	...	1·40	·87	1·22	·17	·35	1·39	1·40	16·40	10·99
Cherat (9 years)	3,392	·29	...	6·78	2·07	2·07	...	2·36	·88	·29	·29	...	2·95	1·18	19·16	18·87
HILL STATIONS	41,787	1·60	...	1·77	·74	·07	·10	1·15	·14	1·25	·84	1·20	·48	19	1·79	·91	12·23	10·63
BENGAL PRESIDENCY	363,431	4·18	·12	2·28	1·74	1·53	·17	1·37	·12	2·04	1·25	1·14	1·20	·15	1·93	1·78	21·00	16·82

II.—GENERAL STATISTICS OF STATIONS, 1870-79

XXXV—continued.

TABLE showing the DEATH-RATE from ALL CAUSES and from the CHIEF DISEASES in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	DEATH-RATE PER 1,000 FROM THE CHIEF CAUSES OF MORTALITY.															AVERAGE ANNUAL DEATH-RATE.	
		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Wounds and Accidents.	All other Causes.	Died out of Hospital including Suicidal Deaths.	All Causes.	Excluding Cholera-rate.
Nusseerabad ...	6,363	2'04	...	4'24	2'67	2'20	1'6	1'57	31	2'36	1'10	79	63	16	2'83	2'67	23'73	21'69
Neemuch ...	4,260	12'91	...	3'75	2'11	2'35	71	1'88	...	1'88	23	94	94	1'41	29'11	16'20
Indore ...	937	8'54	...	1'07	3'20	1'07	2'13	2'13	...	1'07	1'07	20'28	11'74
Mhow ...	13,270	75	...	1'96	1'13	68	08	53	08	...	30	45	60	38	2'11	2'11	11'68	10'93
Deesa ...	7,065	42	...	1'42	1'27	3'40	42	71	14	1'70	1'13	85	2'41	...	2'55	1'13	17'55	17'13
Ahmedabad ...	2,735	4'39	36	4'02	2'93	6'22	36	36	...	1'83	1'10	1'46	36	...	2'56	2'93	28'88	24'49
Kurrachee and Ghizree ...	7,698	26	...	3'63	1'17	1'69	26	1'30	26	1'17	52	65	2'34	...	1'56	1'56	16'37	16'11
Hyderabad ...	3,764	1'86	80	2'92	27	80	80	53	53	1'06	2'65	12'22	12'22
Aden ...	7,277	14	...	27	27	3'43	...	1'51	...	2'20	96	1'24	69	14	55	2'89	14'29	14'15
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	1'94	04	2'42	1'40	2'34	22	98	11	1'61	68	81	1'05	16	1'82	1'83	17'41	15'47
Bombay ...	4,764	63	1'68	1'05	21	1'47	21	3'77	63	1'68	1'05	21	1'47	1'47	15'53	15'53
Asirgarh ...	812	1'23	2'47	1'23	2'47	...	1'68	1'23	...	1'23	1'23	11'09	11'09
Ahmednagar ...	4,642	86	...	65	65	1'08	21	65	21	65	...	43	...	21	1'73	1'29	8'62	7'76
Poona and Kirkee ...	20,981	1'91	05	1'05	67	52	14	59	24	1'43	38	1'00	1'14	14	1'34	95	11'91	10'00
Satara ...	1,708	...	59	1'76	59	59	59	59	...	1'17	2'34	59	...	59	59	1'76	11'71	11'71
Belgaum ...	9,660	10	10	83	31	21	10	31	10	1'45	62	52	31	10	1'35	1'35	7'76	7'66
Secunderabad ...	23,411	2'39	...	2'74	43	1'37	17	3'76	...	4'27	30	98	81	04	1'19	1'50	19'95	17'56
Kamptee ...	10,034	50	80	70	1'39	2'49	10	80	...	1'79	30	1'49	80	10	1'89	90	14'05	13'55
DECCAN AND NAGPORE ...	76,075	1'39	14	1'46	72	1'08	16	1'71	11	2'44	38	1'02	80	11	1'38	1'24	14'14	12'75
Bellary ...	8,609	35	...	35	1'51	47	11	35	11	1'28	23	1'28	93	...	1'39	1'51	9'87	9'52
Bangalore ...	16,078	48	06	1'92	36	36	24	72	...	2'15	18	1'50	90	18	1'38	1'38	11'81	11'33
Cannanore ...	6,579	30	...	2'28	30	46	30	2'59	...	4'11	61	76	91	...	91	1'37	14'90	14'60
Mallipooroom ...	921	2'17	...	2'17	1'09	2'17	...	3'26	...	2'17	...	2'17	1'09	16'29	14'12
Calicut ...	909	1'10	1'10	1'10	...	5'50	...	4'40	...	3'30	1'10	17'60	17'60
Trichinopoly ...	2,688	1'49	1'12	5'21	74	74	37	4'84	74	1'12	1'49	...	3'72	2'23	23'81	22'32
St. Thomas' Mount ...	3,639	28	...	1'37	28	3'02	28	3'85	...	4'67	...	2'47	1'37	...	2'47	1'92	21'98	21'70
Madras ...	6,825	2'34	...	15	29	1'61	15	59	...	2'88	29	1'17	88	29	1'47	2'64	12'75	10'41
SOUTHERN INDIA ...	46,847	77	02	1'26	62	1'11	23	1'28	04	2'48	28	1'41	94	11	1'40	1'66	13'70	12'93
Rangoon ...	8,145	37	12	37	12	61	25	4'05	...	2'09	12	1'35	37	37	1'47	2'95	14'61	14'24
Toungoo ...	4,299	23	...	47	93	2'79	47	3'96	...	3'03	...	1'16	23	...	1'39	2'09	16'75	16'52
Thayetmyo ...	6,853	10'36	...	88	29	2'19	44	58	...	2'04	15	1'31	73	15	73	2'33	22'18	11'82
Port Blair ...	1,199	83	83	83	83	...	83	1'67	...	83	3'34	10'01	10'01
BURMAN AND PEGU ...	20,496	3'66	05	58	39	1'61	34	2'63	...	2'20	10	1'27	54	19	1'17	2'59	17'32	13'66
Mount Aboo ...	1,069	1'87	94	1'87	94	3'74	...	94	94	2'81	94	...	2'81	1'87	19'64	19'64
Purandhar ...	825	2'42	1'21	1'21	...	2'42	1'21	8'48	8'48
Wellington ...	4,390	23	...	2'28	46	68	...	91	...	2'05	1'14	2'73	68	46	3'64	91	16'17	15'94
HILL STATIONS AND DEPÔTS ...	8,178	25	...	2'20	49	85	25	1'46	37	1'83	98	1'83	73	37	2'57	98	15'16	14'91
Army of Bengal ...	363,431	4'18	12	2'28	1'74	1'53	17	1'37	12	2'04	1'25	1'14	1'20	15	1'93	1'78	21'00	16'82
Army of Madras ...	110,396	1'68	09	1'42	62	1'42	21	2'32	04	3'16	32	1'55	1'18	12	1'67	1'86	17'69	16'01
Army of Bombay ...	103,587	1'53	05	1'75	1'14	1'56	19	08	17	1'71	70	97	1'09	14	1'72	1'57	15'27	13'74
ARMY OF INDIA ...	577,416	3'22	10	2'03	1'42	1'52	18	1'48	12	2'19	97	1'19	1'18	14	1'84	1'76	19'34	16'12

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVI.

TABLE showing the DAILY SICK-RATE of each MONTH for the Principal MILITARY STATIONS occupied from 1870 to 1879 on the AVERAGE of the TEN YEARS.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	DAILY SICK PER 1,000 OF THE AVERAGE STRENGTH, 1870-79.												Average for the Period.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Fort William Dum-Dunn Barrackpore	8,719 6,068 4,056	48.1 43.3 65.2	47.3 41.6 59.4	46.9 36.9 57.4	49.1 40.8 52.4	50.8 46.5 59.0	56.8 44.3 63.5	65.7 48.3 63.7	65.5 55.2 71.0	64.4 56.2 70.8	60.2 54.5 70.0	52.9 45.5 81.7	51.3 44.3 70.6	54.9 46.3 65.1
BENGAL PROPER	18,914	49.3	47.8	46.1	47.3	51.3	54.5	59.9	63.7	63.3	60.6	55.8	52.1	54.3
Hazaribagh Dinapore Benares Fyzabad Lucknow Sitapur Fatehgarh Cawnpore Allahabad	4,697 8,503 4,988 8,810 23,062 5,530 2,258 8,423 9,163	47.2 58.7 63.7 58.6 57.2 51.3 54.9 77.2 70.6	48.9 62.8 68.2 62.8 60.5 56.4 55.6 80.2 70.1	47.0 60.2 63.7 65.3 62.0 53.2 54.3 74.3 61.1	49.8 61.0 61.5 61.1 65.3 54.8 59.6 78.9 62.0	48.6 68.8 69.4 62.3 67.7 56.6 62.5 71.8 66.6	47.1 69.7 76.1 65.1 68.9 59.4 66.3 72.2 69.8	50.9 72.3 74.8 65.7 68.1 63.2 70.8 80.6 68.3	53.5 74.3 82.1 66.8 71.0 61.5 74.6 88.5 72.3	50.6 70.9 85.5 64.1 76.4 63.2 77.3 97.2 76.5	46.7 68.4 84.1 61.3 76.8 56.0 61.5 95.8 75.7	44.7 62.9 70.4 57.2 67.2 54.0 72.8 88.1 74.4	38.9 50.3 60.0 53.7 59.8 49.1 57.4 69.6 65.8	48.1 65.9 71.8 62.1 66.8 56.6 64.2 81.2 69.4
GANGETIC PROVINCES AND OUDH	76,159	60.4	63.3	61.6	63.5	65.3	67.3	68.7	72.0	74.6	72.7	67.2	58.7	66.3
Shahjahanpur Bareilly Moradabad Roorkee Meerut Delhi Muttra	3,351 7,788 2,079 3,989 14,222 4,495 3,846	49.7 46.8 42.7 38.2 51.5 64.7 47.3	52.6 51.7 43.1 41.2 50.3 55.7 48.7	46.2 47.0 40.1 46.9 50.3 52.3 52.1	59.0 46.3 36.5 40.6 55.0 58.5 49.0	59.1 49.4 42.1 46.6 61.5 67.1 55.7	64.5 53.0 48.4 47.8 65.0 68.2 55.1	60.5 51.3 44.3 51.9 65.9 65.0 53.9	59.3 54.4 50.5 58.1 73.3 83.9 67.4	60.0 57.5 63.8 62.4 80.5 102.7 72.6	59.8 52.8 68.8 62.0 80.3 104.5 71.0	49.7 44.2 53.5 52.0 76.7 85.3 69.1	44.8 40.6 47.3 42.9 58.7 75.2 51.0	55.2 49.6 47.6 48.9 64.0 73.2 58.0
ROHILCUND AND MEERUT	39,770	49.7	50.1	48.8	51.0	56.5	59.4	58.8	66.4	73.4	72.3	65.0	53.1	58.5
Agra Morar Gwalior Fortress Jhansi Nowgong Saugor Jubbulpore	9,896 10,708 3,416 4,136 2,825 4,590 4,974	58.4 53.3 51.4 51.0 55.6 47.3 61.1	59.8 55.3 53.0 55.4 61.3 50.0 53.2	58.8 55.5 49.6 48.6 51.7 48.8 55.3	54.1 55.2 48.4 51.3 51.7 49.8 50.3	61.3 58.3 52.5 56.2 61.7 48.5 53.5	61.2 59.6 53.5 54.4 65.4 51.9 48.4	64.4 62.6 54.0 60.4 60.0 54.3 49.7	69.6 68.5 63.0 65.8 69.1 77.6 57.8	69.4 77.2 69.0 88.9 74.6 77.6 66.5	68.1 76.9 71.5 101.4 76.5 78.7 68.0	62.0 86.1 55.6 78.8 59.7 72.4 71.0	57.6 71.9 49.5 57.7 46.7 53.8 59.4	61.9 64.7 55.9 64.1 60.5 58.2 57.7
AGRA AND CENTRAL INDIA	40,631	54.7	55.8	54.1	52.5	57.0	57.2	59.3	66.2	74.7	76.1	71.5	59.6	61.5
Umballa Jullundur Ferozepore Mooltan Dera Ismail Khan Meeran Meer Fort Lahore Amritsar and Govindgarh Sialkot Rawalpindi Attock Nowshera Peshawar	13,298 7,075 10,400 8,109 993 9,291 1,130 2,532 10,161 16,145 1,697 5,744 15,274	54.3 64.6 48.4 62.7 47.6 92.3 43.6 64.1 59.6 55.0 59.2 57.4 60.6	57.6 67.7 49.5 57.2 37.7 78.9 36.2 51.3 55.9 57.1 53.2 47.3 51.9	51.8 59.2 46.2 53.8 32.2 68.5 27.7 36.3 51.5 53.5 45.6 40.2 50.0	48.9 46.4 46.9 51.0 35.2 62.1 39.1 46.5 51.2 49.9 40.7 49.0 52.8	56.0 48.6 49.9 58.7 40.2 79.8 46.3 56.9 56.4 56.4 55.1 61.7 68.3	55.1 58.0 51.2 66.2 58.5 79.8 51.7 56.9 62.5 56.4 66.5 65.9 72.3	55.1 62.0 57.2 73.4 68.7 87.9 56.7 63.6 64.7 56.4 61.3 66.6 56.4 71.8	63.5 74.9 64.8 74.4 72.1 92.5 50.8 66.9 70.3 58.4 62.1 56.4 67.0	69.4 93.2 78.6 71.7 84.3 100.6 62.7 86.4 79.3 73.2 66.9 57.4 83.0	67.9 97.5 72.2 73.8 91.5 113.2 72.3 91.6 73.9 79.1 94.5 82.3 106.1	69.0 78.0 68.1 70.9 94.0 120.3 60.4 89.6 75.4 79.4 90.2 96.3 103.8	55.8 67.2 51.0 59.8 59.8 121.3 49.3 68.6 65.4 64.8 77.8 85.6 82.6	58.4 67.6 56.9 64.4 60.4 89.8 49.6 64.8 63.6 61.0 64.2 63.7 70.1
PUNJAB	112,288	57.0	54.6	51.0	50.0	56.5	61.7	64.4	67.6	77.3	81.0	75.5	64.9	62.9
Darjeeling Ranikhet Chakrata Dagshai Subathu Jutogh Dharmasala (9 years) Dalhousie (6 years) Murree Hills Cherat (9 years)	630 7,845 7,153 8,317 6,645 858 651 400 5,733 3,392	49.2 38.8 38.8 39.3 38.3 24.5 38.9 ...	35.8 40.6 38.8 41.7 31.7 28.6 48.4 ...	36.8 39.8 41.6 44.5 39.2 40.0 44.2 ...	49.2 53.0 44.4 52.0 49.0 40.7 38.2 28.9 25.5 25.4	48.2 62.2 44.7 54.9 56.4 39.6 46.6 45.4 38.2 39.0	36.9 61.6 41.2 52.7 55.4 55.4 48.6 39.5 43.0 47.7	42.6 60.5 43.9 53.6 61.0 52.9 50.5 47.6 39.7 48.2 59.5	44.1 53.2 42.3 53.6 59.7 50.3 47.6 24.3 49.6 63.3	48.4 51.6 40.4 46.4 55.3 48.6 45.4 20.0 48.1 60.4	48.9 47.2 33.9 42.6 45.1 46.7 44.0 21.9 55.2 51.8	39.1 41.3 29.3 45.4 48.2 47.3 53.9 20.0 64.9 39.3	42.9 39.3 33.0 45.1 52.2 24.8 72.0 ... 33.1 45.1	42.9 50.5 40.1 48.5 50.3 43.1 46.1 35.0 46.7 53.4
HILL STATIONS	41,787	39.0	38.9	41.0	46.8	50.6	51.3	53.9	52.5	49.5	46.1	43.7	41.9	47.9
BENGAL PRESIDENCY	363,431	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	69.9	64.2	57.8	60.9

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVI—continued.

TABLE showing the DAILY SICK-RATE of each MONTH for the Principal MILITARY STATIONS occupied from 1870 to 1879 on the AVERAGE of the TEN YEARS.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	DAILY SICK PER 1,000 OF THE AVERAGE STRENGTH, 1870-79.												Average for the Period.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Nusseerabad ...	6,363	51·9	54·3	56·8	64·0	66·1	66·8	60·1	68·1	89·9	96·5	88·5	61·3	68·5
Neemuch ...	4,260	51·5	49·3	49·2	49·2	53·1	55·0	59·4	70·5	101·6	145·0	128·4	79·9	74·2
Indore ...	937	49·0	39·4	46·5	60·4	51·9	45·6	48·7	53·5	65·1	77·6	63·1	53·9	54·4
Mhow ...	13,270	64·3	60·2	53·0	55·7	59·1	56·4	63·7	75·1	88·9	87·1	73·1	64·1	66·8
Deesa ...	7,065	45·9	40·2	43·6	42·5	40·0	45·4	55·4	55·7	59·2	63·5	59·7	44·3	50·0
Ahmedabad ...	2,735	53·2	52·7	47·8	48·3	47·8	56·9	63·2	61·2	68·3	75·3	72·8	67·4	58·9
Kurrachee and Ghizree ...	7,698	48·7	51·4	48·4	45·9	48·0	54·2	53·1	51·2	58·3	55·4	59·7	54·1	52·5
Hyderabad ...	3,764	47·6	38·8	39·6	38·1	38·6	43·4	43·0	44·6	50·6	56·2	70·1	71·9	48·1
Aden ...	7,277	33·2	37·8	38·5	33·7	40·6	46·0	40·5	40·0	39·3	30·9	27·7	35·6	37·0
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	51·0	49·6	48·3	48·7	50·9	53·7	55·6	60·2	71·3	74·9	70·1	58·7	57·7
Bombay ...	4,764	63·4	59·2	61·1	62·8	67·0	66·6	62·5	68·0	76·1	86·5	76·7	71·6	68·2
Asirgarh ...	812	60·5	52·7	42·9	41·2	42·5	32·6	31·4	43·0	56·6	71·2	63·5	56·1	49·3
Ahmednagar ...	4,642	49·1	46·5	43·3	38·3	39·4	46·7	54·7	59·5	58·5	52·6	55·4	43·8	48·9
Poona and Kirkee ...	20,984	56·0	51·9	51·3	49·4	52·1	53·2	60·6	63·7	59·1	57·5	57·7	55·2	55·9
Satara ...	1,708	50·6	49·7	58·7	59·1	61·7	61·2	65·3	62·1	63·5	68·5	78·8	50·2	60·3
Belgaum ...	9,660	44·3	46·1	44·1	45·3	48·6	51·6	53·5	56·8	53·8	57·9	65·1	53·5	51·7
Secunderabad ...	23,411	61·0	58·4	50·1	49·7	51·0	52·0	53·8	57·4	63·3	64·8	62·6	61·8	57·1
Kamptee ...	10,034	58·2	63·2	56·8	57·5	58·7	60·2	60·3	69·2	71·7	71·7	58·7	49·5	61·1
DECCAN AND NAGPORE ...	76,075	56·5	55·2	50·9	50·3	52·4	53·9	57·3	61·4	62·3	63·2	61·7	56·8	56·8
Bellary ...	8,609	75·4	74·9	56·2	54·4	56·3	57·9	68·7	70·1	72·5	71·7	77·7	71·4	67·0
Bangalore ...	16,678	54·9	65·4	58·8	58·2	60·3	61·6	59·8	61·4	60·8	60·1	60·7	57·1	60·0
Cannanore ...	6,579	61·6	53·8	46·1	47·3	45·5	51·4	58·4	60·6	61·2	61·7	56·3	64·2	55·6
Mallapooram ...	921	41·2	36·3	30·3	32·5	49·4	51·6	57·7	49·9	44·5	39·6	38·5	37·0	42·3
Calicut ...	909	47·7	49·9	36·4	40·0	43·8	41·8	52·7	52·3	63·5	68·9	48·2	42·2	48·4
Trichinopoly ...	2,688	76·3	73·1	68·0	68·3	66·1	76·6	75·3	67·0	69·0	79·8	78·2	70·5	72·2
St. Thomas' Mount ...	3,639	64·9	68·3	57·0	61·1	69·8	62·4	59·5	60·7	65·7	68·1	67·0	65·7	64·0
Madras ...	6,825	62·4	59·0	54·6	58·0	63·6	63·9	68·5	68·2	65·4	60·9	66·0	62·7	62·7
SOUTHERN INDIA ...	46,847	62·3	64·1	55·4	55·9	58·5	60·1	63·2	63·8	64·2	64·1	64·6	62·1	61·5
Rangoon ...	8,145	49·0	49·9	42·4	44·4	49·1	50·5	56·5	54·8	52·9	53·6	52·5	50·2	50·5
Toungoo ...	4,299	39·1	41·7	43·6	44·3	41·9	56·3	55·9	56·9	49·2	43·7	40·3	34·9	45·8
Thayetmyo ...	6,853	30·2	33·7	35·3	38·5	45·0	52·4	56·6	54·5	52·9	49·4	45·7	39·1	44·9
Port Blair ...	1,199	26·0	24·7	27·8	23·6	28·9	38·1	29·9	33·7	30·5	27·7	29·7	26·5	29·2
BURMAH AND PEGU ...	20,496	39·6	41·7	39·7	41·3	45·0	51·8	54·9	54·0	50·8	48·4	46·5	42·1	46·4
Mount Aboo ...	1,069	45·9	48·1	38·9	52·6	61·2	52·3	67·4	59·5	61·4	61·7	68·2	49·7	55·2
Purandhar ...	825	83·2	68·1	82·3	95·2	86·4	93·5	92·0	77·6	69·2	86·5	88·4	94·8	86·1
Wellington ...	4,390	69·3	64·4	58·7	66·7	72·0	76·6	79·0	75·4	71·1	68·2	61·2	66·6	70·2
HILL STATIONS AND DEPOTS ...	8,178	62·6	58·0	54·1	68·0	75·9	77·4	80·0	77·4	72·3	71·9	64·7	66·4	70·9
Army of Bengal ...	363,431	54·2	53·9	52·0	54·0	59·5	62·4	64·4	67·5	70·9	60·9	64·2	57·8	60·9
Army of Madras ...	110,396	59·4	50·8	53·0	54·1	56·7	56·9	62·7	65·2	65·9	65·3	62·0	58·8	60·2
Army of Bombay ...	103,587	52·8	50·2	49·9	50·3	53·0	55·3	58·5	62·0	66·9	69·4	64·4	55·7	57·4
ARMY OF INDIA ...	577,416	55·0	54·4	51·8	53·3	57·8	60·6	63·0	66·0	69·3	69·0	63·8	57·7	60·1

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVII.

TABLE showing the GENERAL ADMISSION-RATE of each MONTH for the Principal MILITARY STATIONS occupied from 1870 to 1879 on the AVERAGE of the TEN YEARS.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	ADMISSION-RATE PER 1,000 OF THE AVERAGE STRENGTH.												Admission-rate of the Period.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Fort William	8,719	83.1	72.5	80.8	85.9	84.7	97.7	124.2	123.0	101.6	84.5	79.8	87.7	1,106.4
Dum-Dum	6,068	85.3	65.6	68.8	89.6	102.6	74.3	105.9	128.8	101.3	111.7	112.7	94.2	1,138.3
Barrackpore	4,056	146.7	126.3	147.4	144.0	197.9	175.6	170.5	177.6	152.6	179.2	211.4	186.0	2,011.3
BENGAL PROPER	18,914	95.2	81.1	92.0	99.8	116.2	108.6	129.4	137.4	113.3	114.3	117.5	107.4	1,310.7
Hazaribagh	4,697	86.9	76.9	85.7	97.1	87.9	79.1	100.2	103.8	116.2	105.9	87.0	80.6	1,110.3
Dinapore	8,503	101.8	94.5	120.5	124.4	131.8	126.3	153.6	142.3	123.9	126.8	109.2	96.7	1,459.7
Benares	4,988	104.3	106.5	107.8	116.6	133.6	128.2	162.4	152.0	125.5	141.6	119.6	108.9	1,533.1
Fyzabad	8,810	89.1	96.3	108.1	113.7	118.7	112.9	117.2	118.5	122.1	111.2	110.6	98.1	1,317.1
Lucknow	23,062	85.3	89.9	104.8	117.5	110.8	106.5	123.7	126.2	138.6	142.0	108.1	96.8	1,354.3
Sitapur	5,530	81.6	84.2	102.9	114.0	115.8	100.8	112.6	110.2	105.5	86.8	74.0	70.9	1,164.6
Fatehgarh	2,258	89.7	76.6	95.4	91.9	102.5	99.4	118.3	120.3	142.3	120.3	137.4	97.4	1,288.3
Cawnpore	8,423	112.1	103.0	125.0	136.4	115.6	112.9	148.0	157.3	193.2	203.8	143.3	115.7	1,672.3
Allahabad	9,163	114.3	109.0	110.3	115.9	120.4	121.3	132.3	155.1	163.5	173.3	129.6	112.5	1,556.3
GANGETIC PROVINCES AND OUDH	76,159	95.7	94.5	100.0	117.8	116.4	111.6	131.5	133.6	142.2	141.4	114.5	99.7	1,410.3
Shahjahanpur	3,351	88.1	77.9	91.7	111.3	104.0	103.7	96.1	101.5	95.7	101.4	75.2	69.1	1,117.6
Bareilly	7,788	81.9	68.9	73.2	97.1	95.1	89.9	93.0	98.8	98.0	84.7	75.4	69.5	1,024.5
Moradabad	2,079	72.3	64.0	66.1	78.1	90.9	84.0	80.5	105.7	142.3	144.0	92.6	84.9	1,103.4
Roorkee	3,989	82.2	86.5	93.1	91.3	101.5	87.9	115.9	127.6	144.3	131.8	80.3	85.9	1,224.6
Meerut	14,222	94.1	94.1	106.9	121.6	132.2	124.1	151.0	205.2	220.8	197.7	149.2	107.6	1,706.2
Delhi	4,495	123.9	98.9	108.5	141.5	168.0	161.9	183.1	253.3	345.6	302.1	191.2	179.8	2,229.1
Muttra	3,846	86.8	83.8	82.2	93.2	104.2	88.4	116.1	140.7	113.8	153.7	123.7	83.9	1,279.5
ROHILCUND AND MEERUT	39,770	91.5	84.9	93.0	100.9	118.6	110.7	128.3	162.3	178.2	165.8	122.1	100.5	1,461.2
Agra	9,896	88.8	85.7	93.9	104.9	111.8	106.0	133.5	146.8	150.0	133.4	103.9	101.0	1,353.5
Morar	10,708	93.8	95.9	101.4	109.6	111.1	100.9	122.5	150.8	162.6	177.4	173.6	132.8	1,523.8
Gwalior Fortress	3,416	86.5	87.0	81.7	97.1	102.7	96.5	107.5	128.0	144.9	125.9	99.9	83.3	1,242.1
Jhansi	4,136	131.0	116.3	127.0	118.1	125.5	119.0	154.8	206.4	310.2	381.9	267.4	177.6	2,227.5
Nowgong	2,825	124.5	112.4	101.7	134.9	148.7	124.7	134.4	151.8	192.6	200.6	128.9	101.4	1,662.3
Saugor	4,590	96.7	97.9	104.8	104.3	117.8	113.0	129.6	185.3	205.6	213.7	146.5	106.2	1,621.1
Jubbulpore	4,974	98.4	88.5	110.3	98.5	106.3	80.3	103.5	110.7	135.3	162.8	128.3	90.0	1,315.4
AGRA AND CENTRAL INDIA	40,631	98.6	95.3	101.9	108.6	115.3	104.7	126.9	153.8	177.4	187.1	148.4	115.1	1,530.1
Umballa	13,298	99.2	90.8	99.7	126.6	129.4	114.0	127.0	154.8	190.1	166.5	110.2	100.9	1,492.1
Jullundur	7,075	101.4	85.1	85.0	90.5	104.8	115.6	123.4	169.6	233.3	253.5	164.3	104.0	1,584.7
Ferozepore	10,400	91.0	79.6	88.7	106.1	128.3	121.1	142.2	157.2	202.5	168.9	137.5	99.4	1,509.0
Mooltan	8,109	93.4	89.8	97.1	116.4	111.4	133.2	162.7	157.0	167.2	219.5	142.0	105.6	1,573.9
Dera Ismail Khan	993	155.6	95.1	92.5	119.7	164.8	187.5	223.2	231.5	301.5	354.1	292.4	187.4	2,399.8
Meean Meer	9,291	186.8	151.7	147.2	140.5	170.3	193.6	229.3	279.3	313.4	348.7	373.4	301.4	2,797.8
Fort Lahore	1,130	118.0	98.2	90.0	135.7	179.9	168.6	259.7	212.3	313.6	321.1	239.9	208.1	2,321.2
Amritsar and Govindgarh	2,532	145.9	101.8	91.6	142.5	169.5	160.5	195.6	245.0	309.7	300.0	240.7	224.4	2,329.4
Sialkot	10,161	114.8	94.4	96.8	124.8	131.1	139.8	152.8	151.5	157.4	147.3	124.9	108.5	1,537.6
Rawalpindi	16,145	98.2	94.6	87.5	109.0	135.3	128.6	138.9	150.4	207.4	207.8	145.5	114.8	1,556.6
Attock	1,697	184.5	119.1	127.6	120.4	193.7	170.3	180.2	193.3	219.5	346.8	310.4	239.3	2,393.0
Nowshera	5,744	151.7	109.1	103.0	137.1	193.1	183.3	191.3	163.0	167.2	252.5	290.2	207.5	2,144.8
Peshawar	15,274	147.4	112.1	112.4	145.1	241.9	204.3	224.6	212.4	334.6	477.1	424.4	246.2	2,689.6
PUNJAB	112,288	115.4	97.8	100.6	122.5	152.4	148.2	167.2	178.3	222.8	242.4	194.8	145.8	1,847.2
Darjeeling	630	80.5	73.6	101.3	111.8	100.6	72.3	90.8	95.3	76.9	76.1	62.3	77.3	1,022.2
Ranikhet	7,845	65.9	63.0	71.5	108.9	109.2	96.5	94.7	72.6	70.2	65.0	55.3	54.2	947.6
Chakrata	7,153	67.8	61.3	75.2	75.7	74.0	68.5	69.6	57.8	59.1	51.4	43.1	57.6	765.6
Dagshai	8,317	87.8	84.8	87.0	105.6	102.2	89.5	99.8	97.1	73.7	63.9	68.7	74.9	1,046.8
Subathu	6,645	65.9	61.9	67.4	88.7	89.7	90.1	104.8	93.1	81.4	67.7	59.3	60.6	950.1
Jutogh	858	51.2	59.3	76.4	58.7	84.8	72.9	106.7	82.3	85.5	57.1	67.1	21.7	874.1
Dharmasala (9 years)	651	116.5	127.5	109.5	123.8	125.9	96.7	83.0	60.3	120.0	1,290.5
Dalhousie (6 years)	400	123.9	136.2	101.5	124.4	123.7	85.1	65.0	31.3	...	1,245.0
Murree Hills	5,733	91.5	105.5	82.3	79.6	110.5	114.8	122.7	119.2	116.6	99.0	88.5	86.6	1,311.4
Cherat (9 years)	3,392	110.5	123.0	116.9	159.4	144.1	124.5	84.0	79.9	104.5	1,478.2
HILL STATIONS	41,787	72.9	69.6	76.3	96.0	102.6	94.7	105.2	95.7	86.3	72.8	62.3	64.8	1,044.0
BENGAL PRESIDENCY	363,431	101.5	90.4	98.1	117.8	128.4	122.2	139.3	145.4	160.0	164.0	137.7	117.8	1,522.0

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVII—continued.

TABLE showing the GENERAL ADMISSION-RATE of each MONTH for the Principal MILITARY STATIONS occupied from 1870 to 1879 on the AVERAGE of the TEN YEARS.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	ADMISSION-RATE PER 1,000 OF THE AVERAGE STRENGTH.												Admission-rate of the Period.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Nusserabad ...	6,363	122.2	105.7	114.5	141.5	152.9	137.6	148.1	191.6	237.4	245.8	183.9	124.2	1,897.5
Neemuch ...	4,260	114.2	98.3	100.0	119.5	124.7	123.2	151.7	204.4	327.6	374.4	303.2	199.8	2,242.5
Indore ...	937	127.2	105.4	146.9	128.0	99.7	91.3	129.0	175.4	194.2	175.3	118.5	119.3	1,613.7
Mhow ...	13,270	109.3	103.1	106.4	122.1	121.9	100.2	127.6	176.0	230.4	226.2	147.9	121.7	1,695.5
Deesa ...	7,065	83.2	77.2	82.7	80.4	79.8	106.2	178.5	120.6	125.9	164.8	125.3	90.5	1,329.7
Ahmedabad ...	2,735	131.9	119.1	131.5	125.7	126.3	176.3	175.0	192.1	228.3	263.0	211.0	194.2	2,044.6
Kurrachee and Ghizree ...	7,698	102.0	93.3	99.3	107.5	120.6	136.9	135.6	127.3	132.6	131.1	139.6	136.6	1,471.4
Hyderabad ...	3,764	126.9	92.4	86.4	99.1	91.3	112.2	118.4	109.4	126.4	180.4	219.9	247.4	1,584.5
Aden ...	7,277	65.2	60.5	71.3	71.6	129.9	127.4	122.8	107.1	80.1	65.0	46.1	93.5	1,046.0
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	104.3	92.8	99.3	109.7	119.6	121.4	141.3	152.1	183.2	195.7	156.4	136.4	1,614.0
Bombay ...	4,764	129.9	112.5	119.4	145.7	160.5	146.3	154.5	173.9	214.7	302.4	231.0	178.2	2,039.3
Asirgarh ...	812	128.1	97.6	93.7	82.4	87.5	87.7	108.2	146.6	207.5	253.3	175.5	142.6	1,580.0
Ahmednagar ...	4,642	90.4	77.5	81.3	90.2	84.5	88.7	120.7	115.4	97.9	115.4	101.8	88.8	1,154.5
Poona and Kirkee ...	20,984	97.0	91.9	131.8	131.9	120.0	119.5	151.8	137.7	121.0	125.1	123.0	120.2	1,488.1
Satara ...	1,708	87.3	76.8	78.9	104.5	113.1	121.4	132.2	133.3	127.7	145.9	136.3	116.7	1,365.9
Belgaum ...	9,660	73.1	74.9	78.6	81.0	80.1	82.2	91.6	88.6	83.9	97.2	111.1	85.2	1,026.3
Secunderabad ...	23,411	110.7	99.9	94.9	94.8	96.5	84.0	108.9	109.6	112.5	123.0	101.1	106.8	1,241.6
Kamptee ...	10,034	121.1	112.9	112.1	109.8	121.7	144.3	147.7	169.0	175.8	184.3	115.3	100.3	1,601.4
DECCAN AND NAGPORE ...	76,075	104.1	95.5	104.6	108.3	107.8	106.8	128.6	127.8	125.7	139.1	119.8	111.4	1,382.7
Bellary ...	8,609	104.3	90.4	91.1	91.2	83.4	91.8	119.2	106.6	111.6	120.0	127.7	132.7	1,271.2
Bangalore ...	16,678	82.7	114.1	117.0	118.5	111.6	118.4	112.8	106.3	89.6	89.9	86.5	90.9	1,241.8
Cannanore ...	6,578	103.2	84.6	91.5	109.0	98.6	101.7	116.4	105.7	103.0	103.8	102.4	114.4	1,233.0
Malliaipoorum ...	921	72.9	59.8	43.2	70.4	112.8	91.4	79.4	75.5	59.0	66.0	81.4	79.4	891.4
Calicut ...	909	110.5	72.7	76.1	77.7	86.4	72.8	92.3	78.4	93.5	108.2	80.7	85.4	1,031.9
Trichinopoly ...	2,688	123.1	95.1	100.5	120.3	110.2	124.5	110.3	93.8	105.7	115.5	90.6	105.8	1,295.8
St. Thomas' Mount ...	3,639	96.7	87.0	106.2	123.0	141.9	98.8	118.4	97.2	97.3	111.7	95.3	90.5	1,264.4
Madras ...	6,825	82.3	83.3	89.2	101.2	110.3	110.3	140.8	119.8	100.1	97.6	94.5	85.1	1,210.4
SOUTHERN INDIA ...	46,847	93.3	95.9	100.6	108.4	106.1	107.3	117.6	106.2	98.1	101.6	98.2	100.9	1,235.3
Rangoon ...	8,145	96.2	84.1	76.4	79.3	93.3	100.4	115.9	96.2	95.6	96.8	88.0	101.8	1,123.4
Toungoo ...	4,299	73.1	74.6	81.6	84.4	93.9	116.5	124.8	108.8	90.5	79.3	72.9	65.4	1,075.6
Thayetmyo ...	6,853	64.1	66.1	75.3	100.2	109.5	119.1	128.8	102.5	98.6	85.4	78.0	75.2	1,118.8
Port Blair ...	1,199	59.3	51.2	64.8	51.5	61.2	98.5	64.0	71.6	60.2	62.0	72.2	67.9	777.3
BURMAH AND PEGU ...	20,496	78.9	74.6	75.9	86.2	97.2	110.2	119.3	99.6	93.5	87.1	80.6	84.0	1,091.6
Mount Abou ...	1,069	147.8	101.8	125.1	148.1	136.0	143.1	279.0	178.4	141.6	286.7	271.5	246.9	2,032.7
Purandhar ...	825	149.8	136.3	235.7	219.0	172.9	152.6	200.3	131.8	150.4	167.1	176.9	179.9	2,112.7
Wellington ...	4,390	99.4	85.3	139.4	128.6	130.3	120.2	130.8	107.0	96.8	97.7	78.0	83.1	1,313.4
HILL STATIONS AND DEPÔTS ...	8,178	112.8	96.1	143.2	150.5	146.3	133.7	163.3	126.8	117.7	130.7	113.8	114.9	1,594.2
Army of Bengal ...	363,431	101.5	90.4	98.1	117.8	128.4	122.2	139.3	145.4	160.0	164.0	137.7	117.8	1,522.0
Army of Madras ...	110,396	98.5	95.0	98.1	104.5	106.7	108.5	122.4	114.9	109.4	111.7	96.8	97.6	1,264.4
Army of Bombay ...	103,587	102.7	91.7	104.4	115.5	117.2	121.4	141.0	144.0	154.9	170.4	144.4	124.1	1,533.5
ARMY OF INDIA ...	577,416	101.2	91.5	99.2	114.9	122.2	119.4	136.4	139.3	149.3	155.2	131.1	115.1	1,474.8

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVIII.

TABLE showing the ADMISSION-RATES from ALL CAUSES and from the CHIEF DISEASES in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	AVERAGE ANNUAL ADMISSION-RATE PER 1,000 FOR THE CHIEF DISEASES.															Average Annual Admission-rate from all Causes.		
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	All other Causes.	
Fort William ...	8,719	30.5	1.8	.1	1.5	117.2	166.5	1.6	3.9	33.6	30.2	53.0	45.8	11.5	45.2	191.9	10.2	361.9	1,106.4
Dum-Dum ...	6,068	32.5	.8	...	1.2	169.1	219.9	1.8	1.3	37.7	36.1	34.9	44.2	11.4	35.4	183.9	10.4	317.7	1,138.3
Barrackpore ...	4,056	59.2	.5	.2	4.7	305.2	395.5	5.2	3.7	95.2	102.6	101.8	62.6	8.9	56.0	203.1	18.7	588.2	2,011.3
BENGAL PROPER ...	18,914	36.0	1.2	.1	2.1	173.9	232.9	2.5	3.1	48.0	47.5	57.6	48.8	10.8	44.4	191.3	12.5	398.0	1,310.7
Hazaribagh ...	4,697	...	4.7	.2	14.7	130.3	137.3	.6	1.5	21.9	37.9	38.3	59.0	18.8	33.7	233.5	70.1	307.8	1,110.3
Dinapore ...	8,503	51.2	3.2	.8	3.7	217.5	123.4	3.9	4.6	59.2	91.4	84.9	77.0	5.5	66.3	255.9	33.4	377.8	1,459.7
Benares ...	4,988	22.3	4.4	.6	2.4	214.9	117.5	6.2	4.6	30.7	69.2	56.3	63.4	7.2	53.3	425.2	21.1	433.8	1,533.1
Fyzahad ...	8,810	19.0	16.5	.1	9.2	85.1	170.1	3.4	2.3	38.5	63.2	44.0	67.8	9.0	52.7	315.1	27.7	393.4	1,317.1
Lucknow ...	23,062	62.8	6.3	1.1	8.6	122.1	168.2	4.4	1.9	33.7	77.4	49.5	58.3	10.5	46.4	278.0	26.4	398.7	1,354.3
Sitapur ...	5,5304	.4	3.4	147.9	125.1	2.4	4.7	32.7	27.1	43.2	50.5	4.5	76.9	260.9	29.3	355.2	1,164.6
Fatehgarh ...	2,258	.4	...	3.1	.4	295.8	84.6	3.5	5.8	36.3	33.7	47.0	50.9	4.0	63.8	326.4	19.0	313.6	1,288.3
Cawnpore ...	8,423	73.7	5.7	3.1	4.2	291.5	162.8	7.2	3.9	39.0	60.3	52.8	80.1	8.4	59.5	385.5	25.4	409.2	1,672.3
Allahabad ...	9,163	31.7	9.4	2.8	4.2	252.8	244.2	8.0	2.2	31.1	56.3	47.0	74.4	8.7	63.9	230.5	24.3	411.8	1,556.3
GANGETIC PROVINCES AND OUDH ...	76,159	40.7	6.6	1.3	6.4	180.8	160.2	4.9	3.1	36.8	65.7	52.2	65.6	8.9	55.7	299.7	29.4	392.3	1,410.3
Shahjahanpur ...	3,3516	.6	4.5	176.4	63.0	2.1	.9	30.7	51.9	38.5	53.4	7.5	54.6	260.2	37.0	335.7	1,117.6
Bareilly ...	7,7889	1.2	6.9	98.5	121.0	1.5	3.1	30.4	41.9	41.9	65.2	8.3	45.7	226.5	16.8	314.7	1,024.5
Moradabad ...	2,079	...	1.0	1.4	3.4	202.0	115.9	1.9	7.2	33.2	49.1	40.9	43.3	8.3	57.2	257.3	14.9	270.9	1,103.4
Roorkee ...	3,989	.5	2.8	.5	5.3	309.1	114.3	1.7	2.5	35.3	40.1	53.6	89.7	3.8	52.1	170.7	20.6	322.0	1,224.6
Meerut ...	14,222	12.2	5.8	1.1	7.4	574.5	126.7	5.3	4.0	44.3	87.2	59.9	95.8	7.8	66.2	175.6	21.7	410.7	1,706.2
Delhi ...	4,405	48.7	1.6	3.8	2.2	1,118.6	108.1	3.8	8.7	38.0	78.8	50.3	100.8	13.3	67.4	182.6	18.7	333.7	2,229.1
Muttra ...	3,846	32.2	2.1	.8	10.1	263.1	148.0	12.2	2.1	20.5	41.6	48.1	47.8	3.4	52.5	209.8	17.2	398.0	1,279.5
ROHILCUND AND MEERUT ...	39,770	11.5	3.0	1.3	6.3	433.0	118.4	4.2	3.9	36.0	63.3	50.7	78.8	7.5	58.1	200.6	20.8	363.8	1,461.2
Agra ...	9,896	38.1	4.2	1.6	6.7	278.3	181.0	3.7	2.8	21.3	58.8	43.3	67.4	4.7	42.8	254.6	23.0	318.2	1,353.5
Morar ...	10,708	...	8.2	1.2	5.0	524.5	190.3	5.3	2.8	30.5	54.0	47.1	68.2	4.7	61.0	166.2	17.8	337.0	1,523.8
Gwalior Fortress ...	3,416	...	5.0	1.2	2.6	334.3	85.5	5.9	2.9	37.8	43.3	40.4	53.6	9.1	56.2	189.1	28.4	346.8	1,242.1
Jhansi ...	4,1365	.5	1.7	1,215.7	85.1	2.2	2.2	22.0	41.3	39.2	106.9	5.3	69.1	206.1	27.8	398.9	2,227.5
Nowgong ...	2,825	...	2.5	.4	2.8	600.7	114.3	3.2	3.5	17.4	42.8	48.5	66.2	10.6	76.8	259.8	26.9	385.9	1,662.3
Saugor ...	4,590	...	4.1	.4	5.7	703.1	169.3	1.1	1.7	26.6	29.8	53.8	71.0	7.8	44.7	200.4	10.5	291.1	1,621.1
Jubbulpore ...	4,974	...	1.2	.2	2.0	517.9	45.0	2.2	3.6	27.7	43.8	46.4	73.4	6.6	46.9	206.1	11.1	284.3	1,315.4
AGRA AND CENTRAL INDIA ...	40,631	9.3	4.4	1.0	4.4	547.2	143.4	3.6	2.8	26.6	48.4	45.5	71.5	6.1	54.6	209.8	20.0	331.5	1,530.1
Umballa ...	13,298	5.6	3.1	.8	6.1	248.1	283.9	3.5	3.8	27.4	73.7	43.8	83.5	7.9	72.0	176.0	23.2	429.7	1,492.1
Jullundur ...	7,075	...	1.4	.3	4.1	614.0	166.5	3.4	2.8	26.5	52.2	35.1	73.7	8.9	81.1	165.0	23.3	326.4	1,584.7
Ferozepore ...	10,400	...	1.2	.8	3.9	439.2	207.1	6.3	7.0	22.6	41.4	29.0	71.8	7.0	50.7	175.8	22.5	362.7	1,509.0
Mooltan ...	8,1094	.6	1.6	528.9	200.3	5.8	3.1	26.8	35.6	53.5	105.6	11.3	71.6	166.2	15.7	346.9	1,573.9
Dera Ismail Khan ...	993	...	1.0	...	4.0	1,017.1	304.1	11.1	9.1	21.1	76.6	50.4	121.9	5.0	56.4	171.2	21.1	529.7	2,399.8
Meean Meer ...	9,291	...	18.4	.5	5.3	1,569.1	123.6	9.6	5.1	36.2	101.2	48.0	138.4	10.8	85.9	181.8	22.5	441.4	2,797.8
Fort Lahore ...	1,130	...	8.9	1.8	11.5	1,406.2	48.7	10.6	4.4	44.2	95.6	23.0	99.1	8.0	38.9	179.6	17.7	323.0	2,321.2
Amritsar and Govindgarh ...	2,532	...	2.8	.4	2.8	1,166.7	248.0	7.5	2.4	29.6	46.6	41.1	94.0	4.7	47.4	245.6	17.0	372.8	2,329.4
Shikot ...	10,161	...	1.5	1.2	4.7	347.3	232.9	5.3	2.5	29.4	55.7	53.6	82.0	7.8	82.7	185.2	21.1	424.7	1,537.6
Rawalpindi ...	16,145	...	2.0	1.3	4.6	486.8	197.4	3.0	3.2	20.6	46.3	40.9	127.5	5.2	72.2	156.4	17.7	371.5	1,556.6
Attock ...	1,697	...	1.8	...	5.9	1,229.8	277.0	12.4	4.7	25.9	47.7	52.4	81.9	1.8	67.8	178.5	7.1	398.3	2,393.0
Nowshera ...	5,744	...	1.2	.9	2.6	1,078.9	290.4	11.1	1.0	21.1	52.1	36.9	92.8	5.2	60.9	153.6	18.6	317.5	2,144.8
Peshawar ...	15,274	...	15.0	.8	6.6	1,119.3	717.8	6.2	4.1	27.1	62.7	38.0	123.6	8.6	53.1	138.1	18.6	350.0	2,689.6
PUNJAB ...	112,288	1.2	5.5	.8	4.8	685.6	279.3	5.4	3.6	27.5	58.7	41.4	100.7	7.5	66.5	169.0	19.6	370.1	1,847.2
Darjeeling ...	630	196.8	23.8	3.2	...	27.0	25.4	60.3	49.2	9.5	87.3	203.2	6.4	330.1	1,022.2
Ranikhet ...	7,845	3.3	99.9	59.8	.4	.8	22.9	70.2	33.7	67.4	5.0	58.8	239.9	12.6	272.9	947.6
Chakrata ...	7,1536	.1	.6	70.1	44.0	...	1.4	13.7	30.9	33.1	98.0	5.6	69.9	142.3	9.1	246.2	765.6
Dagshai ...	8,317	...	3.6	...	4.8	257.8	42.0	.4	1.3	15.9	54.2	22.5	86.0	5.0	88.0	184.2	13.3	267.8	1,046.8
Suhathu ...	6,645	...	2.0	...	12.3	138.0	97.4	.6	2.1	26.8	60.2	44.8	78.5	8.3	50.9	146.0	11.7	279.5	959.1
Jutogh ...	858	2.3	64.1	61.8	...	4.7	19.8	58.3	51.3	67.6	8.2	39.6	164.3	3.5	328.6	874.1
Dharmasala ...	651	...	7.7	...	1.5	287.3	150.5	1.5	4.6	12.3	147.5	32.3	64.5	12.3	66.0	135.2	15.4	360.9	1,299.5
Dalhousie ...	400	...	2.5	377.5	155.0	12.5	115.0	12.5	57.5	2.5	75.0	122.5	12.5	300.0	1,245.0
Murree Hills ...	5,733	...	7.2	...	3.5	379.4	84.3	.9	2.1	20.9	57.9	45.0	105.4	4.5	70.8	193.4	19.0	347.1	1,341.4
Cherat ...	3,3926	...	16.5	371.5	284.5	.9	.9	59.2	110.3	68.7	68.7	11.2	47.8	105.5	14.7	317.2	1,478.2
HILL STATIONS ...	41,787	...	2.3	...	5.0	203.2	77.2	.5	1.6	21.6	59.5	37.5	82.6	6.0	67.8	180.9	12.3	286.0	1,044.0
BENGAL PRESIDENCY ...	363,431	13.1	5.9	.8	5.3	425.4	181.9	4.0	3.0	33.1	62.4	47.1	84.1	8.2	62.0	208.6	20.1	357.0	1,522.0

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVIII—continued.

TABLE showing the ADMISSION-RATES from ALL CAUSES and from the CHIEF DISEASES in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.		Aggregate of the Average Strength of the Ten Years.	AVERAGE ANNUAL ADMISSION-RATE PER 1,000 FOR THE CHIEF DISEASES.															Average Annual Admission-rate from all Causes.		
			Dengue.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.		Eye diseases.	All other Causes.
Nusseerabad	...	6,363	11·8	2·2	·2	6·3	745·9	81·4	7·2	6·4	37·1	75·6	53·4	97·6	4·7	66·2	216·7	29·7	455·1	1,897·5
Neemuch	...	4,260	...	16·9	...	5·4	1,058·0	247·7	4·7	5·6	24·6	100·0	55·4	67·8	4·7	56·6	204·5	16·0	374·6	2,242·5
Indore	...	937	...	9·6	...	3·2	527·2	96·1	3·2	14·9	14·9	76·8	33·1	76·8	20·3	61·9	274·3	18·2	383·2	1,613·7
Mhow	...	13,270	·8	1·1	·2	3·5	701·9	81·8	3·0	3·7	21·6	44·9	58·2	79·3	6·3	59·6	205·0	25·2	399·4	1,695·5
Deesa	...	7,065	83·8	·7	·3	3·0	431·0	75·0	8·9	3·3	18·8	39·6	43·8	70·1	10·6	35·0	157·3	33·5	315·0	1,329·7
Ahmedabad	...	2,735	9·1	7·3	·7	5·1	507·1	407·7	12·8	7·7	16·5	107·5	29·6	55·9	6·6	89·6	163·1	26·3	592·0	2,044·6
Kurrachee and Ghizree	...	7,698	23·0	·4	·7	6·0	466·7	184·4	3·0	4·3	35·6	95·1	25·6	57·1	5·7	38·7	101·6	19·1	404·4	1,471·4
Hyderabad	...	3,764	6·4	...	·3	2·1	712·3	93·3	10·6	4·5	22·6	35·9	17·5	48·6	5·0	42·5	143·7	12·5	426·7	1,584·5
Aden	...	7,277	85·2	·1	·3	1·0	205·4	112·4	8·8	7·1	33·0	40·1	36·3	40·8	7·0	44·2	85·8	11·4	327·1	1,046·0
RAJPOOTANA, MALWA, SIND, AND ADEN		54,166	24·0	2·6	·3	4·0	589·2	133·7	6·3	5·1	26·9	62·4	43·0	67·2	6·7	52·0	165·3	22·4	402·9	1,614·0
Bombay	...	4,764	39·1	·4	·6	·8	917·3	94·5	2·3	6·5	52·3	68·2	59·4	59·8	9·5	55·0	239·9	12·0	421·7	2,039·3
Asirgarh	...	812	2·4	1·2	565·3	147·8	3·7	4·9	30·8	40·6	39·4	75·1	9·9	56·6	158·9	28·3	415·1	1,580·0
Ahmednagar	...	4,642	...	1·1	1·1	2·4	345·5	74·1	2·2	3·7	16·8	45·2	30·8	45·2	1·9	35·1	194·8	21·5	333·1	1,154·5
Poona and Kirkee	...	20,984	47·9	2·6	1·0	2·2	441·7	175·2	1·0	3·7	28·6	63·8	27·0	59·2	8·0	47·2	210·5	24·8	343·7	1,488·1
Satara	...	1,708	...	1·2	1·2	3·5	522·8	113·6	·6	6·4	18·1	27·5	27·5	56·8	7·6	27·5	319·7	11·1	220·8	1,365·9
Belgaum	...	9,660	...	·1	·1	1·0	257·7	56·4	·5	4·9	16·5	36·3	20·1	45·2	4·9	36·4	233·4	10·8	302·0	1,026·3
Secunderabad	...	23,411	·1	4·7	·3	6·8	86·0	131·0	2·8	4·0	104·4	94·3	68·5	57·2	5·8	46·2	196·9	16·9	415·7	1,241·6
Kamptee	...	10,034	8·0	·9	2·4	1·9	486·5	140·3	6·5	4·8	31·2	51·3	27·5	81·2	7·6	42·1	269·4	23·2	416·6	1,601·4
DECCAN AND NAGPORE		76,075	16·8	2·4	·8	3·4	343·4	129·0	2·4	4·3	51·3	66·1	41·5	59·0	6·6	44·3	220·0	19·1	372·3	1,382·7
Bellary	...	8,609	...	·8	·1	·8	149·5	213·8	1·2	1·6	20·8	47·2	39·5	36·1	4·9	36·4	323·6	27·1	367·8	1,271·2
Bangalore	...	16,078	1·8	·8	·8	6·1	204·9	85·1	·8	5·5	52·8	42·9	47·1	57·6	9·0	50·3	204·4	23·5	448·4	1,241·8
Cannanore	...	6,579	4·7	·5	·2	10·0	10·9	185·6	1·1	4·0	126·6	81·9	100·0	45·3	12·9	40·3	122·8	8·5	477·7	1,233·0
Mallapoorum	...	921	...	2·2	...	3·3	11·9	77·1	14·1	5·4	146·6	59·7	85·8	39·1	13·0	29·3	68·4	3·3	332·2	891·4
Calicut	...	909	1·1	13·2	80·3	5·5	5·5	92·4	58·3	74·8	47·3	13·2	30·8	199·1	6·6	403·8	1,031·9
Trichinopoly	...	2,688	45·4	2·2	·4	·4	89·3	143·6	8·6	4·4	62·1	50·2	71·8	37·2	8·6	36·1	194·9	14·9	525·7	1,295·8
St. Thomas' Mount	...	3,639	34·6	·5	·5	2·2	31·9	120·1	11·3	6·1	77·2	55·5	87·1	49·7	12·4	40·7	216·3	16·5	501·8	1,264·4
Madras	...	6,825	43·2	3·2	...	·3	39·7	116·6	2·3	5·9	34·9	39·9	55·0	76·3	13·0	52·5	225·8	14·4	487·4	1,210·4
SOUTHERN INDIA		46,847	12·9	1·2	·4	4·0	115·8	133·3	2·7	4·6	59·7	50·8	60·1	52·3	9·8	44·3	215·6	18·9	448·9	1,235·3
Rangoon	...	8,145	36·2	·9	·4	2·2	79·1	90·6	1·8	6·7	107·3	58·2	63·5	51·8	5·2	49·0	166·4	9·4	394·7	1,123·4
Toungoo	...	4,299	15·3	1·2	·2	·7	46·5	88·2	4·4	6·5	142·6	90·3	94·7	40·0	9·1	33·5	116·3	9·3	376·8	1,075·6
Thayetmyo	...	6,853	21·6	15·5	·1	1·8	63·2	121·6	5·3	4·1	49·3	79·4	75·6	57·3	4·1	41·7	97·2	13·3	467·7	1,118·8
Port Blair	...	1,199	1·7	1·7	70·1	22·5	1·7	5·0	20·0	24·2	65·1	49·2	4·2	20·8	66·7	5·8	418·6	777·3
BURMAH AND PEGU		20,406	24·8	5·8	·3	1·7	66·4	96·5	3·5	5·7	90·2	70·0	74·2	51·0	5·6	41·7	126·9	10·5	416·8	1,091·6
Mount Aboo	...	1,069	·9	4·7	1,147·8	15·9	2·8	5·6	35·6	66·4	48·6	65·5	4·7	50·5	203·0	27·1	353·6	2,032·7
Purandhar	...	825	3·6	738·2	38·8	3·6	1·2	21·8	54·6	49·7	99·4	20·6	93·3	190·3	17·0	780·6	2,112·7
Wellington	...	4,390	...	·7	...	5·4	150·3	132·8	2·7	4·1	54·2	49·9	57·4	98·2	15·5	80·4	145·6	19·6	496·6	1,313·4
HILL STATIONS AND DEPÔTS		8,178	...	·5	·2	4·4	446·9	118·2	3·2	3·9	46·3	54·8	57·7	82·8	13·0	71·2	180·4	20·3	490·4	1,594·2
Army of Bengal	...	363,431	13·1	5·9	·8	5·3	425·4	181·9	4·0	3·0	33·1	62·4	47·1	84·1	8·2	62·0	208·6	20·1	357·0	1,522·0
Army of Madras	...	110,396	11·5	2·9	·5	3·9	140·2	126·3	3·3	4·6	76·9	61·8	67·2	57·4	9·3	46·4	198·1	17·4	433·7	1,264·4
Army of Bombay	...	103,587	24·5	2·1	·6	3·1	528·5	131·4	4·2	4·7	27·6	60·8	40·9	63·9	7·7	49·5	191·1	21·0	371·9	1,533·5
ARMY OF INDIA		577,416	14·8	4·7	·7	4·6	389·4	162·2	3·9	3·6	40·4	62·6	49·8	75·4	8·3	56·8	203·5	19·8	374·3	1,474·8

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXIX.

TABLE showing the MORTALITY from the CHIEF DISEASES relative to the NUMBER of CASES treated in the Principal MILITARY STATIONS between 1870 and 1879.


STATIONS.		Aggregate of the Average Strength of the Ten Years.	NUMBER OF DEATHS OUT OF EACH HUNDRED CASES TREATED FROM 1870 TO 1879.														
			Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	All other Causes.
Fort William	...	8,719	68.75	28.57	2.94	2.39	.38	3.6850	10.0042
Dum-Dum	...	6,068	60.00	...	71.4367	18.18	25.00	3.49	.46	6.13	12.00	1.12	17.3963
Barrackpore	...	4,056	100.00	100.00	52.6303	.62	33.3324	4.84	7.69	.39	8.3329
BENGAL PROPER		18,914	69.57	50.00	38.46	.03	.43	28.26	5.08	2.64	.33	4.59	5.48	.65	12.2044
Hazaribagh	...	4,697	27.27	130.00	40.58	...	1.09	66.67	...	2.91	...	33.3336	5.6833
Dinapore	...	8,503	66.67	42.86	50.0048	42.42	7.09	4.17	.39	5.1231	8.5138
Benares	...	4,988	59.09	...	58.33	.09	1.88	48.39	...	3.92	...	6.76	16.6725
Fyzabad	...	8,810	61.14	100.00	44.4433	26.67	...	3.83	.18	4.1234	17.7232
Lucknow	...	23,062	66.90	19.23	35.8677	39.22	2.33	3.09	.06	3.59	...	1.04	14.4033
Sitapur	...	5,530	50.00	50.00	47.37	.24	1.01	46.15	...	2.21	...	4.18	...	7.17	28.0035
Fatehgarh	...	2,25852	37.50	6.60	50.00	1.74	11.1149
Cawnpore	...	8,423	75.00	15.38	48.57	.08	.58	37.70	...	3.66	.20	3.82	...	1.04	12.6835
Allahabad	...	9,163	60.47	15.38	39.47	.04	.63	31.51	5.00	3.86	.19	4.6444	15.0033
GANGETIC PROVINCES AND OUDH		76,159	63.96	19.19	41.15	.04	.73	37.10	2.55	3.38	.14	4.50	.33	.66	13.7233
Shahjahanpur	...	3,351	50.00	...	46.67	...	1.90	28.57	...	2.91	2.87	6.2056	24.0039
Bareilly	...	7,788	57.14	11.11	50.0021	25.00	4.17	2.95	...	2.45	1.96	.39	15.3851
Moradabad	...	2,079	50.00	...	42.86	...	1.66	50.00	...	4.35	...	8.2424
Roorkee	...	3,989	63.64	...	28.5744	71.43	...	3.55	.63	4.6784	33.3367
Meerut	...	14,222	71.95	31.25	36.19	.02	.67	29.33	12.28	4.60	.24	6.92	...	1.03	12.61	12.50	.39
Delhi	...	4,495	85.71	5.88	80.00	...	2.26	88.24	...	4.09	...	3.54	1.23	.88	16.6759
Muttra	...	3,846	50.00	33.33	46.1570	31.91	25.00	4.8654	7.6946
ROHILCUND AND MEERUT		39,770	68.91	15.38	42.63	.01	.83	37.87	6.41	3.78	.36	5.40	.68	.80	15.49	6.67	.47
Agra	...	9,896	64.29	6.25	40.91	.07	.89	40.54	7.14	3.75	...	3.9775	23.9134
Morar	...	10,708	76.14	30.77	54.72	.09	.79	36.84	6.67	7.03	.17	5.95	...	1.23	14.0060
Gwalior Fortress	...	3,416	70.59	25.00	33.33	...	1.37	20.00	...	1.55	...	3.6255	25.8176
Jhansi	...	4,136	100.00	...	28.57	...	2.27	33.33	11.11	5.49	...	2.4768	9.0945
Nowgong	...	2,825	100.00	...	62.50	.06	.93	66.67	...	4.08	...	5.11	...	1.60	10.00	14.29	.48
Saugor	...	4,590	57.89	...	50.00	.03	1.03	20.00	12.50	3.28	...	2.83	...	2.15	16.6749
Jubbulpore	...	4,974	83.33	...	40.00	.08	4.02	45.45	...	4.88	.92	6.0655	3.0348
AGRA AND CENTRAL INDIA		40,631	72.38	15.38	46.37	.05	1.10	37.16	5.31	4.72	.15	4.54	...	1.03	15.32	5.88	.50
Umballa	...	13,298	54.76	...	35.80	.03	.19	47.83	4.00	2.47	...	3.09	2.27	.54	17.14	20.00	.35
Jullundur	...	7,075	90.00	50.00	55.17	...	2.12	45.83	10.00	8.51	...	3.63	...	1.92	14.2950
Ferozepore	...	10,400	83.33	...	46.35	.02	.76	39.39	5.48	4.26	...	4.64	...	1.34	13.7062
Mooltan	...	8,109	66.57	...	46.15	.07	1.29	29.79	12.00	3.69	...	2.07	...	1.64	9.7846
Dera Ismail Khan	...	993	100.00	...	25.0033	27.27	...	4.76	1.32	4.0079
Mecan Meer	...	9,291	69.01	20.00	53.06	.03	1.74	38.20	6.38	5.95	.21	4.71	...	1.24	16.0050
Fort Lahore	...	1,130	100.00	...	30.77	.06	1.82	66.67	20.00	4.00	...	7.69	...	1.79	11.1179
Amritsar and Goyindgarh	...	2,532	28.57	...	57.14	...	1.75	42.11	16.67	1.33	...	3.854247
Sialkot	...	10,161	66.67	8.33	62.50	.03	1.35	33.33	16.00	4.01	...	3.12	1.32	1.08	16.4635
Rawalpindi	...	16,145	75.76	9.52	49.33	.03	.72	33.33	...	4.82	.13	3.79	...	1.17	20.2444
Attock	...	1,697	100.00	...	60.00	.05	...	66.67	12.50	2.25	...	1.44	33.3375
Nowshera	...	5,744	71.43	...	46.67	.06	.51	34.33	16.67	4.96	...	4.25	1.79	2.06	13.3335
Peshawar	...	15,274	75.11	15.38	43.56	.05	.31	42.11	6.35	4.83	.10	1.20	...	1.43	16.7949
PUNJAB		112,288	72.55	9.30	48.51	.04	.71	39.93	6.91	4.24	.08	3.36	.38	1.58	15.10	1.64	.48
Darjeeling	...	630	5.26	16.6751
Ranikhet	...	7,845	50.0085	10.56	.54	3.03	...	1.70	12.8266
Chakrata	...	7,153	25.00	...	50.0032	4.08	.45	2.9571	7.5090
Dagshai	...	8,317	66.67	...	42.50	.09	1.15	2.27	...	5.35	6.67	1.40	2.38	33.33	.55
Subathu	...	6,645	69.29	...	29.2746	50.00	7.14	3.37	.50	2.3538	7.2765
Jutogh	...	858	2.27	...	3.45
Dharnasala (9 years)	...	651	80.00	4.76	12.50
Dalhousie (6 years)	...	400	1.61	20.00
Murree Hills	...	5,733	75.61	...	45.00	.09	.83	20.00	16.67	5.00	...	3.10	2.00	.83	3.8545
Cherat (9 years)	...	3,392	50.00	...	41.0773	3.48	...	3.43	...	1.29	2.6369
HILL STATIONS		41,787	68.37	...	35.07	.05	.84	15.00	6.16	5.32	.24	3.32	.98	1.01	7.94	7.69	.57
BENGAL PRESIDENCY		363,431	70.26	15.31	43.39	.04	.86	38.66	5.58	4.13	.19	4.33	.62	1.49	14.64	3.05	.49

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXIX—continued.

TABLE showing the MORTALITY from the CHIEF DISEASES relative to the NUMBER of CASES treated in the Principal MILITARY STATIONS between 1870 and 1879.

STATIONS.		Aggregate of the Average Strength of the Ten Years.	NUMBER OF DEATHS OUT OF EACH HUNDRED CASES TREATED FROM 1870 TO 1879.															
			Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	All other Causes.	
Nusseerabad	...	6,363	92·86	...	67·50	·08	2·51	30·43	2·44	4·24	·42	4·41	...	1·13	13·33	...	·49	
Neemuch	...	4,260	76·39	...	69·57	·02	·76	50·00	12·50	7·62	...	3·39	...	·35	·29	
Indore	...	937	88·89	...	33·33	...	3·33	33·33	10·53	...	·29	
Mhow	...	13,270	66·67	...	55·32	·02	1·20	22·50	2·04	2·45	...	2·72	...	·38	9·64	...	·43	
Deesa	...	7,065	60·00	...	47·62	·07	1·32	38·10	13·04	3·76	·36	3·88	2·56	1·62	22·67	33·33	·50	
Ahmedabad	...	2,735	60·00	50·00	78·57	...	·72	48·57	4·76	2·22	...	6·17	...	1·96	5·56	...	·46	
Kurrachee and Ghizree	...	7,698	66·67	...	60·87	...	·63	56·52	6·06	3·65	·27	4·57	...	·91	40·91	...	·38	
Hyderabad	...	3,764	87·50	...	·85	27·50	1·52	...	1·64	10·53	...	·38	
Aden	...	7,277	100·00	...	28·57	...	·24	39·06	...	4·58	...	6·06	...	2·36	9·80	...	·35	
RAJPOOTANA, MALWA, SIND, AND ADEN			54,166	75·00	11·11	60·65	·03	·92	37·24	4·33	3·64	·18	3·74	·26	1·02	15·66	9·09	·41
Bombay	...	4,764	75·00	·07	1·11	45·45	3·23	2·81	·31	6·36	...	1·05	11·11	...	·44	
Asirgarh	...	812	100·00	...	1·67	33·33	6·25	12·50	...	·19	
Ahmednagar	...	4,642	80·00	...	27·27	...	·87	50·00	5·88	3·85	·48	2·10	·41	
Poona and Kirkee	...	20,984	72·73	4·55	47·83	·02	·33	52·38	3·90	3·33	·37	5·29	...	·64	14·37	18·18	·36	
Satara	...	1,708	...	50·00	50·00	·11	...	100·00	9·09	3·23	...	2·13	...	2·06	7·69	...	·51	
Belgaum	...	9,660	100·00	100·00	80·00	...	·55	40·00	2·13	1·89	·28	7·22	...	1·37	6·38	...	·34	
Secunderabad	...	23,411	50·45	...	40·00	...	·33	49·23	4·26	3·60	...	6·24	...	·52	13·97	...	·33	
Kamptee	...	10,034	55·56	33·33	36·84	...	·99	38·46	2·08	2·56	...	6·52	...	·37	10·53	...	·46	
DECCAN AND NAGPORE			76,075	57·29	17·46	43·19	·02	·50	45·30	3·65	3·33	·16	5·90	...	·65	12·18	11·76	·37
Bellary	...	8,609	42·86	...	42·86	·08	·65	40·00	7·14	1·68	·25	3·24	...	·64	19·05	...	·35	
Bangalore	...	16,678	61·54	7·69	31·68	...	·42	42·86	4·40	1·36	...	4·59	...	·31	10·00	...	·42	
Cannanore	...	6,579	66·67	...	22·73	...	·16	42·86	7·69	2·04	...	4·10	...	1·34	7·06	...	·26	
Malliapooram	...	921	100·00	...	66·67	...	1·41	15·38	...	2·22	...	2·53	·50	
Calicut	...	909	100·00	...	1·37	20·00	...	5·95	...	5·88	·52	
Trichinopoly	...	2,688	66·67	·78	60·87	16·67	1·20	·74	6·74	20·00	2·00	17·39	...	·55	
St. Thomas' Mount	...	3,639	50·00	...	62·50	...	·23	26·83	4·55	4·98	...	5·36	11·11	...	·61	
Madras	...	6,825	72·72	...	50·00	...	·25	68·75	2·50	1·68	...	1·60	...	·38	6·74	...	·36	
SOUTHERN INDIA			46,847	65·45	5·56	31·22	·02	·45	40·63	5·12	2·15	·08	4·12	·73	·53	9·61	...	·31
Rangoon	...	8,145	42·86	33·33	16·67	...	·14	33·33	3·64	3·78	...	3·29	...	·24	7·14	...	·49	
Toungoo	...	4,299	20·00	...	66·67	...	1·06	63·16	7·14	2·77	...	3·19	2·56	...	·47	
Thayetmyo	...	6,853	66·98	...	50·00	...	·24	41·67	10·71	1·18	...	2·70	...	·25	17·86	...	·34	
Port Blair	...	1,199	50·00	...	3·70	50·00	1·28	40·00	...	·33	
BURMAH AND PEGU			20,496	63·56	14·29	34·29	...	·40	45·83	5·98	2·92	...	2·96	...	·19	9·65	...	·43
Mount Aboo	...	1,069	40·00	...	5·88	66·67	16·67	10·53	...	1·92	...	1·43	20·00	...	·89	
Purandhar	...	825	66·67	...	3·13	5·56	...	4·88	...	2·44	
Wellington	...	4,390	33·33	...	41·67	...	·34	25·00	...	1·68	...	3·57	...	1·16	4·41	...	·93	
HILL STATIONS AND DEPÔTS			8,178	50·00	...	50·00	...	·41	26·92	6·25	3·17	·67	3·18	...	1·18	5·66	...	·63
Army of Bengal	...	363,431	70·26	15·31	43·39	·04	·86	38·66	5·58	4·13	·19	4·33	·62	1·49	14·64	3·05	·49	
Army of Madras	...	110,396	58·49	18·18	36·43	·01	·48	43·85	5·09	3·02	·07	4·71	·37	·55	12·62	...	·47	
Army of Bombay	...	103,587	73·27	8·47	56·39	·03	·74	37·59	4·07	3·53	·29	4·18	·16	1·09	14·14	11·36	·43	
ARMY OF INDIA			577,416	69·11	14·71	43·83	·04	·79	39·29	5·10	3·65	·19	4·40	·52	1·29	14·12	4·35	·47



III.—STATISTICS OF INDIVIDUAL STATIONS, 1870-79.

III.—STATISTICS OF INDIVIDUAL STATIONS—FORT WILLIAM, 1870-79.

XL.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying FORT WILLIAM during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	8,766	421	48·1	6	...	2	1	...	1	1
February ...	9,009	426	47·3	4	1	2	1
March ...	8,797	413	46·9	9	...	5	1
April ...	8,836	431	49·1	7	...	1	1	3	1	...
May ...	8,794	447	50·8	9	...	1
June ...	8,822	501	56·8	8	1	1
July ...	8,802	578	65·7	8	...	1	1	1	2
August ...	8,778	575	65·5	13	1	...	1
September ...	8,789	566	64·4	8	...	1	1	...	1	1	1
October ...	8,720	525	60·2	11	1	...	1	2
November ...	7,974	422	52·9	6
December ...	8,554	439	51·3	6	2	...	1	1	...
						11	4	1	7	1	17	...	2	10	10	12	1	18
Died per 1,000 of the Average Strength.																										
For the Ten Years	8,719	479	54·9	94	10·78	1·26	·46	1·1	·80	·11	1·95	...	·23	1·15	1·15	1·38	·11	2·07

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872 and 1878)	7	74	48	29	52	46	10	266	30.5	...
Cholera	5	1	1	1	2	...	2	16	1.8	68.75
Smallpox	...	1	1
Enteric Fever	...	2	4	...	2	2	13	1.5	...
Fever, Intermittent	...	105	59	48	58	68	79	118	80	47	101	147	1,022	117.2	...
Fever, Remittent and Continued	...	52	54	48	74	83	155	291	179	93	82	78	1,452	166.5	...
Apoplexy	3	3	1	4	1	1	14	1.6	28.57
Delirium Tremens	...	2	2	2	2	4	5	2	4	2	2	...	34	3.9	2.94
Dysentery	...	24	13	20	18	25	20	36	35	28	23	22	293	33.6	2.39
Diarrhoea	...	22	12	17	28	14	19	32	29	27	20	14	263	30.2	3.8
Hepatitis	...	31	25	30	32	45	61	51	44	46	43	29	462	53.0	3.68
Spleen disease	...	2	3	1	3	5	4	4	2	4	4	3	35	4.0	...
Respiratory diseases	...	28	43	37	35	29	31	32	45	26	35	24	399	45.8	...
Phthisis Pulmonalis	...	6	3	5	5	7	8	11	13	13	9	10	100	11.5	10.00
Scurvy	1	1	...
Rheumatism	...	36	25	26	34	42	39	43	39	28	32	23	394	45.2	...
Veneral diseases	...	171	158	183	154	133	126	124	123	118	127	111	1,673	191.9	...
Eye diseases	...	8	9	11	12	6	7	7	6	5	6	3	89	10.2	42
Abscess and Ulcer	...	61	62	57	46	59	70	67	82	68	44	42	704	80.7	...
Wounds and Accidents	...	77	70	76	48	48	54	51	54	48	58	46	687	78.8	...
All other Causes	...	99	110	132	132	125	150	176	177	199	187	119	1,729	198.3	...
	728	653	711	759	745	862	1,093	1,080	893	737	636	750	9,647		
Admitted per 1,000 of the Average Strength in each Month.															
	83.1	72.5	80.8	85.9	84.7	97.7	124.2	123.0	101.6	84.5	79.8	87.7	1,106.4		

III.—STATISTICS OF INDIVIDUAL STATIONS—FORT WILLIAM, 1870-79.

XLI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying FORT WILLIAM in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	875	36.1	36.5	50.8	61.4	78.5	82.1	80.0	77.8	72.3	77.0	79.5	76.0	67.4
1871	...	800	66.8	69.2	51.7	53.0	53.3	55.6	62.6	66.0	75.2	60.0	81.1	77.8	62.5
1872	...	828	90.6	99.1	80.2	82.3	81.4	96.1	101.0	103.4	103.8	80.4	80.5	90.0	90.6
1873	...	859	89.9	92.9	62.1	60.1	72.5	80.4	100.6	87.2	83.7	70.5	65.5	58.7	76.8
1874	...	954	33.5	43.0	34.7	51.0	48.9	39.0	50.6	58.9	56.0	58.2	42.4	34.3	46.1
1875	...	922	41.1	33.2	27.3	28.1	34.8	50.3	57.0	61.5	59.5	48.0	34.0	27.0	41.2
1876	...	934	43.6	31.0	44.8	51.2	42.1	47.6	51.1	50.2	49.2	56.0	48.1	62.8	48.2
1877	...	855	46.9	37.0	52.0	37.0	32.4	26.7	35.0	38.4	40.9	44.9	46.6	43.5	39.8
1878	...	941	40.3	35.3	28.8	24.7	17.3	40.0	56.3	50.8	47.4	45.7	43.5	39.6	39.3
1879	...	751	21.3	23.1	40.6	40.4	46.9	48.5	62.1	59.8	55.5	61.3	32.4	34.4	45.3
Ten Years, 1870-79	...	8,719	48.1	47.3	46.9	49.1	50.8	56.8	65.7	65.5	64.4	60.2	52.9	51.3	54.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonals.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	2.3	4.6	413.7	1.1	2.3	75.4	36.6	77.7	10.3	24.0	4.6	37.7	196.6	16.0	85.7	65.1	235.4	1,289.1
1871	7.4	292.6	...	1.3	38.8	38.8	97.5	13.7	45.0	8.7	38.8	206.2	16.2	102.5	70.0	252.5	1,230.0
1872	...	2.4	2.4	543.5	2.4	3.6	71.3	26.6	129.2	6.0	62.8	26.6	73.7	285.0	9.7	82.1	97.8	555.6	1,980.7
1873	...	3.5	...	339.9	...	3.5	48.9	43.1	85.0	...	80.3	33.7	62.9	159.5	7.0	79.2	128.0	279.4	1,353.9
1874	...	1.1	1.1	197.0	1.1	10.5	22.0	33.5	16.8	...	43.0	7.3	52.4	160.4	9.4	67.1	68.1	149.9	840.7
1875	187.6	2.2	6.5	22.8	19.5	27.1	...	40.1	11.9	31.4	155.1	13.0	112.8	69.4	187.7	887.2
1876	...	3.2	...	158.5	4.3	2.1	18.2	16.1	37.5	1.1	57.8	4.3	46.0	225.9	7.5	63.2	61.0	156.3	863.0
1877	...	2.3	...	188.3	1.2	2.3	8.2	14.0	33.9	9.4	43.3	7.0	50.3	193.0	4.7	46.8	79.5	154.4	838.6
1878	...	2.1	...	282.7	2.1	1.1	6.4	29.7	12.8	...	34.0	6.4	21.2	157.3	8.5	109.5	68.0	214.6	956.4
1879	...	1.3	...	266.3	1.3	5.3	30.6	47.9	25.3	1.3	26.6	5.3	40.0	190.4	10.7	54.6	86.6	123.9	917.4
Ten Years, 1870-79	...	1.8	1.5	283.7	1.6	3.9	33.6	30.2	53.0	4.0	45.8	11.5	45.2	191.9	10.2	80.7	78.8	229.0	1106.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths
		a Violent Deaths.	b Diseases.																
1870	2.29	1.14	9.14	12.57	11	2	3	3	2	1
1871	10.00	10.00	8	5
1872	1.21	2.42	10.86	14.49	12	1	3
1873	1.16	1.16	6.99	9.31	8	1	1	2
1874	1.05	3.14	11.53	15.72	15	1	1	...	1
1875	...	3.25	3.25	6.51	6	1
1876	3.21	2.14	5.36	10.71	10	3	1	1	2
1877	1.17	4.68	7.02	12.87	11	1	2
1878	2.13	2.13	5.30	9.56	9	2	1	1
1879	...	1.33	4.00	5.33	4	1	...	1
Ten Years, 1870-79	1.26	2.18	7.34	10.78	94	11	4	1	8	17	...	2	10	10	12	19

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1	2
1871
1872	1	...	1	2
1873	1	3
1874	1	1	1	1
1875
1876	2	...	1	3
1877	1	1	2
1878	1	...	1	2
1879	1	1
Ten Years, 1870-79	2	...	5	1	1	1	2	...	2	2	16

III.—STATISTICS OF INDIVIDUAL STATIONS—DUM-DUM, 1870-79.

XLII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DUM-DUM during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January	...	6,517	282	43·3	10	1	2	1	1	1	2
February	...	6,536	272	41·6	7	1	4
March	...	5,833	217	36·9	6	2	1	2
April	...	5,914	241	40·8	1
May	...	5,831	271	46·5	9	...	1	1	1	2	1
June	...	5,705	253	44·3	4	1	1
July	...	5,781	279	48·3	8	1	2	...	1	1	...	1	2
August	...	5,786	321	55·5	10	1	4	...	1	2	2
September	...	5,782	325	56·2	8	2	...	1	1	2	2
October	...	5,854	319	54·5	13	...	1	2	...	1	2	1	1	3
November	...	6,304	300	45·5	9	3	...	1	1	1	1
December	...	6,637	294	44·3	8	...	1	4	...	1	1	1
						3	...	5	...	9	2	2	8	1	13	3	3	9	12	2	10	1	10	
Died per 1,000 of the Average Strength.																										
For the Ten Years	6,068	281	46·3	93	15·33	·50	...	·82	1·48	·33	·33	1·32	·16	2·14	·50	·50	1·48	1·08	·33	1·65	·16	1·65		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	1			85	98	7	5	1					197	32·5	...
Cholera					1	1				1	1	1	5	·8	60·00
Smallpox															
Enteric Fever		2	1			2			2				7	1·2	71·43
Fever, Intermittent	121	57	31	52	52	51	67	105	88	75	146	181	1,026	169·1	...
Fevers, Remittent and Continued	55	47	67	105	81	81	150	231	131	158	172	56	1,334	219·9	·67
Apoplexy	2		1	2	1	2			1	1	1		11	1·8	18·18
Delirium Tremens	2	1	1	1						1	2		8	1·3	25·00
Dysentery	22	21	14	18	10	12	21	26	19	20	20	26	229	37·7	3·49
Diarrhoea	19	21	4	5	15	13	27	36	16	22	24	17	219	36·1	·46
Hepatitis	18	11	15	9	15	10	15	18	26	29	16	30	212	34·9	6·13
Spleen disease	3	3	2	2	3	2		4	4	1	1		25	4·1	12·00
Respiratory diseases	21	23	19	12	22	16	30	24	17	20	37	27	268	44·2	1·12
Phthisis Pulmonalis	9	3	4	2	3	3	8	6	8	6	11	6	69	11·4	17·39
Scurvy															...
Rheumatism	15	7	8	10	24	16	24	23	19	22	23	24	215	35·4	
Veneral diseases	103	83	101	93	91	67	81	98	77	111	118	93	1,116	183·9	
Eye diseases	1	8	8	5	4	5	3	7	5	4	8	5	63	10·4	
Abscess and Ulcer	51	34	36	34	30	35	47	39	39	35	39	26	445	73·3	·63
Wounds and Accidents	41	32	39	33	45	27	29	32	26	28	26	43	401	66·1	
All other Causes	72	76	54	62	103	74	105	95	108	120	98	90	1,057	174·2	
	556	429	405	530	598	424	612	745	586	654	743	625	6,407		
Admitted per 1,000 of the Average Strength in each Month.															
	85·3	65·6	68·8	89·6	102·6	74·3	105·9	128·8	101·3	111·7	112·7	94·2	1,138·3		

III.—STATISTICS OF INDIVIDUAL STATIONS—DUM-DUM, 1870-79.

XLIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DUM-DUM in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	611	46.9	53.1	58.5	59.0	57.7	59.8	72.1	71.0	73.6	68.8	33.3	30.3	55.7
1871	... "	672	35.8	37.7	27.3	28.9	32.1	39.9	36.1	23.0	26.1	29.3	34.3	44.9	32.7
1872	... "	702	45.1	38.9	21.0	30.8	32.4	36.7	38.6	45.0	40.6	48.6	30.3	32.9	38.5
1873	... "	641	43.3	28.2	23.6	31.7	30.1	30.3	43.5	50.2	48.7	46.1	43.5	37.0	37.4
1874	... "	619	42.2	31.6	22.6	34.6	36.5	46.3	54.1	52.8	54.6	39.4	37.0	37.8	40.4
1875	... "	636	19.4	23.6	27.6	31.5	40.5	37.0	35.1	44.1	45.8	42.0	33.2	33.6	33.0
1876	... "	634	52.4	58.7	47.9	50.2	40.4	34.9	41.7	67.1	58.2	61.0	63.6	69.8	53.6
1877	... "	614	48.6	39.9	34.4	41.9	55.1	50.7	43.8	57.6	67.8	74.5	66.5	64.0	53.7
1878	... "	590	60.2	57.1	45.6	44.6	57.8	59.9	54.8	73.1	78.9	62.2	50.3	42.0	57.6
1879	... "	351	57.8	57.5	86.5	55.7	84.3	60.2	75.5	84.8	81.8	88.0	106.5	78.1	74.1
Ten Years, 1870-79	...	6,068	43.3	41.6	36.9	40.8	46.5	44.3	48.3	55.5	56.2	54.5	45.5	44.3	46.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	1.6	...	204.6	...	3.3	55.7	45.8	44.2	6.6	50.7	4.9	57.3	231.0	19.7	72.0	72.0	147.3	1,019.7
1871	...	3.0	1.5	447.9	4.5	4.5	19.3	25.3	29.8	1.5	40.2	4.5	35.7	135.4	4.5	69.9	96.7	126.4	1,050.6
1872	320.5	5.7	1.4	40.9	38.5	58.4	10.0	66.9	15.7	41.3	123.9	8.5	69.8	121.0	441.6	1,403.1
1873	1.6	104.5	21.8	12.5	53.1	1.6	14.0	17.1	34.3	120.1	9.4	65.5	40.6	132.6	628.7
1874	3.2	229.4	43.6	35.6	22.6	1.6	22.6	14.5	17.8	111.5	11.3	82.4	48.5	135.7	780.3
1875	3.1	199.7	28.3	40.9	9.4	4.7	28.3	6.3	20.5	152.5	6.3	88.0	42.5	106.6	731.1
1876	...	1.6	...	572.5	...	1.6	37.9	55.2	41.0	4.7	56.8	20.5	37.9	224.0	17.3	56.8	53.6	258.7	1,440.1
1877	...	1.6	...	518.0	6.5	...	14.7	23.8	27.7	...	40.7	8.1	30.9	215.0	8.1	71.7	45.6	226.4	1,237.8
1878	688.1	...	1.7	39.0	30.5	13.6	1.7	27.1	10.1	39.0	240.7	6.8	67.8	64.4	178.0	1,408.5
1879	2.8	814.9	91.2	68.4	54.1	11.4	68.4	11.4	42.7	387.5	14.2	102.6	68.4	364.6	2,102.6
Ten Years, 1870-79	...	8	1.2	389.0	1.8	1.3	37.7	36.1	34.9	4.1	44.2	11.4	35.4	183.9	10.4	73.3	66.1	206.7	1,138.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	3.27	14.73	18.00	11	2	3	...	1	...	1	2	2	2
1871	1.49	2.98	14.87	19.34	13	1	...	1	...	1	...	3	2	...	2	2	2
1872	...	2.85	17.09	19.94	14	1	...	2	1	...	2	...	1	1	1
1873	...	1.56	12.48	14.04	9	1	3	1	1	1
1874	...	1.62	19.38	21.00	13	2	2	1	3	2	1	1
1875	...	1.57	12.58	14.15	9	1	1	1	3	...	1	1	1	1
1876	1.58	1.58	14.19	17.35	11	1	1	1	2	5	...	1	1
1877	1.63	1.63	3.25	6.51	4	1	1	...	1
1878	6.73	6.78	4	2	1	1
1879	14.25	14.25	5	1	1	1	...	2
Ten Years, 1870-79	50	1.81	13.02	15.33	93	3	...	5	9	2	2	9	13	3	3	9	12	12	11

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1
1871	1	1	2
1872
1873
1874
1875
1876	1	1
1877	1	1
1878
1879
Ten Years, 1870-79	1	1	1	1	1	5

III.—STATISTICS OF INDIVIDUAL STATIONS—BARRACKPORE, 1870-79.

XLIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BARRACK-
PORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
January	3,314	216	65·2	7	1	1	2	1	1	2
February	3,990	237	59·4	5	1
March	4,234	243	57·4	1	3	1
April	4,277	224	52·4	7	1	1	...	1	2	1	...
May	4,305	254	59·0	7	...	1	3	1	1	1	...
June	4,361	277	63·5	6	1	2	2	1
July	4,411	281	63·7	7	1	...	1	1	...	1	...	1	1	...	1	...
August	4,380	311	71·0	9	3	...	1	1	1	1	...	1	...
September	4,365	309	70·8	8	3	2	...	1	...	1	1	...	1	...
October	4,242	297	70·0	10	2	...	1	4	...	3	1	1	...
November	3,539	289	81·7	11	...	1	3	1	...	4	1	1
December	3,258	230	70·6	7	1	2	1	1	1	1	...
						2	1	10	1	10	7	...	9	1	20	1	1	4	3	1	6	8	
Died per 1,000 of the Average Strength.																											
For the Ten Years	4,056	264	65·1	85	20·96	·49	·25	2·46	2·71	1·72	...	2·22	·25	4·93	·25	·25	·99	·74	·25	1·48	1·97		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	37	163	35	3	2	240	59·2	...	
Cholera	1	1	...	2	·5	100·00	
Smallpox	1	1	·2	100·00	
Enteric Fever	3	2	5	2	1	2	19	4·7	52·63	
Fever, Intermittent	140	75	66	74	58	56	47	57	70	136	229	230	1,238	305·2	·08	
Fever, Remittent and Continued	40	49	84	113	189	283	156	135	121	172	173	89	1,604	395·5	·62	
Apoplexy	1	5	5	3	...	1	1	2	1	1	21	5·2	33·33	
Delirium Tremens	4	...	1	1	...	2	3	2	2	...	15	3·7	...	
Dysentery	29	23	17	27	35	26	43	51	42	43	22	28	386	95·2	2·33	
Diarrhea	28	11	23	20	32	23	63	63	54	46	30	23	416	102·6	·24	
Hepatitis	33	34	30	20	31	44	41	55	30	38	34	23	413	101·8	4·84	
Spleen disease	1	1	1	1	4	2	...	3	13	3·2	7·69	
Respiratory diseases	20	28	27	9	23	19	24	...	17	10	24	27	254	62·6	·39	
Phthisis Pulmonalis	2	1	3	3	5	5	7	2	4	1	2	1	36	8·9	8·33	
Scurvy	
Rheumatism	8	19	24	19	23	24	29	18	22	17	15	9	227	56·0	...	
Veneral diseases	62	93	107	61	77	50	72	83	52	71	47	49	824	203·1	...	
Eye diseases	3	8	8	5	9	4	4	4	4	7	9	11	76	18·7	...	
Abscess and Ulcer	26	23	50	40	37	35	47	53	38	34	26	18	427	105·3	...	
Wounds and Accidents	41	67	63	68	61	56	61	62	50	51	43	46	669	164·9	...	
All other Causes	49	71	117	114	101	101	152	162	149	126	89	46	1,277	314·8	...	
Admitted per 1,000 of the Average Strength in each Month.																
146·7	126·3	147·4	144·0	197·9	175·6	170·5	177·6	152·6	179·2	211·4	186·0	2,011·3				

III.—STATISTICS OF INDIVIDUAL STATIONS—BARRACKPORE, 1870-79.

XLV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BARRACKPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	442	53.6	54.1	57.9	41.9	43.8	51.1	53.2	59.2	51.0	54.4	39.0	45.0	49.8
1871	"	504	42.7	49.0	48.7	49.3	47.5	50.1	53.8	63.3	61.9	61.5	63.5	33.0	51.6
1872	"	444	43.6	45.2	52.6	46.6	92.3	73.7	60.7	60.0	58.0	43.9	57.0	52.9	56.3
1873	"	400	48.1	53.4	48.7	52.4	59.3	57.5	46.6	56.1	56.4	39.1	45.1	45.2	50.0
1874	"	434	32.5	13.5	49.7	59.0	67.6	105.4	100.4	102.5	97.1	94.2	95.9	85.0	82.9
1875	"	420	78.6	72.1	67.6	44.6	39.9	48.9	73.8	89.9	76.9	71.1	97.0	91.7	69.0
1876	"	440	97.5	75.2	72.8	52.5	47.6	47.6	67.6	82.6	88.2	114.8	115.6	80.1	77.3
1877	"	398	62.1	48.4	43.6	70.6	71.8	82.7	69.3	52.8	74.3	85.0	128.4	105.3	70.4
1878	"	367	74.3	85.0	80.2	61.8	40.1	49.9	38.9	57.6	61.6	58.0	123.1	120.6	68.1
1879	"	206	136.4	76.9	51.1	41.3	100.9	65.1	74.4	95.7	96.2	93.6	111.1	77.3	82.5
Ten Years, 1870-79	...	4,056	62.5	59.4	57.4	52.4	59.0	63.5	63.7	71.0	70.8	70.0	81.7	70.6	65.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	226.2	11.3	...	79.2	58.8	99.5	...	34.0	2.3	54.3	221.7	18.1	74.7	128.9	176.5	1,185.5
1871	373.0	2.0	...	97.2	159.8	202.4	4.0	27.8	4.0	75.4	99.2	9.9	85.3	184.5	386.9	1,706.4
1872	409.9	13.5	...	65.3	166.7	130.6	4.5	51.8	33.8	78.8	108.1	29.3	83.3	177.9	855.9	2,211.7
1873	510.0	7.5	...	115.0	95.0	140.0	7.5	52.5	10.0	50.0	147.5	10.0	82.5	180.0	355.0	1,767.5
1874	16.1	93.2	6.9	2.3	165.9	133.3	...	80.6	18.4	66.8	198.2	9.2	161.3	149.8	258.0	2,283.4
1875	11.9	578.6	2.4	2.4	71.4	107.1	...	81.0	4.7	26.2	273.8	28.6	176.2	157.1	250.0	1,878.6
1876	1,263.6	...	2.3	138.6	118.2	84.1	2.3	138.6	6.8	20.5	159.1	15.9	95.5	172.7	372.7	2,604.6
1877	1,012.6	5.0	...	12.5	67.8	52.8	...	60.3	...	62.8	231.4	20.1	60.3	133.2	324.2	2,138.2
1878	899.2	8.2	70.8	49.0	8.2	30.0	2.7	73.6	275.2	19.1	103.5	147.2	291.5	2,046.3
1879	1,121.4	...	4.9	53.4	29.1	43.7	4.9	77.7	...	43.7	412.6	38.8	60.2	262.1	551.4	2,703.9
Ten Years, 1870-79	...	5	4.7	700.7	5.2	3.7	95.2	102.6	3.2	62.6	8.9	56.0	203.1	18.7	105.3	164.9	374.2	2,011.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	22.62	22.62	10	...	1	...	1	1	3	
1871	...	3.97	27.78	31.75	16	1	1	1	...	
1872	...	2.25	18.02	22.52	10	1	1	...	1	1	1	...	
1873	...	2.50	22.50	25.00	10	1	1	
1874	27.65	27.65	12	4	...	3	...	3	
1875	...	2.38	16.67	19.05	8	1	1	1	
1876	...	2.27	13.61	18.18	8	1	2	1	
1877	5.03	5.03	2	1	1	...	
1878	...	2.72	10.90	13.62	5	1	2	1	1	
1879	...	4.85	14.57	19.42	4	2	1	1	
Ten Years, 1870-79	...	4.9	1.97	18.50	85	2	1	10	11	7	...	10	20	1	1	4	3	8	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	...	1
1874
1875
1876	1	1
1877
1878
1879
Ten Years, 1870-79	1	1	...	2

III.—STATISTICS OF INDIVIDUAL STATIONS—HAZARIBAGH, 1870-79.

XLVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying HAZARIBAGH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Small-pox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.
January ...	4,939	233	47·2	5		1	1	1	1	...	1	
February ...	4,866	238	48·9	2		1		
March ...	4,868	229	47·0	3		1	1	1		
April ...	4,921	245	49·8	5		3	...	1	1		
May ...	4,915	239	48·6	7		1	...	1	...	2	1	1		
June ...	4,907	231	47·1	3		2	...	1		
July ...	4,892	249	50·9	15		6	...	7	1	1	...		
August ...	4,877	261	53·5	13		6	...	2	1	1	...	2	1	...		
September ...	4,862	246	50·6	7		4	1	2		
October ...	4,837	226	46·7	4		2	1	1		
November ...	3,287	147	44·7	4		1	...	2		
December ...	4,193	163	38·9	7		...	1	2	2	...	1	1	...		
						6	1	28	...	7	2	...	3	...	6	...	1	2	5	7	1	6
Died per 1,000 of the Average Strength.																									
For the Ten Years	4,697	226	48·1	75	15·97	1·28	·21	5·96	1·49	·43	...	·64	...	1·28	...	·21	·43	1·06	1·40	·21	1·28	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HÔSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.					
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fever, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
	429	374	417	478	432	388	490	506	565	512	286	338	5,215				
Admitted per 1,000 of the Average Strength in each Month.																	
	86.9	76.9	85.7	97.1	87.9	79.1	100.2	103.8	116.2	105.9	87.0	80.6	1,110.3				

III.—STATISTICS OF INDIVIDUAL STATIONS—HAZARIBAGH, 1870-79.

XLVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying HAZARIBAGH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	842	29.5	25.9	26.2	27.2	28.4	29.6	34.4	37.0	37.2	38.7	...	33.7	32.1
1871	...	887	59.8	65.4	64.9	84.1	71.9	66.4	62.5	55.9	48.1	49.3	64.3	54.0	60.9
1872	...	879	56.6	55.8	51.9	45.3	42.0	45.5	43.2	43.2	48.9	42.1	37.6	31.9	45.5
1873	...	877	37.9	42.3	42.2	38.6	34.1	34.1	39.8	50.1	43.3	42.1	...	38.0	39.9
1874	...	878	59.0	53.2	56.8	60.0	66.8	73.7	77.6	80.3	75.1	55.7	35.0	...	62.6
1875	...	117	9.2	27.5	18.4	9.2	36.7	27.5	36.7	55.1	36.7	46.3	16.2	16.0	25.6
1876	...	101	48.1	57.7	39.6	39.6	29.7	19.8	29.7	49.5	59.4	69.3	50.0	39.2	49.5
1877	...	104	29.4	58.8	58.8	58.8	68.0	48.5	48.5	48.5	58.3	38.8	9.2	36.4	48.1
1878	...	107	45.5	45.5	18.2	36.4	63.6	45.9	45.9	45.9	51.0	81.6	61.2	46.7	46.7
1879	...	110	28.6	53.6	35.7	44.6	35.7	53.6	62.5	72.1	54.1	72.7	65.4	54.5	54.5
Ten Years, 1870-79		4,697	47.2	48.9	47.0	49.8	48.6	47.1	50.9	53.5	50.6	46.7	44.7	38.9	48.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.															
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	
1870	24.9	3.6	256.5	...	3.6	32.1	39.2	21.4	...	41.6	15.4	29.7	172.2	26.1	877.7
1871	1.1	21.4	337.1	1.1	2.3	25.9	50.7	27.1	...	75.5	39.4	38.4	384.5	75.5	1,334.4
1872	...	8.0	238.9	1.1	...	26.2	33.0	70.5	4.5	53.5	26.2	37.5	211.2	87.6	1,118.3
1873	...	5.7	182.4	9.1	18.2	49.9	3.4	52.5	17.1	27.4	163.1	83.2	896.2
1874	...	39.9	220.9	...	1.1	23.9	39.9	26.2	2.3	80.9	6.8	26.2	184.5	93.4	1,088.9
1875	256.4	8.5	8.5	...	17.1	17.1	17.1	136.8	17.1	641.0
1876	435.7	19.3	79.2	...	9.9	9.9	59.4	108.9	...	1,108.9
1877	211.5	48.1	28.3	...	9.6	...	28.3	221.2	9.6	903.8
1878	271.0	9.4	9.4	9.4	37.4	18.7	...	28.0	...	46.7	186.9	28.0	1,018.7
1879	454.5	18.2	9.1	...	27.3	9.1	27.3	200.0	9.1	1,109.1
Ten Years, 1870-79	4.7	14.7	267.6	.6	1.5	21.9	37.9	38.3	1.9	59.0	18.8	33.7	233.5	70.1	1,110.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Heart dis- cases.	Phthisis Pul- monals.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	7.13	...	11.87	19.00	16	6	...	2	2	1
1871	1.13	15.78	16.91	15	4	3	1	3	...	1
1872	6.83	6.83	6	2	1	1
1873	1.14	5.70	6.84	6
1874	5.70	29.61	35.31	31	...	1	18	3	...	1	1	5
1875
1876	9.90	9.90	1	1
1877
1878
1879
Ten Years, 1870-79	...	1.28	1.49	13.20	15.97	75	6	1	28	7	2	...	3	6	...	1	2	5	7

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.													
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH DURING THE TEN YEARS.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	18	2	...	1	21
1871	1	1
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	19	2	...	1	22

III.—STATISTICS OF INDIVIDUAL STATIONS—DINAPORE, 1870-79.

XLVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DINAPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
January	...	8,319	488	58·7	11	1	...	6	...	1	1	1	1
February	...	8,626	542	62·8	8	1	1	...	2	1	1	1
March	...	8,773	528	60·2	16	2	2	...	3	...	1	1	...	3
April	...	8,642	527	61·0	11	3	1	2	1	2	...	1	1	1	...	1
May	...	8,683	597	68·8	17	...	2	3	3	2	...	1	2
June	...	8,655	603	69·7	15	3	...	1	3	1	...	1
July	...	8,632	624	72·3	19	4	2	...	2	1
August	...	8,618	640	74·3	17	2	3	...	4	...	3	...	1	1	3
September	...	8,595	609	70·9	16	1	...	1	1	...	4	3	...	3	...	1	1
October	...	8,375	573	68·4	15	2	2	3	1	3	...	3	...	1	2
November	...	8,088	509	62·9	16	...	5	1	1	1	5	...	4	...	2	1
December	...	8,027	476	59·3	10	...	1	1	2	3	...	3	...	2	1
						18	3	16	...	5	14	3	21	3	37	...	2	12	4	13	...	20
Died per 1,000 of the Average Strength.																									
For the Ten Years	8,503	560	65·9	171	20·11	2·12	·35	1·88	·59	1·65	·35	2·47	·35	4·35	...	·24	1·41	·47	1·53	...	2·35

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	3	179	190	43	19	1	...	435	51·2	...
Cholera	4	5	3	6	...	27	3·2	66·67
Smallpox	1	7	·8	42·86
Enteric Fever	1	32	3·7	50·00
Fever, Intermittent
Fevers, Remittent and Continued	94	105	170	222	213	187	173	121	106	170	163	125	1,849	217·5	...
Apoplexy	27	26	55	140	93	99	112	79	137	161	90	30	1,049	123·4	...
Delirium Tremens	33	3·9	42·42
Dysentery	39	4·6	7·69
Diarrhoea	57	31	46	31	53	41	58	56	29	41	29	31	503	59·2	4·17
Hepatitis	52	32	73	92	94	75	89	81	60	41	47	41	777	91·4	·39
Spleen disease	57	47	60	42	67	60	76	86	76	49	60	42	722	84·9	5·12
Respiratory diseases	1	4	5	...	3	3	5	1	7	7	5	1	42	4·9	...
Phthisis Pulmonalis	63	53	69	47	52	34	70	46	64	58	54	45	655	77·0	·31
Scurvy	4	2	2	5	3	3	3	2	5	7	5	6	47	5·5	8·51
Rheumatism	5	·6	...
Veneral diseases	62	50	39	34	45	52	72	66	47	42	27	28	564	66·3	...
Eye diseases	200	210	219	204	200	164	157	163	161	165	153	180	2,176	255·9	...
Abscess and Ulcer	22	13	23	17	23	33	38	46	18	24	13	14	284	33·4	...
Wounds and Accidents	51	56	68	54	69	89	95	78	67	76	39	42	784	92·2	...
All other Causes	43	45	71	59	57	54	48	36	37	47	45	57	599	70·4	...
	111	133	146	111	148	172	179	169	195	150	142	127	1,783	209·7	...
Admitted per 1,000 of the Average Strength in each Month.															
	101·8	94·5	120·5	124·4	131·8	126·3	153·6	142·3	123·9	126·8	109·2	96·7	1,459·7		...

III.—STATISTICS OF INDIVIDUAL STATIONS—DINAPORE, 1870-79.

XLIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DINAPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	849	51.3	55.7	43.0	54.1	62.6	59.1	55.6	54.6	59.6	50.8	44.7	55.0	54.2
1871	...	881	73.0	74.9	61.0	49.3	64.9	74.2	73.3	78.0	72.4	73.6	54.7	63.9	67.0
1872	...	829	57.1	66.0	58.1	58.0	77.5	84.7	102.3	120.7	88.2	77.6	54.6	51.7	74.8
1873	...	728	47.2	64.6	57.4	53.3	51.0	59.0	58.2	62.3	58.5	38.6	36.6	27.6	53.6
1874	...	929	59.5	37.0	57.4	78.9	92.7	84.5	83.7	85.7	67.1	68.2	77.2	70.9	73.2
1875	...	922	59.9	64.4	62.2	66.9	56.2	57.4	69.0	61.6	58.4	67.4	64.6	52.2	61.8
1876	...	874	48.1	65.1	91.0	71.6	74.5	79.5	70.3	56.2	70.3	72.8	70.7	49.8	68.6
1877	...	826	55.9	64.0	48.4	38.9	50.2	59.1	51.8	54.4	60.9	51.9	42.8	58.8	53.3
1878	...	830	75.3	75.7	64.0	71.1	83.0	82.0	87.0	82.2	92.0	91.0	78.8	66.9	79.5
1879	...	835	63.1	55.2	57.2	62.3	70.0	54.9	69.1	85.7	82.5	85.5	85.3	75.1	70.7
Ten Years, 1870-79	...	8,503	58.7	62.8	60.2	61.0	68.8	69.7	72.3	74.3	70.9	68.4	62.9	59.3	65.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- cases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	4.7	1.2	188.4	9.4	11.7	83.7	83.7	113.1	7.1	63.6	2.4	102.5	253.2	24.7	62.4	38.9	147.2	1,197.9	
1871	7.9	1.1	121.5	1.1	...	67.0	69.2	115.8	2.3	61.3	2.3	60.2	320.1	48.8	84.0	52.2	129.4	1,144.2	
1872	2.4	2.4	247.3	1.2	1.2	78.4	137.5	82.0	7.2	65.1	7.2	78.4	182.2	42.2	85.7	70.0	779.3	1,875.7	
1873	4.1	5.5	388.7	4.1	2.7	46.7	34.3	52.2	13.8	44.0	2.7	49.4	195.1	22.0	72.8	63.2	195.1	1,196.4	
1874	4.3	9.7	849.7	3.2	7.5	58.1	104.4	79.7	5.4	82.9	2.2	47.3	265.9	56.0	107.6	86.1	221.8	1,982.8	
1875	...	6.4	275.5	4.3	1.1	65.1	107.4	61.8	2.2	93.3	10.8	41.2	273.3	38.0	106.3	73.8	158.3	1,317.8	
1876	6.9	2.3	310.1	2.3	6.9	67.5	50.3	129.3	1.1	122.4	6.9	50.4	296.3	30.9	113.3	76.6	243.7	1,517.2	
1877	...	3.6	207.1	4.8	4.8	49.6	102.9	72.6	6.1	61.7	7.3	65.4	261.5	20.6	110.2	79.9	187.6	1,245.7	
1878	...	1.2	3.6	416.9	4.8	3.6	43.4	116.9	101.2	4.8	89.2	8.4	107.2	234.9	21.7	83.1	84.4	303.6	1,628.9
1879	...	2.4	383.2	3.6	6.0	28.7	100.6	35.9	1.2	79.0	4.8	64.7	259.9	24.0	91.0	71.9	276.6	1,433.5	
Ten Years, 1870-79	...	3.2	3.7	340.9	3.9	4.6	59.2	91.4	84.9	4.9	77.0	5.5	66.3	255.9	33.4	92.2	70.4	262.3	1,459.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monals.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	3.53	3.53	24.74	31.80	27	3	...	1	1	3	...	4	8	1	2	3	
1871	5.68	3.41	17.02	26.11	23	5	...	1	...	1	...	4	8	...	1	3	
1872	2.41	2.41	16.89	21.71	18	2	2	...	1	4	4	...	1	2	
1873	1.37	2.75	17.86	21.98	16	1	...	1	1	2	2	...	5	2	
1874	3.23	3.23	22.60	29.06	27	3	...	6	2	2	1	4	5	1	3	
1875	...	3.25	9.77	13.02	12	2	3	...	1	3	
1876	3.43	1.14	13.74	18.31	16	3	1	...	2	3	...	2	...	3	1	
1877	...	2.42	14.53	16.95	14	2	...	1	1	3	1	...	2	1	1	2	
1878	1.20	...	6.03	7.23	6	1	1	1	
1879	...	1.20	13.17	14.37	12	...	1	1	...	2	1	2	2	2	1	
Ten Years, 1870-79	2.12	2.35	15.64	20.11	171	18	3	16	5	14	3	24	37	...	2	12	4	20	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	3	4
1871	6	1	7
1872	1	2
1873	1	...	2	3
1874	2	4
1875
1876	6	6
1877
1878	1	1
1879
Ten Years, 1870-79	7	...	4	5	3	6	2	27

III.—STATISTICS OF INDIVIDUAL STATIONS—BENARES, 1870-79.

L.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BENARES during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.	
January ...	5,224	333	63·7	4	1	1	2
February ...	4,855	331	68·2	1	1
March ...	5,166	329	63·7	6	...	1	1
April ...	5,051	326	64·5	10	...	2	2	1	...	1	1
May ...	5,030	349	69·4	11	...	3	1	2
June ...	5,022	382	76·1	9	1	7
July ...	4,988	373	74·8	13	...	1	...	1	3	...	1
August ...	4,980	409	82·1	14	...	4	...	2	...	3	1
September ...	4,972	425	85·5	11	...	2	...	2	1	3	2	...	1
October ...	4,921	414	84·1	7	1	...	1	1	...	1	...	1
November ...	4,699	331	70·4	5	1	...	1	1
December ...	4,949	297	60·0	10	1	1	3	1	1	2
						13	...	7	1	11	15	...	6	...	19	6	6	5	1	11	
Died per 1,000 of the Average Strength.																										
For the Ten Years	4,988	358	71·8	101	20·25	2·61	...	1·40	2·41	3·01	...	1·20	...	3·81	1·20	1·20	1·00	·20	2·21		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	6	2	22	25	42	14	111	22·3	...
Cholera	1	3	6	...	10	1	22	4·4	59·09
Smallpox	1	2	3	·6	...
Enteric Fever	3	3	2	1	2	12	2·4	58·33
Fever, Intermittent	...	43	41	57	51	90	118	111	107	111	115	67	1,072	214·9	·09
Fevers, Remittent and Continued	...	17	22	22	53	52	69	78	95	88	35	33	586	117·5	1·88
Apoplexy	2	5	15	7	1	1	31	6·2
Delirium Tremens	...	3	2	2	2	1	...	2	1	...	4	3	1	23	4·6
Dysentery	...	6	6	8	11	9	10	12	24	27	21	12	7	153	30·7
Diarrhoea	...	17	18	33	27	39	16	48	50	43	18	20	16	345	69·2
Hepatitis	...	16	16	9	11	34	22	23	30	45	42	18	15	281	56·3
Spleen disease	...	1	2	2	...	1	2	1	...	9	1·8
Respiratory diseases	...	41	23	30	22	28	11	21	22	26	17	32	43	316	63·4
Phthisis Pulmonalis	3	1	4	4	5	5	2	3	3	5	1	36	7·2
Scurvy	1	1	2	...
Rheumatism	...	29	18	29	23	16	24	19	23	20	25	27	13	266	53·3
Veneral diseases	...	194	212	197	179	208	159	200	158	153	174	117	170	2,121	425·2
Eye diseases	...	6	1	15	7	7	8	15	13	9	9	7	8	105	21·1
Abscess and Ulcer	...	65	51	56	50	54	72	107	70	71	54	63	47	760	152·4
Wounds and Accidents	...	43	39	49	63	41	46	43	33	25	36	39	63	520	104·2
All other Causes	...	64	65	47	77	70	67	94	87	89	82	69	62	873	175·0
Admitted per 1,000 of the Average Strength in each Month.															

III.—STATISTICS OF INDIVIDUAL STATIONS—BENARES, 1870-79.

II.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BENARES in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	524	71.9	57.8	47.4	53.8	52.0	58.4	54.8	61.1	81.6	82.0	32.4	51.2	59.2
1871	...	514	69.6	61.7	63.2	41.6	45.6	53.6	53.6	68.4	62.9	55.8	42.5	53.0	56.4
1872	...	493	38.8	60.5	50.2	56.9	61.1	61.1	57.3	65.4	79.9	81.8	60.8	49.1	60.9
1873	...	474	59.4	51.2	61.1	49.2	47.2	63.0	57.1	53.6	49.6	61.8	60.4	48.1	54.9
1874	...	478	17.2	51.7	55.4	81.0	71.0	79.4	87.3	103.2	95.6	75.2	56.2	46.9	71.1
1875	...	511	68.8	85.5	87.6	97.3	84.1	94.3	92.7	101.0	118.8	106.9	89.2	50.8	90.0
1876	...	477	59.8	72.3	78.2	69.3	90.5	95.1	97.5	86.9	91.1	129.4	100.9	88.4	88.1
1877	...	526	87.2	73.3	66.1	72.2	88.3	94.2	87.0	89.5	87.8	80.3	90.9	77.1	81.7
1878	...	507	81.7	82.9	59.2	44.4	62.8	62.9	67.3	74.5	86.2	63.3	75.8	49.2	67.1
1879	...	484	63.9	78.2	67.9	78.0	90.2	97.7	93.3	115.7	100.6	109.7	101.3	89.5	90.9
Ten Years, 1870-79	...	4,988	63.7	68.2	63.7	64.5	69.4	76.1	74.8	82.1	85.5	84.1	70.4	60.0	71.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	318.7	3.8	9.5	40.1	38.2	78.2	3.8	43.9	...	89.7	345.4	42.0	135.5	78.3	150.8	1,377.9	
1871	...	5.8	184.8	3.9	2.0	29.2	81.7	70.0	2.0	85.6	2.0	58.4	321.0	38.9	95.3	95.3	186.7	1,262.6	
1872	...	6.1	204.9	6.1	2.0	30.4	64.9	99.4	4.1	109.5	...	38.5	306.3	22.3	119.7	109.5	342.8	1,466.5	
1873	...	14.8	2.1	94.9	4.2	4.2	33.8	44.3	46.4	69.6	2.1	40.1	293.2	12.7	139.3	107.6	179.3	1,083.6	
1874	6.3	349.3	8.4	12.5	52.3	144.4	50.2	29.3	8.4	50.2	418.4	20.9	165.3	113.0	148.5	1,577.4	
1875	3.9	236.8	7.8	2.0	41.1	52.9	66.5	50.9	19.6	66.5	418.8	15.7	138.9	84.1	195.7	1,401.2	
1876	4.2	184.5	4.2	...	21.0	33.5	54.5	2.1	65.0	6.3	593.3	10.5	169.8	100.6	176.1	1,475.9	
1877	...	11.4	1.9	612.2	13.3	1.9	11.4	102.7	17.1	1.9	49.4	5.7	45.6	597.0	19.0	254.7	95.1	199.6	2,039.9
1878	...	2.0	2.0	303.7	2.0	2.0	19.7	53.3	23.7	...	84.8	5.9	23.7	412.2	7.9	151.8	114.4	179.5	1,388.6
1879	...	4.1	4.1	822.3	8.3	10.3	28.9	76.4	57.8	4.1	45.4	22.7	68.2	547.5	18.6	150.8	148.8	225.5	2,243.8
Ten Years, 1870-79	...	4.4	2.4	332.4	6.2	4.6	30.7	69.2	56.3	1.8	63.4	7.2	53.3	425.2	21.1	152.4	104.2	198.3	1,533.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.	Cholera.		Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	1.91	13.36	15.27	8	3	1	3	1	
1871	...	5.84	1.95	19.45	27.24	14	3	3	2	2	1	1	
1872	...	4.06	6.08	6.09	16.23	8	2	1	3	
1873	...	4.22	...	8.44	12.66	6	2	...	1	1	
1874	2.09	23.01	25.10	12	1	1	...	2	1	...	
1875	3.91	23.49	27.40	14	1	3	5	
1876	8.39	8.39	4	1	1	1	
1877	...	7.60	...	19.02	26.62	14	4	2	
1878	...	1.97	3.94	9.87	15.78	8	1	...	1	...	1	...	2	1	
1879	...	2.07	4.13	20.66	26.86	13	1	4	1	...	1	2	1	
Ten Years, 1870-79	...	2.61	2.41	15.23	20.25	101	13	...	7	12	15	...	6	19	6	6	12	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871	1	1	1	3
1872	3	3
1873	1	6	7
1874
1875
1876
1877	1	...	3	...	2	6
1878	1	1
1879	2	2
Ten Years, 1870-79	1	3	6	...	1	10	1	22

II.—STATISTICS OF INDIVIDUAL STATIONS—FYZABAD, 1870-79.

LII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying FYZABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Average Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
January	...	8,133	477	58·6	7	4	1	3	...	1	1
February	...	9,219	579	62·8	8	1
March	...	9,324	609	65·3	6	2	1	...
April	...	8,941	546	61·1	15	...	3	1	3	1	1	2	1	...
May	...	8,915	555	62·3	22	...	6	...	8	...	2	...	1	1	...	1
June	...	8,881	578	65·1	17	7	2	3	1	2
July	...	8,864	582	65·7	7	3	1	1
August	...	8,846	591	66·8	21	...	12	...	2	1	1	...	1	1	1	1
September	...	8,780	563	64·1	82	...	70	...	2	...	1	...	2	...	2	1	3	1
October	...	8,537	523	61·3	11	...	2	...	2	1	...	4	1	...
November	...	8,239	471	57·2	14	3	4	...	1	1	2	1	...
December	...	9,036	485	53·7	10	2	...	1	...	1	1	1	...	3	...
						93	1	36	...	5	8	...	13	1	16	...	2	10	14	11	2	8	
Died per 1,000 of the Average Strength.																										
For the Ten Years	8,810	547	62·1	220	24·97	10·56	11	4·08	5·7	9·1	...	1·47	11	1·82	...	2·3	1·13	1·59	1·25	2·3	9·1		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	1	...	1	1	24	71	69	167	19·0	...
Cholera	7	5	1	...	22	104	5	1	...	145	16·5	64·14
Smallpox	1	1	1	100·00
Enteric Fever	14	4	...	10	18	8	3	1	9	5	4	5	81	9·2	44·44
Fever, Intermittent	21	47	42	67	66	61	71	78	57	108	93	39	750	85·1	...
Fevers, Remittent and Continued	35	57	99	213	221	191	156	127	133	95	97	75	1,499	170·1	33
Apoplexy	1	...	3	14	7	3	...	1	1	...	30	3·4	26·67
Delirium Tremens	1	3	1	2	3	...	3	2	3	2	20	2·3	...
Dysentery	14	17	28	33	33	20	28	34	36	37	23	36	339	38·5	3·83
Diarrhoea	34	23	50	42	30	18	35	80	74	39	54	78	557	63·2	18
Hepatitis	19	40	25	24	34	48	39	26	37	37	30	29	388	44·0	4·12
Spleen disease	1	...	1	...	1	3	1	2	1	...	10	1·1	...
Respiratory diseases	63	60	66	61	39	41	42	49	35	42	48	51	597	67·8	34
Phthisis Pulmonalis	8	6	5	8	3	2	8	6	3	13	8	9	79	9·0	17·72
Scurvy	2	1	...	2	2	...	7	8	...
Rheumatism	40	32	44	36	43	36	32	55	38	34	42	32	464	52·7	...
Veneral diseases	250	313	313	230	240	219	224	208	163	206	198	212	2,776	315·1	...
Eye diseases	11	8	16	27	23	22	26	44	26	19	15	7	244	27·7	...
Abscess and Ulcer	52	50	58	58	70	83	95	80	60	58	40	45	758	86·0	...
Wounds and Accidents	41	53	62	57	57	52	58	49	50	51	51	73	654	74·2	...
All other Causes	121	175	195	142	166	183	211	182	246	173	120	124	2,038	231·3	...
	725	888	1,008	1,017	1,058	1,003	1,039	1,048	1,072	949	911	886	11,604		
Admitted per 1,000 of the Average Strength in each Month.															
	89·1	96·3	108·1	113·7	118·7	112·9	117·2	118·5	122·1	111·2	110·6	98·1	1,317·1		

III.—STATISTICS OF INDIVIDUAL STATIONS—FYZABAD, 1870-79.

LIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying FYZABAD
in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	797	44.1	45.1	51.1	50.2	44.9	61.2	64.6	59.0	61.6	58.5	40.2	26.8	51.4
1871	...	930	31.7	47.5	59.5	63.5	71.1	78.6	76.6	67.2	64.0	50.2	39.3	40.8	58.1
1872	...	966	47.0	34.8	38.1	49.4	64.9	66.0	52.8	51.8	35.7	43.6	57.5	51.7	49.7
1873	...	919	51.1	73.7	104.6	91.4	84.2	73.3	64.6	55.9	59.3	47.1	58.1	47.0	67.5
1874	...	982	49.8	46.1	70.7	65.1	60.0	56.1	84.9	87.0	67.6	62.8	48.9	48.5	62.1
1875	...	1,055	62.9	82.5	72.4	55.2	53.2	46.2	46.3	65.8	89.9	74.8	40.4	50.6	61.6
1876	...	980	75.6	88.7	69.9	60.9	51.9	84.0	79.1	69.1	69.4	62.6	69.4	59.3	70.4
1877	...	945	67.5	65.3	54.8	42.9	53.7	57.8	56.9	66.5	70.0	43.5	69.2	75.2	60.3
1878	...	806	75.1	67.3	52.6	58.0	60.2	53.6	70.5	73.1	52.9	111.3	113.5	100.7	69.5
1879	...	430	70.5	84.9	93.2	85.3	81.7	85.2	53.5	77.7	74.9	85.8	78.4	63.6	76.7
Ten Years, 1870-79	...	8,810	58.6	62.8	65.3	61.1	62.3	65.1	65.7	66.8	64.1	61.3	57.2	53.7	62.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	13.8	8.8	331.2	...	8.8	69.0	28.9	77.8	2.5	32.6	7.5	42.7	331.2	46.4	92.9	74.0	136.8	1,304.9
1871	2.2	217.1	2.2	2.2	30.1	18.3	39.8	1.1	40.9	5.3	71.0	209.7	23.6	46.2	44.1	126.9	880.7
1872	...	33.3	3.1	135.6	2.1	1.0	25.9	33.1	35.2	1.0	47.6	1.0	41.4	206.0	13.5	64.2	59.1	281.6	989.7
1873	...	1.1	27.2	510.3	2.2	...	20.7	69.6	35.9	1.1	97.9	12.0	54.4	446.1	38.1	86.0	99.0	327.5	1,829.1
1874	10.2	199.6	49.9	56.0	47.9	2.0	30.6	5.1	35.6	333.0	21.4	91.7	85.5	273.9	1,242.4
1875	...	11.4	5.7	166.8	...	9	26.5	98.6	31.3	9	69.2	7.6	56.9	503.3	12.3	71.1	53.1	238.9	1,351.5
1876	...	2.0	19.4	318.0	17.3	6.1	44.9	75.5	21.4	...	113.3	22.5	72.5	344.9	27.6	95.9	91.8	325.5	1,628.6
1877	2.1	119.6	5.3	1.1	28.6	59.3	44.4	...	74.1	7.4	58.2	210.6	39.1	131.2	86.8	284.6	1,152.4
1878	...	101.7	1.2	235.8	1.2	2.5	57.1	111.7	60.8	2.5	103.0	13.6	45.9	277.9	22.3	73.2	67.0	232.0	1,400.4
1879	14.0	388.3	2.3	...	41.8	97.7	69.8	...	69.8	7.0	37.2	207.0	48.8	134.9	93.0	272.1	1,483.7
Ten Years, 1870-79	...	16.5	9.2	255.2	3.4	2.3	38.5	63.2	44.0	1.1	67.8	9.0	52.7	315.1	27.7	86.0	74.2	251.2	1317.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All other Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	8.78	1.25	20.08	30.11	24	7	1	5	1	2	4	1	1	1	1	
1871	...	2.15	10.75	12.90	12	1	...	2	...	1	1	...	1	...	1	1	2	
1872	21.74	...	15.53	37.27	36	21	...	1	1	1	...	1	5	...	1	4	1	...		
1873	20.67	20.67	19	12	...	2	...	1	1		
1874	...	1.02	7.13	8.15	8	1	2	1	1		
1875	5.69	.95	10.42	17.06	18	6	...	3	1	3	1	1		
1876	2.04	2.04	24.49	28.57	28	2	...	11	2	2	...	5	...	2	1	2		
1877	...	2.12	6.35	8.47	8	1	2	1	1		
1878	70.72	1.24	7.44	79.40	64	57	1	1	2	1		
1879	6.98	6.98	3	1	...	1	...	1		
Ten Years, 1870-79	10.56	1.14	13.27	24.97	220	93	1	36	5	8	...	14	16	...	2	10	14	11		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	11
1871
1872
1873	5	32	37
1874	1	...	1
1875	5
1876	12
1877	2
1878
1879	17	65	82
Ten Years, 1870-79	7	5	1	...	22	104	5	1	...	145

III.—STATISTICS OF INDIVIDUAL STATIONS—LUCKNOW, 1870-79.

LV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying LUCKNOW in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	2,215	62.9	67.8	57.6	76.6	78.4	76.4	71.7	72.7	74.8	75.0	56.6	50.0	68.6
1871	...	"	2,425	40.1	44.2	43.1	46.7	54.5	55.4	51.2	63.6	75.5	82.8	69.1	45.9	56.1
1872	...	"	2,426	52.4	46.0	42.3	45.1	49.6	58.6	56.4	57.4	65.8	69.8	60.0	46.1	54.0
1873	...	"	2,255	44.8	40.2	45.0	49.3	58.0	64.1	59.2	55.4	61.4	51.0	55.8	59.4	53.2
1874	...	"	2,429	51.3	41.9	51.8	59.0	60.7	60.0	65.9	90.6	86.1	70.3	49.1	62.7	63.4
1875	...	"	2,342	62.2	69.2	69.6	66.3	61.7	69.8	75.4	64.4	50.1	60.0	53.9	46.4	63.2
1876	...	"	2,379	40.4	57.9	75.6	87.9	86.1	83.8	84.2	76.8	90.2	103.0	85.2	64.8	78.2
1877	...	"	2,269	68.2	73.2	67.7	68.0	65.0	65.4	68.7	75.5	74.9	79.9	83.0	71.2	71.4
1878	...	"	2,272	71.9	80.8	81.2	79.8	84.7	78.7	79.6	71.4	91.9	96.0	108.1	77.5	82.7
1879	...	"	2,050	81.2	85.4	88.5	77.7	78.0	79.8	69.9	82.6	95.1	81.7	74.0	75.1	81.0
Ten Years, 1870-79	...	23,062	57.2	60.5	62.0	65.3	67.7	68.9	68.1	71.0	76.4	76.8	67.2	59.8		66.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- ate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	3.6	372.9	4.5	2.7	34.3	100.2	51.2	1.4	51.9	5.9	61.4	268.6	45.6	154.4	100.7	148.5	1,410.8
1871	...	7.8	6.6	212.4	1.2	3.3	27.2	56.9	48.3	1.2	40.3	7.0	40.0	266.4	29.7	116.3	100.2	1,094.4
1872	...	14.8	3.3	182.2	2.1	2.9	32.2	105.5	40.4	1.2	44.5	14.0	64.3	227.5	34.2	118.3	83.3	1,496.3
1873	...	7.1	11.1	325.5	7.1	2.2	44.8	82.5	55.9	4.9	52.9	16.9	38.1	178.7	22.2	114.4	88.2	1,296.7
18744	7.8	303.0	1.2	.8	42.0	79.0	46.9	2.5	76.2	17.3	35.8	298.1	34.2	5.6	86.5	1,298.0
1875	...	16.2	4.6	180.7	1.7	.9	24.8	66.2	37.1	1.3	49.9	10.7	31.2	389.4	18.8	87.1	73.8	1,150.7
1876	...	4.2	8.4	254.7	5.5	1.3	18.5	61.4	63.5	7.6	51.3	5.9	56.3	321.5	16.4	86.9	117.3	1,528.4
18775	2.6	267.6	7.5	2.2	24.2	45.8	59.9	5.3	52.0	8.4	53.8	205.8	16.3	107.5	122.1	1,228.7
1878	...	9.7	17.6	312.9	4.4	2.2	44.0	106.5	50.6	2.2	65.2	9.7	44.0	385.6	22.0	124.1	98.6	1,549.7
1879	...	1.0	22.0	534.1	10.2	...	47.3	70.7	38.0	2.9	70.7	9.3	38.5	229.8	24.4	125.4	102.0	1,516.0
Ten Years, 1870-79	...	6.3	8.6	290.3	4.4	1.9	33.7	77.4	49.5	3.0	58.3	10.5	46.1	278.0	26.4	111.8	97.1	1354.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phtisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.81	23.02	24.83	55	4	16	2	...	5	9	...	2	3	4	6	4
1871	... 3.30	2.06	11.96	17.32	42	8	...	7	5	1	...	2	6	...	1	1	5	1	5
1872	... 10.31	2.47	11.13	23.91	58	25	...	3	3	4	...	3	4	...	2	3	2	3	6
1873	... 5.77	1.77	16.41	23.95	54	13	4	10	...	6	...	1	4	...	4	2	5	1	4
1874	2.47	15.64	18.11	44	9	1	5	7	4	6	6	6
1875	... 11.96	2.99	7.25	22.20	52	28	...	4	...	3	...	1	3	4	2	7
1876	... 3.36	1.26	11.77	16.39	39	8	...	6	...	9	...	1	1	...	1	3	5	5	3
187744	2.64	7.50	10.58	24	1	...	3	1	4	2	3	1	2	6
1878	... 6.16	1.32	16.73	24.21	55	14	1	13	...	4	1	5	5	...	1	1	4	3	3
1879	1.95	17.07	19.02	39	12	4	7	...	2	2	...	2	6	4
Ten Years, 1870-79	... 4.21	2.08	13.74	20.03	462	97	5	71	30	40	1	25	41	..	14	20	35	35	48

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871	1	19
1872	3	1	...	17	...	36
1873	9	...	6	...	2	...	16
1874	1	2	1	13	...	1
1875	38
1876	6	...	32	10
1877	1	4	1
1878	3	...	1	22
1879	1	...	1	4	1	...	2
Ten Years, 1870-79	1	2	3	7	13	37	41	7	33	1	145

III.—STATISTICS OF INDIVIDUAL STATIONS—SITAPUR, 1870-79.

LVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SITAPUR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.
						1	1	9	2	7	6	...	4	...	10	...	2	5	7			9
January ...	5,619	290	51·3	6	1	1	1	2	...	1
February ...	5,620	317	56·4
March ...	5,772	307	53·2	4	1	1	1	1
April ...	5,660	310	54·8	3	...	1	2
May ...	5,637	319	56·6	5
June ...	5,636	335	59·4	14	1	...	2	...	3	2
July ...	5,614	355	63·2	10	3	1	...	1	2
August ...	5,608	345	61·5	12	3	...	1	1	3	1
September ...	5,585	353	63·2	7	2	2	...	1
October ...	5,447	305	56·0	10	1	1	...	1	...	1	...	2
November ...	4,985	269	54·0	3	1	1	1
December ...	5,151	253	49·1
						1	1	9	2	7	6	...	4	...	10	...	2	5	7	9	...	11
Died per 1,000 of the Average Strength,																									
For the Ten Years	5,530	313	56·6	74	13·38	·18	·18	1·63	1·63	1·08	...	·72	...	1·81	...	·36	·90	1·27	1·63	...	1·99	

Died per 1,000 of the Average Strength,

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fever, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
	461	473	594	645	653	563	632	618	589	473	369	365	6,440		
Admitted per 1,000 of the Average Strength in each Month.															
	81·6	84·2	102·9	114·0	115·8	100·8	112·6	110·2	105·5	86·8	74·0	70·9	1,164·6		

III.—STATISTICS OF INDIVIDUAL STATIONS—SITAPUR, 1870-79.

LVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SITAPUR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	532	39.4	37.2	62.3	63.3	59.7	61.3	51.7	47.2	55.2	44.1	18.5	20.4	47.0
1871	...	"	613	15.9	32.5	33.8	36.2	47.3	42.6	37.9	31.6	38.2	35.0	27.2	23.6	34.3
1872	...	"	608	26.1	27.4	25.7	35.6	46.8	45.4	56.9	65.1	68.5	49.0	29.7	30.9	42.8
1873	...	"	600	36.0	44.2	50.1	46.8	48.4	64.0	56.5	56.8	62.0	49.3	42.8	36.7	50.0
1874	...	"	631	45.7	86.3	76.0	89.6	89.6	75.7	86.7	94.6	96.7	98.7	91.1	83.2	85.6
1875	...	"	579	76.4	85.4	82.2	61.4	54.5	59.8	79.2	58.4	67.5	62.4	74.1	72.0	69.1
1876	...	"	614	73.5	74.8	52.1	59.9	70.2	70.0	63.3	59.9	59.9	66.9	79.4	68.2	66.8
1877	...	"	565	63.5	48.3	58.0	55.7	52.7	66.8	70.1	62.9	47.4	40.7	45.7	50.5	54.9
1878	...	"	568	57.6	51.6	42.9	42.3	40.7	53.2	76.4	85.4	76.6	63.6	68.9	41.8	58.1
1879	...	For 10 Months	255	79.0	96.2	67.1	59.5	49.8	49.8	33.6	38.1	50.4	29.5	58.8
Ten Years, 1870-79	...		5,530	51.3	56.4	53.2	54.8	56.6	59.4	63.2	61.5	63.2	56.0	54.0	49.1	56.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	293.2	...	9.4	28.2	35.7	20.7	...	52.6	3.8	107.2	282.0	35.7	69.6	69.6	170.9	1,178.6
1871	1.6	143.6	1.6	4.9	50.6	11.4	37.5	...	40.8	...	57.1	133.8	21.2	68.5	66.9	169.6	809.1
1872	3.3	233.6	...	3.3	36.2	37.8	47.7	1.6	37.8	1.6	52.6	88.8	24.7	85.5	57.6	189.2	901.3
1873	...	1.7	8.3	235.0	6.7	8.3	33.3	30.0	25.0	...	35.0	1.7	143.3	131.7	11.7	90.0	40.0	230.0	1,031.7
1874	277.3	...	7.9	33.3	33.3	34.9	6.4	80.8	7.9	120.4	380.3	68.2	99.8	125.2	220.3	1,496.0
1875	...	1.7	...	169.2	1.7	5.2	27.6	10.4	72.5	8.6	29.4	12.1	24.2	397.2	43.2	58.7	100.2	181.4	1,143.3
1876	13.0	239.4	29.3	27.7	61.9	3.3	74.9	6.5	70.0	333.9	27.7	109.1	118.9	192.2	1,307.8
1877	610.6	5.3	3.5	21.2	31.9	53.1	10.6	54.9	5.3	53.1	295.6	21.2	86.7	131.0	201.8	1,585.8
1878	5.3	285.2	3.5	1.8	35.2	31.7	35.2	3.5	52.8	3.5	61.1	297.5	15.8	65.2	91.5	79.2	1,058.0
1879	203.9	7.8	...	23.5	11.8	31.4	...	23.5	...	82.4	262.7	7.9	54.9	58.8	149.0	917.6
Ten Years, 1870-79	...	4	3.4	273.0	2.4	4.7	32.7	27.1	43.2	3.6	50.5	4.5	76.9	260.9	29.3	81.2	88.3	182.5	1,164.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	7.52	7.52	4	1	2	1
1871	...	1.63	11.42	13.05	8	1	...	1	...	1	1
1872	11.51	11.51	7	1	...	2	1
1873	...	5.00	16.67	21.67	13	3	...	3	1
1874	...	3.17	4.75	7.92	5	1
1875	...	1.73	8.63	12.09	7	...	1	1	1
1876	...	1.63	9.77	11.40	7	1	1
1877	...	1.77	8.85	10.62	6	1	1
1878	17.61	17.61	10	3	2	2	1	1	1
1879	...	7.84	19.61	27.45	7	...	1	...	1	1	1	1	...	2
Ten Years, 1870-79	...	1.18	1.99	11.21	13.38	74	1	1	9	9	6	...	4	10	...	2	5	7	11

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	1	1	2

III.—STATISTICS OF INDIVIDUAL STATIONS—FATEHGARH, 1870-79.

LVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying FATEH-GARH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

[illegible]

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	...	1	1	4	...
Cholera
Smallpox	1	7	3.1	...
Enteric Fever	1	3	2	1	4	...
Fever, Intermittent	...	26	17	34	37	45	51	67	68	114	93	72	44	668	295.8
Fever, Remittent and Continued	1	5	13	17	17	21	17	33	35	31	1	191	84.6
Apoplexy	1	1	...	1	2	2	8	3.5
Delirium Tremens	1	2	2	1	1	1	2	1	13	5.8
Dysentery	...	4	8	3	7	2	4	7	17	13	7	4	6	82	36.3
Diarrhoea	...	9	2	5	10	2	5	5	10	7	5	9	7	76	33.7
Hepatitis	...	8	13	5	7	9	8	12	9	12	10	4	9	106	47.0
Spleen disease	1	1	2	9
Respiratory diseases	...	9	9	9	10	8	7	14	13	8	8	...	11	115	50.9
Phthisis Pulmonalis	1	1	2	...	2	1	2	9	4.0
Scurvy	1	1	4
Rheumatism	...	9	6	5	10	14	13	20	20	14	14	16	3	144	63.8
Veneral diseases	...	68	63	102	64	76	59	59	50	52	35	49	60	737	326.4
Eye diseases	...	1	3	4	6	4	2	5	5	4	7	1	1	43	19.0
Abscess and Ulcer	...	7	10	6	9	15	20	24	22	24	14	6	5	162	71.8
Wounds and Accidents	...	7	10	17	20	10	6	14	13	23	10	8	13	151	66.9
All other Causes	...	29	27	39	28	43	47	43	43	30	29	23	11	392	173.6
	178	175	237	225	251	243	289	292	344	270	232	173	2,909		
Admitted per 1,000 of the Average Strength in each Month.															
	89.7	76.6	95.4	91.9	102.5	99.4	118.3	120.3	142.3	120.3	137.4	97.4	1,288.3		

III.—STATISTICS OF INDIVIDUAL STATIONS—CAWNPORE, 1870-79.

LX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying CAWNPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January	...	7,562	584	77·2	6	1	1	...	2	...	1	1
February	...	7,710	618	80·2	8	1	...	2	...	2	1	1
March	...	8,929	663	74·3	10	...	9	2	...	1	1	3	...	1	1
April	...	9,076	716	78·9	18	...	13	2	...	1	1	1	1
May	...	8,981	645	71·8	26	...	13	7	2	2
June	...	8,923	644	72·2	27	...	6	15	2	1	2	2
July	...	8,868	715	80·6	9	2	1	1	2	2	2
August	...	8,825	781	88·5	25	...	5	4	...	3	3	1	3	...	2	2
September	...	8,592	835	97·2	16	...	3	3	2	...	4
October	...	8,436	808	95·8	14	2	...	2	1	...	2	...	1	2	2	...	2
November	...	7,642	673	88·1	10	1	...	1	1	...	2	...	1	2
December	...	7,528	524	69·6	14	2	1	1	2	3	...	4
						36	4	17	2	8	23	...	12	1	17	...	7	9	9	1	17	1	19	
Died per 1,000 of the Average Strength.																										
For the Ten Years	8,423	684	81·2	183	21·73	4·27	·47	2·02	1·19	2·73	...	1·42	·12	2·02	...	·83	1·07	1·07	·12	2·02	·12	2·26		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.						
Dengue (of 1872)	2	...	12	...	8	...	34	338	235	13	1	621	73·7	...	
Cholera	12	17	5	4	48	5·7	75·00	
Smallpox	...	2	9	3	7	...	1	4	26	3·1	15·38	
Enteric Fever	...	1	1	...	8	4	...	3	2	...	10	3	1	2	35	4·2	48·57	
Fever, Intermittent	...	76	61	85	162	124	127	205	204	313	505	365	228	2,455	291·5	·08	} ·35	
Fever, Remittent and Continued	...	18	21	47	112	130	99	128	203	265	213	101	34	1,371	162·8	·58		
Apoplexy	2	2	17	33	5	2	61	7·2	37·70		
Delirium Tremens	...	3	1	3	2	3	...	5	3	...	3	6	...	1	33	3·9		...
Dysentery	...	9	13	13	34	31	24	31	51	49	39	19	15	328	39·0	3·66		
Diarrhoea	...	13	19	41	52	51	37	61	110	47	35	23	19	508	60·3	·20		
Hepatitis	...	19	26	39	31	39	57	61	42	44	36	24	27	445	52·8	3·82		
Spleen disease	...	6	2	7	2	3	4	5	1	2	4	1	2	39	4·6	...		
Respiratory diseases	...	70	63	70	98	42	29	35	50	35	32	45	106	675	80·1	1·04		
Phthisis Pulmonalis	...	5	5	6	2	4	5	4	12	6	7	10	5	71	8·4	12·68		
Scurvy	2	1	1	1	6	·7	...		
Rheumatism	...	38	31	57	41	38	...	36	44	60	40	53	31	27	501	59·5		} ·35
Veneral diseases	...	365	336	418	317	229	213	296	211	193	231	211	197	3,247	385·5	...		
Eye diseases	...	15	13	23	22	15	12	17	28	22	25	15	7	214	25·4	...		
Abscess and Ulcer	...	54	48	65	70	57	88	120	103	89	53	44	36	827	98·2	...		
Wounds and Accidents	...	61	62	82	90	67	62	67	62	60	67	55	67	802	95·2	...		
All other Causes	...	93	81	152	174	167	172	224	174	140	173	131	92	1,773	210·5	...		
848 794 1,116 1,238 1,038 1,007 1,312 1,388 1,660 1,719 1,095 871 14,086																		
Admitted per 1,000 of the Average Strength in each Month.																		
112·1 103·0 125·0 136·4 115·6 112·9 148·0 157·3 193·2 203·8 143·3 115·7 1,672·3																		

III.—STATISTICS OF INDIVIDUAL STATIONS—CAWNPORE, 1870-79.

LXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CAWNPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and of the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	For the Year	756	104.3	96.0	107.1	117.8	85.9	87.1	115.8	137.2	151.1	138.8	87.5	60.7	108.5	
1871	"	837	74.5	80.4	95.8	105.9	105.9	111.5	128.0	143.0	135.5	103.1	99.1	112.6	107.5	
1872	"	856	84.6	78.4	72.0	77.2	63.0	77.5	88.5	87.6	147.0	152.6	90.5	76.5	92.3	
1873	"	856	89.9	81.9	70.5	85.3	81.4	79.3	87.8	77.7	89.3	85.5	116.7	84.0	84.1	
1874	For 10 Months	1,018	61.6	88.9	85.0	71.1	84.3	107.7	112.4	114.3	117.0	92.6	93.3	
1875	For the Year	877	93.2	103.6	98.0	81.9	54.0	60.1	61.2	64.7	68.3	59.0	52.7	25.1	69.6	
1876	"	712	31.3	51.8	41.1	44.5	47.7	54.3	55.9	57.1	64.9	68.5	66.2	44.0	53.4	
1877	"	870	50.2	82.8	46.4	39.6	44.5	48.5	47.4	57.9	52.1	41.8	48.3	41.5	50.6	
1878	"	814	55.5	48.2	43.1	62.1	56.8	42.7	50.8	53.4	58.2	51.2	40.0	38.3	51.6	
1879	"	946	85.8	88.2	89.0	82.0	86.5	83.0	80.8	91.9	94.5	131.8	157.8	114.1	99.4	
Ten Years, 1870-79	...	8,423	77.2	80.2	74.3	78.9	71.8	72.2	80.6	88.5	97.2	95.8	88.1	69.6	81.2	

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	...	9.3	497.3	...	4.0	45.0	56.9	142.9	1.3	70.1	19.8	27.8	441.8	47.6	90.0	99.2	211.6	1,764.6
1871	1.2	2.4	856.6	55.0	55.0	98.0	20.3	44.2	17.9	56.1	500.6	41.8	111.1	75.3	242.5	2,178.0
1872	28.0	3.5	331.8	28.0	9.4	49.1	85.3	53.7	9.4	44.4	2.3	100.5	442.7	40.9	82.9	118.0	982.5	2,412.4
1873	7.0	3.5	313.1	2.3	4.7	38.6	98.1	51.4	5.8	56.1	5.8	95.8	365.7	22.2	116.8	88.8	261.7	1,537.4
1874	1.0	3.9	235.8	3.9	2.9	54.0	70.7	32.4	1.0	134.6	12.8	51.1	397.8	15.7	103.2	74.7	247.5	1,413.0
1875	6.8	8.0	212.1	3.4	6.8	25.1	51.3	33.1	1.2	54.7	9.1	78.7	375.2	12.5	88.9	81.0	242.9	1,290.8
1876	8.4	...	368.0	12.6	4.2	46.3	67.4	45.0	2.8	66.0	7.0	77.3	228.9	22.5	70.2	122.2	144.7	1,293.5
1877	190.8	2.3	3.5	20.7	20.7	21.8	1.1	54.0	6.9	47.1	236.8	10.3	49.1	83.9	135.7	885.0
1878	...	2.5	255.5	2.5	3.7	29.5	45.4	17.2	1.2	102.0	...	33.2	337.8	18.4	104.4	114.3	223.6	1,291.2
1879	4.2	7.4	1,169.1	15.9	...	22.2	40.2	38.0	2.1	131.1	2.1	22.2	419.7	23.2	130.0	85.6	131.1	2,243.1
Ten Years, 1870-79	5.7	4.2	454.3	7.2	3.9	39.0	60.3	52.8	4.6	80.1	8.4	59.5	385.5	25.4	98.2	95.2	288.0	1,672.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	2.64	18.52	21.16	16	2	1	3	4	2	1	1	2
1871	...	3.58	9.56	13.14	11	2	4	1	1	...	3
1872	...	19.86	3.50	18.70	36	17	...	1	1	6	1	2	...	3
1873	...	5.84	...	14.02	17	5	2	1	1	1	2	2
187498	2.95	14.73	19	1	...	3	3	3	1	3	2	3
1875	...	5.70	1.14	12.54	17	5	...	2	...	2	...	1	1	...	3	...	1	...	1
1876	...	8.43	2.81	11.23	16	6	2	...	3	1	...	1	1	2
1877	3.45	16.09	17	...	1	...	2	1	...	1	1	1	...	3	3
1878	1.23	9.83	9	...	1	2	...	1	3	1	1
1879	...	2.11	2.11	22.21	25	...	2	4	...	7	...	1	3	3	2
Ten Years, 1870-79	4.27	2.38	15.08	21.73	183	36	4	17	10	23	...	13	17	...	7	9	9	18	20

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.																
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870			
1871	1			
1872	16	8			
1873	2	4			
1874	1			
1875	1	5			
1876	3	3			
1877			
1878			
1879	4			
Ten Years, 1870-79	2	12	17	8	...	5	4	48			

III.—STATISTICS OF INDIVIDUAL STATIONS—ALLAHABAD, 1870-79.

LXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ALLAHABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January	9,010	636	70·6	10	2	...	1	1	...	1	...	1	2	1	
February	9,099	638	70·1	3	1	1	...	1	
March	9,393	574	61·1	8	...	2	...	1	1	1	...	2	
April	9,188	570	62·0	20	...	5	2	2	...	2	5	...	1	1	2	
May	9,135	608	66·6	17	...	3	1	3	1	2	...	2	...	1	...	2	2	
June	9,102	635	69·8	25	...	2	1	2	13	1	1	2	1	2	
July	9,095	621	68·3	8	...	1	...	1	4	2	
August	9,064	655	72·3	44	...	33	2	4	...	2	2	1	
September	9,123	698	76·5	21	...	6	...	2	...	3	1	...	2	...	4	2	...	1	
October	9,106	689	75·7	8	1	2	...	1	1	1	...	1	1	
November	9,221	686	74·4	12	2	...	2	...	2	...	2	2	2	...	2	
December	9,424	620	65·8	16	2	...	2	1	4	6	...	1	
						52	4	15	1	14	23	1	11	1	20	...	3	9	12	14	1	11
Died per 1,000 of the Average Strength.																									
For the Ten Years	9,163	636	69·4	192	20·95	5·67	·43	1·64	1·64	2·51	·11	1·20	·11	2·18	...	·33	·98	1·31	1·53	·11	1·29	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)	5	33	7	141	98	27	2	2	318	34·7	...
Cholera	2	...	5	7	2	54	11	...	1	...	86	9·4	60·47
Smallpox	3	10	4	5	2	2	...	26	2·8	15·38
Enteric Fever	...	4	3	...	4	4	1	2	...	5	7	1	38	4·2	39·47
Fever, Intermittent	150	117	94	84	109	134	204	219	265	478	264	198	2,316	252·8	·04
Fevers, Remittent and Continued	103	101	119	181	232	232	179	162	271	313	198	147	2,238	244·2	·63
Apoplexy	2	4	37	16	2	3	3	2	2	73	8·0	31·51
Delirium Tremens	...	2	1	1	3	...	3	3	1	2	...	1	20	2·2	5·00
Dysentery	21	15	14	19	19	6	19	52	41	28	26	25	285	31·1	3·86
Diarrhoea	10	28	39	56	44	20	51	120	72	20	26	30	516	56·3	·19
Hepatitis	30	19	26	32	34	31	47	48	44	53	36	31	431	47·0	4·64
Spleen disease	...	5	3	5	9	10	7	19	7	10	7	9	98	10·7	...
Respiratory diseases	...	82	77	69	46	44	43	58	27	32	50	72	682	74·4	·44
Phthisis Pulmonalis	...	7	3	5	5	6	6	7	4	9	11	8	80	8·7	15·00
Scurvy	2	2	·2	...
Rheumatism	...	55	67	69	51	44	42	43	40	56	46	30	585	63·9	...
Veneral diseases	...	271	256	264	247	221	173	176	155	211	207	186	2,570	280·5	...
Eye diseases	...	12	11	18	16	25	17	30	21	31	19	16	223	24·3	...
Abscess and Ulcer	...	91	88	86	93	86	115	123	92	96	71	92	1,103	120·4	·33
Wounds and Accidents	...	75	78	93	65	59	54	63	48	53	74	64	802	87·5	...
All other Causes	...	112	123	127	137	143	140	165	187	186	161	159	1,768	193·0	...
Admitted per 1,000 of the Average Strength in each Month.															
1,030	992	1,036	1,065	1,100	1,104	1,203	1,405	1,492	1,578	1,195	1,060	14,260			
114·3	109·0	110·3	115·9	120·4	121·3	132·3	155·1	163·5	173·3	129·6	112·5	1,556·3			

III.—STATISTICS OF INDIVIDUAL STATIONS—ALLAHABAD, 1870-79.

LXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ALLAHABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation,	Average Strength of each Year and for the Period,	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	... For the Year	389	49.9	52.2	55.9	50.4	53.4	59.2	61.9	59.0	58.8	77.2	88.3	91.3	64.3	
1871	... "	797	51.7	66.1	57.7	62.7	65.9	67.8	73.6	69.1	59.9	57.8	51.1	69.5	62.7	
1872	... "	985	76.5	73.6	49.6	49.8	50.1	44.4	46.5	92.1	76.1	63.9	72.7	64.9	62.9	
1873	... "	1,023	78.4	89.6	81.0	60.1	53.6	70.3	81.3	76.2	98.0	92.5	101.5	89.9	81.1	
1874	... "	1,030	103.0	89.3	61.5	81.2	84.9	81.7	85.5	83.3	90.7	78.4	71.6	54.2	80.6	
1875	... "	1,049	63.9	67.1	59.7	57.2	60.0	59.2	62.3	62.5	73.4	71.6	70.4	53.5	62.9	
1876	... "	944	57.5	50.3	38.7	48.5	70.4	66.3	53.5	56.7	45.2	65.2	74.4	72.4	58.3	
1877	... "	909	75.7	55.4	66.6	62.6	62.6	71.2	66.5	69.8	87.4	55.9	56.4	58.9	66.0	
1878	... "	986	59.5	74.1	65.1	68.6	69.7	76.3	74.2	72.3	81.4	88.5	67.9	59.9	71.0	
1879	... "	1,052	71.9	72.5	69.5	67.6	85.6	93.6	73.1	70.9	80.0	100.3	88.6	58.2	77.0	
Ten Years, 1870-79	...	9,163	70.6	70.1	61.1	62.0	66.6	69.8	68.3	72.3	76.5	75.7	74.4	65.8	69.4	

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	2.6	2.6	475.5	7.7	5.1	48.9	36.0	38.6	18.0	66.8	18.0	41.1	316.2	20.6	174.8	97.7	208.2	1,578.4 1,673.8 1,666.0 1,805.4 1,591.1 1,230.7 1,632.4 1,248.6 1,456.4 1,691.1
1871	...	8.8	7.5	816.8	1.3	2.5	25.1	82.8	40.2	15.1	46.4	...	70.3	179.4	11.3	104.1	89.1	173.1	
1872	...	44.7	3.0	434.6	5.1	1.0	42.6	79.2	76.1	8.1	55.8	11.2	50.8	163.5	49.7	106.6	82.2	451.8	
1873	...	4.9	2.0	545.4	11.7	3.9	58.7	77.2	64.5	11.7	98.7	5.9	75.3	217.3	33.2	154.5	82.1	328.4	
1874	1.9	393.2	5.8	2.9	30.1	50.5	51.5	11.6	129.1	16.5	61.2	352.4	26.2	128.2	89.3	243.7	
1875	...	7.6	4.8	352.7	2.9	1.9	13.3	32.4	32.4	7.6	49.6	9	88.7	239.8	14.3	101.1	78.2	152.5	
1876	...	10.6	2.1	574.2	11.7	1.1	30.7	63.6	40.2	29.7	76.3	9.5	82.6	220.3	15.9	131.3	94.3	238.3	
1877	1.1	366.3	6.6	1.1	14.3	30.8	56.1	7.7	68.2	3.3	57.2	217.5	16.5	115.5	106.7	149.7	
1878	...	9.1	6.1	391.5	17.3	1.0	24.3	55.8	29.4	1.0	57.8	7.1	50.7	420.9	29.4	108.5	87.2	159.3	
1879	...	1.9	9.5	661.6	8.6	2.9	31.4	47.5	36.1	2.9	82.7	18.1	47.5	356.5	20.9	109.3	77.9	175.8	
Ten Years, 1870-79	...	9.4	4.2	497.0	8.0	2.2	31.1	56.3	47.0	10.7	74.4	8.7	63.9	280.5	24.3	120.4	87.5	230.7	1,556.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	15.42	15.42	6	1	...	1	1	...	2	1
1871	8.78	...	17.57	26.35	21	2	3	2	2	...	1	...	1
1872	25.38	...	17.26	42.64	42	25	1	...	5	2
1873	4.89	...	17.59	22.48	23	5	3	1	2	5	4
1874	...	1.94	16.51	18.45	19	...	1	1	1	3	3
1875	3.81	9.5	12.40	17.16	18	3	1	2	1
1876	3.18	4.24	7.41	14.83	14	3	...	2	...	2
1877	...	3.30	8.80	12.10	11	2	3
1878	8.11	...	13.19	21.30	21	2	...	6	1	1	2
1879	...	1.90	14.26	16.16	17	2	2	3	...	1	2	3
Ten Years, 1870-79	5.67	1.31	13.97	20.95	192	52	4	15	15	23	1	12	20	...	3	9	12	14	12	...

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871	2	...	3	7
1872	4	44
1873	1	...	37	5
1874	1	2
1875	1
1876	4	...	3
1877	6	...	4
1878	10
1879	1	1	...	6	1
1879	1	1	...	9
Ten Years, 1870-79	...	2	2	5	7	2	2	54	11	...	1	...	86

III.—STATISTICS OF INDIVIDUAL STATIONS—SHAHJAHANPUR, 1870-79.

LXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SHAHJAHANPUR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January	...	3,824	190	49.7	4	2	1	1
February	...	4,313	227	52.6	3	1	1	1
March	...	4,176	193	46.2	4	1	2	1
April	...	3,287	194	59.0	2	1
May	...	3,231	191	59.1	6	1	1	1	2	1	...
June	...	3,193	206	64.5	3	1	1	1
July	...	3,175	192	60.5	3	1
August	...	3,171	188	59.3	7	...	1	...	1	1	...	1	2	...	1
September	...	3,106	190	60.0	2	1	...
October	...	3,093	185	59.8	6	1	2	2	1
November	...	2,859	142	49.7	4	1	1	1	1	1
December	...	2,722	122	44.8	5	1	1	1	...	1
						1	...	7	...	4	2	...	3	5	8	...	1	4	6	4	1	3	
Died per 1,000 of the Average Strength.																										
For the Ten Years	3,351	185	55.2	40	14.62	.30	...	2.09	1.19	.6089	1.49	2.3930	1.19	1.79	1.19	.30	.89		

PM 1007

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73)	2
Cholera	2
Smallpox	1	2
Enteric Fever	...	4	2	1	15
Fever, Intermittent	...	45	43	48	44	63	58	51	33	44	79	48	691	176.4	46.67
Fevers, Remittent and Continued	...	14	23	22	21	28	20	17	18	17	25	4	211	63.0	1.90
Apoplexy	1	4	...	1	7	2.1	28.57
Delirium Tremens	...	1	1	3	.9	...
Dysentery	...	6	5	...	16	10	8	5	11	14	5	10	103	30.7	...
Diarrhoea	...	16	15	30	22	14	12	13	12	6	8	6	174	51.9	2.87
Hepatitis	...	7	13	6	13	14	18	11	11	7	13	13	129	38.5	6.20
Spleen disease	2	3	.9	...
Respiratory diseases	...	19	22	37	16	15	18	10	7	11	9	8	179	53.4	...
Phthisis Pulmonalis	...	1	1	...	5	2	1	6	4	1	2	...	25	7.5	...
Scurvy	2	2	.6	24.00
Rheumatism	...	7	23	18	...	14	20	22	18	...	22	...	183	54.6	...
Veneral diseases	...	119	91	98	104	67	69	69	76	60	43	40	872	260.2	...
Eye diseases	...	9	10	10	19	13	14	8	18	8	6	4	124	37.0	...
Abscess and Ulcer	...	24	24	26	12	20	24	34	40	37	27	19	303	90.4	...
Wounds and Accidents	...	18	23	29	17	7	7	13	14	27	19	15	207	61.8	...
All other Causes	...	47	41	61	58	58	53	46	54	61	63	44	610	182.0	...
	337	336	383	306	336	331	305	322	303	323	215	188	3,745		39
Admitted per 1,000 of the Average Strength in each Month.															
	88.1	77.9	91.7	111.3	104.0	103.7	96.1	101.5	95.7	104.4	75.2	69.1	1,117.6		

III.—STATISTICS OF INDIVIDUAL STATIONS—SHAHJAHANPUR, 1870-79.

LXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SHAHJAHANPUR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For 10 Months	309	49.5	93.1	71.3	67.7	63.4	70.9	82.4	71.2	74.9	86.1	71.2
1871	For the Year	403	88.6	91.1	81.9	90.2	85.0	115.3	107.1	71.4	61.2	61.5	49.0	41.1	76.9
1872	"	380	38.1	32.7	33.2	30.5	41.2	50.0	61.1	69.8	72.8	72.4	56.4	52.1	50.0
1873	"	229	47.5	38.7	38.5	65.1	59.2	71.0	65.1	53.3	47.3	35.3	47.3	54.5	48.0
1874	For 3 Months	167	55.6	37.5	22.2	35.9
1875	For the Year	536	76.9	51.9	40.1	69.7	64.7	61.1	46.4	42.4	46.6	33.8	35.9	36.1	50.4
1876	"	485	35.8	33.8	28.1	44.4	59.9	51.9	37.5	33.3	45.6	31.3	31.4	22.4	37.1
1877	"	423	34.3	55.0	58.3	52.1	30.7	30.7	38.0	49.9	57.0	45.2	23.8	22.3	42.6
1878	"	368	31.1	26.5	27.5	53.3	58.4	68.9	56.4	82.1	80.3	100.3	79.5	82.8	62.5
1879	"	229	45.5	50.7	49.2	74.9	80.0	75.6	76.6	81.1	59.1	112.1	116.8	103.9	74.2
Ten Years, 1870-79	...	3,351	49.7	52.6	46.2	59.0	59.1	64.5	60.5	59.3	60.0	59.8	49.7	44.8	55.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	80.9	...	3.2	48.5	13.0	51.8	...	9.7	6.5	55.0	297.7	45.3	103.6	38.8	129.5	883.5
1871	...	14.8	719.7	2.5	2.5	7.4	166.2	39.7	2.5	218.4	7.4	139.0	265.5	49.6	131.5	76.9	335.0	2,178.6
1872	...	2.6	223.7	...	2.6	44.7	81.6	39.5	...	26.3	...	94.7	84.2	21.1	47.4	44.7	186.9	900.0
1873	179.0	8.7	96.1	56.8	...	21.8	13.1	78.6	61.1	17.5	69.9	39.3	135.4	777.3
1874	12.0	6.0	18.0	...	29.9	35.9	...	12.0	17.9	41.9	179.6
1875	85.8	1.9	...	31.7	24.3	24.3	...	54.1	5.5	7.4	300.4	54.1	91.4	48.6	108.2	837.7
1876	...	6.2	146.4	2.1	...	26.8	12.4	14.4	...	16.5	12.4	18.6	245.3	41.2	65.9	41.2	138.2	787.6
1877	...	4.7	115.9	2.4	...	28.4	30.7	28.4	4.7	21.3	4.7	35.5	319.1	16.5	92.2	52.0	139.5	896.0
1878	...	2.7	5.4	146.8	8.2	...	54.3	24.5	...	27.2	5.4	35.3	375.0	32.6	78.8	111.4	168.5	1,114.1
1879	...	8.7	607.0	17.5	34.9	96.1	...	61.1	17.5	43.7	296.9	43.7	144.1	113.5	366.8	1,851.5
Ten Years, 1870-79	...	6	4.5	239.4	2.1	9	30.7	51.9	9	53.4	7.5	54.6	260.2	37.0	90.4	61.8	183.2	1,117.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	3.24	3.23	6.47	2	1	1
1871	14.89	14.89	6	1	1	1	2	1
1872	...	2.63	10.53	13.16	5	2	2	1
1873	13.10	13.10	3	1	1	1
1874	5.99	5.99	1	1
1875	...	1.87	18.65	20.52	11	1	1	...	1	1	...	1	1	1	3	1
1876	...	2.06	8.25	10.31	5	3	1	...	1
1877	16.55	16.55	7	2	...	1	2	2
1878	2.72	...	10.87	13.59	5	1	1	1	2
1879	17.47	17.47	4	1	2	1	...
Ten Years, 1870-79	30	1.20	13.12	14.62	49	1	...	7	4	2	...	8	8	...	1	4	6	4	4

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	1	1
1873
1874
1875
1876
1877
1878	1	1
1879
Ten Years, 1870-79	2	2

III.—STATISTICS OF INDIVIDUAL STATIONS—BAREILLY, 1870-79.

LXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BAREILLY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anaemia.	All other Causes.
January	8,142	331	40·8	2	1	1
February	8,240	426	51·7	3	1
March	8,690	408	47·0	10	...	1	...	1	2	...	1	1
April	8,042	372	46·3	9	3	1	2
May	7,750	383	49·4	15	9	1
June	7,657	406	53·0	18	8	...	1	3
July	7,638	392	51·3	11	2	1
August	7,662	417	54·4	9	...	3	...	1	1	2
September	7,665	441	57·5	6
October	7,658	404	52·8	6	2	...	1
November	6,901	305	44·2	6
December	7,413	301	40·6	1	1
						4	1	27	...	2	3	1	7	...	8	1	2	8	10	16	1	5
Died per 1,000 of the Average Strength.																									
For the Ten Years	7,788	386	49·6	96	12·33	·51	·13	3·47	·26	·38	·13	·90	...	1·03	·13	·26	1·03	1·28	2·05	·13	·64

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox	1	2	3	1	1	...	1	6	7	9	57·14	
Enteric Fever	1	...	1	9	23	5	4	3	3	1	2	2	54	6·9	11·11	
Fever, Intermittent	51	44	40	53	38	41	72	73	77	129	100	49	767	98·5	50·00	
Fever, Remittent and Continued	30	24	52	133	139	116	100	78	118	95	38	19	942	121·0	...	
Apoplexy	1	1	4	3	1	1	1	12	1·5	·21	
Delirium Tremens	1	2	1	...	1	1	5	1	...	2	2	4	24	3·1	4·17	
Dysentery	8	9	8	16	29	22	17	20	31	37	23	17	237	30·4	2·95	
Diarrhoea	12	12	16	51	27	20	34	74	36	23	12	9	326	41·9	...	
Hepatitis	21	18	22	22	29	32	34	47	30	28	20	23	326	41·9	2·45	
Spleen disease	1	4	4	2	10	6	9	3	5	3	3	1	51	6·6	1·96	
Respiratory diseases	45	45	44	41	42	35	58	60	42	25	29	42	508	65·2	·39	
Phthisis Pulmonalis	2	1	6	3	2	9	4	8	6	9	5	10	65	8·3	15·38	
Scurvy	1	1	·1	...	
Rheumatism	30	34	43	28	27	31	41	36	27	22	21	16	356	45·7	...	
Veneral diseases	273	200	194	197	127	134	95	106	115	98	89	136	1,764	226·5	...	
Eye diseases	15	12	12	13	22	5	7	15	13	7	3	7	131	16·8	...	
Abscess and Ulcer	48	34	45	46	41	51	43	58	73	36	35	44	554	71·1	·54	
Wounds and Accidents	55	42	54	78	63	57	48	36	55	47	57	60	652	83·7	...	
All other Causes	72	84	90	86	115	119	135	132	118	87	80	75	1,193	153·2	...	
													7,979			
Admitted per 1,000 of the Average Strength in each Month.																
81·9	68·9	73·2	97·1	95·1	89·9	93·0	98·8	98·0	84·7	75·4	69·5	1,024·5				

III.—STATISTICS OF INDIVIDUAL STATIONS—BAREILLY, 1870-79.

LXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BAREILLY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	855	59.8	65.7	64.4	48.0	42.0	44.6	37.3	48.3	66.4	59.4	47.4	41.8	52.6
1871	...	"	803	50.1	56.6	55.4	33.0	47.4	45.3	46.7	49.2	57.6	50.3	54.6	54.1	49.8
1872	...	"	753	63.7	51.5	34.4	38.9	40.4	46.9	48.1	46.9	53.4	49.5	30.3	45.7	44.9
1873	...	"	768	42.9	35.2	31.3	30.8	25.7	30.8	43.8	61.9	59.4	38.7	31.6	29.1	39.1
1874	...	"	850	45.4	65.2	45.8	33.0	38.8	45.8	48.1	55.6	49.6	35.2	14.8	27.4	42.4
1875	...	"	803	33.6	22.8	32.7	42.4	44.0	37.8	51.9	48.3	46.8	43.2	34.5	33.1	38.6
1876	...	"	800	35.6	31.7	37.3	44.3	44.1	51.0	43.4	53.8	50.3	55.4	49.7	43.6	45.0
1877	...	"	735	39.2	45.6	47.9	49.4	55.0	49.7	52.6	56.6	56.5	46.6	56.9	40.1	49.0
1878	...	"	667	35.5	40.2	25.5	55.6	106.8	120.4	84.2	64.2	72.3	70.0	70.9	64.9	66.0
1879	...	"	749	65.9	97.0	91.9	91.8	61.2	70.2	68.4	63.8	61.5	83.6	61.4	37.1	70.8
Ten Years, 1870-79	...		7,788	46.8	51.7	47.0	46.3	49.4	53.0	51.3	54.4	57.5	52.8	44.2	40.6	49.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	138.0	...	5.8	31.6	24.6	69.0	22.2	25.7	9.3	29.2	253.8	12.9	59.6	43.3	65.6	790.6
1871	...	1.2	185.6	26.1	12.4	72.2	13.7	37.4	10.0	18.7	198.0	10.0	51.1	58.5	99.6	794.5
1872	...	2.6	252.0	2.6	2.6	23.7	75.2	51.5	14.5	84.4	5.3	67.3	228.2	18.5	69.9	103.0	164.9	1,166.2
1873	...	2.6	183.6	...	1.3	29.9	58.6	35.2	3.9	91.1	6.5	48.2	119.8	11.7	74.3	72.9	131.5	871.1
1874	237.6	2.4	4.7	12.9	30.6	55.3	3.5	82.4	1.2	38.8	250.6	12.9	81.2	118.8	150.6	1,083.5
1875	...	1.2	153.2	3.7	1.2	38.6	54.8	21.2	2.5	98.4	7.5	54.8	163.1	16.2	61.0	85.9	184.4	953.9
1876	...	7.5	...	1.2	6.2	36.3	41.2	15.0	...	66.3	16.3	67.5	136.2	8.8	68.4	130.0	226.2	970.0
1877	4.1	136.0	1.4	6.8	20.4	19.0	35.4	...	62.6	12.3	61.2	24.5	53.1	92.5	185.0	855.7
1878	63.0	410.7	4.5	...	72.0	94.5	19.5	3.0	67.5	10.5	28.5	302.8	39.0	137.9	63.0	217.3
1879	4.0	391.2	...	1.3	18.7	17.3	37.4	...	38.7	5.3	44.1	456.6	18.7	64.1	66.8	137.5
Ten Years, 1870-70	...	9	6.9	219.5	1.5	3.1	30.4	41.9	6.6	65.2	8.3	45.7	226.5	16.8	71.1	83.7	154.5	1,024.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.17	11.70	12.87	11	1	4	1	...	2	...	2	1
1871	...	2.49	8.72	11.21	9	2	4	1	2	2
1872	...	1.32	7.92	9.24	7	1	1	...	1	1	1
1873	3.91	3.91	3	2
1874	4.71	4.71	4
1875	...	1.25	8.71	11.21	9	1	...	1	1	1	...	1	1	1	1
1876	...	3.75	8.75	12.50	10	3	1	...	1	...	1	1	...
1877	12.24	12.24	9	2	1	1	1	2	1	1	1
1878	...	1.50	43.48	44.98	30	...	1	22	...	1	1	1	3	1	1
1879	5.34	5.34	4	1	1	2	...
Ten Years, 1870-79	...	51	77	11.05	12.33	96	4	1	27	2	3	1	7	8	1	2	8	10	6

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875	1
1876	6
1877
1878
1879
Ten Years, 1870-79	1	6	7

III.—STATISTICS OF INDIVIDUAL STATIONS—MORADABAD, 1870-79.

LXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MORADABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

[illegible]

III.—STATISTICS OF INDIVIDUAL STATIONS—MORADABAD, 1870-79.

LXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MORADABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	399	44.2	40.7	37.8	56.1	55.7	76.9	38.3	38.3	63.4	66.9	47.9	...	45.3
1871	For 11 Months	181	79.8	112.7	132.1	22.9	28.6	28.6	22.9	40.0	28.6	34.3	32.3	19.4	49.7
1872	For the Year	205	25.8	37.0	35.7	31.2	32.9	37.6	32.9	42.3	46.9	37.7	33.2	33.3	34.1
1873	"	195	33.7	4.8	19.7	51.3	41.2	36.3	31.1	31.1	52.1	31.3	26.7	42.8	35.9
1874	"	200	37.4	32.8	21.9	15.4	28.3	52.1	61.6	51.9	56.9	41.8	26.0	25.0	40.0
1875	"	202	39.8	59.7	48.8	49.0	49.0	48.1	59.1	59.1	39.8	45.7	44.8	35.0	49.5
1876	"	212	30.2	40.2	20.5	23.1	22.9	27.4	32.3	32.0	50.9	51.2	37.2	23.0	33.0
1877	"	221	27.7	21.5	22.9	41.3	36.7	22.9	18.3	27.6	41.3	32.1	42.3	46.5	31.7
1878	"	182	46.7	36.4	15.0	39.2	52.4	49.5	49.5	77.3	111.7	101.7	73.9	63.8	60.4
1879	"	196	59.5	43.2	43.5	26.9	69.7	91.5	100.0	115.0	141.4	196.0	170.9	142.1	102.0
Ten Years, 1870-79	...	2,079	42.7	43.1	40.1	36.5	42.1	48.4	44.3	50.5	62.8	63.8	53.5	47.3	47.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	246.0	6.5	35.6	68.0	...	22.6	3.2	32.4	236.2	3.2	42.1	45.3	71.2	812.3
1871	342.5	...	5.5	38.7	11.1	55.3	16.6	5.5	...	49.7	259.7	27.6	105.0	33.1	116.0	1,066.3
1872	190.2	...	19.5	78.1	9.8	39.0	4.9	34.1	4.9	43.9	180.5	19.5	92.7	53.6	78.1	848.8
1873	179.5	...	25.6	76.9	...	30.8	...	20.5	...	25.6	169.2	20.5	97.5	25.6	66.7	738.4
1874	195.0	...	5.0	10.0	65.0	50.0	5.0	45.0	...	35.0	255.0	15.0	75.0	35.0	190.0	980.0
1875	...	9.9	183.1	34.6	64.4	19.8	...	74.2	5.0	29.7	252.5	24.8	118.8	113.8	143.6	1,079.2
1876	...	14.2	122.6	4.7	...	51.9	103.8	51.9	4.7	51.9	...	47.2	122.6	18.9	75.5	122.6	108.5	901.0
1877	...	4.5	108.6	13.6	18.1	9.0	31.7	18.1	...	31.7	...	54.3	199.1	4.5	45.2	104.1	144.8	787.3
1878	...	5.5	247.2	16.5	104.4	33.0	...	38.4	5.5	38.5	472.5	5.5	115.4	65.9	115.4	1,263.7
1879	...	5.1	1,418.4	20.4	66.3	25.5	...	112.2	20.4	224.5	443.9	15.3	66.3	56.1	193.9	2,668.3
Ten Years, 1870-79	...	1.0	317.9	1.9	7.2	33.2	49.1	40.9	2.9	43.3	3.8	57.2	257.3	14.9	81.3	66.4	121.7	1,103.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																				
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	3.24	12.94	16.18	5	3	1	1
1871	5.52	5.52	1	1
1872	4.88	4.88	1
1873	5.13	10.25	15.38	3	1	1
1874	10.00	10.00	2	2
1875	...	4.95	...	19.80	24.75	5	1
1876	14.15	14.15	3	1
1877	4.52	4.52	9.05	2	1
1878	10.99	5.49	16.48	3	1
1879	15.31	15.31	3	1	2
Ten Years, 1870-79	...	4.8	2.41	10.58	13.47	28	1	...	3	4	2	...	3	7	2	...	1	5

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.													
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875	2	2
1876
1877
1878
1879
Ten Years, 1870-79	2	2

III.—STATISTICS OF INDIVIDUAL STATIONS—ROORKEE, 1870-79.

LXX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ROORKEE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January	...	4,794	183	38·2	4	1	1	1	...	1
February	...	4,276	176	41·2	6
March	...	4,305	202	46·9	7	1
April	...	4,019	163	40·6	2
May	...	3,972	185	46·6	11	...	4	...	5
June	...	3,957	189	47·8	12	...	1	...	1	...	3
July	...	3,969	206	51·9	3
August	...	3,910	227	58·1	4
September	...	3,867	245	63·4	4	...	2	1	...	1
October	...	3,855	239	62·0	6	2	1	...	1	1	...	1
November	...	3,349	174	52·0	2	1
December	...	3,590	154	42·9	5	1	1
						7	...	6	...	2	5	...	5	1	10	...	3	5	5	10	...	7
Died per 1,000 of the Average Strength.																										
For the Ten Years	3,989	195	48·9	66	16·55	1·76	...	1·51	·50	1·25	...	1·25	·25	2·51	...	·75	1·25	1·25	2·51	1·76

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	...	1	1	2	·5	...
Cholera	4	2	5	11	2·8	63·64
Smallpox	1	...	3	2	·5	...
Enteric Fever	...	1	12	1	3	21	5·3	28·57
Fever, Intermittent	67	101	76	60	76	77	85	159	242	173	60	57	1,233	309·1	...
Fevers, Remittent and Continued	11	11	27	40	59	39	60	71	66	52	15	6	456	114·3	·44
Apoplexy	1	3	1	7	1·7	71·43
Delirium Tremens	...	1	1	2	...	2	...	1	2·5	...
Dysentery	14	7	7	8	13	8	9	16	15	9	17	18	141	35·3	3·55
Diarrhea	10	12	19	15	7	7	14	29	17	15	9	6	160	40·1	·63
Hepatitis	...	10	12	16	19	15	27	24	31	20	10	12	214	53·6	4·67
Spleen disease	...	2	...	1	2	2	...	2	2	1	12	3·0	...
Respiratory diseases	39	46	38	31	33	19	26	24	20	24	31	27	358	89·7	·84
Phthisis Pulmonalis	2	4	2	1	1	2	1	...	1	2	15	3·8	33·33
Scurvy	1	·3	...
Rheumatism	14	25	16	22	16	15	14	13	12	20	22	19	208	52·1	...
Veneral diseases	99	56	71	40	67	47	80	37	31	62	32	59	681	170·7	...
Eye diseases	9	4	4	8	10	8	8	4	6	10	4	7	82	20·6	...
Abscess and Ulcer	24	19	24	32	26	29	41	26	21	37	16	30	315	79·0	...
Wounds and Accidents	39	26	34	33	9	16	20	19	16	18	16	30	276	69·2	...
All other Causes	54	44	65	57	50	56	74	71	65	66	34	44	680	170·5	...
	394	370	401	367	403	348	460	499	558	508	269	308	4,885		...
Admitted per 1,000 of the Average Strength in each Month.															
	82·2	86·5	93·1	91·3	101·5	87·9	115·9	127·6	144·3	131·8	80·3	85·9	1,224·6		...

III.—STATISTICS OF INDIVIDUAL STATIONS—MEERUT, 1870-79.

LXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MEERUT during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.		All other Causes.	Wounds and Accidents.
January	...	13,640	703	51·5	15	1	3	1	...	3	...	2	1	1	1
February	...	14,480	729	50·3	18	1	1	1	...	5	...	2	...	1	3	...	4
March	...	14,939	751	50·3	11	2	1	...	5	...	2	...	3
April	...	14,580	802	55·0	16	4	1	...	2	...	2	...	1	4
May	...	14,743	907	61·5	23	2	3	...	2	...	1	...	1	...	2	...	1	2	...	1
June	...	14,636	952	65·0	23	1	3	4	1	...	5	...	1	1	1	2
July	...	14,586	961	65·9	20	4	...	2	7	...	1	6	1	1
August	...	14,527	1,065	73·3	28	...	8	...	2	...	2	2	1	...	5	1	3	...	3
September	...	14,476	1,166	80·5	82	...	49	...	6	...	3	4	3	4	5	...	1	1	10	...	2
October	...	14,116	1,134	80·3	40	...	2	...	3	1	4	6	1	7	...	2	2
November	...	12,518	960	76·7	27	1	...	1	6	...	10	...	2	1	2
December	...	13,426	788	58·7	18	2	...	1	5	1	6	1	1
						59	5	38	2	12	22	7	29	3	59	...	14	12	14	...	1	...	25	1	18
Died per 1,000 of the Average Strength.																									
For the Ten Years	14,222	910	64·0	321	22·57	4·15	·35	2·67	·98	1·55	·49	2·04	·21	4·15	...	·98	·85	·98	...	·07	...	1·76	·07	1·27	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	1	1	52	43	42	35	174	12·2	...
Cholera	1	14	65	2	82	5·8	71·95
Smallpox	6	1	1	2	5	1	16	1·1	31·25
Enteric Fever	4	2	6	9	25	10	7	3	15	9	11	105	7·4
Fever, Intermittent	244	262	302	409	530	530	738	1,278	1,379	1,313	761	425	8,171	574·5	·02
Fever, Remittent and Continued	43	29	65	131	141	203	199	323	332	239	63	29	1,802	126·7	·67
Apoplexy	1	...	2	5	5	13	19	13	7	2	7	1	75	5·3	29·33
Delirium Tremens	9	3	2	5	4	7	6	7	4	1	2	57	4·0	12·28	...
Dysentery	29	17	29	34	46	32	34	64	112	100	65	68	630	44·3	4·60
Diarrhoea	49	44	76	137	100	74	84	166	234	145	80	51	1,240	87·2	·24
Hepatitis	47	58	59	60	81	72	82	89	91	90	73	50	852	59·9	6·92
Spleen disease	8	6	9	9	3	12	14	15	14	15	7	2	114	8·0	...
Respiratory diseases	103	111	135	132	118	101	102	137	123	90	104	106	1,362	95·8	1·03
Phthisis Pulmonalis	6	5	6	5	4	5	11	15	15	13	13	13	111	7·8	12·61
Scurvy	1	...	1	...	1	3	...	2	8	·6	12·50
Rheumatism	89	85	75	58	86	91	96	89	57	78	941	66·2	...
Veneral diseases	249	255	296	242	232	160	190	157	153	173	171	220	2,498	175·6	·39
Eye diseases	17	19	27	33	35	14	25	31	44	24	23	17	309	21·7	...
Abscess and Ulcer	85	98	122	120	124	116	176	142	123	88	86	71	1,351	95·0	...
Wounds and Accidents	138	176	159	149	182	141	141	128	110	120	111	135	1,690	118·8	...
All other Causes	156	191	224	233	226	234	278	307	264	241	175	149	2,678	188·3	...
Admitted per 1,000 of the Average Strength in each Month.															
94·1	94·1	106·9	121·6	132·2	124·1	151·0	205·2	220·8	197·7	149·2	107·6	1,706·2			

III.—STATISTICS OF INDIVIDUAL STATIONS—MEERUT, 1870-79.

LXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MEERUT in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,292	45.4	52.7	52.8	55.7	60.7	65.9	74.5	73.4	80.0	78.7	76.9	50.0	65.0
1871	"	1,644	45.4	58.0	64.2	58.8	67.4	68.3	79.7	102.8	111.8	102.0	86.6	59.1	76.0
1872	"	1,441	42.6	41.6	51.6	59.3	71.9	73.5	66.7	84.9	98.7	91.4	64.9	65.5	66.6
1873	"	1,486	50.2	45.6	42.7	44.6	55.5	56.4	56.7	63.3	67.1	74.0	85.4	66.1	58.5
1874	"	1,490	61.3	57.9	50.8	53.8	64.2	69.8	64.6	87.4	102.3	102.2	107.1	88.4	75.2
1875	"	1,498	63.7	67.6	57.2	79.1	71.2	67.8	70.0	69.4	75.7	66.7	60.8	49.8	66.1
1876	"	1,507	67.3	54.2	49.0	45.6	39.0	54.5	67.2	57.3	58.8	63.1	60.1	39.9	54.4
1877	"	1,473	45.3	41.5	44.5	48.4	60.2	60.3	56.2	66.5	63.0	55.6	67.8	53.8	55.0
1878	"	1,418	36.3	31.2	40.1	51.7	69.7	57.6	56.4	57.6	74.5	78.1	58.9	57.1	57.1
1879	"	973	61.0	57.7	49.9	54.3	53.2	51.5	51.7	67.1	92.8	97.6	78.2	60.5	63.7
Ten Years, 1870-79	...	14,222	51.5	50.3	50.3	55.0	61.5	65.0	65.9	73.3	80.5	80.3	76.7	58.7	64.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	1.6	3.2	486.7	1.6	8.5	61.9	108.4	75.8	4.0	72.8	13.2	82.8	169.5	38.7	96.6	145.5	222.9	1,593.7
1871	...	4.8	770.8	2.4	6.7	82.1	101.0	90.6	19.5	217.8	17.6	82.1	125.3	17.0	93.6	130.2	233.6	1,995.1
1872	45.8	4.2	728.6	18.7	6.9	61.8	93.0	45.1	21.5	174.2	7.6	86.1	122.8	15.9	109.7	99.2	331.8	1,972.9
1873	7	12.8	673.6	4.7	3.4	40.4	107.0	51.8	6.0	84.8	2.0	68.7	158.8	24.9	86.1	80.8	168.9	1,575.4
1874	...	14.8	1,461.0	6.0	2.7	40.9	89.9	70.5	5.4	75.2	4.0	63.8	184.6	20.8	98.0	100.0	202.0	2,439.6
1875	8.7	3.3	835.8	4.0	7	47.4	94.8	41.4	15.4	62.7	2.0	57.4	223.0	25.4	112.1	146.2	174.9	1,855.2
1876	...	2.0	529.5	6.6	3.3	29.2	61.1	61.7	...	41.8	10.0	52.4	149.3	27.2	69.0	124.7	152.0	1,319.8
1877	...	9.5	316.4	4.8	2.7	21.7	58.4	51.6	2.0	69.2	8.1	67.2	150.7	14.3	91.0	161.6	167.7	1,196.9
1878	...	14.1	255.3	1.4	2.8	27.5	97.3	66.3	7	62.7	4.3	52.9	265.9	14.8	97.3	99.4	197.5	1,260.2
1879	...	4.1	998.0	1.0	2.1	19.5	50.4	33.9	2.1	75.0	9.3	40.1	233.3	19.5	98.7	92.5	160.2	1,839.7
Ten Years, 1870-79	...	5.8	7.4	701.2	5.3	4.0	44.3	87.2	8.0	95.8	7.8	66.2	175.6	21.7	95.0	118.8	202.2	1,706.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	2.32	25.54	27.86	36	...	3	4	2	2	2	4	9	...	2	...	4	1	3
1871	...	1.22	21.29	22.51	37	...	1	6	2	...	1	6	7	2	6	2
1872	...	32.62	.69	35.39	99	47	...	3	4	4	3	2	7	...	2	...	3	9	1
1873	...	67	2.02	14.13	25	1	1	6	2	6	...	1	2	3
1874	2.01	18.12	30	4	1	4	...	1	9
1875	...	7.34	1.34	9.34	27	11	...	3	...	2	2	2
187666	17.26	27	2	1	5	2	3	3	1
187768	9.50	15	4	...	2	7	1	1
1878	1.41	6.35	11	4	...	2	3	2	2
1879	1.03	13.36	14	2	2	1	...	1	2	1	2	1
Ten Years, 1870-79	...	4.15	1.34	17.08	321	59	5	38	14	22	7	32	59	...	14	12	14	26	19

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1	2
1871
1872	12	54	66
1873	1	1
1874
1875	1	11	1	13
1876
1877
1878
1879
Ten Years, 1870-79	1	14	65	2	82

III.—STATISTICS OF INDIVIDUAL STATIONS—DELHI, 1870-79.

LXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DELHI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.		
January	4,796	315	65·7	7	1	...	2	2	1
February	5,027	280	55·7	2	1
March	4,727	247	52·3	9	1	2	1	1	1	1
April	4,375	256	58·5	3	...	1	1
May	4,364	203	67·1	6	1	...	2	1
June	4,354	207	68·2	14	1	...	2	5	1	2
July	4,354	283	65·0	7	...	1	3	1	1	...	1
August	4,350	365	83·9	12	...	3	...	1	...	1	1	...	1	...	1	2	1
September	4,335	445	102·7	10	...	1	2	3	2	1	3	1
October	4,306	450	104·5	8	1	...	1	1	1	1
November	4,523	386	85·3	9	2	...	3	1	...	1
December	4,428	333	75·2	9	1	1	1	5
						6	1	8	...	11	15	...	7	...	8	1	4	4	10	1	12	1	7		
Died per 1,000 of the Average Strength.																											
For the Ten Years	4,405	320	73·2	96	21·36	1·34	·22	1·78	2·45	3·34	...	1·56	...	1·78	·22	·89	·89	2·22	·22	2·67	·22	1·56			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	1	139	14	32	33	219	48·7	...
Cholera	1	...	1	...	4	1	7	1·6	85·71
Smallpox	...	2	...	2	3	2	6	17	3·8	5·88
Enteric Fever	...	1	1	2	1	1	...	1	...	1	10	2·2	80·00
Fever, Intermittent	195	102	131	208	316	385	435	682	941	860	447	326	5,028	1,118·6	...
Fevers, Remittent and Continued	4	9	24	68	78	32	42	40	76	74	26	13	436	108·1	2·26
Apoplexy	1	1	7	4	1	3	17	3·8	88·24
Delirium Tremens	2	2	1	3	9	1	4	7	6	2	1	1	39	8·7	...
Dysentery	11	6	10	11	4	8	11	28	20	13	24	25	171	38·0	4·09
Diarrhoea	7	17	16	42	29	25	22	58	43	24	36	35	354	78·8	...
Hepatitis	12	9	17	15	19	20	17	29	24	23	18	17	226	50·3	3·54
Spleen disease	5	1	2	2	1	1	5	3	8	19	10	20	81	18·0	1·23
Respiratory diseases	71	56	41	20	15	18	32	24	28	35	46	67	453	100·8	7·88
Phthisis Pulmonalis	5	2	3	2	5	2	4	8	6	7	10	6	60	13·3	16·67
Scurvy	1	1	...	2	·4	...
Rheumatism	40	36	32	16	19	18	18	23	25	34	13	20	303	67·4	...
Veneral diseases	112	89	79	94	61	44	64	51	38	54	48	57	821	182·6	...
Eye diseases	9	12	8	9	8	3	7	5	7	4	6	6	84	18·7	...
Abscess and Ulcer	27	40	31	35	43	42	33	32	26	26	27	30	392	87·2	...
Wounds and Accidents	27	45	43	30	35	28	21	33	23	36	49	41	411	91·4	...
All other Causes	64	64	74	59	85	63	78	72	84	75	67	54	839	186·7	59
	594	497	513	619	733	705	797	1,102	1,498	1,301	865	796	10,020		
Admitted per 1,000 of the Average Strength in each Month.															
	123·9	98·9	108·5	141·5	168·0	161·9	183·1	253·3	345·6	302·1	191·2	179·8	2,229·1		

III.—STATISTICS OF INDIVIDUAL STATIONS—DELHI, 1870-79.

LXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DELHI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	339	54.1	51.3	48.6	52.8	65.4	69.2	59.7	85.4	75.7	66.2	65.7	28.6	59.0
1871	...	418	59.3	56.9	70.2	57.3	81.7	79.7	60.5	79.9	82.5	79.7	51.1	69.7	69.4
1872	...	513	123.9	59.8	42.4	62.7	72.2	61.6	52.3	69.6	122.1	113.9	69.3	63.6	73.7
1873	...	474	52.7	36.0	29.4	35.9	48.5	57.2	48.7	55.0	65.7	96.4	86.1	125.0	59.1
1874	...	531	126.5	47.7	36.7	41.1	52.7	58.4	64.2	88.8	94.2	76.1	80.9	61.6	65.5
1875	...	482	53.6	77.9	75.0	78.8	66.3	59.9	49.5	41.4	62.6	69.3	68.1	50.6	64.3
1876	...	487	42.1	50.8	53.9	42.0	42.1	46.8	58.3	83.1	107.9	98.9	94.5	70.6	65.7
1877	...	424	58.2	50.7	59.0	60.8	66.0	66.0	61.0	75.8	64.0	46.3	61.7	47.5	59.0
1878	...	386	52.5	63.0	51.0	80.6	75.7	105.1	97.6	111.1	154.5	210.2	180.8	111.1	106.2
1879	...	409	90.5	63.8	61.5	82.9	115.5	96.0	118.0	181.3	221.9	220.3	98.8	115.6	119.8
Ten Years, 1870-79	...	4,495	65.7	55.7	52.3	58.5	67.1	68.2	65.0	83.9	102.7	104.5	85.3	75.2	73.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	5.9	725.7	5.9	8.8	59.0	53.1	67.8	3.0	85.6	32.4	61.9	277.3	5.9	70.8	79.7	76.7	1,619.5
1871	839.7	...	4.7	62.2	110.0	19.1	...	55.0	19.1	71.8	308.6	12.0	193.8	79.0	244.1	2,019.1
1872	...	1.8	1,055.3	1.8	11.0	47.9	117.9	75.5	3.7	70.0	7.4	103.1	195.2	14.7	84.7	70.0	541.4	2,401.4
1873	664.6	6.3	10.6	48.5	78.1	90.7	8.4	97.0	8.4	57.0	128.7	21.1	61.2	84.4	204.6	1,569.6
1874	1,282.8	5.6	11.2	13.1	78.7	18.7	1.9	82.4	22.4	76.8	108.6	11.2	76.8	125.5	116.1	2,031.8
1875	...	10.4	827.8	2.1	31.1	33.2	122.4	24.9	4.1	87.1	2.1	43.6	157.7	27.0	91.3	93.3	116.2	1,676.4
1876	...	4.1	835.7	4.1	...	24.7	61.6	51.3	20.5	145.8	12.4	57.5	158.1	32.9	108.8	115.0	174.5	1,811.1
1877	2.4	469.3	7.1	2.4	7.1	21.2	35.4	21.2	134.4	21.2	122.6	21.2	70.8	106.1	238.2	1,341.9
1878	2,349.7	...	2.6	31.1	51.8	80.3	41.4	85.5	5.2	38.9	204.7	25.9	59.6	59.6	238.3	3,282.4
1879	3,501.2	4.9	...	63.6	70.9	44.0	88.0	171.1	7.3	92.9	217.6	12.2	51.3	90.5	396.2	4,811.7
Ten Years, 1870-79	...	1.6	2.2	1,226.7	3.8	8.7	33.0	78.8	50.3	18.0	100.8	13.3	67.4	182.6	18.7	87.2	91.4	2,229.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	29.50	29.50	10	2	...	2	...	1	1	...	1	1	1	1	...
1871	2.39	16.75	8	1
1872	3.68	20.26	13
1873	29.54	14
1874	1.87	13.11	8
1875	...	8.30	6.22	16.60	15
1876	...	4.11	2.05	10.27	8
1877	14.15	6
1878	10.36	4
1879	24.45	10
Ten Years, 1870-79	...	1.34	1.78	18.24	96	6	1	8	11	15	...	7	8	1	4	4	10	13	8

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	1	...	1	...	4	1	7

III.—STATISTICS OF INDIVIDUAL STATIONS—MUTTRA, 1870-79.

LXXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MUTTRA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL,																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January ...	3,042	144	47·3	2	1	1
February ...	3,590	175	48·7	2	1	1
March ...	4,354	227	52·1	2	1	1
April ...	4,121	202	49·0	16	1	1	1
May ...	4,696	225	55·7	15	...	1
June ...	4,086	225	55·1	7
July ...	4,082	220	53·9	4	1
August ...	4,064	274	67·4	3	1
September ...	4,035	293	72·6	8	...	1	...	1
October ...	4,072	289	71·0	7	5	1
November ...	3,517	243	69·1	3	4	...	1	1
December ...	3,099	158	51·0	3	1	1
						4	1	18	...	4	15	2	9	...	1	5	1	7	...	5	
Died per 1,000 of the Average Strength.																										
For the Ten Years ...	3,846	223	58·0	72	18·72	1·04	·26	4·68	1·04	3·90	·52	2·34	...	·26	1·30	·26	1·82	...	1·30		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	3	15	109	124	32.2	...
Cholera	3	3	2	8	2.1	50.00
Smallpox	1	2	3	.8	33.33
Enteric Fever	1	1	7	3	12	4	2	1	39	10.1	46.15
Fever, Intermittent ...	18	5	12	32	31	31	130	212	120	200	169	52	1,012	263.1	...
Fevers, Remittent and Continued ...	8	31	30	69	85	83	51	51	63	52	35	11	569	148.0	70
Apoplexy	2	...	3	13	19	5	3	1	1	47	12.2	31.91
Delirium Tremens ...	1	2	1	1	1	1	1	8	2.1	25.00
Dysentery ...	21	1	1	3	3	...	4	14	9	14	3	6	79	20.5	...
Diarrhoea ...	12	5	16	10	10	15	17	33	22	11	3	6	160	41.6	...
Hepatitis ...	6	13	11	19	20	23	11	10	24	20	16	12	185	48.1	4.86
Spleen disease ...	4	2	2	1	2	...	5	2	2	1	4	2	27	7.0	...
Respiratory diseases ...	17	14	28	19	23	9	11	3	10	12	17	21	184	47.8	54
Phthisis Pulmonalis ...	1	1	1	1	2	1	1	3	1	1	13	3.4	7.69
Scurvy
Rheumatism ...	22	18	20	21	20	10	25	16	11	18	6	15	202	52.5	...
Veneral diseases ...	64	92	95	69	75	64	62	101	60	45	39	41	807	209.8	...
Eye diseases ...	6	1	6	10	11	4	5	4	6	6	5	2	66	17.2	...
Abscess and Ulcer ...	24	39	48	35	30	27	46	29	39	35	31	21	404	105.1	46
Wounds and Accidents ...	33	31	35	26	34	24	25	18	22	33	27	26	334	86.9	...
All other Causes ...	27	43	52	55	59	49	75	70	41	61	76	42	650	169.0	...
	264	301	358	384	427	361	474	572	459	626	435	260	4,921		
Admitted per 1,000 of the Average Strength in each Month.															
	86.8	83.8	82.2	93.2	104.2	88.4	116.1	140.7	113.8	153.7	123.7	83.9	1,279.5		

III.—STATISTICS OF INDIVIDUAL STATIONS—MUTTRA, 1870-79.

LXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MUTTRA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	357	35.0	29.6	46.5	41.7	31.4	20.0	34.3	51.4	77.4	71.6	60.1	46.6	44.8
1871	... " "	418	61.9	61.2	55.0	41.3	38.9	31.7	31.7	36.6	51.3	51.7	50.0	35.4	45.5
1872	... For 10 Months	432	82.2	49.3	57.0	51.3	42.0	28.0	25.7	37.5	40.0	73.1	48.6
1873	... " "	468	41.6	52.7	63.6	66.1	53.3	40.0	60.2	56.2	47.8	50.0	53.4
1874	... For the Year	457	47.5	65.1	64.6	52.6	74.4	83.5	74.7	85.7	77.8	79.1	85.4	55.3	70.0
1875	... " "	410	49.7	47.1	35.3	33.7	36.5	49.6	63.2	64.6	102.6	85.6	69.8	41.3	56.1
1876	... " "	426	27.1	41.8	49.1	47.2	76.0	73.5	73.5	65.5	80.5	61.3	50.0	34.6	56.3
1877	... " "	384	27.2	39.6	37.0	33.7	43.4	55.4	48.0	48.0	36.0	33.6	64.0	18.2	41.7
1878	... For 9 Months	324	70.4	69.4	47.6	44.3	47.8	68.2	65.1	55.2	35.1	...	55.6
1879	... For 11 Months	437	...	45.0	66.4	67.0	90.5	84.5	80.1	157.9	137.1	139.8	151.1	102.6	100.7
Ten Years, 1870-79	...	3,846	47.3	48.7	52.1	49.0	55.7	55.1	53.9	67.4	72.6	71.0	69.1	51.0	58.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonals.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	2.8	14.0	274.5	...	11.2	22.4	11.2	50.4	...	53.2	11.2	72.8	243.7	11.2	92.4	112.1	196.1	1,179.2	
1871	...	9.6	267.9	...	2.4	7.2	35.9	74.2	2.4	74.2	2.4	102.9	208.1	23.9	217.7	114.8	215.3	1,353.9	
1872	...	6.9	194.5	2.3	2.3	48.6	41.7	50.9	6.9	32.4	...	55.6	159.7	11.6	104.2	90.3	425.9	1,233.8	
1873	...	2.1	220.1	15.0	...	10.7	51.3	29.9	...	49.1	...	66.2	109.0	10.7	81.2	47.0	126.1	818.4	
1874	293.2	4.4	28.5	91.9	6.5	30.6	2.2	54.7	253.8	19.7	76.6	28.5	183.8	1,074.4	
1875	...	17.1	2.4	141.5	7.3	...	14.6	56.1	36.6	9.8	31.7	12.2	26.8	195.1	9.3	63.4	100.0	126.8	
1876	2.3	204.3	9.4	4.7	14.1	11.7	39.9	11.7	28.2	...	23.2	176.0	18.8	54.0	83.2	244.1	
1877	78.1	2.6	7.8	15.6	23.4	26.0	...	18.2	145.9	26.0	67.7	75.6	114.6	
1878	487.7	30.9	...	6.2	40.1	33.9	6.2	21.6	...	37.0	154.3	6.2	64.8	53.6	98.8	
1879	51.9	1,640.8	50.3	...	57.2	96.1	20.6	...	93.8	2.3	25.2	308.9	20.6	151.1	103.0	132.6	
Ten Years, 1870-79	...	2.1	10.1	411.1	12.2	2.1	20.5	41.6	48.1	7.0	47.8	3.4	52.5	209.8	17.2	105.1	86.9	202.0	1,279.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	5'60	5'60	2	1	1
1871	14'35	14'35	6	1	1	...	2	...
1872	9'26	9'26	4	2	1
1873	14'96	14'96	7	1	...	3	...	1	1
1874	13'13	13'13	6	1	3	...	1	1	...
1875	9'76	4'88	9'75	21'39	10	4	...	1	...	1	1	...	1	2
1876	...	2'35	21'12	23'47	10	1	1	3	2	...	2	1	...
1877
1878	...	3'09	15'43	18'52	6	...	1	3	1	1
1879	...	2'29	45'76	48'05	21	13	2	5	1
Ten Years, 1870-79	...	1'04	16'38	18'72	72	4	1	18	4	15	2	...	9	...	1	5	1	7	5

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872
1873
1874
1875
1876	3	3	...	1	7
1877
1878
1879
Ten Years, 1870-79	3	3	2	8

III.—STATISTICS OF INDIVIDUAL STATIONS—AGRA, 1870-79.

LXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying AGRA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	789	51.5	56.6	48.8	62.9	70.1	71.2	88.0	83.3	60.6	46.4	46.4	59.5	62.1
1871	... "	997	52.2	37.9	47.4	49.4	60.2	59.0	62.0	74.6	63.6	58.3	43.9	50.9	55.2
1872	... "	1,156	57.1	54.7	48.2	42.8	43.7	44.2	41.7	45.4	63.3	57.1	34.7	26.4	46.7
1873	... "	1,088	25.4	31.0	43.1	39.8	50.9	53.7	59.5	62.6	63.4	57.7	40.9	31.4	46.0
1874	... "	1,027	43.7	53.9	57.1	66.0	58.4	59.5	61.5	57.7	60.4	57.3	51.7	59.8	57.4
1875	... "	1,119	62.5	65.0	54.1	41.2	54.1	55.8	56.9	57.9	62.7	68.0	34.5	59.8	58.1
1876	... "	1,008	40.3	54.3	57.0	47.0	47.3	43.7	48.6	53.3	49.6	57.0	51.3	29.7	48.6
1877	... "	871	59.3	59.1	57.1	55.7	72.9	65.8	68.5	77.0	58.9	42.3	52.2	54.5	59.7
1878	... "	1,042	55.4	61.2	67.6	64.6	77.5	76.5	71.6	80.1	106.6	126.3	131.1	133.7	87.3
1879	... "	800	127.5	113.5	106.3	83.0	97.9	102.5	109.1	133.4	120.6	127.7	104.4	79.1	108.7
Ten Years, 1870-79	...	9,896	58.4	59.8	58.8	54.1	61.3	61.2	64.4	69.6	69.4	68.1	62.0	57.6	61.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	955.6	...	1.3	31.7	40.6	30.4	2.6	52.0	11.4	77.3	247.1	29.2	45.6	93.8	133.0	1,751.6	
1871	...	5.0	532.6	2.0	6.0	13.0	78.2	29.1	1.0	44.1	2.0	55.2	266.8	37.1	111.3	84.3	112.4	1,380.1	
1872	26.0	1.7	180.0	6.0	4.3	31.1	71.8	27.7	.8	34.6	6.9	40.7	213.7	32.0	54.5	62.3	428.2	1,222.3	
1873	...	1.8	137.0	...	1.8	14.7	44.1	41.4	1.8	31.0	3.7	21.1	229.8	24.8	72.6	74.5	121.3	824.4	
1874	...	1.0	559.9	1.9	1.9	21.4	47.7	48.7	5.9	123.6	5.9	54.5	208.4	19.5	81.8	90.5	159.7	1,434.3	
1875	328.9	3.6	1.8	26.8	60.8	56.3	5.4	55.4	1.8	27.7	144.8	29.5	62.5	106.3	153.7	1,065.3	
1876	...	1.0	309.5	3.0	4.0	16.9	43.6	73.4	3.0	146.8	4.0	40.7	140.9	19.8	74.4	112.1	129.9	1,123.0	
1877	...	2.3	13.8	13.8	...	8.0	48.2	41.3	...	85.0	3.4	55.1	275.5	11.5	93.0	99.9	189.5	1,157.3	
1878	...	9.6	39.3	4.8	1.9	37.4	89.2	33.6	...	41.3	4.8	27.8	456.8	10.6	106.5	88.3	188.1	1,672.7	
1879	2.5	2.5	5.0	43.8	56.2	50.0	7.5	61.3	3.8	41.2	408.8	12.5	118.8	110.0	168.6	2,222.5	
Ten Years, 1870-79	...	4.2	6.7	459.3	3.7	2.8	24.3	58.8	43.3	2.7	67.4	4.7	42.8	254.6	23.0	81.3	91.3	182.6	1,353.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.27	10.14	11.41	9	2	1	1	...	1	1	1	1	1
1871	...	2.01	23.07	25.08	25	7	10	1	...	1	2	...	2	2
1872	...	15.57	10.39	26.82	31	18	...	1	...	2	...	1	1	...	1	...	4	...	1
1873	...	1.84	4.59	6.43	7	1	...	1	2	1	1
1874	7.79	7.79	8	...	1	...	1	1	2	2
1875	11.62	11.62	13	2	2	1	1	1	1	...
1876	...	1.98	5.96	7.94	8	1	...	2	...	1	1	1	2	4	...
1877	...	2.30	18.37	20.67	18	2	...	6	...	5	3	...	2	2	2
1878	...	6.72	18.23	25.91	27	7	1	1	1	2
1879	...	1.25	21.25	22.50	18	11	2	...	2	3	4	1	4	1	1
Ten Years, 1870-79	...	2.73	12.83	16.57	164	27	1	27	18	15	2	9	17	...	5	8	11	14	10

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	5	15
1873	5	3	2	30
1874
1875
1876
1877
1878	1	1	2	2
1879	5	1	10
Ten Years, 1870-79	6	16	7	8	3	2	42

LXXX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MORAR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																			Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
January ...	10,631	567	53·3	10	1	2	1	1	...	1		
February ...	11,204	620	55·3	15	1	2	4	...	1	1		
March ...	11,241	624	55·5	4	1	1	4	1	...	1	1	2		
April ...	11,023	608	55·2	17	1	2	...	1		
May ...	10,986	641	58·3	38	...	27	1	1	2	...	2	1		
June ...	10,953	653	59·6	17	1	1	8	2		
July ...	10,906	683	62·6	15	...	2	1	4	1		
August ...	10,860	744	68·5	32	...	16	...	3	1	2	2	3		
September ...	10,825	836	77·2	44	...	16	...	10	...	2	1	...	3	1	3		
October ...	10,664	820	76·9	27	...	6	...	2	...	1	2	...	6	...	5		
November ...	9,695	835	86·1	34	2	2	3	1	1		
December ...	9,502	683	71·9	13	2	1	1	...	5		
						67	4	29	5	16	21	2	23	1	30	...	9	21	7	16	...	15	
						Died per 1,000 of the Average Strength.																				
For the Ten Years	10,708	693	64·7	266	24·84	6·26	·37	2·71	1·96	1·96	·19	2·15	·09	2·80	...	·84	1·96	·65	1·50	...	1·40		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera	37	3	1	23	17	7	88	8.2	76.14
Smallpox	2	...	3	4	4	13	1.2	30.77
Enteric Fever	1	3	5	5	3	...	4	9	12	6	3	2	...	53	5.0	54.72
Fever, Intermittent	308	242	227	312	298	282	403	516	736	888	839	535	...	5,616	524.5	.09
Fevers, Remittent and Confined	58	78	116	190	136	149	166	188	255	319	264	119	...	2,038	190.3	.79
Apoplexy	1	1	...	2	6	16	14	5	6	3	3	57	5.3	36.84
Delirium Tremens	1	4	...	2	2	1	3	2	7	2	4	2	...	30	2.8	6.67
Dysentery	12	15	24	15	17	13	19	60	57	49	31	15	...	327	30.5	7.03
Diarrhoea	20	34	30	34	48	31	65	115	80	43	41	37	...	578	54.0	.17
Hepatitis	27	42	26	45	39	35	44	51	61	48	49	37	...	504	47.1	5.95
Spleen disease	1	3	4	2	9	9	11	9	5	13	10	8	...	84	7.8	...
Respiratory diseases	83	82	64	45	83	41	54	50	35	41	60	92	...	730	68.2	1.23
Phthisis Pulmonalis	6	3	5	2	2	3	2	6	5	9	2	5	...	50	4.7	14.00
Scurvy	1	1	2	.2	...
Rheumatism	59	69	53	45	53	60	45	57	65	46	50	51	...	653	61.0	...
Veneral diseases	160	180	218	191	144	121	142	161	123	124	95	118	...	1,780	166.2	...
Eye diseases	12	12	25	17	16	11	4	30	23	19	10	12	...	191	17.8	...
Abscess and Ulcer	59	82	78	71	80	93	102	86	54	53	44	29	...	831	77.6	...
Wounds and Accidents	84	99	111	86	76	68	65	46	52	59	61	103	...	910	85.0	...
All other Causes	102	126	151	140	168	168	192	191	167	163	117	97	...	1,782	166.4	...
	997	1,075	1,140	1,208	1,221	1,105	1,336	1,638	1,760	1,892	1,683	1,262	...	16,317		
Admitted per 1,000 of the Average Strength in each Month.																
	93.8	95.9	101.4	109.6	111.1	100.9	122.5	150.8	162.6	177.4	173.6	132.8	...	1,523.8		

III.—STATISTICS OF INDIVIDUAL STATIONS—MORAR, 1870-79.

LXXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MORAR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	875	57.3	53.9	60.2	68.7	69.7	74.3	72.6	75.3	95.6	103.7	90.2	77.8	75.4
1871	...	1,075	55.0	58.5	75.4	81.4	76.6	89.2	98.2	105.5	100.9	94.8	89.8	79.3	83.7
1872	...	1,076	62.2	56.5	61.0	50.2	49.5	50.5	51.6	58.2	72.2	58.3	61.2	47.3	56.7
1873	...	1,068	49.0	42.2	46.2	46.6	39.7	47.7	54.7	53.0	55.7	46.1	43.7	32.1	46.8
1874	...	1,087	28.3	34.1	38.5	42.8	43.6	42.8	43.9	56.2	61.5	64.2	61.1	47.6	46.9
1875	...	1,173	57.5	64.0	55.5	58.4	71.1	72.0	74.7	71.4	73.7	69.6	85.8	72.7	69.1
1876	...	1,008	48.2	52.8	52.7	46.1	45.7	46.6	57.5	50.4	61.3	56.0	68.2	64.2	53.7
1877	...	1,032	49.4	58.9	52.1	49.6	49.0	42.0	45.7	63.5	52.8	40.5	37.3	41.8	49.4
1878	...	1,208	40.4	45.8	39.0	47.2	64.8	58.2	48.7	61.0	80.8	95.2	126.5	85.1	64.6
1879	...	1,017	87.4	87.6	78.1	65.3	76.0	76.9	83.1	95.7	126.7	157.9	172.5	161.1	103.2
Ten Years, 1870-79	...	10,708	53.3	55.3	55.5	55.2	58.3	59.6	62.6	68.5	77.2	76.9	86.1	71.9	64.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																			Admission-rate of each Year and of the Period.
YEAR.	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	4.6	982.8	4.6	8.0	43.4	65.1	54.3	4.6	50.3	6.8	53.7	172.6	34.3	106.3	99.5	165.7	1,860.6	
1871	1,389.8	1.8	6.5	56.7	34.4	39.1	38.2	107.0	4.6	70.7	174.9	24.2	99.5	107.0	205.6	2,360.0	
1872	...	9	685.9	1.9	6.5	16.7	66.0	44.6	5.6	90.1	10.2	75.3	149.6	18.6	77.2	92.0	148.7	1,489.8	
1873	389.5	2.8	...	14.0	29.0	41.2	4.7	34.6	...	45.0	152.6	10.3	54.3	59.9	130.2	968.1	
1874	448.9	9	1.8	7.5	26.7	50.6	1.8	56.1	1.8	82.8	191.3	17.5	76.4	99.4	156.4	1,219.9	
1875	...	17.9	305.2	5.1	...	12.8	57.1	50.3	8.5	53.7	5.1	74.2	180.7	24.7	75.9	87.8	174.0	1,133.0	
1876	...	3.6	413.5	3.6	...	8.2	36.4	41.9	2.7	80.2	3.6	64.7	145.7	19.1	63.8	82.9	133.9	1,103.8	
1877	...	2.9	311.1	8.7	...	14.5	37.8	52.3	1.9	49.4	4.9	64.9	142.5	9.7	88.2	101.7	189.9	1,083.3	
1878	...	38.1	914.7	15.7	4.2	50.5	72.0	39.7	8	48.8	6.6	32.3	183.0	12.4	66.2	51.3	149.0	1,707.7	
1879	...	16.7	1,396.3	6.9	2.0	85.5	118.0	56.0	9.8	113.1	2.9	46.2	166.2	9.8	75.7	74.7	231.2	2,425.7	
Ten Years, 1870-79	...	8.2	714.8	5.3	2.8	30.5	54.0	47.1	7.8	68.2	4.7	61.0	166.2	17.8	77.6	85.0	167.8	1,523.8	

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonals.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	5.71	26.29	32.00	28	1	...	2	...	3	7	...	1	2	2	5	5	
1871	...	1.86	14.88	16.74	18	6	4	...	1	3	...	2	2	
187293	11.15	12.08	13	2	...	1	5	...	1	2	...	1	1	
187394	15.92	16.86	18	5	1	3	6	1	1	1	
1874	4.60	4.60	5	...	3	1	
1875	...	16.20	11.08	27.28	32	19	3	...	1	2	...	2	2	1	2	...	
1876	4.56	6.38	7	2	...	1	2	2	
1877	...	2.91	1.94	12.60	13	3	...	3	1	1	...	1	1	1	2	
1878	...	28.15	.83	65.40	79	34	1	15	2	6	2	6	4	4	2	2	1	
1879	...	10.82	.98	52.11	53	11	...	8	7	5	...	12	2	...	4	1	1	1	1	
Ten Years, 1870-79	...	6.26	1.40	24.84	266	67	4	29	21	21	2	24	30	...	9	21	7	16	15	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	1
1873
1874
1875	10	8	3
1876
1877	3
1878	1	...	7	1
1879	37	...	2	13	2
Ten Years, 1870-79	37	3	1	23	17	7	88

III.—STATISTICS OF INDIVIDUAL STATIONS—GWALIOR FORTRESS, 1870-79.

LXXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying GWALIOR FORTRESS during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	3,308	170	51·4	3	1	1	1
February ...	3,437	182	53·0	8	1	3
March ...	3,466	172	49·6	3	1	1
April ...	3,472	168	48·4	5	1	1	1
May ...	3,467	182	52·5	2
June ...	3,460	185	53·5	8	1
July ...	3,480	188	54·0	10
August ...	3,461	218	63·0	9
September ...	3,465	239	69·0	7
October ...	3,384	242	71·5	6
November ...	3,273	182	55·6	4
December ...	3,313	164	49·5	4
						12	1	3	...	4	4	...	2	...	5	...	1	6	8	9	1	13
Died per 1,000 of the Average Strength.																										
For the Ten Years	3,416	191	55·9	69	20·20	3·51	·29	·88	1·17	1·17	...	·59	...	1·46	...	·29	1·76	2·34	2·64	·29	3·81	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.														
														
Dengue (of 1872)										
Cholera	1	8										
Smallpox	1										
Enteric Fever										
Fever, Intermittent										
Fevers, Remittent and Continued ...	65	63	51	65	93	71	92	123	176	142	114	87	1,142	331·3	...											
Apoplexy ...	12	6	14	32	26	23	19	23	55	50	19	13	292	85·5	1·37											
Delirium Tremens											
Dysentery	2											
Diarrhoea ...	1	4	5	...	6	...	9	8	33	28	13	9	4	129	37·8											
Hepatitis	3	6	...	7	...	7	2	25	51	35	7	2	148	43·3											
Spleen disease ...	2	5	8	7	17	24	16	17	9	13	10	10	138	40·4	3·62											
Respiratory diseases	1	2	3	2	4	1	1	4	2	...	2	22	6·4	...											
Phthisis Pulmonalis	21	20	13	17	12	15	9	8	13	...	17	19	183	53·6											
Scurvy ...	3	2	1	5	3	2	5	1	5	...	2	2	31	9·1	25·81											
Rheumatism											
Veneral diseases ...	27	14	19	...	13	...	12	...	21	...	13	14	9	192	56·2											
Eye diseases ...	74	70	71	65	50	41	52	49	42	41	38	53	646	189·1	76											
Abscess and Ulcer ...	9	6	7	9	4	6	4	9	15	17	6	5	97	28·4												
Wounds and Accidents ...	18	22	16	24	27	37	33	13	16	19	18	14	257	75·2												
	27	31	23	33	20	15	20	22	23	30	18	23	290	84·9												
All other Causes ...	26	48	35	50	62	69	49	64	59	62	59	32	615	180·0												
												286	299	263	337	356	334	374	443	502	426	327	276	4,243		
Admitted per 1,000 of the Average Strength in each Month.																										
												86·5	87·0	81·7	97·1	102·7	96·5	107·5	128·0	144·9	125·9	99·9	83·3	1,242·1		

II.—STATISTICS OF INDIVIDUAL STATIONS—GWALIOR FORTRESS, 1870-79.

LXXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying GWALIOR FORTRESS in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	289	66.4	62.7	47.1	62.1	58.6	44.7	53.9	74.6	85.0	93.7	96.1	74.1	69.2
1871	...	310	70.4	40.4	35.9	26.3	36.2	42.8	62.3	53.0	47.0	39.5	44.4	44.4	45.2
1872	...	355	53.4	58.4	64.6	64.1	72.0	58.3	64.1	72.6	76.1	73.4	48.2	52.1	62.0
1873	...	321	41.3	34.4	44.4	40.5	46.4	52.3	52.3	52.6	46.8	40.3	34.2	46.0	46.7
1874	...	371	85.4	83.1	53.5	49.3	44.3	28.7	20.8	51.9	65.1	54.8	40.1	59.0	51.2
1875	...	346	42.0	62.8	42.1	22.2	49.6	74.8	55.7	74.3	78.3	71.2	48.6	29.3	54.9
1876	...	324	38.5	32.3	41.2	44.4	44.4	53.4	55.9	52.5	64.0	76.7	66.5	77.7	55.5
1877	...	356	37.6	46.1	53.9	36.8	56.2	64.6	67.4	59.7	73.4	71.4	46.0	44.4	56.2
1878	...	361	46.5	41.0	48.4	65.9	44.8	53.4	60.9	67.6	82.6	96.3	50.6	37.2	58.2
1879	...	384	40.4	62.0	60.3	69.9	70.5	65.2	66.5	63.8	66.7	86.5	86.6	38.1	62.5
Ten Years, 1870-79	...	3,416	51.4	53.0	49.6	48.4	52.5	53.5	54.0	63.0	69.0	71.5	55.6	49.5	55.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission- rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fever.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	536.3	3.5	10.4	55.3	27.7	38.1	...	62.3	10.4	51.9	214.5	27.7	83.0	93.4	186.9	1,401.4
1871	6.5	551.8	3.2	6.5	45.2	61.3	41.9	3.2	41.9	3.2	87.1	87.1	25.8	87.1	93.6	167.7	1,316.1
1872	2.8	487.3	2.8	...	11.3	22.5	19.7	8.5	62.0	8.5	118.3	121.1	5.6	78.8	98.6	180.3	1,228.1
1873	...	3.1	...	364.5	3.1	3.1	3.1	28.1	34.3	...	46.7	24.9	43.6	84.1	28.1	96.5	93.5	134.0	990.7
1874	234.5	10.8	...	32.3	64.7	27.0	2.7	70.1	2.7	45.8	167.1	70.1	88.9	75.4	156.4	1,048.5
1875	...	17.3	2.9	436.4	8.7	...	83.8	66.5	43.4	...	78.0	8.7	43.4	156.1	54.9	98.3	101.1	202.3	1,401.8
1876	15.4	407.4	6.2	...	61.7	40.1	52.5	9.3	43.2	6.2	67.9	142.0	21.6	43.2	114.2	206.7	1,237.6
1877	165.7	2.8	2.8	28.1	16.9	47.8	36.5	73.0	11.2	47.8	311.8	5.6	61.8	50.5	236.0	1,098.3
1878	...	24.9	...	301.9	2.8	...	30.5	58.2	38.8	2.8	30.5	8.3	24.9	246.5	24.9	36.0	83.1	193.9	1,108.0
1879	...	2.6	...	726.6	13.0	7.8	31.2	44.3	59.9	...	28.6	7.8	36.5	325.5	18.2	80.7	54.7	151.1	1,588.5
Ten Years, 1870-79	...	5.0	2.6	419.8	5.9	2.9	37.8	43.3	40.4	6.4	53.6	9.1	56.2	189.1	28.4	75.2	84.9	181.5	1,242.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	10.38	3.46	13.84	4	1	3
1871	...	3.23	9.67	12.90	4	1
1872	...	2.82	2.82	5.64	2	1
1873	...	6.23	18.69	24.92	8	2
1874	...	5.39	13.48	18.87	7	2
1875	...	11.56	2.89	14.45	11	4	1	1	1
1876	...	6.17	15.43	21.60	7	2
1877	16.85	16.85	6
1878	...	19.39	2.77	22.16	12	7
1879	...	2.60	15.63	20.83	8	1	1
Ten Years, 1870-79	...	3.51	4.10	7.61	69	12	1	3	4	4	...	2	5	...	1	6	8	9	14

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	1
1874
1875
1876	6	6
1877
1878	1	1	9
1879	1	1
Ten Years, 1870-79	1	...	8	7	1	17

III.—STATISTICS OF INDIVIDUAL STATIONS—JHANSI, 1870-79.

LXXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying JHANSI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January ...	3,903	199	51.0	5	1	1	1	1	1	
February ...	4,401	244	55.4	2	1	
March ...	4,298	209	48.6	3	
April ...	4,132	212	51.3	3	1	1	1	
May ...	4,113	231	56.2	1	1	
June ...	4,118	224	54.4	3	1	1	1	
July ...	4,109	218	60.4	1	
August ...	4,103	270	65.8	5	1	
September ...	4,094	364	88.9	7	1	1	1	
October ...	4,012	407	101.4	6	1	
November ...	4,125	325	78.8	5	1	
December ...	4,229	244	57.7	4	
						2	...	2	...	8	3	1	5	...	4	...	3	7	2	1	4	1	1	
Died per 1,000 of the Average Strength.																										
For the Ten Years	4,136	265	64.1	44	10.64	.4848	1.94	.73	.24	1.219773	1.69	.4824	.97	.24	.24	.24	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fever, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
Admitted per 1,000 of the Average Strength in each Month.															
523	512	546	488	515	400	636	847	1,270	1,532	1,103	751	9,213			
134.0	116.3	127.0	118.1	125.5	119.0	154.8	206.4	310.2	381.9	267.4	177.6	2,227.5			

III.—STATISTICS OF INDIVIDUAL STATIONS—JHANSI, 1870-79.

LXXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying JHANSI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	484	138.5	101.7	80.7	74.1	81.1	85.2	113.1	121.2	135.6	113.4	81.8	69.6	99.2
1871	... "	473	71.7	57.2	50.5	42.7	38.6	53.8	67.3	83.0	108.1	132.9	132.4	88.4	76.1
1872	... "	401	48.7	32.8	30.0	30.8	35.7	48.6	43.5	46.2	82.3	97.9	82.0	52.6	52.4
1873	... "	436	32.1	44.2	49.2	72.2	67.0	54.1	54.4	57.1	119.5	83.1	47.1	35.4	57.3
1874	... "	402	75.4	102.4	65.4	81.5	61.9	52.1	44.8	44.9	57.4	91.6	92.8	56.4	69.7
1875	... "	378	38.1	37.7	43.4	51.9	59.8	46.1	62.2	70.3	91.9	100.0	57.1	51.6	58.2
1876	... For 11 Months	395	38.6	45.7	37.6	42.1	96.5	94.1	70.2	72.7	108.6	119.3	92.1	...	73.4
1877	... For the Year	400	...	41.8	53.6	43.3	32.6	27.9	34.9	35.9	34.9	30.4	36.1	34.1	35.0
1878	... "	425	27.5	51.4	29.8	31.4	31.4	31.4	48.5	41.3	51.0	90.0	95.2	69.6	49.4
1879	... "	377	49.8	41.4	41.4	39.3	55.3	44.7	52.9	74.5	93.8	121.1	80.6	11.9	61.0
Ten Years, 1870-79	...	4,136	51.0	55.4	48.6	51.3	56.2	54.4	60.4	65.8	88.9	101.4	78.8	57.7	64.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	2.1	...	1,677.7	8.3	8.3	28.9	62.0	35.1	14.5	101.2	14.5	111.6	384.3	35.1	90.9	90.1	272.7	2,946.3
1871	2.1	...	2,154.3	...	2.1	10.6	42.3	23.3	4.2	118.4	...	67.6	209.3	29.6	63.4	114.2	20.9	3,042.3
1872	1,865.3	5.0	5.0	12.5	29.9	10.0	29.9	132.2	7.5	157.1	77.3	19.9	117.2	32.4	187.1	2,688.3
1873	1,149.1	2.3	2.3	11.5	29.8	25.2	4.6	153.7	...	96.3	181.2	29.8	126.1	112.4	250.2	2,183.5
1874	1,154.2	5.0	...	22.4	27.4	57.2	7.5	116.9	7.5	69.6	283.6	24.9	119.4	104.4	139.3	2,154.2
1875	...	2.6	1,047.7	37.0	66.1	142.9	31.7	79.4	5.3	23.8	97.9	31.7	150.8	103.2	240.7	2,060.8
1876	1,592.4	...	2.5	25.3	27.9	50.6	15.2	139.2	2.5	58.2	184.8	20.3	149.4	53.2	192.4	2,513.9
1877	1,822.4	10.0	27.5	22.5	10.0	77.5	10.0	30.0	155.0	10.0	100.0	87.5	140.0	862.5
1878	609.4	16.5	56.5	21.2	...	44.7	2.4	14.1	204.7	44.7	72.9	42.3	167.1	1,296.5
1879	1,270.6	47.7	37.1	10.6	10.6	92.8	2.7	45.1	257.3	26.5	47.7	45.1	185.7	2,079.5
Ten Years, 1870-79	5	1.7	1,300.8	2.2	2.2	22.0	41.3	39.2	12.6	106.9	5.3	69.1	209.1	27.8	103.7	81.2	201.9	2,227.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	2'07	...	16'53	18'60	9	1	2	2	1	1	2	
1871	2'11	2'11	14'81	19'03	9	1	2	1	3	...	1	1	
1872	12'47	12'47	5	1	1	1	1	
1873	6'88	6'88	3	1	...	1	1	...	
1874	12'44	12'44	5	2	1	...	1	...	
1875	...	2'65	5'29	7'94	3	1	1	...	1	1	1	
1876	
1877	7'50	7'50	3	1	...	1	1	
1878	2'35	2'35	1	1	
1879	15'92	15'92	6	3	1	1	...	1	...	
Ten Years, 1870-79	.48	.48	9'68	10'64	44	2	...	2	8	3	1	5	4	...	3	7	2	2	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871	1	1
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	2	2

III.—STATISTICS OF INDIVIDUAL STATIONS—NOWGONG, 1870-79.

LXX XVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying NOWGONG during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	2,482	138	55·6	5	1	...	2	2
February ...	2,758	169	61·3	4	1	1	3
March ...	2,980	154	51·7	3	1	1	1
April ...	2,942	152	51·7	3	1
May ...	2,932	181	61·7	4	2	...	1
June ...	2,920	191	65·4	8	1	3	1
July ...	2,917	175	60·0	1	1	1
August ...	2,912	175	60·1	13	1	1
September ...	2,897	216	74·6	4	...	7	...	1	...	1	1	1	...	1
October ...	2,812	215	76·5	4	1	1	1	...	1	1
November ...	2,862	171	59·7	5	1	1	1
December ...	2,485	116	46·7	4	1	1
						7	...	5	1	3	6	...	2	...	7	...	3	4	3	...	1	...	4	2	10	
Died per 1,000 of the Average Strength.																										
For the Ten Years	2,825	171	60·5	58	20·53	2·48	...	1·77	1·42	2·12	...	·71	...	2·18	...	1·06	1·41	1·06	...	·36	...	1·41	·71	3·54		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fevers, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
	309	310	303	397	436	364	392	442	558	564	369	252	4,696			
Admitted per 1,000 of the Average Strength in each Month.																
	124.5	112.4	101.7	134.9	148.7	121.7	131.4	151.8	192.6	200.6	128.9	101.4	1,662.3			

III.—STATISTICS OF INDIVIDUAL STATIONS—NOWGONG, 1870-79.

LXXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying NOWGONG
in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	176	51.5	58.4	68.4	47.4	68.8	101.1	74.5	64.2	74.8	76.1	33.3	21.3	62.5
1871	...	304	54.8	71.0	53.0	56.3	70.0	83.6	66.9	70.2	98.0	105.1	81.0	57.9	72.4
1872	...	315	73.2	80.2	66.7	66.7	76.2	67.3	61.1	64.7	84.7	63.9	49.4	46.7	66.7
1873	...	274	63.7	67.1	50.7	60.5	53.4	57.3	71.9	68.3	61.2	73.2	50.2	31.7	58.4
1874	...	310	53.2	92.8	52.8	88.2	85.3	73.7	79.6	97.6	100.9	103.3	93.8	78.1	83.9
1875	...	317	62.7	28.7	19.2	31.0	65.0	59.2	59.2	37.5	81.2	59.7	41.9	29.7	47.3
1876	...	293	43.0	43.6	40.0	20.2	34.4	48.1	48.1	34.4	48.1	55.2	28.7	...	41.0
1877	...	306	...	27.9	47.6	54.0	53.8	69.8	51.0	54.3	51.8	51.9	52.3	42.9	52.3
1878	...	293	46.1	40.5	53.7	41.0	48.1	44.7	31.4	45.0	49.0	68.4	61.2	35.8	47.8
1879	...	287	47.9	96.2	71.0	45.5	59.4	59.6	56.1	62.5	90.9	110.7	92.9	54.9	69.7
Ten Years, 1870-79	...	2,825	55.6	61.3	51.7	51.7	61.7	65.4	60.0	60.1	74.6	76.5	59.7	46.7	60.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monals.	Rheumatism.	Veneral dis- cases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	5.7	1,187.5	5.7	...	51.1	45.5	39.8	31.1	73.9	45.5	62.5	244.3	16.9	90.9	73.9	204.5	2,181.8
1871	3.3	1,115.1	...	3.3	9.9	46.1	72.4	6.6	75.6	6.6	141.4	236.8	46.1	72.4	118.4	164.4	2,118.4
1872	...	6.3	...	746.0	6.3	6.3	6.3	41.3	38.1	6.3	85.7	28.6	190.5	146.1	28.6	44.5	114.3	260.3	1,755.5
1873	3.7	624.0	3.7	7.3	14.6	47.5	43.8	7.3	91.2	...	69.3	343.1	21.9	87.6	109.5	208.0	1,682.5
1874	13.0	1,058.0	...	3.2	25.8	154.8	77.4	...	141.9	...	48.4	296.8	32.3	158.1	87.1	267.7	2,361.5
1875	709.8	3.2	...	41.0	18.9	28.4	...	22.1	6.3	18.9	224.0	41.0	75.7	41.0	192.4	1,425.9
1876	3.4	686.0	3.4	...	3.4	23.9	47.8	...	47.8	13.6	27.3	197.9	17.1	81.9	81.9	109.3	1,344.7
1877	268.0	...	6.5	...	13.1	26.1	13.1	22.9	3.3	98.0	212.4	13.1	140.5	124.2	117.6	1,058.8
1878	...	13.7	...	194.6	3.4	3.4	17.0	17.0	30.7	...	71.7	10.2	54.6	218.4	34.1	51.2	116.0	239.0	1,075.0
1879	602.8	7.0	3.5	13.9	10.4	69.7	3.5	20.9	3.5	31.4	449.5	7.0	66.2	90.6	139.3	1,519.2
Ten Years, 1870-79	...	2.5	2.8	715.0	3.2	3.5	17.4	42.8	48.5	6.0	66.2	10.6	76.8	259.8	26.9	88.5	98.1	193.7	1,602.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	5.68	11.37	17.05	3	1	...	1	1	
1871	26.31	26.31	8	1	1	2	...	1	...	1	
1872	...	6.35	3.17	15.88	8	2	1	1	...	1	1	
1873	7.30	10.95	6	1	1	1	2	
1874	3.23	22.58	8	2	1	2	...	1	1	1	
1875	...	3.15	3.15	9.47	5	1	1	1	1	1	
1876	3.41	6.83	3	1	1	1	
1877	6.54	9.80	6	2	1	...	2	
1878	...	13.65	6.83	10.24	9	4	1	1	...	1	2	
1879	3.48	10.46	4	2	1	...	1	
Ten Years, 1870-79	...	2.48	4.25	13.80	58	7	...	5	4	6	...	2	7	...	3	4	5	12	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	2	2
1873
1874
1875	1	1
1876
1877
1878	4	4
1879
Ten Years, 1870-79	7	7

III.—STATISTICS OF INDIVIDUAL STATIONS—SAUGOR, 1870-79.

LXXXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SAUGOR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.
January	4,757	225	47·3	7	1	2	...	2	1	1
February	4,639	232	50·0	3	1	1	1
March	4,733	231	48·8	4	2	1	1
April	4,700	234	49·8	1	1
May	4,701	228	48·5	4	1	1	...	1	1
June	4,698	244	51·9	2	2
July	4,693	255	54·3	7	1	3	2	...
August	4,689	315	67·2	9	...	3	...	1	...	1	2	...	1	1
September	4,679	363	77·6	10	...	6	...	1	...	1	1	...	1
October	4,651	366	78·7	11	5	...	1	...	1	1	...	1	1	1
November	3,924	284	72·4	14	4	...	3	3	...	3
December	4,217	227	53·8	3	...	1	1	1
						11	...	13	1	8	1	1	4	...	7	...	7	5	6	7	...	4
Died per 1,000 of the Average Strength.																									
For the Ten Years	4,590	267	58·2	75	16·34	2·40	...	2·83	1·96	·21	·21	·87	...	1·53	...	1·53	1·09	1·31	1·53	...	·87

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.													
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.																
Dengue (of 1872)												
Cholera												
Smallpox												
Enteric Fever												
Fever, Intermittent	173	156	91	128	158	162	213	390	581	638	323	214	3,227	703·1	60·00	...												
Fever, Remittent and Continued	21	11	62	77	89	80	101	130	83	66	35	22	777	169·3	0·3	...												
Apoplexy												
Delirium Tremens												
Dysentery												
Diarrhoea	5	3	13	13	12	7	12	18	13	15	7	4	122	26·6	12·50	...												
Hepatitis	10	14	18	8	3	5	15	28	16	9	3	8	137	29·8	3·28	...												
Spleen disease	11	17	16	15	27	24	22	23	30	26	19	17	247	53·8												
Respiratory diseases	3	3	2	3	3	7	3	3	7	11	4	7	56	12·2	2·83	...												
Phthisis Pulmonalis	28	21	31	26	35	20	23	25	26	35	29	27	326	71·0												
Scurvy	3	...	2	3	4	3	4	2	8	4	3	...	36	7·8	2·15	...												
Rheumatism												
Veneral diseases	22	23	18	19	13	21	12	14	20	18	15	10	205	44·7												
Eye diseases	74	110	104	82	81	73	86	106	55	58	48	43	920	200·4												
Abscess and Ulcer	4	2	3	6	3	4	6	4	4	6	3	3	48	10·5												
Wounds and Accidents	38	20	38	33	38	35	31	48	33	28	25	17	384	83·7												
All other Causes	29	25	36	33	25	28	29	29	29	27	13	36	339	73·9												
	39	48	58	44	60	57	47	42	43	40	40	38	556	121·1												
														7,441														
Admitted per 1,000 of the Average Strength in each Month.																												
														1,621·1														
														96·7	97·9	104·8	104·3	117·8	113·0	129·6	185·3	205·6	213·7	146·5	106·2	1,621·1		

III.—STATISTICS OF INDIVIDUAL STATIONS—SAUGOR, 1870-79.

LXXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SAUGOR in each Year of the TEN YEARS from 1870-79.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEO.	
1870	For the Year	948	48.2	67.7	72.4	73.4	56.9	51.0	65.6	70.9	67.9	65.1	68.9	47.4	63.3
1871	"	635	38.9	38.2	26.5	36.8	41.5	41.3	44.4	65.8	82.8	88.1	102.2	42.4	52.0
1872	"	456	51.3	52.4	33.2	18.8	39.8	41.5	53.9	77.3	86.7	94.1	65.3	47.5	51.8
1873	"	394	40.1	32.1	31.5	30.6	35.3	40.0	42.4	40.0	65.9	61.3	65.5	75.5	45.7
1874	"	360	43.1	32.8	39.3	51.6	31.4	39.3	49.4	81.9	77.3	87.5	103.9	90.9	62.3
1875	"	383	50.1	28.9	33.9	33.6	38.8	43.9	38.8	49.1	56.7	55.1	61.2	51.1	44.4
1876	"	357	42.9	48.9	38.9	49.3	41.1	46.7	44.1	46.8	68.9	55.1	39.1	30.5	47.6
1877	"	377	45.9	49.3	83.8	71.1	66.2	61.1	53.3	91.4	100.5	83.5	90.9	60.8	71.6
1878	"	360	58.5	66.5	47.4	50.3	63.3	81.4	84.2	78.9	78.6	116.0	71.8	61.6	73.2
1879	"	302	65.0	58.5	59.2	63.5	60.0	70.5	60.4	63.8	107.0	99.3	64.3	53.6	69.5
Ten Years, 1870-79	...	4,590	47.3	50.0	48.8	49.8	48.5	51.9	54.3	67.2	77.6	78.7	72.4	53.8	58.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	1,243.7	1.1	1.1	13.7	41.1	54.9	4.2	100.2	12.7	51.7	193.0	10.6	104.4	66.4	132.9	2,031.7	
1871	965.4	...	4.7	11.0	12.6	74.0	12.6	67.7	12.6	52.0	149.6	11.0	107.1	92.9	144.9	1,718.1	
1872	1,103.1	41.7	11.0	30.7	8.7	35.1	4.4	17.5	153.5	6.6	30.7	41.7	74.5	1,559.2	
1873	812.2	...	2.5	22.8	2.5	106.6	17.8	71.1	...	38.1	172.6	15.2	53.3	66.0	96.4	1,477.1	
1874	...	27.1	1,222.2	32.5	62.3	89.4	19.0	78.6	8.1	56.9	94.9	2.7	51.5	51.5	132.8	1,929.5	
1875	618.8	...	5.2	20.9	80.9	47.0	5.2	54.8	7.8	18.3	122.7	13.1	49.6	60.1	94.0	1,198.4	
1876	14.0	5.6	577.1	42.0	22.4	11.2	2.8	61.6	2.8	75.6	162.5	14.0	47.6	114.8	134.5	1,288.5	
1877	...	10.6	328.9	8.0	13.3	21.2	23.9	98.1	5.3	42.4	371.4	15.9	148.5	100.8	76.9	1,265.2	
1878	37.9	24.4	436.3	8.1	...	48.8	43.4	51.2	8.1	62.3	10.8	27.1	376.7	...	116.5	92.2	130.1	1,476.9	
1879	...	3.3	695.4	3.3	3.3	59.6	3.3	29.8	36.4	39.7	3.3	62.9	281.5	16.6	92.7	56.3	195.4	1,582.8	
Ten Years, 1870-79	...	4.1	5.7	872.4	1.1	1.7	26.6	29.8	53.8	12.2	71.0	7.8	44.7	200.4	10.5	83.7	73.9	121.7	1,621.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b Diseases.																
1870	...	3.17	13.71	16.88	16	4	1	2	4	2	3
1871	9.45	9.45	6	2	1	1	1	1	...
1872	6.58	6.58	3	1	2
1873	5.08	5.08	2	2
1874	...	2.71	27.10	29.81	11	4	1	1	1	1	2	1
1875	5.22	5.22	2	1	1	...
1876	...	2.80	8.40	11.20	4	1	...	1	1	1	...
1877	18.57	18.57	7	2	1	...	4	1	...
1878	...	27.10	32.52	59.62	22	10	...	5	1	1	...	3	2
1879	6.62	6.62	2	1	1	1
Ten Years, 1870-79	...	2.40	.87	16.34	75	11	...	13	9	1	1	4	7	...	7	5	6	7	4

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	1	4	5
1877
1878	5	8	14
1879	1	...
Ten Years, 1870-79	1	4	5	8	1	19

III.—STATISTICS OF INDIVIDUAL STATIONS—JUBBULPORE, 1870-79.

XC.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying JUBBULPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
						
January	...	5,171	316	61·1	10	2	...	3	1	...	1	...	2	1
February	...	4,714	251	53·2	7	...	1	...	1	2	1	1
March	...	4,952	274	55·3	4	1	2	2
April	...	5,054	254	50·3	...	2	1	1
May	...	5,050	270	53·5	...	7	3	1	1
June	...	5,041	244	48·4	...	2	1
July	...	5,100	254	49·7	...	2	1	...	1
August	...	5,139	297	57·8	...	7	3	1	...	2	1
September	...	5,159	343	66·5	...	9	1	...	1	1	...	2
October	...	5,146	350	68·0	...	10	3	2	1	1	...	1	1	1
November	...	4,538	322	71·0	...	6	1	...	1	...	2	1
December	...	4,609	274	59·4	...	7	1	2	...	2	1
						5	...	4	2	9	5	...	6	2	14	...	2	5	1	2	6	8	
Died per 1,000 of the Average Strength.																											
For the Ten Years	...	4,974	287	57·7	71	14·27	1·01	...	·80	2·21	1·01	...	1·21	·40	2·81	...	·40	1·01	·20	·40	1·21	1·61	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)
Cholera	1	4	1	6	1·2	83·33
Smallpox	1	·2	...
Enteric Fever	2	1	...	1	1	1	4	1	...	10	2·0	40·00
Fever, Intermittent ...	221	154	177	146	166	135	170	203	309	454	275	161	2,576	517·9	·08
Fevers, Remittent and Continued ...	14	10	23	16	20	6	11	20	27	50	19	8	224	45·0	4·02
Apoplexy	1	1	1	3	...	1	2	1	1	...	11	2·2	45·45
Delirium Tremens	1	...	3	3	4	1	...	18	3·6	...
Dysentery ...	13	7	12	4	8	19	13	16	15	6	123	24·7	4·88
Diarrhoea ...	13	9	15	18	8	16	30	32	28	25	11	13	218	43·8	·92
Hepatitis ...	14	10	16	14	18	19	19	25	33	28	21	14	231	46·4	6·06
Spleen disease ...	2	1	8	2	1	...	4	3	4	4	5	2	36	7·2	...
Respiratory diseases ...	32	27	35	37	42	25	16	33	38	27	25	28	365	73·4	·55
Phthisis Pulmonalis ...	4	2	1	2	5	2	1	2	2	1	5	6	33	6·6	3·03
Scurvy
Rheumatism ...	20	19	21	19	21	17	23	28	22	11	18	14	233	46·9	...
Veneral diseases ...	81	70	106	106	127	79	101	79	77	75	72	52	1,025	206·1	...
Eye diseases	2	6	5	3	7	8	5	8	6	4	1	55	11·1	...
Abscess and Ulcer ...	21	31	34	34	39	27	38	22	29	32	30	31	368	74·0	·48
Wounds and Accidents ...	30	20	34	34	23	23	38	27	30	27	15	38	339	68·2	...
All other Causes ...	40	53	56	58	58	41	59	61	68	72	64	41	671	134·9	...
													6,543		
Admitted per 1,000 of the Average Strength in each Month.															
98·4	88·5	110·3	98·5	106·3	80·3	103·5	110·7	135·3	162·8	128·3	90·0		1,315·4		

III.—STATISTICS OF INDIVIDUAL STATIONS—JUBBULPORE, 1870-79.

XCI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying JUBBULPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	627	129.8	113.7	105.2	88.1	92.7	93.5	112.0	129.3	113.7	106.2	99.0	94.6	106.9
1871	...	For the Year	326	51.7	5.9	26.1	46.1	46.1	36.3	48.5	58.8	72.4	75.3	56.0	48.8	52.1
1872	...	For 9 Months	549	34.4	36.2	27.1	21.7	29.0	49.1	49.6	42.9	38.4	36.4
1873	...	For the Year	553	18.3	13.1	16.1	16.3	16.3	16.3	18.1	37.9	50.7	56.6	57.7	52.0	30.7
1874	...	"	530	53.9	46.2	36.6	33.6	38.6	23.9	30.0	48.8	62.0	58.3	64.2	39.8	45.3
1875	...	"	594	35.5	33.9	45.4	34.9	50.7	54.1	51.0	49.4	58.9	62.1	60.5	50.9	50.5
1876	...	"	565	50.2	53.4	36.6	37.5	57.2	46.5	32.2	28.6	35.8	37.5	42.8	38.9	42.5
1877	...	"	515	45.4	25.4	92.8	84.5	59.3	59.3	63.8	62.0	76.6	87.1	113.0	72.3	68.0
1878	...	"	460	68.0	74.0	69.5	75.7	80.5	78.5	69.4	73.0	82.3	88.5	120.0	115.4	82.6
1879	...	"	350	93.4	89.5	72.4	55.9	53.4	38.5	44.5	53.3	59.3	56.0	55.1	36.9	60.0
Ten Years, 1870-79			4,974	61.1	53.2	55.3	50.3	53.5	48.4	49.7	57.8	66.5	68.0	71.0	59.4	57.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																			
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	1.6	1.6	1,518.6	4.8	4.8	46.2	143.5	62.2	12.8	57.4	17.5	81.4	242.4	16.0	95.7	76.6	133.9	2,547.0	
1871	659.5	...	12.3	15.3	46.0	24.6	6.1	24.6	6.1	30.7	291.4	9.2	76.7	95.1	82.8	1,380.4	
1872	229.5	1.8	1.8	21.9	10.9	67.4	7.3	31.0	7.3	10.9	82.0	1.8	34.6	27.3	43.7	579.2	
1873	...	9.0	240.5	1.8	...	23.5	36.2	45.2	1.8	28.9	...	23.5	85.0	...	45.2	59.7	86.8	657.1	
1874	334.0	3.8	3.8	5.7	15.1	62.3	...	117.0	3.8	20.7	135.8	7.5	37.7	71.7	103.8	922.7	
1875	468.0	1.7	1.7	13.5	18.5	23.6	...	69.0	8.4	48.8	181.8	21.9	55.6	47.1	141.4	1,101.0	
1876	649.6	1.8	...	10.6	30.1	28.3	...	49.6	5.3	33.6	228.3	5.3	58.4	40.7	85.0	1,226.6	
1877	...	7.8	436.8	...	9.7	27.2	36.9	40.8	27.2	110.7	5.8	79.6	200.0	7.8	126.2	91.3	196.1	1,403.9	
1878	...	10.9	382.6	2.2	4.4	32.6	54.3	65.2	15.2	143.5	4.4	78.3	371.7	19.5	139.1	106.5	258.7	1,689.1	
1879	354.3	2.9	...	42.9	17.1	20.0	...	97.1	2.9	45.7	237.1	22.9	68.6	77.1	220.0	1,208.6	
Ten Years, 1870-79	...	1.2	2.0	562.9	2.2	3.6	24.7	43.8	46.4	7.2	73.4	6.6	46.9	206.1	11.1	74.0	68.2	135.1	1,315.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.59	3.19	35.09	25	1	5	2	...	5	4	1	...	5	2
1871	3.07	15.33	6	2	1	2	1
1872	5.47	3	1	2
1873	...	7.23	1.81	3.62	7	4	1	1	1
1874	1.89	7.55	5	2	1	1	1
1875	1.68	8.42	6	1	...	1	1	1	1	1
1876	3.54	2	1	1
1877	5.83	3	1	1
1878	2.17	21.74	11	3	...	1	5	1	1
1879	2.86	5.71	3	1	1	1
Ten Years, 1870-79	...	1.01	1.61	11.65	71	5	...	4	11	5	...	8	14	...	2	5	1	8	8

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.													
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH DURING THE TEN YEARS.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872
1873	4	1	5
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	1	4	1	6

III.—STATISTICS OF INDIVIDUAL STATIONS—UMBALLA, 1870-79.

XCII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying UMBALLA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anemia.	All other Causes.
January	14,440	784	54.3	10	1	1	2	1	3	1	1	
February	14,589	841	57.6	4	1	...	1	
March	14,992	777	51.8	9	2	3	1	1	...	1	
April	13,752	672	48.9	11	...	1	...	3	1	...	1	...	1	...	1	3	
May	13,107	734	56.0	15	...	5	...	1	1	3	3	...	1	
June	12,749	703	55.1	32	6	...	2	14	...	1	...	1	...	1	...	3	4	
July	12,523	690	55.1	10	2	1	1	2	1	...	3	
August	12,464	791	63.5	34	...	16	...	5	...	2	3	2	4	
September	12,443	863	69.4	22	...	1	...	5	...	1	1	...	4	...	1	1	1	3	1	2	...	1	
October	12,411	843	67.9	21	4	...	1	1	...	2	...	3	3	3	4	...	3	
November	12,110	835	69.0	14	1	1	4	3	1	1	2	
December	13,992	781	55.8	12	1	1	...	3	1	2	...	1	...	3	...	
						23	...	20	1	7	22	2	9	...	18	2	6	13	18	...	1	...	18	2	23
Died per 1,000 of the Average Strength.																									
For the Ten Years	13,298	776	58.4	194	14.59	1.73	...	2.18	.60	1.66	.15	.68	...	1.35	.15	.45	.98	1.3508	...	1.35	.15	1.73	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)	9	52	14	75	5.6	...
Cholera	4	...	6	...	28	4	42	3.1	54.76
Smallpox	1	...	4	3	...	2	10	.8	...
Enteric Fever	3	3	5	8	10	6	10	14	7	10	2	3	81	6.1	35.80
Fever, Intermittent	200	170	182	174	132	144	189	308	787	619	191	173	3,299	248.1	.03
Fever, Remittent and Continued	66	78	137	280	404	368	432	574	679	459	178	120	3,775	283.9	.19
Apoplexy	1	1	1	2	5	20	5	4	3	2	2	...	46	3.5	47.83
Delirium Tremens	2	2	5	1	4	4	4	6	4	8	4	...	50	3.8	4.00
Dysentery	22	14	16	29	39	14	31	34	62	40	37	26	364	27.4	2.47
Diarrhea	56	61	66	146	104	62	81	141	91	52	63	57	980	73.7	...
Hepatitis	39	39	51	45	47	46	52	47	54	75	50	38	583	43.8	3.09
Spleen disease	5	10	8	6	7	5	7	4	4	13	7	12	88	6.6	2.27
Respiratory diseases	155	112	118	110	113	58	43	76	41	59	93	129	1,110	83.5	.54
Phthisis Pulmonalis	12	6	5	4	8	4	15	5	9	16	13	8	105	7.9	17.14
Scurvy	1	1	1	2	5	.4	20.00
Rheumatism	112	86	94	94	74	74	66	58	65	61	70	104	958	72.0	.35
Venereal diseases	251	246	275	305	190	163	129	111	115	152	152	252	2,341	176.0	
Eye diseases	28	21	23	32	35	16	29	49	25	22	12	16	308	23.2	
Abscess and Ulcer	129	129	111	125	128	117	147	131	118	106	89	105	1,435	107.9	
Wounds and Accidents	134	138	162	150	151	133	99	103	98	113	110	131	1,522	114.4	
All other Causes	216	209	231	222	237	220	252	236	197	221	208	216	2,665	200.4	
													19,842		
Admitted per 1,000 of the Average Strength in each Month.															
	99.2	90.8	99.7	126.6	129.4	114.0	127.0	154.8	190.1	166.5	110.2	100.9		1492.1	

III.—STATISTICS OF INDIVIDUAL STATIONS—UMBALLA, 1870-79.

XIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying UMBALLA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	1,257	31·8	46·8	50·8	47·9	59·9	55·2	52·7	47·0	63·4	64·2	53·6	37·4	51·7
1871	... "	1,177	31·9	45·8	42·6	34·7	47·6	50·0	47·3	61·4	61·9	53·6	41·3	28·4	45·9
1872	... "	1,380	28·0	29·5	29·9	49·1	48·4	43·6	38·0	51·1	65·2	62·2	64·8	36·9	44·2
1873	... "	1,435	37·2	33·8	37·5	47·2	46·1	41·6	48·4	53·9	61·5	58·3	83·8	57·7	48·8
1874	... "	1,480	51·6	58·8	49·1	46·1	58·7	57·9	58·6	73·5	66·4	57·1	65·6	53·5	58·1
1875	... "	1,435	55·1	52·9	39·9	44·9	45·8	50·7	56·4	50·7	42·7	46·9	59·5	52·6	50·2
1876	... "	1,434	77·8	81·9	63·6	43·2	36·5	38·2	33·2	48·1	75·6	61·2	46·7	62·6	57·9
1877	... "	1,339	66·1	61·4	56·6	54·0	61·6	79·6	72·8	79·6	70·5	68·6	55·1	68·5	66·5
1878	... "	1,313	69·5	62·6	71·9	64·9	81·9	69·8	85·3	90·7	85·7	133·8	147·9	94·8	83·8
1879	... "	1,047	77·1	90·7	70·2	58·6	78·7	72·2	63·4	91·2	113·7	134·6	94·7	69·1	83·1
Ten Years, 1870-79	...	13,208	54·3	57·6	51·8	48·9	56·0	55·1	55·1	63·5	69·4	67·9	69·0	55·8	58·4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	8	2'4	623'7	2'4	4'8	15'1	49'3	45'3	4'8	78'8	13'5	96'3	150'4	27'8	90'7	130'4	146'4	1,482'9	
1871	4'2	463'1	1'7	4'2	32'3	56'1	38'2	3'4	52'7	7'7	63'7	162'3	29'7	81'6	75'6	158'0	1,234'5	
1872	...	2'2	3'6	484'1	3'6	8'7	22'5	62'3	48'6	3'6	52'9	5'8	59'4	241'3	36'2	77'6	76'8	130'4	1,319'6	
1873	...	7	7'7	418'1	1'4	2'8	36'2	44'6	67'6	8'4	108'0	11'8	84'3	165'2	18'8	109'4	98'3	285'0	1,468'3	
1874	4'7	552'7	4'1	3'4	14'2	82'4	27'7	3'4	124'3	6'7	70'3	179'1	30'4	114'9	141'2	263'9	1,628'4	
1875	...	19'5	2'1	253'0	2'8	5'6	24'4	66'9	40'4	3'5	79'4	6'3	78'0	163'8	21'6	88'5	137'3	179'7	1,172'8	
1876	2'8	523'0	3'5	2'8	20'9	69'7	44'6	6'3	91'3	3'5	65'6	160'4	11'2	104'6	121'3	181'3	1,412'8	
1877	5'2	379'4	6'7	7	32'9	159'1	38'8	2'2	82'9	5'2	69'5	156'1	18'7	139'7	149'4	245'7	1,492'2	
1878	24'4	575'0	4'6	2'3	34'3	75'4	51'0	10'7	57'9	13'7	60'9	184'3	22'1	147'0	108'9	237'6	1,610'1	
1879	8'6	1,225'4	3'8	1'9	46'8	68'8	33'4	23'9	100'3	4'8	72'6	200'6	14'3	128'0	94'6	228'2	2,259'8	
Ten Years, 1870-79	3'1	6'1	532'0	3'5	3'8	27'4	73'7	43'8	6'6	83'5	7'9	72'0	176'0	23'2	107'9	114'4	207'2	1,492'1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1·59	14·32	15·91	20	1	...	3	4	...	1	1	5	3	2
1871	...	3·40	11·89	15·29	18	3	...	2	1	...	2	...	1	1	4	...	4
1872	...	5·80	15·94	21·74	30	3	1	2	...	4	2	...	3	1	1	3	8
1873	...	70	11·15	11·85	17	2	2	2	1	...	2	1	3	3	1
1874	...	67	8·11	8·78	13	2	...	2	...	2	1	1	...	3	1
1875	11·85	20·9	8·36	22·30	32	17	...	1	2	1	2	3	2	1	3
1876	...	70	7·67	8·37	12	2	...	4	...	1	1	1	...	2	1
1877	...	75	4·48	5·23	7	3	1	1	1
1878	...	76	18·28	19·04	25	13	2	2	1	3	3	1
1879	5·73	2·86	10·51	19·10	20	6	...	1	1	1	...	2	2	...	1	2	...	1	3
Ten Years, 1870-79	...	1·73	1·88	10·98	194	23	...	29	8	22	2	9	18	2	6	13	18	19	25

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872	3
1873	1	2	1
1874	1
1875	27	1	28
1876
1877
1878
1879	3	6	9
Ten Years, 1870-79	4	6	28	4	42

III.—STATISTICS OF INDIVIDUAL STATIONS—JULLUNDUR, 1870-79.

XCIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying JULLUNDUR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	8,061	521	64·6	9	1	1	...	1	1	1	3	1
February ...	8,108	549	67·7	4	1
March ...	8,260	489	59·2	9	1	2	2	3	1
April ...	6,895	320	46·4	3	1
May ...	6,766	329	48·6	9	3	1	2	1
June ...	6,737	391	58·0	14	4	...	3	...	5	1
July ...	6,691	415	62·0	11	1	...	3	...	3	1	1	...	3
August ...	6,623	496	74·3	12	3	...	3	...	2	2	2
September ...	6,600	615	93·2	21	3	...	3	...	4	...	1	3	...	1	1	...	2	1
October ...	6,111	596	97·5	19	1	...	8	...	1	...	6	...	1	1	1
November ...	6,512	508	78·0	13	2	...	4	2	...	1	...	2	1
December ...	7,541	507	67·2	12	1	4	3	1	1
						9	1	16	...	25	11	2	16	...	9	...	10	8	9	13	7
Died per 1,000 of the Average Strength.																										
For the Ten Years	7,075	478	67·6	136	19·22	1·27	·14	2·26	3·54	1·56	·28	2·26	...	1·27	...	1·41	1·13	1·27	1·84	·99	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox	...	1
Enteric Fever	1
Fever, Intermittent	...	192	107	107	137	217	260	232	500	904	966	501	221	4,344	614.0	...
Fever, Remittent and Continued	...	50	28	49	61	85	114	142	154	213	130	79	73	1,178	166.5	...
Apoplexy	1
Delirium Tremens	...	2	...	3
Dysentery	...	11	12	3	12	12	8	8	6	19	57	23	17	188	26.5	...
Diarrhoea	...	23	22	21	53	15	10	35	40	31	39	36	44	369	52.2	...
Hepatitis	...	24	14	18	14	20	21	22	33	25	12	20	25	218	35.1	...
Spleen disease	...	6	12	4	2	4	1	6	3	3	8	3	4	56	7.9	...
Respiratory diseases	...	63	65	55	32	47	32	32	29	32	32	43	59	521	73.7	...
Phthisis Pulmonalis	...	5	3	5	2	1	3	9	5	7	7	10	6	63	8.9	...
Scurvy	1
Rheumatism	...	60	68	63	29	34	33	42	45	53	53	50	39	574	81.1	...
Veneral diseases	...	158	153	160	95	86	66	79	59	65	36	97	113	1,167	165.0	...
Eye diseases	...	9	6	9	20	21	20	8	25	17	16	11	3	165	23.3	...
Abscess and Ulcer	...	51	44	48	44	37	50	57	62	44	39	41	30	538	76.0	...
Wounds and Accidents	...	64	55	53	46	51	39	34	27	26	38	42	64	539	76.2	...
All other Causes	...	98	98	100	77	68	105	111	122	89	115	109	84	1,176	166.2	...
	817	689	702	624	709	779	826	1,123	1,540	1,549	1,070	784	11,212			
Admitted per 1,000 of the Average Strength in each Month.																
	101.4	85.1	85.0	90.5	104.8	115.6	123.4	169.6	233.3	253.5	164.3	104.0	1,534.7			

III.—STATISTICS OF INDIVIDUAL STATIONS—JULLUNDUR, 1870-79.

XCV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying JULLUNDUR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	669	78.2	60.5	55.8	49.2	50.7	88.4	110.2	118.8	132.2	95.2	91.6	82.1	83.7
1871	... "	702	90.2	72.9	76.2	61.5	48.6	50.3	58.9	84.3	75.2	65.2	46.9	32.8	64.1
1872	... "	800	43.7	56.1	43.1	39.4	56.7	55.0	53.7	74.0	81.5	71.8	60.3	66.1	57.5
1873	... "	738	76.9	91.3	77.3	55.4	50.8	53.8	51.1	63.6	70.4	56.2	41.6	56.8	62.3
1874	... "	839	54.2	55.8	58.5	37.7	53.5	76.3	82.4	76.5	78.1	127.5	67.3	55.6	66.7
1875	... "	805	42.3	60.6	61.5	30.9	22.8	31.1	60.0	69.9	78.3	72.0	63.1	69.4	55.9
1876	... "	855	53.0	61.0	46.4	39.8	43.4	48.4	52.6	77.8	111.2	105.6	95.1	78.7	67.8
1877	... "	739	79.9	64.6	35.4	20.1	30.2	33.0	31.7	37.4	46.0	43.8	47.6	67.5	46.0
1878	... For 11 Months	743	59.3	79.8	75.3	80.5	72.0	85.8	58.9	78.1	158.9	260.8	269.7	...	106.3
1879	... For the Year	238	163.4	183.7	93.2	64.5	73.9	59.1	73.5	78.8	104.2	130.4	41.6	58.7	75.6
Ten Years, 1870-79	...	7,075	64.6	67.7	59.2	46.4	48.6	58.0	62.0	74.9	93.2	97.5	78.0	67.2	67.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																			
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	3.0	1,233.2	6.0	12.0	15.0	77.7	56.8	7.5	74.8	7.5	133.0	186.8	13.4	127.0	94.2	221.2	2,269.1
1871	401.7	...	2.9	14.2	45.6	61.3	14.2	85.5	1.4	79.8	123.9	34.2	41.3	58.4	178.1	1,142.5
1872	...	8.8	...	277.4	1.2	...	11.2	87.5	32.5	2.5	86.3	10.0	50.0	167.5	38.8	42.5	61.3	116.2	1,002.5
1873	1.3	273.8	1.3	4.0	8.1	21.7	54.2	8.1	71.8	15.0	66.4	162.6	17.6	51.5	54.2	115.2	926.8
1874	429.1	9.5	19.1	46.5	14.3	78.7	9.5	71.5	122.8	9.5	47.7	67.9	163.3	1,089.4
1875	7.5	419.8	6.2	1.3	5.0	24.9	8.7	...	44.7	3.7	106.8	135.4	12.4	62.1	84.5	136.6	1,059.6
1876	7.0	1,262.0	...	1.2	5.8	23.4	18.7	10.5	53.8	10.5	111.1	153.2	26.9	80.7	94.8	149.7	2,009.3
1877	1.3	404.7	8.1	2.7	16.2	32.4	23.0	9.5	63.6	8.1	71.7	134.0	19.0	78.5	82.5	157.0	1,112.3
1878	4.0	1,974.5	9.5	2.7	146.7	82.1	24.3	6.7	91.5	10.7	47.1	277.3	36.1	145.4	56.5	245.0	3,160.1
1879	...	12.6	12.6	1,827.7	...	4.2	33.6	239.5	16.8	...	109.3	16.8	46.2	218.5	25.2	105.0	151.3	226.9	3,046.2
Ten Years, 1870-79	...	1.4	4.1	780.5	3.4	2.8	26.5	52.2	35.1	7.9	73.7	8.9	81.1	165.0	23.3	76.0	76.2	166.6	1,584.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	13.45	13.45	9	2	2	1	2	2	...
1871	14.25	15.67	11	3	1	1	...
1872	...	7.50	20.00	28.75	23	6	1	5	3	1	...	1	1	...	2	1	1
1873	10.85	12.20	9	1	1	...	1	2	1	1
1874	5.96	7.15	6	2	1	1
1875	19.88	21.12	17	3	3	1	1	1
1876	10.53	10.53	9	3	2
1877	8.12	9.47	7	1	2	2
1878	47.10	48.45	36	2	11	2	2
1879	...	12.61	25.21	37.82	9	3	...	1	1	1	12	1	2
Ten Years, 1870-79	...	1.27	9.99	16.96	136	9	1	16	25	11	2	16	9	...	10	8	9	13	7

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.													
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	4	3	7
1874
1875
1876
1877
1878
1879	3	3
Ten Years, 1870-79	3	4	3	10

III.—STATISTICS OF INDIVIDUAL STATIONS—FEROZEPORE, 1870-79.

XCVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying FEROZE-
PORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January ...	10,874	526	48·4	17	4	...	1	1	5	2	1	2	...	1
February ...	11,343	562	49·5	9	3	3	1	1	1
March ...	10,763	497	46·2	3	1	1	...	1	1
April ...	10,369	486	46·9	5	2
May ...	10,327	515	49·9	12	...	3	...	2	1	1	1	3
June ...	10,310	559	54·2	19	1	...	1	11	1	1	1	2
July ...	10,271	587	57·2	30	6	10	2	1	...	1	...	1	4	1
August ...	10,219	662	64·8	16	...	2	...	2	...	3	1	1	...	3	2	2
September ...	10,192	801	78·6	22	...	1	4	2	3	...	2	2	1	3
October ...	9,762	705	72·2	23	...	3	...	2	...	4	4	2	2	1	2
November ...	9,658	658	68·1	10	...	1	1	1	...	1	1	1	2
December ...	10,718	547	51·0	14	4	1	1	...	2	1	2	1
						10	...	19	1	21	26	4	10	...	14	...	10	18	10	1	19	1	16
Died per 1,000 of the Average Strength.																									
For the Ten Years	10,400	592	56·9	180	17·31	·96	...	1·83	2·11	2·50	38	·96	...	1·35	...	·96	1·73	·96	·10	1·83	·10	1·54	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera	3	3
Smallpox	3	1	...	1
Enteric Fever
Fever, Intermittent	14	4	5	...	3	...	3	...	3
Fever, Remittent and Continued	190	127	124	158	271	316	320	267	935	825	655	371	4,568	439·2	·02
Apoplexy	45	35	74	241	351	292	391	548	392	248	125	36	2,778	267·1	·76
Delirium Tremens	1	1	23	26	8	3	2	1	1	66	6·3	39·39
Dysentery	13	9	...	4	12	7	9	9	8	7	2	2	73	7·0	5·48
Diarrhoea	29	20	36	43	36	17	32	52	53	46	31	35	430	41·4	4·26
Hepatitis	14	27	19	23	22	26	28	38	32	30	18	25	302	29·0	...
Spleen disease	6	4	2	1	...	1	3	1	4	2	4	1	29	2·8	4·64
Respiratory diseases	111	87	81	45	70	30	45	41	42	54	63	78	747	71·8	1·34
Phthisis Pulmonalis	5	6	4	5	2	7	5	10	9	4	14	2	73	7·0	13·70
Scurvy	1	...	2	1	1	...	1	6
Rheumatism	62	52	44	33	38	...	45	...	48	35	...	61	527	50·7	...
Veneral diseases	182	230	198	153	170	140	154	139	109	108	102	138	1,828	175·8	...
Eye diseases	12	14	17	23	27	22	11	33	27	20	11	17	234	22·5	...
Abscess and Ulcer	57	53	76	69	54	82	101	107	79	51	50	47	826	79·4	...
Wounds and Accidents	96	117	111	108	73	57	56	68	60	55	59	101	961	92·4	...
All other Causes	141	112	143	167	174	192	219	207	221	128	124	122	1,950	187·5	...
Admitted per 1,000 of the Average Strength in each Month.															
91·0	79·6	88·7	106·1	128·3	121·1	142·2	157·2	202·5	168·9	137·5	99·4	1,509·0			

III.—STATISTICS OF INDIVIDUAL STATIONS—FEROZEPORE, 1870-79.

XCVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying FEROZEPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	962	54.6	53.6	59.9	57.0	74.3	57.1	61.7	59.7	55.7	51.8	41.1	33.5	56.1
1871	...	"	1,077	29.7	40.9	38.6	35.6	41.4	39.5	38.7	44.5	42.6	38.9	35.9	36.1	38.1
1872	...	"	1,118	39.6	44.1	36.1	35.0	36.9	37.9	36.1	50.6	62.3	51.7	44.8	30.3	42.0
1873	...	"	1,109	36.2	48.6	50.8	53.4	46.5	49.2	59.9	69.7	87.1	55.3	43.7	35.8	53.2
1874	...	"	1,034	41.1	62.6	48.7	49.3	48.3	55.2	72.1	96.3	81.6	77.0	69.1	50.7	62.9
1875	...	"	1,068	51.8	42.7	38.6	43.9	38.1	49.9	45.9	39.0	42.1	48.2	45.9	31.2	42.1
1876	...	"	1,077	52.0	66.4	46.1	39.0	43.8	51.3	51.4	68.2	97.1	119.2	105.7	91.9	69.6
1877	...	"	1,007	57.8	42.1	36.2	52.6	67.1	78.5	75.7	70.6	73.4	55.8	67.4	57.4	60.6
1878	...	"	1,033	56.0	52.0	62.3	65.1	58.2	77.5	74.0	91.9	165.7	154.8	134.0	91.6	87.1
1879	...	"	917	67.1	42.6	46.0	37.5	46.5	47.7	55.2	56.3	72.2	97.5	96.3	62.6	60.0
Ten Years, 1870-79	...		10,400	48.4	49.5	46.2	46.9	49.9	51.2	57.2	61.8	78.6	72.2	68.1	51.0	56.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	3.1	679.9	10.4	20.8	23.9	53.0	18.7	4.2	104.0	14.5	28.1	190.2	35.3	91.5	98.7	197.5	1,573.8	
1871	...	1.9	363.9	...	4.6	28.8	53.9	13.9	...	53.9	9.3	19.5	219.1	37.1	66.3	87.3	122.6	1,082.6	
1872	...	1.8	348.8	10.7	9.8	36.7	88.5	18.8	...	63.5	5.4	31.0	163.7	49.3	82.3	81.4	178.9	1,165.5	
1873	...	1.9	234.4	5.4	5.4	12.6	37.0	50.5	2.7	65.8	9.9	85.7	128.9	7.2	79.4	94.7	210.1	1,030.6	
1874	...	1.0	387.8	1.9	...	5.8	21.3	55.1	3.9	89.9	3.9	123.8	154.7	15.5	46.4	60.0	201.1	1,173.1	
1875	...	7.5	226.6	4.7	...	9	47.8	37.4	7.5	53.4	8.4	45.9	177.9	10.3	68.4	86.1	182.6	984.1	
1876	...	16.7	926.7	8.4	3.7	25.1	25.1	23.2	1.9	65.9	4.6	44.6	143.0	17.6	129.0	96.6	294.3	1,826.4	
1877	...	1.0	840.1	8.9	4.0	8.9	15.9	29.8	1.0	49.7	5.0	28.2	125.1	7.9	77.5	94.3	151.9	1,452.8	
1878	...	6.8	1,805.4	4.8	15.5	53.3	27.1	28.1	1.0	74.5	5.8	54.2	310.8	32.9	60.0	110.3	206.2	2,796.7	
1879	...	3.3	1,415.5	8.7	6.6	13.1	40.3	12.0	5.5	105.8	3.3	39.3	113.9	20.7	93.8	118.9	130.7	2,164.7	
Ten Years, 1870-79	...	1.2	3.9	706.3	6.3	7.0	22.6	41.4	29.0	2.8	71.8	7.0	50.7	175.8	22.5	79.4	92.4	198.9	1,509.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	2.08	27.03	29.11	28	2	1	8	...	1	3	...	2	5	...	4	2	
187193	10.21	11.14	12	1	2	1	1	1	
1872	12.52	12.52	14	2	...	3	...	1	3	4	1	
1873	...	2.71	16.23	18.94	21	1	4	1	4	...	1	3	
187497	20.31	21.28	22	1	9	1	...	2	1	6	...	
1875	...	5.62	12.17	18.73	20	6	...	2	1	5	...	1	1	2	1	
187693	16.71	17.64	19	6	3	2	2	...	2	...	1	...	1	
1877	...	2.98	10.92	13.90	14	1	1	1	1	...	1	4	3	
1878	...	3.87	13.55	17.42	18	2	2	3	...	3	2	1	1	...	4	
1879	...	3.27	7.64	13.09	12	3	...	2	1	2	1	1	2	
Ten Years, 1870-7996	1.64	17.31	180	10	...	19	22	26	4	10	14	...	10	18	10	20	17	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875	3	1
1876	3	2
1877
1878
1879	3
Ten Years, 1870-79	3	3	1	3	2	...	12

III.—STATISTICS OF INDIVIDUAL STATIONS—MOOLTAN, 1870-79.

XCVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MOOLTAN during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anemia.	All other Causes.
January ...	8,823	553	62·7	13	1	1	1	...	1	...	5	...	1	1	1	1
February ...	8,618	493	57·2	6	1	...	2	1	...	1
March ...	8,877	478	53·8	8	2	1	...	3	1	1
April ...	8,327	450	54·0	5	1	1	...	1	...	2
May ...	8,247	484	58·7	6	1	1	...	1	1	...	1
June ...	8,201	513	66·2	11	5	2	1	2	1
July ...	8,176	600	73·4	12	1	...	1	5	1	1	1	...	2
August ...	8,158	607	74·4	18	...	2	...	3	...	1	4	...	1	2	2	2	...	1
September ...	8,146	584	71·7	9	1	6	1	...	1
October ...	6,966	514	73·8	10	1	4	1	...	1	2	...	1	...
November ...	7,177	509	70·9	18	1	6	1	...	2	...	1	...	2	4	...	1	...
December ...	7,592	454	59·8	5	2	1	1	1	...
						2	...	6	3	21	14	3	8	...	9	...	14	7	9	1	13	1	10
Died per 1,000 of the Average Strength.																									
For the Ten Years	8,109	522	64·4	121	14·92	·25	...	·74	2·96	1·73	·37	·99	...	1·11	...	1·73	·86	1·11	·12	1·60	·12	1·23	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)
Cholera	3	3	·4	66·67
Smallpox ...	1	1	5	·6	...
Enteric Fever	1	2	...	1	13	1·6	46·15
Fever, Intermittent ...	263	164	181	185	221	327	376	402	561	846	527	236	4,289	528·9	·07
Fevers, Remittent and Continued ...	31	27	45	84	146	174	232	165	303	238	120	59	1,624	200·3	1·29
Apoplexy	1	12	23	9	2	47	5·8	29·79
Delirium Tremens ...	1	2	2	3	4	4	2	...	1	3	1	2	25	3·1	12·00
Dysentery ...	12	11	10	23	13	19	18	16	20	40	19	16	217	26·8	3·69
Diarrhea ...	15	12	16	42	26	20	18	47	31	32	11	19	289	35·6	...
Hepatitis ...	32	36	43	55	30	42	43	31	36	29	28	29	434	53·5	2·07
Spleen disease ...	4	5	6	2	3	5	8	5	2	4	...	2	46	5·7	...
Respiratory diseases	95	124	77	80	57	59	65	37	48	52	71	856	105·6	1·64
Phthisis Pulmonalis ...	2	9	5	5	7	5	8	7	10	13	15	6	92	11·3	9·78
Scurvy	2	1	...	1	2	2	1	...	9	1·1	...
Rheumatism ...	41	69	70	69	50	59	56	42	34	32	25	34	581	71·6	...
Veneral diseases ...	128	138	113	170	121	117	134	122	72	73	70	90	1,348	166·2	...
Eye diseases ...	8	6	17	5	13	7	10	21	13	8	9	10	127	15·7	...
Abscess and Ulcer ...	57	42	44	40	42	65	126	123	71	44	32	54	740	91·2	...
Wounds and Accidents ...	70	42	69	85	62	50	58	49	42	37	36	72	672	82·9	...
All other Causes ...	68	113	113	120	98	127	153	171	127	81	73	102	1,346	166·0	·46
Admitted per 1,000 of the Average Strength in each Month.															

III.—STATISTICS OF INDIVIDUAL STATIONS—MOOLTAN, 1870-79.

XCIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MOOLTAN in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	790	81.4	57.6	53.7	39.9	49.3	60.0	61.5	60.1	65.5	56.5	37.7	23.7	53.2
1871	... "	843	39.2	37.5	30.2	35.2	45.1	50.2	57.8	46.9	36.0	37.3	32.1	37.3	40.3
1872	... "	831	39.6	36.2	46.6	55.6	71.7	92.8	103.2	96.0	81.8	87.0	102.5	77.5	73.4
1873	... "	786	70.9	66.0	59.9	80.8	88.6	94.0	90.1	86.5	91.4	68.7	81.4	115.4	81.4
1874	... "	869	51.5	66.2	68.0	52.1	52.0	49.8	58.1	66.4	67.0	57.4	65.4	59.6	58.7
1875	... "	837	58.8	39.3	39.9	36.6	51.0	61.3	64.6	54.0	65.9	69.2	69.5	74.7	57.3
1876	... "	743	65.0	43.2	33.4	33.0	45.4	61.5	61.7	68.2	83.3	92.2	127.4	94.1	63.3
1877	... "	697	73.0	53.2	43.2	45.4	52.1	48.9	74.0	87.0	57.6	65.9	62.8	57.4	58.8
1878	... For 10 Months	795	78.5	89.1	83.8	73.1	66.8	79.9	91.6	118.8	108.8	37.1	83.0
1879	... For the Year	998	81.0	78.6	74.3	81.3	63.8	61.7	72.7	65.9	59.9	113.9	35.6	52.2	68.1
Ten Years, 1870-79	...	8,109	62.7	57.2	53.8	54.0	58.7	66.2	73.4	74.4	71.7	73.8	70.9	59.8	64.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	931.0	2.5	7.6	53.2	43.0	64.6	5.1	94.9	12.6	84.8	83.5	30.4	101.3	81.0	201.3	1,846.8
1871	323.8	3.6	8.3	36.8	15.4	73.5	3.6	111.5	19.0	53.4	104.4	19.0	67.6	62.9	116.2	1,019.0
1872	...	3.6	604.1	6.0	6.0	57.8	9.6	91.5	9.6	122.7	24.2	49.3	143.2	10.8	66.2	80.6	232.2	1,517.4
1873	...	1.3	690.8	1.3	1.3	42.0	12.7	129.8	25.4	131.0	28.0	47.1	128.5	16.5	63.6	77.6	134.9	1,531.8
1874	499.4	6.9	1.1	3.4	10.6	33.4	...	55.2	1.1	166.9	92.1	13.8	63.3	47.2	143.9	1,147.3
1875	1,028.7	9.6	...	12.0	78.9	35.8	1.2	63.3	9.6	66.9	175.6	16.7	120.6	94.4	135.0	1,848.3
1876	...	2.7	1,410.5	4.0	2.7	5.4	39.0	37.7	1.3	48.5	2.7	68.6	142.7	6.7	80.8	84.8	160.1	2,098.2
1877	727.4	10.0	4.3	12.9	41.6	14.4	1.4	155.0	4.3	80.3	193.7	10.0	109.0	100.5	139.2	1,604.0
1878	...	8.8	558.5	7.5	...	11.3	71.7	16.4	...	147.2	1.3	44.0	320.8	17.6	130.8	110.7	145.9	1,502.5
1879	...	3.0	317.6	6.0	...	27.1	21.0	32.1	8.0	113.2	9.0	48.1	240.5	13.0	97.2	83.2	226.5	1,245.5
Ten Years, 1870-79	...	4	729.2	5.8	3.1	26.8	35.6	53.5	5.7	105.6	11.3	71.6	166.2	15.7	91.2	82.9	167.7	1,573.9

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.27	21.51	22.78	18	3	2	1	2	...	4	3	1	
1871	...	1.19	18.98	20.17	17	2	1	1	...	2	1	4	1	
1872	...	2.41	14.43	19.25	16	2	4	1	...	2	1	3	1	...	1	2	
1873	...	1.27	11.45	12.72	10	1	2	1	1	1	1	
1874	...	1.15	10.36	11.51	10	4	2	1	1	
1875	...	1.19	9.56	10.75	9	1	3	1	2	1	
1876	...	1.35	9.42	10.77	8	1	1	1	1	...	1	1	1	1	
1877	4.30	4.30	3	1	1	1	...	
1878	...	1.13	15.22	16.35	13	3	5	1	...	1	1	1	...	1	
1879	...	2.00	15.03	17.03	17	1	1	4	...	2	1	2	2	
Ten Years, 1870-79	...	2.25	13.32	14.92	121	2	...	6	24	14	3	8	9	...	14	7	9	11	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	3	3
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	3	3

III.—STATISTICS OF INDIVIDUAL STATIONS—DERA ISMAIL KHAN, 1870-79.

C.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DERA ISMAIL KHAN during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.
January ...	1,009	48	47·6	1	1
February ...	1,009	38	37·7
March ...	995	32	32·2	1
April ...	994	35	35·2	1
May ...	995	40	40·2
June ...	992	58	58·5	1	1
July ...	990	68	68·7	4	2	1
August ...	985	71	72·1	3	1
September ...	985	83	84·3
October ...	994	91	91·5
November ...	968	91	92·0
December ...	1,003	60	59·8	2
						1	...	1	...	1	3	...	1	1	2	5	1	...	1
Died per 1,000 of the Average Strength.																									
For the Ten Years	993	60	60·4	17	17·12	1·01	...	1·01	1·01	3·02	...	1·01	1·01	2·01	5·03	1·01	...	1·01

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)	1	100·00
Cholera
Smallpox
Enteric Fever
Fever, Intermittent	...	54	27	25	40	53	83	75	147	172	160	91	1,010	1,017·1	...
Fever, Remittent and Continued	...	8	3	4	5	26	17	19	52	69	41	16	302	304·1	...
Apoplexy	1	3	4	11	27·27
Delirium Tremens	9	...
Dysentery	...	1
Diarrhoea	...	10	2	3	4	6	2	7	13	11	4	8	76	76·6	...
Hepatitis	...	4	2	...	2	5	4	6	3	10	7	4	50	50·4	...
Spleen disease	...	2	1	1	2	1	...	5	2	...	14	14·1	...
Respiratory diseases	...	21	13	8	10	4	...	11	13	...	121	121·9	...
Phthisis Pulmonalis	1	...	1	...	1	1	...	5	5·0	...
Scurvy
Rheumatism	...	2	5	3	5	...	3	...	7
Veneral diseases	...	18	13	11	16	13	20	13	7	16	9	14	170	171·2	...
Eye diseases	...	1	1	1	4	2	1	7	2	1	1	...	21	21·1	...
Abscess and Ulcer	...	9	5	6	5	3	3	15	21	18	11	...	115	115·8	...
Wounds and Accidents	...	6	8	4	2	13	3	6	4	5	8	7	71	71·5	...
All other Causes	...	21	14	21	25	29	32	46	38	27	16	17	326	328·3	...
Admitted per 1,000 of the Average Strength in each Month.															
...	155·6	95·1	92·5	119·7	164·8	187·5	223·2	231·5	301·5	351·1	292·4	187·4	2,399·8		

III.—STATISTICS OF INDIVIDUAL STATIONS—DERA ISMAIL KHAN, 1870-79.

CI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DERA ISMAIL KHAN in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	97	60.6	30.3	20.2	30.3	30.3	81.6	71.4	103.1	113.4	62.5	36.1	...	51.5
1871	...	"	100	20.0	20.0	20.0	10.0	39.6	69.3	49.5	59.4	49.5	49.5	30.6	20.0	40.0
1872	...	"	99	30.0	20.0	30.0	30.0	50.0	60.6	60.6	90.9	90.9	121.2	191.9	222.2	80.8
1873	...	"	101	108.1	45.0	10.1	40.4	50.5	40.4	50.5	51.0	102.0	61.2	61.2	40.8	59.4
1874	...	"	98	40.0	40.0	60.0	40.0	50.5	51.0	81.6	72.2	92.8	105.3	94.7	60.0	61.2
1875	...	"	99	20.0	30.0	30.0	40.0	50.0	70.0	100.0	70.0	100.0	114.6	105.3	40.4	60.6
1876	...	"	100	40.0	40.0	10.0	20.0	20.0	20.0	40.0	30.0	20.0	40.0	20.2	70.0	30.0
1877	...	"	98	50.0	50.0	50.5	20.2	20.2	50.5	50.5	30.6	61.2	51.0	55.6	50.0	40.8
1878	...	"	102	30.0	50.0	40.4	62.5	50.5	80.8	90.9	121.2	121.2	173.9	182.6	84.1	88.2
1879	...	"	98	70.7	50.5	50.5	61.2	40.4	60.6	92.8	93.7	93.7	125.0	135.4	10.0	71.4
Ten Years, 1870-79	...	993	47.6	37.7	32.2	35.2	40.2	58.5	68.7	72.1	84.3	91.5	94.0	59.8	...	60.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	...	10.3	1,041.3	10.3	...	30.9	82.5	10.3	72.2	144.3	...	103.1	10.3	257.7	1,773.2
1871	550.0	30.0	30.0	60.0	...	100.0	150.0	30.0	90.0	30.0	180.0	1,250.0
1872	1,484.9	40.4	30.3	80.8	...	171.7	50.0	40.4	181.8	60.6	30.3	30.3	141.4	2,343.4
1873	831.7	29.7	79.2	59.4	29.7	108.9	...	9.9	9.9	...	39.6	59.4	148.5	1,405.9
1874	1,959.2	10.2	10.2	...	61.2	122.5	...	224.5	...	91.8	214.3	20.4	255.1	193.9	397.9	3,561.2
1875	...	10.1	878.8	10.1	50.5	20.2	70.7	30.3	...	131.3	...	40.4	292.9	20.2	212.1	121.2	606.1	2,494.9
1876	...	20.0	1,040.0	...	10.0	...	70.0	40.0	...	30.0	...	30.0	160.0	30.0	90.0	40.0	240.0	1,810.0
1877	581.7	10.2	...	10.2	71.4	61.2	...	102.0	...	71.4	153.1	51.0	81.6	122.5	346.9	1,663.2
1878	2,411.8	29.4	9.8	19.6	127.4	78.4	...	156.9	...	49.0	225.5	...	68.7	49.0	529.4	3,754.9
1879	2,438.8	40.8	10.2	30.6	142.9	20.4	112.2	234.7	...	61.2	183.7	...	193.9	61.2	438.8	3,969.4
Ten Years, 1870-79	...	1.0	1,321.2	11.1	9.1	21.1	76.6	50.4	14.1	121.9	5.0	56.4	171.2	21.1	115.8	71.5	328.3	2,399.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	10.31	20.62	30.93	3	1	...	1	1
1871
1872	20.20	20.20	2	1
1873	19.80	19.80	2
1874	10.20	10.20	1
1875	20.20	20.20	2
1876	...	10.00	...	10.00	1	1	1	...
1877	10.20	10.20	1	1
1878	9.80	9.80	1	1
1879	40.82	40.82	4	1	...	1	2
Ten Years, 1870-79	...	1.01	1.01	15.10	17.12	17	1	...	1	1	3	...	2	2	5	...	1

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.																
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870			
1871			
1872			
1873			
1874			
1875			
1876	1			
1877			
1878			
1879			
Ten Years, 1870-79	1	1			

CH.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MEEAN MEER during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

[illegible]

III.—STATISTICS OF INDIVIDUAL STATIONS—MEEAN MEER, 1870-79.

CIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MEEAN MEER in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	905	86.3	95.0	84.8	104.1	91.6	101.7	98.3	83.8	90.2	76.4	108.8	45.3	88.4
1871	...	907	49.5	62.7	57.3	68.9	68.8	72.2	77.0	87.9	90.9	75.6	65.8	59.7	68.4
1872	...	1,013	65.0	57.5	68.1	72.2	76.5	89.6	80.4	97.6	92.7	170.8	171.2	98.3	93.8
1873	...	1,081	74.0	73.7	38.4	48.8	53.5	49.9	61.1	92.0	103.0	123.5	125.1	113.9	79.6
1874	...	736	119.8	87.2	65.2	51.2	49.8	59.5	72.1	75.5	55.5	68.5	71.9	51.7	70.7
1875	...	1,050	47.7	46.6	49.2	57.2	72.3	72.8	66.5	62.2	83.3	96.7	119.5	275.8	88.6
1876	...	886	125.1	96.3	68.2	48.2	56.8	71.3	89.7	115.3	109.7	104.3	86.5	106.7	90.3
1877	...	1,003	89.9	59.4	54.9	49.7	55.0	75.1	78.9	72.5	61.2	73.9	112.9	127.7	75.8
1878	...	811	90.9	64.6	84.1	43.7	49.0	85.1	81.0	103.9	181.0	161.4	154.7	167.8	103.6
1879	...	899	177.6	153.3	131.1	69.5	74.2	128.5	192.2	149.7	156.3	191.7	152.8	127.9	140.2
Ten Years, 1870-79	...	9,291	92.3	78.9	68.5	62.1	65.5	79.8	87.9	92.5	100.6	113.2	129.3	121.3	89.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	9.9	1,697.3	3.3	3.3	32.0	108.3	38.7	12.2	87.3	4.4	92.8	198.9	21.0	121.5	99.5	156.9	2,687.3	
1871	...	2.2	436.6	6.6	4.4	24.3	45.2	80.5	4.4	108.0	12.1	105.8	183.0	33.1	89.3	118.0	201.8	1,455.3	
1872	133.3	6.9	1,155.0	14.8	4.9	66.1	187.5	41.5	15.8	109.6	9.9	73.0	189.5	41.5	127.4	77.0	244.8	2,498.5	
1873	...	1.9	1,955.5	2.8	...	27.8	77.7	46.2	15.7	139.7	7.4	57.3	164.7	13.9	89.7	107.3	226.7	2,934.3	
1874	...	1.3	1,119.6	9.5	2.7	25.8	112.8	47.6	16.3	176.6	2.7	163.1	123.6	34.0	108.7	133.2	195.6	2,273.1	
1875	2.9	3.8	1,485.7	17.1	8.6	33.3	109.5	32.4	16.2	161.0	17.1	116.2	160.0	14.3	74.3	70.4	248.6	2,571.4	
1876	...	2.3	1,545.1	4.5	4.5	23.7	90.3	62.1	27.1	167.0	3.4	98.2	137.7	14.7	98.2	119.6	209.9	2,608.3	
1877	...	8.0	1,519.4	15.0	10.6	33.9	57.8	48.9	10.0	116.7	23.0	49.9	183.4	27.9	102.6	106.6	232.3	2,545.4	
1878	...	4.9	2,667.1	2.5	6.2	37.0	88.8	43.1	17.3	160.3	17.3	71.5	228.1	13.6	82.6	112.2	196.0	3,748.5	
1879	36.7	11.1	3,416.0	17.8	5.6	54.5	132.4	42.3	22.2	170.2	7.8	50.1	248.0	12.2	117.9	95.7	300.3	4,740.8	
Ten Years, 1870-79	...	18.4	5.3	1,692.7	9.6	5.1	36.2	101.2	48.0	15.6	138.4	10.8	85.9	181.8	22.5	100.9	102.6	222.8	2,797.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monals.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.10	23.21	24.31	22	8	3	2	...	1	1	...	1	2	1	2	1
1871	...	3.31	14.33	17.64	16	1	3	...	1	3	2	1	2	3
1872	86.87	...	28.63	115.50	117	88	...	3	1	6	1	9	1	...	3	2
1873	21.28	21.28	23	2	9	1	...	4	1	...	6
1874	...	4.08	13.58	17.66	13	1	3	3	...	3	2	1	...	3
1875	1.90	...	35.24	37.14	39	2	...	3	7	10	...	3	2	6	2
1876	...	3.39	15.80	19.19	17	2	2	...	1	3	...	2	...	6	...	3
1877	17.95	17.95	18	4	...	2	...	1	1	...	1	...	2	6	...
1878	...	1.23	18.50	19.73	16	3	2	2	1	...	3	3	1	...	1
1879	...	31.15	16.68	47.83	43	28	1	2	1	3	...	1	4	...	2
Ten Years, 1870-79	...	12.70	1.19	20.98	324	118	1	26	24	34	3	22	21	...	16	10	16	22	11

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	129	5	135
1874
1875	3	3
1876
1877
1878
1879	2	28	3	33
Ten Years, 1870-79	2	28	3	1	129	5	3	171

III.—STATISTICS OF INDIVIDUAL STATIONS—FORT LAHORE, 1870-79.

CIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying FORT LAHORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January ...	1,169	51	43·6	1	1	
February ...	1,161	42	36·2	
March ...	1,155	32	27·7	1	1	
April ...	1,150	45	39·1	1	
May ...	1,145	53	46·3	4	2	
June ...	1,121	58	51·7	3	...	7	
July ...	1,113	63	56·7	13	...	3	1	
August ...	1,102	56	50·8	5	1	1	
September ...	1,100	69	62·7	4	1	1	1	1	...	
October ...	1,121	81	72·3	4	1	1	1	1	
November ...	1,109	67	60·4	3	1	2	
December ...	1,115	55	49·3	4	1	1	
						10	...	4	1	1	8	1	2	...	2	...	2	2	1	3	...	6
Died per 1,000 of the Average Strength.																									
For the Ten Years	1,130	56	49·6	43	38·05	8·95	...	3·54	1·77	7·08	·83	1·77	...	1·77	...	1·77	1·77	·83	2·66	...	5·31

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	10	8·9	...
Cholera	7	3	2	1·8	100·00	
Smallpox	1	1	13	11·5	...	
Enteric Fever	1	6	2	2	55	48·7	...	
Fever, Intermittent ...	53	41	31	74	108	114	161	150	258	273	173	153	1,539	1,406·2	30·77	
Fevers, Remittent and Continued ...	1	4	1	4	1	3	5	11	17	6	...	2	12	10·6	1·82	
Apoplexy ...	1	2	8	1	5	4·4	66·67	
Delirium Tremens ...	1	1	1	2	50	41·2	20·00	
Dysentery ...	3	1	...	1	2	5	6	5	4	10	9	4	108	95·6	4·00	
Diarrhoea ...	1	3	5	11	7	4	17	13	13	17	7	10	26	23·0	...	
Hepatitis ...	3	3	2	...	3	3	1	2	4	2	2	1	2	1·8	7·69	
Spleen disease	1	1	...	112	99·1	...	
Respiratory diseases ...	13	19	11	5	8	8	5	3	4	...	12	22	112	8·0	1·79	
Phthisis Pulmonalis	3	2	2	...	1	1	9	...	11·11	
Scurvy	
Rheumatism ...	6	2	6	2	5	4	5	5	...	4	2	3	44	38·9	...	
Veneral diseases ...	18	10	15	20	26	8	20	7	11	16	35	17	203	179·6	...	
Eye diseases ...	1	1	2	3	3	3	2	...	2	1	1	1	20	17·7	...	
Abscess and Ulcer ...	14	7	3	7	7	6	13	16	5	4	10	5	97	85·8	...	
Wounds and Accidents ...	10	12	16	7	12	5	5	5	10	15	6	4	107	94·7	...	
All other Causes ...	13	10	11	19	14	20	22	11	14	7	8	10	150	140·7	...	
Admitted per 1,000 of the Average Strength in each Month.																
138	114	104	156	206	189	279	234	345	360	266	232	2,623				
118·0	93·2	90·0	135·7	179·9	168·6	250·7	212·3	313·6	321·1	239·9	208·1	2,321·2				

III.—STATISTICS OF INDIVIDUAL STATIONS—FORT LAHORE, 1870-79.

CV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying FORT LAHORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

Table with 16 columns: YEAR, Period of Occupation, Average Strength of each Year and for the Period, and 12 months (JAN. to DEC.), plus Average Daily Sick-rate for each Year and the Period. Rows include years 1870-1879 and a summary for Ten Years, 1870-79.

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

Table with 18 columns: YEAR, and 16 categories of diseases (Cholera, Enteric Fever, etc.), plus Admission-rate of each Year and of the Period. Rows include years 1870-1879 and a summary for Ten Years, 1870-79.

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

Table with 19 columns: YEAR, and 16 categories of causes of death (Cholera, Smallpox, etc.), plus Total Deaths. Rows include years 1870-1879 and a summary for Ten Years, 1870-79.

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

Table with 14 columns: YEAR, and 12 months (JAN. to DEC.), plus Total Admissions. Rows include years 1870-1879 and a summary for Ten Years, 1870-79.

III.—STATISTICS OF INDIVIDUAL STATIONS—AMRITSAR AND GOVINDGARH, 1870-79.

CVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying AMRITSAR and GOVINDGARH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January	2,529	162	64.1	3	1	1	1	
February	2,515	129	51.3	2	1	...	1	
March	2,510	91	36.3	1	1	
April	2,561	119	46.5	1	1	
May	2,549	145	56.9	5	2	1	1	1	
June	2,530	144	56.9	5	2	2	1	
July	2,546	162	63.6	3	1	...	2	2	
August	2,600	174	66.9	6	1	...	2	1	1	2	
September	2,580	223	86.4	7	...	2	1	2	1	1	
October	2,533	232	91.6	1	1	
November	2,422	217	89.6	3	1	1	
December	2,509	172	68.6	5	1	...	1	1	2	
						2	...	4	...	11	8	1	1	...	4	...	1	2	5	1	2	
Died per 1,000 of the Average Strength.																										
For the Ten Years	2,532	164	64.8	42	16.59	.79	...	1.53	4.35	3.16	.39	.39	...	1.5839	.79	1.93	.39	.79	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera	7	2.8	28.57	...
Smallpox	6	...	1	...	1
Enteric Fever	7	2.8	57.14	...
Fever, Intermittent	...	1	1	...	1	2	2
Fever, Remittent and Continued	145	60	48	110	172	196	206	362	488	453	370	335	2,954	1,166.7	1.75	...
Apoplexy	15	30	10	26	67	42	70	96	112	112	27	21	628	248.0	42.11	...
Delirium Tremens	1	1	4	10	...	2	1	19	7.5	16.67	...
Dysentery	1	...	2	1	1	1	...	6	2.4	1.33	...
Diarrhoea	3	1	5	7	3	4	4	8	14	13	6	7	75	29.6
Hepatitis	5	5	5	12	11	3	7	16	12	8	17	17	118	46.6
Spleen disease	12	1	5	5	3	11	12	11	8	12	9	15	104	41.1	3.85	...
Respiratory diseases	1	...	4	1	1	...	6	1	3	2	4	8	31	12.2
Phthisis Pulmonalis	36	36	17	13	19	12	9	8	7	21	31	29	238	94.0	42	...
Scurvy	1	...	1	1	2	1	1	1	1	2	...	1	12	4.7
Rheumatism	1	1
Veneral diseases	13	13	12	9	7	10	12	10	11	9	4	...	120	47.4
Eye diseases	62	40	42	67	59	42	70	44	54	53	44	45	622	245.6
Abscess and Ulcer	3	2	3	10	13	2	2	1	3	2	1	1	43	17.0
Wounds and Accidents	15	16	15	18	9	16	25	29	24	9	9	13	198	78.2
All other Causes	28	27	32	41	19	27	22	14	20	16	17	32	295	116.5	47	...
	28	24	28	45	43	36	41	34	34	46	33	27	419	165.5
	369	256	230	365	432	406	493	637	799	760	583	563	5,893			
Admitted per 1,000 of the Average Strength in each Month.																
	145.9	101.8	91.6	142.5	169.5	160.5	195.6	245.0	309.7	300.0	240.7	224.4	2,329.4			

III.—STATISTICS OF INDIVIDUAL STATIONS—AMRITSAR AND GOVINDGARH, 1870-79.

CVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying AMRITSAR AND GOVINDGARH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	128	76.3	75.8	60.6	106.1	127.8	84.3	124.0	107.7	100.8	111.1	76.3	94.0	93.7
1871	...	161	79.4	73.8	22.1	47.6	55.6	47.6	48.3	44.3	59.4	62.5	90.4	24.4	55.9
1872	...	273	29.1	24.2	29.4	10.1	33.6	37.3	37.3	44.1	51.4	44.5	41.0	36.5	36.6
1873	...	285	56.5	33.4	20.1	46.3	46.6	53.8	54.0	57.1	100.4	104.7	83.0	44.8	59.6
1874	...	284	37.2	40.5	20.3	34.3	62.1	76.1	76.1	90.3	125.9	120.4	108.4	83.0	73.9
1875	...	306	64.1	71.2	50.8	41.3	51.1	48.2	55.0	49.0	57.4	96.2	75.1	50.0	58.8
1876	...	319	70.0	53.5	42.5	46.8	38.3	53.6	59.3	73.7	106.2	115.7	114.4	111.5	72.1
1877	...	285	61.9	38.6	25.9	44.8	35.2	47.1	54.2	50.5	54.5	44.9	66.2	50.7	49.1
1878	...	265	56.7	58.6	40.6	49.4	55.6	44.4	59.3	82.1	123.1	123.4	147.9	137.8	79.2
1879	...	225	12.3	64.9	57.9	76.9	119.8	96.8	106.0	93.5	84.1	85.9	92.6	73.0	88.9
Ten Years, 1870-79	...	2,532	64.1	51.3	36.3	46.5	56.9	56.9	63.6	66.9	86.4	91.6	89.6	68.6	64.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	7.8	1,367.2	7.8	7.8	31.3	78.2	78.2	7.8	46.8	31.3	54.6	328.1	15.6	78.2	109.3	453.1	2,703.1
1871	...	12.4	689.4	6.2	6.2	43.5	37.3	31.0	6.2	37.3	...	40.7	518.6	...	68.3	118.0	124.3	1,776.4
1872	...	3.7	857.1	3.7	33.0	40.3	...	11.0	7.4	33.0	219.8	18.3	43.9	47.6	131.8	1,450.6
1873	1,028.1	14.0	7.0	17.5	17.5	17.5	7.0	7.0	...	17.5	259.7	24.6	56.2	38.6	112.3	1,624.5
1874	1,193.7	28.2	21.1	49.3	10.6	91.5	7.0	14.1	401.4	7.0	66.9	50.9	102.1	2,052.8
1875	22.9	3.3	1,375.8	9.8	...	42.5	81.7	49.0	36.0	114.4	6.5	104.6	169.9	29.4	75.2	111.1	140.5	2,372.6
1876	...	3.1	1,927.9	6.3	3.1	47.0	37.6	31.4	18.8	169.3	...	47.0	153.6	9.4	84.7	128.5	206.9	2,874.6
1877	...	3.5	701.8	7.0	...	21.0	10.5	45.6	...	143.9	3.5	63.2	136.8	7.0	98.3	203.5	157.9	1,603.5
1878	1,988.7	7.5	...	37.7	45.3	49.1	7.5	139.6	3.8	45.3	222.6	26.4	75.5	160.8	218.9	3,037.7
1879	2,964.5	13.3	4.4	31.1	133.3	35.6	22.2	124.4	...	44.4	200.0	26.7	142.2	191.1	151.2	4,084.4
Ten Years, 1870-79	...	2.8	2.8	1,414.7	7.5	2.4	29.6	46.6	12.2	94.0	4.7	47.4	245.6	17.0	78.2	116.5	166.3	2,329.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	39.06	39.06	5	1	1	1	...	2	...
1871	24.84	24.84	4	1	2	1
1872	18.32	18.32	5	2	2
1873	14.04	14.04	4	2	1	1	...
1874	3.52	3.52	1
1875	...	6.54	6.54	26.14	12	2	...	1	1	2	1	...	1	2	1	2
1876	6.27	39.22	2	1	1	...
1877	10.53	10.53	3	1	1	1	...
1878	...	3.77	7.55	11.32	3	1	1	1
1879	13.33	13.33	3	1	1	1	1
Ten Years, 1870-7979	1.18	14.62	42	2	...	4	11	8	1	1	4	...	1	2	...	5	3

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	6	...	1	...	7
1877
1878
1879
Ten Years, 1870-79	6	...	1	...	7

III.—STATISTICS OF INDIVIDUAL STATIONS—SIALKOT, 1870-79.

CVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SIALKOT during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
January ...	10,070	600	59·6	13	1	...	1	2	...	2	3	2
February ...	10,690	598	55·9	6	1	1	2	...	2
March ...	11,637	599	51·5	8	1
April ...	10,177	521	51·2	10	...	1	2	...	1	1	3	...	1
May ...	9,895	558	56·4	14	...	4	...	2	1	1	1	1	...	1	2
June ...	9,952	622	62·5	18	6	4	1	1	...	3	1
July ...	10,231	662	64·7	36	...	1	...	7	...	10	7	...	2	...	2	...	1	1	3	1	...
August ...	10,194	717	70·3	13	3	...	3	1	2	1	2	...	1
September ...	10,039	796	79·3	24	...	3	1	4	...	5	3	1	2
October ...	9,993	738	73·9	12	...	1	...	3	...	2	1	1	1	2
November ...	8,956	675	75·4	15	2	...	1	3	...	1	2	2	...	2
December ...	10,102	661	65·4	13	1	4	...	1	1	...	1	...	1	1	1	2
						10	1	30	1	32	18	4	12	...	17	1	9	7	13	16	2	9
Died per 1,000 of the Average Strength.																									
For the Ten Years ...	10,161	646	63·6	182	17·91	·98	·10	2·95	3·25	1·77	·39	1·18	...	1·67	·10	·89	·60	1·28	1·57	·20	·89

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent ...	249	208	208	200	266	308	318	297	410	413	347	305	3,529	347·3	·03
Fevers, Remittent and Continued ...	38	27	83	193	200	281	328	317	347	312	80	71	2,367	232·9	1·35
Apoplexy
Delirium Tremens
Dysentery ...	13
Diarrhoea ...	19	24	32	90	64	43	36	79	81	42	26	30	566	55·7	...
Hepatitis ...	27	30	39	32	39	52	72	65	63	50	43	33	545	53·6	3·12
Spleen disease ...	7	9	5	6	6	6	8	8	7	4	5	5	76	7·5	1·32
Respiratory diseases ...	146	119	89	49	42	55	42	50	52	39	53	97	833	82·0	1·08
Phthisis Pulmonalis ...	2	2	3	7	6	13	7	7	8	2	14	8	79	7·8	16·46
Scurvy ...	1
Rheumatism ...	118	84	60	71	58	66	68	50	79	74	840	82·7	...
Veneral diseases ...	204	202	193	169	126	151	150	157	121	150	116	143	1,882	185·2	...
Eye diseases ...	19	15	21	30	17	15	15	26	27	17	8	5	215	21·1	...
Abscess and Ulcer ...	74	67	87	83	63	84	142	124	71	51	60	65	971	95·6	...
Wounds and Accidents ...	112	80	152	145	118	78	82	97	81	102	82	112	1,241	122·1	...
All other Causes ...	123	130	137	158	164	206	243	200	181	165	179	133	2,019	198·7	...
Admitted per 1,000 of the Average Strength in each Month.															
114·8	94·4	96·8	124·8	131·1	139·8	152·8	151·5	157·4	147·3	124·9	108·5	1,537·6			

III.—STATISTICS OF INDIVIDUAL STATIONS—SIALKOT, 1870-79.

CIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SIALKOT in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	967	43.3	73.9	47.6	44.5	60.6	56.7	46.9	49.1	59.2	54.2	44.5	46.0	51.7
1871	...	1,089	32.2	34.9	47.1	36.2	41.1	44.2	49.3	65.7	64.9	64.9	55.5	51.5	48.7
1872	...	1,119	54.8	52.7	48.3	54.4	49.0	61.7	52.8	53.7	65.9	65.3	64.6	80.6	57.2
1873	...	1,045	41.3	33.1	36.1	60.6	61.5	63.3	58.7	62.4	61.5	48.9	46.2	41.8	51.7
1874	...	993	50.4	42.5	41.2	35.7	47.4	53.9	47.7	43.4	41.4	43.3	40.4	53.9	45.3
1875	...	1,096	78.1	83.3	51.7	64.5	68.2	71.2	89.2	89.4	95.8	91.6	84.9	53.2	75.7
1876	...	1,076	59.8	52.3	42.5	38.2	49.1	59.8	61.8	69.7	95.7	102.4	106.9	63.6	66.0
1877	...	1,082	61.1	63.0	60.6	37.7	49.3	57.0	79.9	87.6	87.0	83.2	98.9	98.3	72.1
1878	...	981	83.2	68.4	67.2	56.4	64.3	68.8	72.8	88.3	102.9	71.5	162.0	22.9	78.5
1879	...	713	103.5	67.4	90.0	86.9	82.8	99.6	87.5	91.9	124.8	132.3	122.6	94.1	98.2
Ten Years, 1870-79	...	10,161	59.6	55.9	51.5	51.2	56.4	62.5	64.7	70.3	79.3	73.9	75.4	65.4	63.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mors.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	800.4	6.2	3.1	25.8	71.4	63.1	8.3	43.4	7.2	61.0	170.6	42.4	84.8	87.9	192.4	1,668.0	
1871	...	2.7	420.6	.9	1.8	19.3	36.7	69.8	7.4	42.2	1.5	68.0	163.5	22.0	67.0	101.0	129.5	1,154.2	
1872	...	3.6	404.8	.9	1.8	42.0	43.8	87.6	6.2	83.1	15.2	91.2	166.2	19.7	69.7	143.0	291.3	1,471.9	
1873	582.8	1.0	1.0	25.8	48.8	61.2	7.6	80.4	5.7	68.9	109.5	24.9	89.0	88.0	132.1	1,319.6	
1874	429.0	...	2.0	22.2	41.3	44.3	1.0	103.7	2.0	76.5	64.5	9.1	84.6	90.6	139.0	1,109.8	
1875	...	9	633.2	10.9	1.8	45.6	102.2	27.4	1.8	144.2	14.6	87.6	125.9	21.0	108.6	180.7	164.2	1,676.1	
1876	...	5.6	682.2	4.6	1.9	17.7	62.3	48.3	12.1	71.6	7.4	85.5	203.5	27.9	95.7	139.4	250.9	1,720.3	
1877	578.5	7.4	5.6	15.7	25.9	45.3	19.4	81.3	8.3	123.8	174.7	9.2	92.4	133.1	244.0	1,567.4	
1878	474.0	9.2	...	27.5	47.9	39.8	3.0	79.5	4.1	90.7	380.2	13.3	118.2	147.8	203.9	1,649.3	
1879	...	5.6	921.5	15.4	7.0	61.7	87.0	44.9	7.0	89.8	11.2	64.5	371.7	23.8	172.5	94.0	274.9	2,277.7	
Ten Years, 1870-79	...	1.5	4.7	580.2	5.3	2.5	29.4	55.7	53.6	7.5	82.0	7.8	82.7	185.2	21.1	95.6	122.1	200.7	1,537.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.03	17.58	18.61	18	2	2	1	1	3	1	5	...	1
1871	...	1.83	14.70	16.53	18	2	4	1	...	2	2	...	1	2	...	2	1
1872	...	3.57	2.68	11.62	17.87	20	4	...	2	4	1	...	3	...	1	1	...	3	...
1873	7.66	7.66	8	1	3	...	1	1	1
1874	7.05	7.05	7	3	...	1	1
187591	21.90	22.81	25	2	8	6	...	1	...	2	...	1	3	...
1876	...	2.79	1.86	13.94	18.59	20	3	...	3	2	1	...	1	1	3	2	1
187792	15.72	16.64	18	1	7	1	1	1	1	2	2	1
1878	15.29	15.29	15	5	3	2	...	2	1	1	...
1879	...	4.21	1.40	40.67	46.28	33	3	...	15	1	4	2	...	2	1	...	2	1	1
Ten Years, 1870-7998	1.09	15.84	17.91	182	10	1	30	33	18	4	12	17	1	9	7	13	11

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	3	4
1874
1875
1876	1	1
1877	6	6
1878
1879	1	...	1	1	...	1	4
Ten Years, 1870-79	1	4	...	2	1	6	1	15

III.—STATISTICS OF INDIVIDUAL STATIONS—RAWAL PINDI, 1870-79.

CX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying RAWAL PINDI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January ...	20,909	1,150	55·0	31	1	1	...	2	2	...	5	...	9	4	4	2	...	1
February ...	19,179	1,095	57·1	16	1	1	1	1	1	...	3	2	3	2
March ...	19,599	1,048	53·5	17	2	...	3	1	...	2	...	2	2	1	2
April ...	18,107	904	49·9	24	4	1	4	2	1	1	3	4
May ...	13,343	711	53·3	19	...	3	...	5	1	1	2	3
June ...	12,898	727	56·4	20	9	...	2	1	1
July ...	13,103	739	56·4	12	2	5	...	1	1
August ...	12,975	758	58·4	14	...	3	...	4	1	...	2	...	1	1
September ...	13,000	952	73·2	34	...	15	...	5	...	2	2	4	...	2	...	1	2
October ...	13,940	1,103	79·1	18	...	2	...	2	...	5	1	4	1	1
November ...	17,390	1,380	79·4	22	4	1	...	2	1	5	3	2
December ...	19,294	1,250	64·8	25	2	2	4	6	2	1	1	1
						25	2	37	2	23	16	...	16	4	25	...	24	18	17	1	23	1	21	
Died per 1,000 of the Average Strength.																										
For the Ten Years	16,145	985	61·0	252	15·61	1·55	·12	2·29	1·55	·99	...	·99	·06	1·55	...	1·49	1·12	1·05	·06	1·43	·06	1·30		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera
Smallpox ...	5	7	1	33	2·0	75·76
Enteric Fever ...	3	1	21	1·3	9·52
Fever, Intermittent ...	344	324	295	408	474	461	478	629	1,174	1,587	1,076	609	7,859	486·8	49·33
Fevers, Remittent and Continued ...	102	114	107	239	326	371	348	424	610	341	144	61	3,187	197·4	72
Apoplexy ...	1	...	5	6	...	7	11	...	6	2	1	1	48	3·0	33·33
Delirium Tremens ...	2	2	2	8	6	4	4	...	7	3	4	3	52	3·2	...
Dysentery ...	26	11	12	20	30	25	22	31	38	32	56	29	332	20·6	4·82
Diarrhoea ...	55	35	32	78	107	59	67	94	83	46	44	48	748	46·3	1·13
Hepatitis ...	68	46	61	42	47	46	62	56	64	61	68	49	660	40·9	3·79
Spleen disease ...	12	18	13	7	17	15	12	14	7	36	35	27	213	13·2	...
Respiratory diseases ...	330	296	188	146	114	101	127	96	82	121	187	270	2,058	127·5	1·17
Phthisis Pulmonalis ...	13	6	7	4	3	4	4	4	3	4	20	12	84	5·2	20·24
Scurvy	1	...	1	1	4
Rheumatism ...	147	134	98	114	75	68	77	71	57	77	111	137	1,166	72·2	...
Venereal diseases ...	349	286	318	288	163	109	110	103	122	147	219	311	2,525	156·4	...
Eye diseases ...	20	18	34	35	25	19	16	17	27	24	33	17	285	17·7	...
Abscess and Ulcer ...	141	107	107	96	72	75	106	97	68	75	115	118	1,177	72·9	...
Wounds and Accidents ...	208	195	212	211	133	114	134	94	132	150	162	286	2,031	125·8	...
All other Causes ...	228	215	221	262	189	167	227	205	191	196	246	226	2,573	159·4	...
	2,054	1,815	1,715	1,973	1,805	1,659	1,820	1,952	2,696	2,897	2,531	2,214	25,131		44
Admitted per 1,000 of the Average Strength in each Month.															
	98·2	94·6	87·5	109·0	135·3	128·6	138·9	150·4	207·4	207·8	145·5	114·8	1,556·6		

III.—STATISTICS OF INDIVIDUAL STATIONS—RAWAL PINDI, 1870-79.

CXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying RAWAL PINDI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	1,454	79.3	84.9	75.3	62.5	57.1	61.8	57.7	62.7	96.9	115.7	76.5	49.5	72.2
1871	...	1,413	41.5	50.4	50.1	57.5	55.2	61.1	68.0	75.3	71.1	55.0	72.9	53.4	57.3
1872	...	1,783	56.2	53.5	58.3	40.1	47.1	58.2	53.4	45.3	45.9	36.9	40.3	44.6	48.2
1873	...	1,688	38.3	40.0	46.1	53.6	45.4	50.3	45.9	49.9	62.8	66.0	65.9	60.1	51.5
1874	...	1,674	47.5	48.0	37.3	32.6	35.4	49.6	45.8	40.2	46.5	47.7	49.2	52.9	44.8
1875	...	1,645	49.9	44.5	32.0	39.2	45.1	39.7	46.5	48.3	53.6	51.4	47.8	44.1	45.0
1876	...	1,522	40.4	34.6	34.3	33.2	37.2	37.9	44.5	56.0	76.7	74.0	61.0	57.0	49.3
1877	...	1,719	54.5	55.5	42.8	36.7	43.0	55.2	46.3	42.4	39.8	64.9	93.2	60.5	53.3
1878	...	1,683	49.0	51.3	48.1	42.3	57.2	62.8	59.7	65.4	81.1	125.1	150.0	127.9	67.7
1879	...	1,564	120.7	128.5	152.0	120.0	109.5	85.5	89.4	92.6	141.3	181.7	171.9	110.7	126.0
Ten Years, 1870-79	...	16,145	55.0	57.1	53.5	49.9	53.3	56.4	56.4	58.4	73.2	79.1	79.4	64.8	61.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	5.5	1,401.6	2.1	4.1	18.6	65.3	39.2	12.4	105.2	9.6	50.9	125.2	21.3	55.7	87.4	134.1	2,138.2	
1871	...	1.4	949.1	7	2.8	16.3	48.1	75.0	15.6	89.9	1.4	76.4	207.4	13.4	76.4	105.5	122.4	1,801.8	
1872	...	1.7	5.6	352.2	1.7	2.8	9.5	49.4	41.5	5.6	51.6	7.3	52.7	184.5	11.2	82.5	115.5	1,157.6	
1873	...	3.6	401.6	6	2.4	23.7	32.0	40.9	23.7	129.1	5.9	68.1	94.2	12.4	77.6	126.2	143.4	1,185.4	
1874	...	2.4	329.7	3.6	1.2	7.8	16.1	60.9	22.7	101.0	6.0	73.5	102.7	15.5	75.9	127.8	153.5	1,100.3	
1875	...	1.2	131.9	11.6	6.7	9.7	49.2	26.1	23.1	225.5	2.4	82.1	114.9	27.4	90.0	151.4	180.5	1,133.7	
1876	...	3.9	2.0	501.9	3.9	5.3	15.8	30.2	34.8	9.9	136.0	10.5	86.1	92.0	22.4	67.0	159.6	1,364.6	
1877	...	6	2.9	452.0	6	6	8.7	28.5	31.4	3.5	165.8	5.8	108.8	139.6	17.4	57.0	133.2	1,320.5	
1878	...	14.7	10.1	705.3	2.4	6	35.1	32.7	32.1	5.3	90.3	1.2	58.8	254.9	20.2	66.5	119.4	1,500.0	
1879	...	11.5	1,831.2	2.6	6.4	62.7	118.3	30.7	10.9	181.6	1.9	63.9	250.6	16.0	78.7	127.8	183.5	2,993.0	
Ten Years, 1870-79	...	2.0	4.6	684.2	3.0	3.2	20.6	46.3	40.9	13.2	127.5	5.2	72.2	156.4	17.7	72.9	125.8	160.9	1,556.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.															
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.		
		a Violent Deaths.	b Diseases.																		
1870	20.63	20.63	30	7	7	1	...	1	4	...	1	1	2	6
1871	71	11.32	17	2	2	2	...	1	1	3	2
1872	...	1.68	3.37	16.26	38	3	...	2	...	3	...	3	2	...	3	3	1	4
1873	1.78	10.07	20	4	3	...	3
1874	1.19	7.77	15	3	3
1875	9.12	15	1	...	3	1
1876	...	3.28	1.97	6.58	18	5	1	1	...	8	1	1
1877	58	9.31	17	4	2	4	...	3
1878	2.97	9.51	21	1	1	1	...	4	2	...	2	...	1	1
1879	...	10.87	64	27.49	61	17	...	9	8	4	...	9	4	...	2	2	1	1
Ten Years, 1870-79	...	1.55	1.36	12.70	252	25	2	37	25	16	...	17	25	...	24	18	17	24

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	...	2
1874
1875
1876
1877	1	4	2	6
1878	1
1879	4	...	2	...	16	1	23
Ten Years, 1870-79	5	...	3	4	20	1	33

III.—STATISTICS OF INDIVIDUAL STATIONS—ATTOCK, 1870-79.

CXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ATTOCK during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
January	...	1,859	110	59·2	3	1	1	...
February	...	1,730	92	53·2	1
March	...	1,709	78	45·6
April	...	1,719	70	40·7	2
May	...	1,683	93	55·1	2
June	...	1,685	112	66·5	5
July	...	1,681	103	61·3	8	3	1	1	...
August	...	1,676	104	62·1	4	3	1
September	...	1,658	111	66·9	5	2	1	...
October	...	1,661	157	94·5	7	...	3	1	1	...
November	...	1,640	118	90·2	1	1	1	1	...
December	...	1,659	129	77·8	3	1	1	...
						3	1	6	1	...	14	1	2	...	2	1	1	6	1	2	
Died per 1,000 of the Average Strength.																										
For the Ten Years	1,607	100	64·2	41	24·16	1·77	·59	3·53	·59	8·25	·59	1·18	...	1·18	·50	·59	3·53	·50	1·18

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent ...	160	58	60	73	147	114	130	145	198	388	357	257	2,087	1,229·8	60·00
Fever, Remittent and Continued ...	8	8	7	29	65	60	58	55	57	66	46	11	470	277·0	·05
Apoplexy
Delirium Tremens
Dysentery ...	3	5	6	...	5	5	3	1	...	2	1
Diarrhea ...	3	4	8	8	2	...	7	12	8	10	9	10	81	47·4	...
Hepatitis ...	11	5	5	5	6	9	6	11	4	10	7	10	89	52·7	2·25
Spleen disease ...	4	1	1	4	2	4	2	3	3	3	1	6	34	20·0	...
Respiratory diseases ...	36	21	13	9	3	10	1	2	3	13	14	14	139	81·9	1·44
Phthisis Pulmonalis
Scurvy
Rheumatism ...	13	10	17	9	12	6	6	9	10	8	8	7	115	67·8	...
Venereal diseases ...	37	31	35	29	29	21	19	29	17	15	23	18	303	178·5	...
Eye diseases ...	1	3	2	1	3	12	7·1	...
Abscess and Ulcer ...	13	11	12	6	11	17	24	19	13	13	5	16	160	94·3	75
Wounds and Accidents ...	20	18	21	12	15	10	18	9	14	7	5	20	169	99·6	...
All other Causes ...	34	31	33	14	23	21	20	19	29	33	30	24	311	183·2	...
													4,061		
Admitted per 1,000 of the Average Strength in each Month.															
													2,393·0		
184·5	119·1	127·6	120·4	193·7	170·3	180·2	193·3	210·5	346·8	310·4	239·3				

III.—STATISTICS OF INDIVIDUAL STATIONS—ATTOCK, 1870-79.

CXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ATTOCK in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	151	63.4	20.1	26.5	39.2	46.4	33.1	53.0	60.0	54.1	81.1	106.0	49.7	53.0
1871	... "	166	92.6	50.3	50.6	36.4	55.9	39.4	68.3	56.3	18.8	43.2	47.6	51.1	54.2
1872	... "	180	47.6	41.9	57.6	54.6	84.3	62.1	40.0	73.9	101.7	106.1	93.9	124.2	72.2
1873	... "	177	64.0	98.0	91.9	46.8	46.8	70.2	46.8	47.1	41.2	61.7	75.9	43.2	62.1
1874	... "	160	27.3	46.0	17.4	22.3	40.9	53.3	53.3	59.2	64.7	101.2	68.6	80.0	50.0
1875	... "	172	47.3	45.5	39.5	52.9	64.3	81.9	58.8	41.4	59.9	65.5	55.9	60.1	58.1
1876	... "	169	37.0	38.7	58.8	29.6	88.8	100.6	89.8	54.5	50.0	94.3	106.9	60.2	65.1
1877	... "	172	54.5	54.5	41.4	34.1	35.3	70.6	100.0	100.0	105.9	104.7	90.4	87.9	75.6
1878	... "	174	60.1	77.8	33.9	28.6	30.1	47.9	71.9	65.1	132.9	135.1	171.4	80.5	80.5
1879	... "	176	100.0	60.4	38.0	61.8	55.6	44.7	33.3	55.6	101.8	148.1	112.4	52.9	73.9
Ten Years, 1870-79	...	1,697	59.2	53.2	45.6	40.7	55.1	66.5	61.3	62.1	66.9	94.5	90.2	77.8	64.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission- rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	...	13.2	1,907.3	39.7	6.6	53.0	6.6	106.0	...	79.5	92.7	6.6	125.8	66.3	125.8	2,629.1
1871	1,120.5	12.0	12.0	24.1	69.2	12.0	12.0	36.1	...	66.3	216.9	6.0	78.4	66.3	120.5	1,843.3
1872	...	16.7	1,477.7	5.6	...	16.7	127.8	61.1	22.2	72.2	...	100.0	172.2	5.6	116.7	66.6	211.1	2,477.8
1873	1,158.2	11.3	...	28.2	33.9	67.8	17.0	73.4	...	73.4	113.0	5.7	107.3	50.8	186.5	1,926.5
1874	...	18.8	1,793.7	6.3	...	43.7	37.5	37.5	43.7	56.3	6.3	31.2	37.5	...	68.8	81.2	93.7	2,356.2
1875	...	23.3	1,098.8	...	5.8	69.8	46.5	58.1	11.6	87.2	...	46.5	273.3	5.8	75.6	87.2	214.2	2,133.7
1876	1,443.8	29.6	5.9	11.8	11.8	59.2	41.4	106.5	...	82.9	142.0	5.9	91.7	171.6	236.7	2,443.8
1877	1,110.5	17.4	5.8	11.6	17.4	110.5	40.7	29.1	...	116.3	232.6	23.2	98.8	162.8	226.8	2,203.5
1878	1,959.8	5.7	17.3	5.7	86.2	46.0	5.7	160.9	...	51.7	281.6	11.5	103.5	126.4	195.4	3,057.4
1879	2,045.5	34.1	...	11.4	39.8	17.0	...	90.9	11.4	28.4	204.5	...	73.9	113.6	187.5	2,858.0
Ten Years, 1870-79	...	1.8	1,506.8	12.4	4.7	25.9	47.7	52.4	20.0	81.9	1.8	67.8	178.5	7.1	94.3	99.6	184.4	2,393.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonals.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	6.62	33.11	39.73	6	2	1	2	1
1871	6.02	6.02	12.05	2	1
1872	...	16.67	...	11.11	27.78	5	3	1	
1873	
1874	31.25	31.25	5	3	
1875	23.26	23.26	4	1	1	2	
1876	29.59	29.59	5	
1877	5.81	11.63	17.44	3	1	
1878	17.24	17.24	3	1	...	1	1	
1879	45.45	45.45	8	4	1	1	...	
Ten Years, 1870-79	...	1.77	1.77	20.62	24.16	41	3	1	6	1	14	1	...	2	...	2	1	3	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.													
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	3	3
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	3	3

III.—STATISTICS OF INDIVIDUAL STATIONS—NOWSHERA, 1870-79.

CXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying NOWSHERA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
January	4,950	284	57·4	7</

III.—STATISTICS OF INDIVIDUAL STATIONS—NOWSHERA, 1870-79.

CXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying NOWSHERA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	485	42.0	74.1	60.0	86.3	115.0	114.0	97.8	104.9	91.5	101.8	100.5	82.0	88.7
1871	"	536	92.7	67.3	48.4	51.9	69.4	91.8	73.2	92.4	81.8	77.6	39.0	60.2	72.8
1872	"	693	57.5	61.1	35.2	35.7	54.3	61.9	65.2	54.8	60.2	82.3	107.1	73.5	62.0
1873	"	669	33.4	25.8	40.7	44.0	56.4	61.7	68.9	56.6	60.4	75.5	91.8	47.4	52.3
1874	"	458	...	18.5	37.4	44.5	47.6	74.5	55.6	53.0	52.5	73.5	60.6	39.5	50.2
1875	"	417	39.0	48.6	35.7	55.7	90.4	75.3	51.9	39.4	43.5	29.4	46.8	55.6	49.2
1876	"	359	125.0	50.4	47.6	96.4	73.8	59.3	72.3	37.6	47.1	48.6	70.2	60.4	61.3
1877	"	876	32.6	26.9	20.3	16.3	20.9	28.8	29.3	24.7	21.5	44.9	44.6	88.2	35.4
1878	"	587	62.2	45.6	47.1	25.1	30.0	47.1	80.8	69.7	76.9	143.8	166.1	247.1	73.3
1879	"	636	143.8	44.5	45.9	69.7	101.6	76.5	86.3	56.1	62.2	160.3	194.6	165.5	100.6
Ten Years, 1870-79	...	5,744	57.4	47.3	40.2	49.0	61.7	65.9	66.6	56.4	57.4	82.3	96.3	85.6	63.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	2.0	2,134.1	8.3	2.0	14.4	70.1	16.5	10.3	51.5	4.2	80.4	66.0	6.2	53.6	61.9	181.4	2,762.9
1871	...	1.9	2,589.5	9.3	1.9	9.3	48.5	26.1	24.3	166.1	7.5	69.0	166.0	7.5	44.8	46.6	177.2	3,395.5
1872	...	2.9	1,585.8	1.4	1.4	31.8	41.9	98.1	4.4	85.1	...	33.2	215.0	23.1	80.8	82.3	147.1	2,434.3
1873	1,194.3	3.0	...	26.9	55.3	37.4	7.5	119.6	4.5	52.3	151.0	35.9	70.2	110.6	159.9	2,028.4
1874	1,163.8	...	2.2	21.8	43.7	15.3	...	85.2	4.4	74.2	61.1	34.9	89.5	109.2	124.4	1,829.7
1875	680.1	13.4	...	24.6	35.8	24.6	13.4	187.9	9.0	22.4	284.1	26.9	140.9	102.9	138.7	1,704.7
1876	...	2.8	1,136.5	36.2	5.6	8.4	41.8	47.4	30.6	58.5	5.6	89.1	119.8	13.9	72.4	80.8	220.0	1,969.4
1877	656.4	3.4	...	11.4	23.9	35.4	4.6	45.7	3.4	45.7	123.3	8.0	41.1	70.8	130.1	1,203.2
1878	...	3.4	947.2	8.5	...	17.0	44.3	20.4	...	71.6	1.7	119.3	178.9	10.2	57.9	52.8	192.5	1,725.7
1879	...	11.0	1,836.5	39.3	...	39.3	117.9	29.9	14.2	84.9	14.2	47.2	157.2	22.0	59.7	44.0	209.1	2,739.0
Ten Years, 1870-79	...	1.2	1,369.3	11.1	1.0	21.1	52.1	36.9	9.7	92.8	5.2	60.9	153.6	18.6	68.1	75.2	165.4	2,144.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	22.68	22.68	11	1	2	2	1	2	1	...	2	...	
1871	27.98	29.55	16	3	2	4	1	...	3	...	
1872	7.21	10.10	7	2	1	2	...	1	
1873	7.47	10.46	7	1	...	1	2	1	...	
1874	4.37	4.37	2	
1875	6.71	8.95	4	1	1	1	1	
1876	25.07	25.07	9	1	6	1	...	1	
1877	3.43	5.71	5	1	
1878	17.04	17.04	10	1	2	2	2	1	1	1	...	
1879	...	7.86	37.74	45.60	29	5	...	3	4	9	...	2	1	...	3	...	1	1	...	
Ten Years, 1870-7987	1.74	17.41	100	5	...	7	13	22	1	6	9	1	11	3	4	8	10	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879	1	4	1	...	1	7
Ten Years, 1870-79	1	4	1	...	1	7

III.—STATISTICS OF INDIVIDUAL STATIONS—PESHAWAR, 1870-79.

CXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying PESHAWAR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
January	18,472	1,120	60·6	16	1	1	1	...	1	...	4	3	2	3	
February	19,544	1,014	51·9	5	1	1	1	
March	20,130	1,006	50·0	12	1	1	...	1	2	2	...	1	
April	18,181	960	52·8	11	4	...	1	1	2	...	
May	14,342	979	68·3	31	...	4	...	12	...	6	2	...	1	2	...	
June	13,679	989	72·3	88	...	44	...	17	...	5	10	2	2	...	
July	12,692	911	71·8	64	...	19	...	6	...	5	23	1	3	1	3	...	
August	11,975	802	67·0	30	...	10	...	2	1	5	3	1	2	3	...	
September	11,681	970	83·0	40	...	23	...	1	1	6	3	1	2	...		
October	11,537	1,224	106·1	91	...	70	2	4	1	1	4	3	...	
November	14,311	1,485	103·8	27	...	2	...	1	3	2	2	...	1	...	7	2	2	...		
December	16,747	1,384	82·6	21	1	2	4	...	1	...	4	1	1	2	1		
						172	2	44	8	37	40	4	20	1	7	...	27	16	22	1	23	1	11
Died per 1,000 of the Average Strength.																									
For the Ten Years	15,274	1,070	70·1	436	28·55	11·26	·13	2·88	2·94	2·62	·26	1·31	·07	·46	...	1·77	1·05	1·44	·07	1·60	·07	·72	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera	229	15·0	75·11
Smallpox	13	·8	15·38
Enteric Fever	101	6·6	43·56
Fever, Intermittent	17,096	1,119·3	·05
Fever, Remittent and Continued	1,210	797	614	642	387	370	451	619	1,682	3,482	4,332	2,510	10,963	717·8	·34
Apoplexy	95	90	150	698	2,070	1,454	1,380	1,045	1,546	1,317	779	339	95	6·2	42·11
Delirium Tremens	63	4·1	6·35
Dysentery	2	1	10	7	4	7	9	9	4	4	1	5	414	27·1	4·83
Diarrhoea	40	18	37	36	39	36	31	30	37	39	34	37	957	62·7	·10
Hepatitis	39	36	47	117	142	126	88	86	67	88	61	60	581	38·0	1·20
Spleen disease	35	57	60	39	45	57	63	45	34	29	62	55	191	12·5	...
Respiratory diseases	26	26	23	11	1	9	11	9	5	9	20	41	1,888	123·6	1·43
Phthisis Pulmonalis	338	285	229	151	83	62	74	69	48	68	166	315	131	8·6	16·79
Scurvy	16	6	12	8	9	4	10	9	4	10	25	18	6	·4	...
Rheumatism	1	...	2	811	53·1	...
Veneral diseases	83	93	123	87	72	53	53	51	40	23	61	67	2,109	138·1	...
Eye diseases	325	281	315	260	169	125	87	88	78	75	100	206	234	18·6	...
Abcess and Ulcer	26	24	33	26	28	18	28	16	37	12	20	16	1,051	68·8	·49
Wounds and Accidents	110	103	124	126	70	70	109	88	60	42	72	77	1,387	90·8	...
All other Causes	163	172	199	176	114	88	83	79	68	41	78	126	2,711	177·5	...
	208	194	275	244	209	217	267	272	159	161	259	246			
Admitted per 1,000 of the Average Strength in each Month.															
	147·4	112·1	112·4	145·1	241·9	204·3	221·6	212·4	331·6	477·1	424·4	246·2	2,639·6		

III.—STATISTICS OF INDIVIDUAL STATIONS—PESHAWAR, 1870-79.

CXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying PESHAWAR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	1,926	75.1	52.9	64.9	73.9	95.6	86.9	78.0	87.7	115.7	105.2	159.6	119.1	92.4	
1871	...	1,550	74.8	64.4	57.2	50.7	73.8	80.3	93.6	71.2	62.2	57.4	64.0	54.1	65.8	
1872	...	1,570	62.3	67.8	54.3	43.7	46.0	53.4	53.0	60.3	92.5	99.7	107.9	102.0	69.4	
1873	...	1,683	55.3	39.3	45.9	62.3	61.6	62.8	70.6	54.3	53.4	81.3	82.3	54.5	58.2	
1874	...	1,650	37.7	36.6	39.4	46.8	71.2	75.2	64.4	48.4	57.1	103.1	105.5	98.2	64.2	
1875	...	1,591	69.8	59.2	58.6	57.7	76.4	62.6	63.7	53.3	81.9	184.0	177.2	117.3	84.9	
1876	...	1,691	61.4	50.2	43.1	47.7	57.6	65.7	48.6	55.5	64.7	66.4	53.1	67.9	55.0	
1877	...	1,340	42.9	38.9	35.8	37.6	52.6	82.5	86.0	64.0	54.1	60.7	49.3	49.4	50.0	
1878	...	1,428	56.1	49.5	45.0	58.5	73.8	91.6	86.5	64.0	81.2	95.0	94.9	54.0	67.9	
1879	...	846	82.5	68.0	62.7	60.9	64.3	57.6	93.5	122.5	175.8	205.1	126.0	140.5	99.3	
Ten Years, 1870-79	...	15,274	60.6	51.9	50.0	52.8	68.3	72.3	71.8	67.0	83.0	106.1	103.8	82.6	70.1	

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	...	6.2	3,060.8	6.2	6.2	42.1	86.2	43.6	6.2	213.9	10.9	74.3	120.4	19.2	68.1	86.2	210.8	4,061.3
1871	...	9.7	1,385.1	3.2	3.9	29.7	66.5	54.8	11.6	129.0	10.9	44.5	123.9	19.4	99.4	99.4	151.6	2,242.6
1872	36.3	19.1	1,822.3	2.6	10.8	29.3	105.7	50.3	5.7	123.6	7.7	42.0	228.7	21.0	79.6	110.2	182.8	2,877.7
1873	...	2.4	1,487.8	8.3	5.3	20.8	33.9	30.3	16.6	114.7	5.3	47.5	94.5	25.0	79.6	94.5	138.5	2,205.0
1874	...	7.9	2,117.6	4.8	3.0	26.6	35.2	33.9	22.4	158.2	14.0	37.6	101.2	30.3	83.0	78.8	235.2	2,989.7
1875	...	11.3	2,611.0	7.5	1.3	15.7	30.2	50.3	40.2	106.2	14.4	25.1	113.8	10.7	63.5	70.4	140.8	3,312.4
1876	33.7	1.8	1,041.4	10.6	1.2	29.0	44.3	36.3	7.1	75.7	8.9	97.6	120.6	14.8	40.8	76.3	176.2	1,814.3
1877	...	5.2	977.6	7	3.7	17.2	38.1	19.4	...	76.9	...	38.1	161.2	14.9	56.7	129.9	163.4	1,703.0
1878	...	12.6	1,410.4	3.5	2.1	12.6	72.1	18.2	7	95.2	2.1	76.3	199.6	11.9	57.4	94.5	156.9	2,226.1
1879	135.9	9.5	2,236.4	18.9	2.4	55.6	153.7	42.6	11.8	108.7	9.5	30.7	134.8	15.3	49.6	65.0	255.3	3,335.7
Ten Years, 1870-79	15.0	6.6	1,837.1	6.2	4.1	27.1	62.7	38.0	12.5	123.6	8.6	53.1	138.1	18.6	68.8	90.8	178.7	2,689.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.04	32.19	33.23	64	...	1	4	16	9	...	9	3	...	10	3	4	3	2
187165	19.35	20.00	31	6	10	2	...	2	4	5	1	1
1872	28.03	1.91	12.74	42.68	67	44	1	2	4	2	...	2	1	2	5	1	3
187359	15.45	16.04	27	2	1	6	...	1	7	2	2	5	1
187461	10.91	11.52	19	4	3	3	2	2	1	1	2	2	1
1875	14.46	14.46	23	10	1	5	1	1	3	3	...
1876	23.06	...	8.28	31.34	53	39	1	3	...	2	1	...	1
187775	2.98	3.73	5	2	1	1	1
1878	...	1.40	17.51	18.91	27	9	4	4	1	1	1	...	2	...	1	2	2
1879	...	1.18	35.46	141.84	120	89	...	5	5	8	...	2	3	1	2	4	1
Ten Years, 1870-79	11.26	.79	16.50	28.55	436	172	2	44	45	40	4	21	7	...	27	16	22	24	12

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.																
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870			
1871			
1872			
1873	57			
1874			
1875			
1876			
1877	14	43			
1878			
1879	5	54	28	12	15	1			
Ten Years, 1870-79	5	54	28	12	29	101	229			

III.—STATISTICS OF INDIVIDUAL STATIONS—DARJEELING, 1870-79.

CXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DARJEELING during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

[illegible]

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent	...	7	11	14	19	21	9	8	14	4	8	4	5	124	196.8	...
Fevers, Remittent and Continued	...	1	2	4	1	3	2	...	1	1	...	15	23.8	...
Apoplexy	1	1	2	3.2	...
Delirium Tremens
Dysentery	...	2	2	...	3	...	3	1	2	17	27.0	...
Diarrhoea	1	1	1	2	4	3	2	1	1	...	16	25.4	...
Hepatitis	...	3	4	5	5	...	3	2	6	4	2	1	1	38	60.3	5.26
Spleen disease	1	1	2	3.2	...
Respiratory diseases	...	5	1	...	4	4	4	...	2	...	5	31	49.2	...
Phthisis Pulmonalis	2	...	1	...	1	...	1	1	6	9.5	16.67
Scurvy
Rheumatism	...	4	5	6	3	8	4	8	3	2	4	3	5	55	87.3	...
Veneral diseases	...	3	6	7	17	10	13	14	10	17	14	9	8	128	203.2	...
Eye diseases	1	1	1	...	1	4	6.4	...
Abscess and Ulcer	...	2	6	5	6	...	2	5	2	3	4	...	1	40	63.5	51
Wounds and Accidents	...	5	2	4	6	8	2	6	9	8	11	6	8	75	119.0	...
All other Causes	...	4	2	7	7	12	8	13	10	10	5	8	5	91	141.4	...
	36	30	55	75	71	51	64	67	54	53	43	36	644			
Admitted per 1,000 of the Average Strength in each Month.																
	80.5	73.6	101.3	111.8	100.6	72.3	90.8	95.3	76.9	76.1	62.3	77.3	1,022.2			

III.—STATISTICS OF INDIVIDUAL STATIONS—DARJEELING, 1870-79.

CXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DARJEELING in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	64	93·7	78·1	61·5	30·8	46·2	30·8	76·9	93·7	62·5	63·5	47·6	34·5	62·5
1871	... "	66	35·1	...	31·7	28·2	58·0	59·7	14·7	44·1	58·8	73·5	58·8	58·0	45·5
1872	... "	85	29·4	28·5	23·3	34·5	34·5	46·0	23·0	34·5	46·0	34·5	46·0	46·0	35·3
1873	... "	82	73·2	36·6	36·6	47·6	36·6	36·6	61·0	48·8	36·6	34·4	36·6	24·4	36·6
1874	... For 11 Months	83	...	42·3	51·3	47·1	47·1	47·1	47·1	58·8	82·4	82·4	47·1	47·1	60·2
1875	... "	82	46·5	47·6	48·8	48·8	48·8	...	12·2	12·2	24·4	25·0	13·2	...	24·4
1876	... "
1877	... For 9 Months	74	51·3	64·1	51·3	64·9	51·9	51·9	51·9	51·9	47·1	54·1
1878	... For 11 Months	86	22·2	23·0	11·5	34·9	23·3	34·9	34·9	34·9	35·3	35·7	36·6	...	34·9
1879	... For 8 Months	72	111·1	83·3	27·4	54·8	27·8	41·7	57·1	14·3	...	55·6
Ten Years, 1870-79	...	630	49·2	35·8	36·8	49·2	48·2	36·9	42·6	44·1	48·4	48·9	39·1	42·9	42·9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	734·4	46·9	31·2	140·6	...	156·3	...	125·0	140·6	15·6	15·6	171·9	312·5	1,890·6
1871	121·2	75·8	75·8	...	30·3	30·3	60·6	303·0	...	15·1	197·0	212·1	1,121·2
1872	188·2	23·5	23·5	47·1	...	23·5	11·7	141·2	153·0	...	23·5	153·0	141·2	929·4
1873	24·4	24·4	...	36·6	...	24·4	...	134·1	146·3	85·4	85·4	561·0
1874	373·5	12·0	12·0	72·3	12·0	12·0	...	36·2	265·1	...	132·6	96·4	60·2	1,084·3
1875	24·4	24·4	61·0	146·3	...	109·7	73·2	61·0	500·0
1876
1877	175·7	13·5	...	94·6	40·5	27·0	...	54·1	27·0	40·5	148·7	...	67·6	67·6	175·6	932·4
1878	81·4	23·3	23·3	46·5	...	58·1	11·6	93·0	151·1	23·3	46·5	104·7	93·0	755·8
1879	180·5	13·9	13·9	41·7	13·9	69·4	...	13·9	222·2	13·9	97·2	41·7	97·2	819·4
Ten Years, 1870-79	220·6	3·2	...	27·0	25·4	60·3	3·2	49·2	9·5	87·3	203·2	6·4	63·5	119·0	144·4	1,022·2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	15'62	15'62	1	1
1871
1872
1873	12'20	12'20	1	1
1874
1875
1876
1877
1878	34'88	34'88	3
1879	1	1
Ten Years, 1870-79	7'94	7'94	5	2	2	1

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

[illegible]

CXX.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
January ...	5,254	204	38·8	6	1	1	...	1	1
February ...	5,000	203	40·6	5	1	1	1
March ...	6,074	242	39·8	2
April ...	8,282	439	53·0	3	1
May ...	9,021	561	62·2	12	1	...	3	4	1
June ...	9,128	562	61·6	9	3	1	1	1
July ...	9,090	550	60·5	13	3	...	1	5
August ...	9,058	482	53·2	8	3	2	1
September ...	9,032	466	51·6	10	1	2	2	2	1
October ...	8,998	423	47·2	11	2	1	1	1	...	1
November ...	8,662	358	41·3	6	1	1	1	1	1
December ...	6,572	258	39·3	7	2	1	1	1	1
						13	...	4	19	3	8	...	9	6	5	1	...	1	20	2	1
						Died per 1,000 of the Average Strength.																			
For the Ten Years	7,845	396	50·5	92	11·73	1·66	'51	2·42	'38	1'02	...	1'15	'76	'64	'13	...	'13	2·55	'25	'13	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent	...	13	13	19	88	174	151	116	62	48	46	34	20	784	99.9	...
Fevers, Remittent and Continued	...	8	13	20	81	86	76	49	48	36	30	13	9	469	59.8	... '85
Apoplexy	1	1	1	...	3
Delirium Tremens	1	1	...	1	1	2	6
Dysentery	...	2	4	4	15	36	27	20	21	19	15	10	7	180	22.9	10.56
Diarrhoea	...	23	15	18	44	53	94	129	49	43	34	23	26	551	70.2	... '54
Hepatitis	...	10	8	13	21	18	30	37	36	34	24	20	13	264	33.7	3.03
Spleen disease	1	...	4	3	2	5	2	4	2	4	1	28	3.6	...
Respiratory diseases	...	37	47	44	77	69	40	38	24	28	44	39	42	529	67.4	1.70
Phtibisis Pulmonalis	...	2	1	3	4	1	4	3	2	5	6	4	4	39	5.0	12.82
Scurvy	1	1
Rheumatism	...	25	25	32	51	55	52	...	44	39	38	28	20	461	58.8	...
Veneral diseases	...	104	82	121	267	205	157	169	182	176	167	162	90	1,882	239.9	...
Eye diseases	...	7	6	4	13	22	9	7	7	10	6	5	3	99	12.6	...
Abscess and Ulcer	...	25	23	38	52	54	41	44	36	32	27	30	19	421	53.7	...
Wounds and Accidents	...	32	32	62	69	66	59	55	55	45	50	42	45	612	78.0	...
All other Causes	...	58	45	56	113	137	134	129	85	112	89	64	57	1,079	137.5	...
	346	315	434	902	985	881	861	658	634	583	479	356	7,434			
Admitted per 1,000 of the Average Strength in each Month.																
	65.9	63.0	71.5	108.9	109.2	96.5	94.7	72.6	70.2	65.0	55.3	54.2	947.6			

III.—STATISTICS OF INDIVIDUAL STATIONS—RANIKHET, 1870-79.

CXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying RANIKHET in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For 9 Months	397	50.1	82.7	72.7	57.8	68.0	68.0	48.0	50.6	40.8	60.5
1871	... For the Year	375	41.3	72.5	62.8	111.7	97.8	108.9	137.3	87.3	74.2	96.1	70.2	65.8	90.7
1872	... " "	479	75.2	54.8	58.3	44.8	54.3	76.6	78.8	83.7	88.7	84.7	63.5	53.3	68.9
1873	... " "	625	57.9	40.9	42.1	30.2	39.0	53.1	62.3	66.8	62.4	51.1	49.3	44.2	49.6
1874	... " "	707	45.5	36.3	34.2	43.8	39.9	45.8	51.7	49.3	49.4	43.0	31.6	29.3	41.1
1875	... For 9 Months	1,285	56.2	73.6	72.0	69.1	55.6	48.0	36.8	41.5	38.6	51.5
1876	... For the Year	1,298	30.9	25.6	25.4	44.1	51.3	43.9	48.0	38.6	36.6	36.9	26.3	24.5	37.0
1877	... For 10 Months	1,318	39.9	46.9	44.2	46.8	44.6	38.8	50.6	41.9	38.1	32.9	42.5
1878	... For the Year	1,274	28.1	42.3	36.4	76.5	82.8	72.2	58.6	51.5	43.0	42.6	32.9	35.1	51.8
1879	... For 11 Months	557	43.9	51.3	51.0	59.8	71.3	63.5	50.4	48.7	51.0	50.6	59.9	...	55.7
Ten Years, 1870-79	...	7,845	38.8	40.6	39.8	53.0	62.2	61.6	60.5	53.2	51.6	47.2	41.3	39.3	50.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	267.0	...	5.1	17.6	103.3	32.8	2.5	32.8	...	62.9	153.7	7.5	57.9	62.9	128.5	934.5
1871	229.3	...	5.3	50.7	253.3	90.7	...	181.3	5.3	194.7	288.0	29.3	111.4	98.7	248.0	1,816.0
1872	8.3	41.8	158.7	29.2	...	135.7	8.3	56.4	300.6	14.6	50.1	79.4	173.3	1,194.2
1873	4.8	30.4	134.4	40.0	...	102.4	4.8	46.4	161.8	9.6	35.2	65.6	206.4	982.4
1874	5.0	13.8	50.2	27.6	3.8	59.0	1.3	84.1	184.4	3.8	37.6	86.5	140.5	838.1
18758	24.1	53.1	40.5	.8	19.5	4.7	29.6	140.8	24.1	42.0	54.5	107.4	705.9
1876	1.58	19.3	47.0	41.6	14.6	64.7	5.4	43.9	58.5	7.7	41.6	55.5	107.9	738.1
1877	1.5	...	1.5	7.6	14.4	19.0	.8	38.7	2.3	36.4	288.3	9.9	32.6	78.1	61.5	647.2
1878	7.1	16.5	34.5	13.3	2.3	55.0	7.9	37.7	362.6	6.3	55.0	76.9	99.7	886.2
1879	1.8	25.1	23.3	12.6	...	61.0	5.4	75.4	310.6	5.4	68.2	96.9	188.5	1,008.8
Ten Years, 1870-79	3.38	22.9	70.2	33.7	3.6	67.4	5.0	58.8	239.9	12.6	53.7	78.0	137.6	947.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonals.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	2.52	5.04	7.56	3	1	1	1	
1871	...	2.67	21.33	24.00	9	4	...	2	1	1	1	
1872	37.58	37.58	18	4	1	...	3	...	2	
1873	9.60	9.60	6	1	3	1	1	
1874	15.06	15.06	12	2	1	1	...	2	...	5	...	
1875	7.00	7.00	9	1	2	...	1	3	1	
1876	...	77	13.10	13.87	18	1	1	...	3	...	3	1	1	1	7	1	
1877	3.79	3.79	5	1	2	
1878	7.06	7.06	9	3	1	...	2	3	...	
1879	5.39	5.39	3	1	1	1	...	
Ten Years, 1870-7938	11.35	11.73	92	13	5	22	8	...	9	6	5	21	3

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—CHAKRATA, 1870-79.

CXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying CHAKRATA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	5,106	198	38·8	7	1	2	2	...	2
February ...	5,175	201	38·8	1	1
March ...	6,608	275	41·6	2
April ...	8,099	360	44·4	8	1	2
May ...	8,352	373	44·7	11	1
June ...	8,365	370	44·2	5	1	...	1	2
July ...	8,359	367	43·9	7	1	1	...	1	...	2
August ...	8,343	353	42·3	4	...	1	2
September ...	8,326	336	40·4	5	2	1
October ...	7,814	265	33·9	6	1	1	2
November ...	6,619	194	29·3	4	1
December ...	4,672	154	33·0	4	1	2
						1	...	2	...	1	4	1	7	...	5	14	3	16	...	10
Died per 1,000 of the Average Strength.																										
For the Ten Years	7,153	287	40·1	64	8·95	·14	...	·28	·14	·56	·14	·98	...	·70	1·96	·42	2·23	1·40

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera	1	...	3	4	·6	25·00
Smallpox	1	·1	...
Enteric Fever ...	1	1	1	...	1	4	·6	50·00
Fever, Intermittent ...	27	18	27	64	67	68	72	37	52	29	19	21	501	70·1	...
Fever, Remittent and Continued ...	15	14	20	35	39	48	32	25	38	29	8	12	315	44·0	·32
Apoplexy
Delirium Tremens ...	1	...	1	2	3	...	1	10	1·4	...
Dysentery ...	3	1	6	13	14	12	10	7	13	14	4	1	98	13·7	4·08
Diarrhoea ...	13	6	10	19	23	22	46	39	19	9	7	8	221	30·9	·45
Hepatitis ...	7	4	21	29	22	34	30	26	20	18	14	12	237	33·1	2·95
Spleen disease	2	...	1	1	6	·8	...
Respiratory diseases ...	88	68	72	80	82	55	47	35	41	57	39	37	701	98·0	·71
Phthisis Pulmonalis ...	2	2	3	4	5	2	2	5	7	4	3	1	40	5·6	7·50
Scurvy
Rheumatism ...	25	23	37	52	55	54	67	42	52	34	33	26	560	69·9	...
Veneral diseases ...	67	90	156	154	106	90	79	78	53	54	47	44	1,018	142·3	...
Eye diseases ...	2	1	6	11	10	8	6	5	4	7	4	1	65	9·1	...
Abscess and Ulcer ...	18	15	22	30	23	23	27	26	16	26	21	21	268	37·5	...
Wounds and Accidents ...	33	39	45	43	74	60	57	61	77	53	30	49	621	86·8	...
All other Causes ...	44	36	70	76	98	95	104	88	99	65	55	36	866	121·1	...
													5,476		·90
Admitted per 1,000 of the Average Strength in each Month.															
67·8	61·3	75·2	75·7	74·0	68·5	69·6	57·8	59·1	51·4	43·1	57·6	765·6			

III.—STATISTICS OF INDIVIDUAL STATIONS—CHAKRATA, 1870-79.

CXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CHAKRATA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	801	44.4	34.5	32.1	43.1	60.4	60.5	51.9	61.2	50.3	35.4	41.3	29.6	45.0
1871	"	774	21.0	37.3	40.9	32.7	25.7	30.4	23.1	32.8	35.3	23.3	17.7	105.5	32.3
1872	For 10 Months	884	42.2	42.4	43.6	47.0	44.8	32.5	35.9	28.1	30.2	25.6	37.3
1873	For the Year	823	35.6	23.3	23.6	39.5	29.3	33.9	32.8	35.1	37.4	32.8	17.7	66.1	32.8
1874	"	733	53.6	51.6	75.3	48.9	45.3	48.6	48.6	48.7	47.8	46.6	43.7	30.5	46.4
1875	"	852	44.3	45.1	47.3	48.2	49.3	42.4	47.0	45.9	42.4	36.0	21.7	23.1	41.1
1876	"	854	31.2	41.6	55.3	51.2	37.6	28.5	27.4	27.5	27.6	23.1	22.8	25.2	32.8
1877	For 9 Months	858	37.5	23.2	18.4	21.8	27.6	21.9	23.2	24.5	23.6	...	24.5
1878	For 7 Months	903	69.9	64.4	62.3	69.0	62.3	46.8	49.7	59.8
1879	"	458	42.8	96.2	84.8	74.1	66.4	69.4	46.5	69.9
Ten Years, 1870-79	...	7,153	38.8	38.8	41.6	44.4	44.7	44.2	43.9	42.3	40.4	33.9	29.3	33.0	40.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	1.2	6.2	11.2	28.7	20.0	...	161.0	7.5	94.9	146.1	7.5	37.5	133.6	181.0	972.5
1871	3.9	18.1	41.3	18.1	...	126.6	11.6	58.1	103.4	5.2	43.9	91.7	117.6	732.5
1872	...	3.4	4.5	21.5	41.9	...	41.1	...	29.4	130.1	2.3	21.5	35.1	50.9	469.5
1873	10.9	14.6	21.9	...	77.7	...	46.2	71.7	6.1	24.3	55.9	77.8	516.1
1874	5.5	23.2	51.8	...	143.2	...	125.5	128.2	23.2	38.2	129.1	154.2	937.2
1875	14.1	31.7	37.6	...	127.9	1.2	100.9	119.7	17.6	44.6	125.6	219.5	970.7
1876	9.4	14.0	23.4	...	37.5	...	38.6	186.2	4.7	23.4	51.5	77.3	551.5
1877	1.2	3.5	11.6	16.3	...	29.1	...	42.0	67.6	5.8	16.3	36.1	61.8	320.5
1878	26.6	25.5	32.2	...	75.3	...	47.6	196.0	4.4	44.3	53.2	52.0	662.2
1879	19.7	93.9	32.8	...	37.1	...	32.7	98.3	2.2	32.8	76.4	74.1	721.9
Ten Years, 1870-79	...	6	6	...	1.4	13.7	30.9	33.1	8	98.0	5.6	69.9	142.3	9.1	37.5	86.8	121.2	765.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	4.99	13.74	18.73	15	1	1	7	...	2	4
1871	...	1.29	5.17	6.46	5	1	2	...	1	1
1872	...	1.13	6.79	7.92	7	1	1	2	3
1873	...	2.43	4.86	7.29	6	1	...	3	2
1874	...	2.73	5.46	8.19	6	1	1	1	1	...
1875	2.35	2.35	2	1	1
1876	9.37	9.37	8	2
1877	4.66	4.66	4	1	1	1	...	3	...
1878	5.54	5.54	5	1	...	1	3	...
1879	...	2.18	10.92	13.10	6	1	1	1	...	2	1
Ten Years, 1870-79	...	1.14	7.41	8.95	61	1	...	2	1	5	7	...	5	14	3	16	10

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871	3	3
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	1	...	3	4

III.—STATISTICS OF INDIVIDUAL STATIONS—DAGSHAI, 1870-79.

CXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DAGSHAI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.													Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.			Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
January ...	5,675	223	39.3	6	1	1	1
February ...	6,354	265	41.7	3
March ...	7,947	354	44.5	6	1
April ...	9,052	471	52.0	5
May ...	9,374	515	54.9	5	1	1
June ...	9,969	525	52.7	2
July ...	10,034	538	53.6	14	...	1	...	4	...	1	1	3
August ...	10,162	515	53.6	34	...	16	...	6	5	1	2	1	...	1	1
September ...	10,157	471	46.4	8	...	1	...	3	...	1	1
October ...	9,144	402	42.6	9	...	2	...	2	...	2	1	1
November ...	6,360	289	45.4	2
December ...	5,273	238	45.1	3	2	...	1
						20	...	17	2	4	3	...	10	1	10	10	1	...	1	1	1	13	1	3
						Died per 1,000 of the Average Strength.																				
For the Ten Years	8,317	403	48.5	97	11.66	2.41	...	2.05	.7236	...	1.20	.12	1.20	1.20	.1212	.12	.12	1.56	.12	.36	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.					
	
Dengue (of 1872)	
Cholera	1	25	1	3	30	3.6	66.67
Smallpox
Enteric Fever ...	1	1	1	...	3	1	6	14	9	4	40	4.8	42.50
Fever, Intermittent ...	83	63	113	251	311	291	311	267	198	113	82	61	2,144	257.8	.09	...	
Fever, Remittent and Continued ...	10	11	22	38	25	50	62	35	54	30	3	9	349	42.0	1.15	...	
Apoplexy	1	...	1	1	3	.4	...
Delirium Tremens ...	1	1	4	1	1	1	1	1	11	1.3	...
Dysentery ...	7	11	10	17	11	12	11	16	8	12	10	7	132	15.9	2.27	...	
Diarrhoea ...	19	12	9	29	32	23	105	123	52	20	8	19	451	54.2	
Hepatitis ...	8	9	7	15	20	26	23	26	18	18	12	5	187	22.5	5.35	...	
Spleen disease	2	3	1	2	1	1	4	15	1.8	6.67	...	
Respiratory diseases ...	92	105	94	86	67	41	37	36	36	42	31	48	715	86.0	1.40	...	
Phthisis Pulmonalis ...	1	1	2	3	2	3	7	4	8	7	2	2	42	5.0	2.38	...	
Scurvy	1	1	...	1	...	3	.4	33.33	...	
Rheumatism ...	41	44	57	82	90	95	80	65	50	43	42	43	732	88.0	.55	...	
Veneral diseases ...	74	112	176	177	154	118	146	156	116	106	109	88	1,532	184.2		...	
Eye diseases ...	4	6	9	14	13	7	9	8	10	14	6	11	111	13.3		...	
Abscess and Ulcer ...	46	52	34	69	38	54	46	47	37	47	35	20	525	63.1		...	
Wounds and Accidents ...	49	71	88	81	82	72	56	78	65	63	43	36	784	94.3		...	
All other Causes ...	62	38	60	91	106	96	100	86	86	77	52	46	900	108.2		...	
498	539	691	956	958	892	1,001	987	749	603	437	395	8,706					
Admitted per 1,000 of the Average Strength in each Month.																	
87.8	84.8	87.0	105.6	102.2	89.5	99.8	97.1	73.7	63.9	68.7	74.9	1,046.8					

III.—STATISTICS OF INDIVIDUAL STATIONS—DAGSHAI, 1870-79.

CXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DAGSHAI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	815	28.7	21.5	24.8	25.9	24.8	27.0	37.2	36.1	26.0	24.9	47.9	36.3	29.4
1871	...	917	57.5	60.0	57.6	72.8	65.1	63.0	50.1	52.9	47.0	45.3	39.3	38.2	54.5
1872	...	940	32.6	41.4	53.0	40.0	39.8	44.5	37.7	36.1	19.7	34.5	38.3
1873	...	1,036	61.8	98.8	108.2	102.9	98.4	99.4	77.7	57.2	54.7	44.9	81.1
1874	...	969	35.2	40.5	30.5	39.2	43.6	37.8	44.8	48.6	35.0	31.3	41.0	...	39.2
1875	...	1,036	61.9	63.2	58.0	58.8	56.1	50.6	40.6	39.0	44.0	53.1
1876	...	927	35.1	33.0	41.3	44.9	54.3	44.7	49.6	45.1	41.1	39.5	44.8	88.4	44.2
1877	...	924	45.8	39.1	40.6	41.7	49.8	52.5	47.1	48.8	53.2	57.7	57.5	48.6	48.7
1878	...	802	32.2	46.6	39.0	32.4	34.1	36.7	41.2	51.8	53.8	50.5	60.9	53.8	42.4
1879	...	508	61.2	81.2	47.6	69.0	68.6	56.1	65.3	60.1	53.4	41.9	31.4	32.0	53.1
Ten Years, 1870-79	...	8,317	39.3	41.7	44.5	52.0	54.9	52.7	53.6	53.6	46.4	42.6	45.4	45.1	48.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	177.9	...	2.5	7.4	23.3	29.4	...	99.4	...	70.0	82.2	15.9	38.0	54.0	41.7	641.7
1871	356.6	...	2.2	16.4	37.1	3.3	...	118.9	3.3	148.3	285.7	8.7	82.9	74.1	114.5	1,256.3
1872	...	30.9	70.2	...	4.2	12.8	64.9	8.5	5.3	58.5	...	63.8	123.4	18.1	41.5	77.7	113.8	694.7
1873	578.2	28.0	32.8	29.9	1.0	75.3	7.7	84.9	169.9	16.4	83.0	85.0	107.1	1,299.2
1874	176.5	...	1.0	5.2	27.8	12.4	...	87.7	4.1	71.2	85.6	13.4	70.2	82.6	73.3	711.0
1875	442.1	8.7	54.1	4.8	...	39.6	6.8	126.4	133.2	10.6	48.3	88.8	65.6	1,030.9
1876	216.8	...	2.1	17.3	38.8	14.0	...	78.8	10.8	79.8	279.4	5.4	57.2	105.7	162.9	1,075.5
1877	126.6	...	2.2	17.3	59.5	40.0	3.3	61.7	5.4	56.3	210.0	9.7	46.5	101.7	108.2	857.1
1878	276.9	...	1.2	16.2	98.5	36.2	1.2	96.0	...	48.6	116.0	13.7	66.1	98.5	98.5	990.0
1879	...	2.0	9.8	281.5	15.7	94.5	47.3	...	68.9	9.8	43.3	222.4	11.8	37.4	84.6	1,059.0
Ten Years, 1870-79	...	3.6	4.8	299.8	4	1.3	15.9	54.2	22.5	1.8	86.0	5.0	88.0	184.2	13.3	63.1	94.3	1,046.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	6.13	6.13	5	1	...	3	1		
1871	5.45	5.45	5	3	1		
1872	...	21.28	6.38	27.66	26	20	...	1	1	1	1		
1873	97	10.61	11.58	12	2	2		
1874	6.19	6.19	6	1		
1875	1.94	3.85	5.79	6	...	1	1	...	1		
1876	7.55	7.55	7	...	2	1	1	1		
1877	7.58	7.58	7	...	3	3		
1878	18.70	18.70	15	...	9		
1879	1.97	13.78	15.75	8	...	1	2	4		
Ten Years, 1870-79	...	2.41	4.8	8.77	11.66	97	20	...	17	6	3	10	1	10	10	1	15	4

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	25	1	3
1874
1875
1876
1877
1878
1879	1
Ten Years, 1870-79	1	25	1	3	30

III.—STATISTICS OF INDIVIDUAL STATIONS—SUBATHU, 1870-79.

CXXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SUBATHU during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
January ...	5,035	193	38·3	4	1	1	2

III.—STATISTICS OF INDIVIDUAL STATIONS—SUBATHU, 1870-79.

CXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SUBATHU in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For 10 Months	818	38.7	42.4	35.8	44.1	44.2	35.9	39.5	46.5	43.0	27.4	40.3
1871	... For the Year	771	29.2	49.1	49.9	57.2	48.5	62.9	67.9	41.1	36.3	28.0	25.8	29.5	44.1
1872	... For 10 Months	900	33.7	28.7	37.5	35.3	47.5	29.9	66.4	51.0	48.7	35.4	41.1
1873	... For 11 Months	822	...	31.7	39.0	50.2	55.9	59.4	66.4	67.6	56.1	48.4	35.8	30.6	49.9
1874	... For 11 Months	827	36.3	30.3	27.0	43.5	39.1	47.2	44.9	48.3	47.1	36.3	56.2	...	41.1
1875	... For 7 Months	707	46.3	42.5	40.2	38.6	40.1	41.4	28.4	39.6
1876	... For the Year	848	37.4	33.0	58.5	66.3	75.2	66.2	63.0	69.2	56.2	53.1	52.8	52.0	56.6
1877	... For 11 Months	818	40.6	36.0	30.7	37.8	54.4	64.7	67.3	60.4	72.4	51.0	31.7	...	50.1
1878	... For the Year	395	20.0	23.1	25.8	30.7	87.9	86.1	85.7	104.8	89.5	110.8	229.5	210.1	81.0
1879	... "	355	127.8	66.2	43.1	92.5	233.6	84.9	87.8	98.9	85.1	79.4	84.2	87.8	90.1
Ten Years, 1870-79	...	6,645	38.3	34.7	39.2	49.0	56.4	55.4	61.0	59.7	55.3	45.1	48.2	52.2	50.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	251.8	...	6.1	18.3	35.5	48.9	1.2	61.1	15.9	25.7	56.2	11.0	36.7	46.5	75.8	690.7
1871	...	1.3	219.2	...	2.6	28.5	92.1	71.3	9.1	55.8	7.8	48.0	133.6	3.9	58.3	94.7	94.7	920.9
1872	...	3.3	86.7	...	3.3	27.8	107.8	26.7	...	53.3	8.9	62.2	72.2	7.8	58.9	82.2	124.5	727.8
1873	...	9.7	301.7	1.2	1.2	18.3	15.8	30.4	2.4	118.0	6.1	37.7	93.7	6.1	32.8	57.2	107.1	839.4
1874	135.4	6.0	20.6	24.2	2.4	87.1	7.2	60.5	78.6	7.2	41.1	70.2	88.3	628.8
1875	...	1.4	134.4	2.8	29.7	9.9	4.2	39.6	1.4	22.6	127.3	7.1	42.4	52.4	62.3	537.5
1876	...	9.4	123.9	...	1.2	42.5	36.6	33.0	3.5	60.1	7.1	28.3	287.7	16.5	44.8	86.1	123.8	904.5
1877	...	20.8	165.0	2.4	2.4	42.8	105.1	47.7	3.7	42.8	...	47.7	114.9	15.9	41.6	106.3	118.6	877.7
1878	...	50.7	293.6	2.5	...	38.0	53.2	96.2	2.5	134.2	15.2	81.0	283.5	20.3	58.2	91.2	225.3	1,445.6
1879	...	28.2	70.4	828.2	...	16.9	33.8	53.5	...	78.9	11.3	59.2	157.7	19.7	76.1	132.4	366.1	1,932.4
Ten Years, 1870-79	...	2.0	12.3	235.4	.6	2.1	26.8	60.2	44.8	3.5	78.5	8.3	50.9	146.0	11.7	52.7	89.7	959.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	2.44	7.34	9.78	8	2	2	1	...	1	2
1871	10.38	10.38	8	1	3	1	
1872	...	1.11	6.67	7.78	7	2	2	1	...	1	
1873	9.73	9.73	8	2	1	...	1	3	
1874	4.84	4.84	4	1	2	...	
1875	...	4.24	5.66	9.90	7	1	1	3	
1876	10.61	10.61	9	2	2	...	1	1	...	
1877	...	2.44	9.78	12.22	10	5	1	1	...	1	2	
1878	30.38	30.38	12	7	...	1	2	...	
1879	...	25.35	11.27	36.62	13	9	...	4	
Ten Years, 1870-79	...	1.36	1.20	12.94	86	9	...	24	3	2	1	8	7	...	2	9	4	8	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	3
1873
1874
1875
1876
1877
1878
1879	10
Ten Years, 1870-79	3	...	10	13

III.—STATISTICS OF INDIVIDUAL STATIONS—JUTOGH, 1870-79.

CXXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying JUTOGH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents. Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.		All other Causes.		
January	...	449	11	24·5	1	1
February	...	455	13	28·6
March	...	550	22	40·0
April	...	835	34	40·7
May	...	1,085	43	39·6
June	...	1,152	51	44·3	1
July	...	1,153	61	52·9	1	1
August	...	1,154	58	50·3	1	1
September	...	1,193	58	48·6	1
October	...	964	45	46·7	1	1
November	...	656	31	47·3	1
December	...	644	16	24·8	4	1	2
						1	...	2	7
						Died per 1,000 of the Average Strength.																				
For the Ten Years	858	37	43·1	10	11·66	1·17	...	2·33	8·16

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever	2	2	2·3	...
Fever, Intermittent	2	5	6	19	10	5	2	55	61·1	...	
Fevers, Remittent and Continued	8	7	4	9	7	3	7	6	1	1	53	61·8	...	
Apoplexy
Delirium Tremens	...	1	1	2	4	4·7	...
Dysentery	1	2	3	5	1	3	1	1	...	17	19·8	...	
Diarrhoea	2	1	1	24	16	3	2	...	1	50	58·3	...	
Hepatitis	...	2	...	1	1	4	4	9	3	10	4	3	44	51·3	2·27	...
Spleen disease	1	1	1·2
Respiratory diseases	...	5	2	5	4	6	7	6	5	7	4	5	2	58	67·6	3·45
Phthisis Pulmonalis	1	1	1	2	1	1	...	7	8·2	...
Scurvy
Rheumatism	1	...	2	7	3	1	...	6	1	4	1	31	39·6	...
Veneral diseases	...	6	6	10	9	22	16	15	17	20	8	10	2	141	164·3	...
Eye diseases	1	1	1	3	3·5	...
Abscess and Ulcer	...	1	2	3	3	5	5	4	1	8	2	2	...	36	41·9	...
Wounds and Accidents	...	7	8	9	10	14	11	15	14	11	12	13	3	130	151·5	...
All other Causes	...	2	5	3	5	19	12	12	21	19	11	3	3	115	134·0	...
Admitted per 1,000 of the Average Strength in each Month.																

III.—STATISTICS OF INDIVIDUAL STATIONS—JUTOGH, 1870-79.

CXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying JUTOGH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	85	21·7	21·7	...	22·2	11·5	37·7	24·1	23·5
1871	For 9 Months	88	23·5	22·7	44·9	45·5	45·5	44·9	33·7	22·5	56·2	11·2	34·1
1872	For 10 Months	95	40·8	40·8	50·5	30·6	20·8	31·3	21·7	11·1	...	31·6
1873	For 9 Months	89	21·7	21·7	21·7	10·9	33·0	22·5	57·5	68·2	56·2	57·5	61·1	58·8	44·9
1874	For the Year	94	58·8	36·1	45·5	33·7	33·3	33·3	55·6	56·2	51·3	59·8	53·6	25·0	42·6
1875	"	88	23·5	44·4	51·9	44·4	44·4	33·0	43·5	54·9	44·4	102·3	61·0	14·1	45·5
1876	"	92	76·9	54·9	76·9	107·5	87·0	56·2	34·1	10·8	...	54·3
1877	For 9 Months	95	...	20·8	20·8	41·7	31·2	30·9	32·3	31·9	30·0	21·1	32·3	21·5	21·1
1878	For the Year	244	39·2	44·2	51·0	58·6	62·7	53·3
1879	For 5 Months	133	48·3	77·8	78·3	64·0	61·1	80·3	153·8	97·6	75·2
1879	For 8 Months
Ten Years, 1870-79	...	858	21·5	28·6	40·0	40·7	39·6	44·3	52·9	50·3	48·6	46·7	47·3	24·8	43·1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																	
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Phtisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	129·4	23·5	35·3	...	11·8	47·1	...	11·8	70·5	11·8
1871	113·6	11·4	34·1	11·4	11·4	...	34·1	45·5	170·4	511·4
1872	31·6	63·1	21·1	...	21·1	...	42·1	94·7	31·6	389·5
1873	33·7	...	11·2	22·5	11·2	101·1	...	22·5	...	33·7	221·7	...	11·2	168·6	719·1
1874	93·7	42·6	42·6	...	138·3	...	42·6	117·0	...	53·2	287·2	937·7
1875	79·5	...	11·4	...	45·5	102·3	...	147·7	261·4	...	45·4	159·1	34·1
1876	206·6	...	10·9	65·2	32·6	21·7	...	21·7	...	32·6	65·2	10·9	43·5	65·2	54·3
1877	126·3	105·3	52·6	...	10·5	115·8	10·5	63·1	210·6	126·3
1878	94·2	...	4·1	12·3	73·8	32·8	...	32·8	...	36·9	82·0	4·1	16·4	86·1	94·2
1879	...	15·0	75·2	45·1	7·5	30·1	...	75·2	37·6	52·6	172·9	...	37·6	90·2	218·2
Ten Years, 1870-79	...	2·3	125·9	...	4·7	19·8	58·3	51·3	1·2	67·6	8·2	39·6	161·3	3·5	41·9	151·5	874·1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	
1871	
1872	
1873	11·24	...	11·24	1	
1874	10·64	10·64	21·28	2	1	
1875	22·73	...	22·73	2	1	1	
1876	21·74	21·74	2	2	
1877	1	...	1	
1878	12·30	...	12·30	3	3	
1879	
Ten Years, 1870-79	8·16	3·50	11·66	10	1	...	2	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.													
ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.													
YEAR.	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Total Admissions.
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—DHARMSALA, 1870-78.

CXXX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DHARMSALA during the NINE YEARS from 1870 to 1878, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Nine Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
January
February
March	...	50
April	...	996	38	38·2
May	...	1,051	49	46·6	1
June	...	1,050	51	48·6
July	...	1,050	53	50·5	1
August	...	1,000	48	47·6	4	1
September	...	1,013	46	45·4
October	...	1,000	44	44·0
November	...	461	25	53·9
December	...	125	9	72·0
						4	1	1
						Died per 1,000 of the Average Strength.																					
For the Nine Years	651	30	46·1	6	9·22	6·11	1·51	1·54

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Nine Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera	5	5	7·7	80·00
Smallpox
Enteric Fever	1	1	1·5	...
Fever, Intermittent	23	28	...	23	50	20	7	7	2	187	287·3	...
Fevers, Remittent and Continued	13	21	27	14	6	11	9	1	1	98	150·5	...
Apoplexy	1	1	1·5	...
Delirium Tremens	1	1	3	4·6	...
Dysentery	4	1	1	...	1	8	12·3	...
Diarrhea	2	7	11	30	28	11	7	96	147·5	...
Hepatitis	5	3	4	4	...	3	1	21	32·3	476
Spleen disease	2	3	2	1	...	1	2	12	18·4	...
Respiratory diseases	11	10	1	6	1	6	5	...	1	42	64·5	...
Phthisis Pulmonalis	1	4	1	2	8	12·3	12·50
Scurvy
Rheumatism
Veneral diseases	4	6	8	9	4	4	6	2	...	43	66·0	...
Eye diseases	23	7	5	1	7	11	12	13	9	88	135·2	...
Abscess and Ulcer	3	4	...	1	...	1	10	15·4	...
Wounds and Accidents	9	9	8	5	5	5	2	...	1	44	67·6	...
All other Causes	3	13	5	10	9	7	12	59	90·6	...
	12	17	21	23	10	17	18	2	...	120	184·3	...
Admitted per 1,000 of the Average Strength in each Month.															
...	116·5	127·5	109·5	123·8	125·9	96·7	83·0	60·3	120·0	1,299·5		

III.—STATISTICS OF INDIVIDUAL STATIONS—DHARMSALA, 1870-78.

CXXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DHARMSALA in each Year of the NINE YEARS from 1870 to 1878.

I.—DAILY SICK-RATE OF EACH MONTH OF THE NINE YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For 7 Months.	108	45.9	36.7	27.5	55.6	56.1	56.1	47.6	46.3
1871	... " "	112	53.6	71.4	53.6	44.6	26.8	53.6	35.7	44.6
1872	... For 8 Months.	88	18.2	18.2	18.2	27.3	25.0	50.0	37.5	34.1
1873	... " "	117	25.0	41.7	58.3	41.7	25.0	25.9	53.6	36.0	...	34.2
1874	... For 9 Months.	122	83.3	75.0	91.7	108.3	83.3	56.9	31.7	72.0	72.0	73.8
1875	... For 7 Months.	123	16.0	40.0	32.0	32.0	32.8	8.3	16.5	24.4
1876	... " "	116	25.4	42.7	59.8	34.2	45.5	43.5	52.2	43.1
1877	... " "	118	16.9	42.0	50.8	50.8	67.8	50.4	25.2	42.4
1878	... For 8 Months.	116	50.4	50.4	42.0	58.3	58.3	66.7	100.0	90.0	...	60.3
Nine Years, 1870-78	...	651	38.2	46.6	48.6	50.5	47.6	45.4	44.0	53.9	72.0	46.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE NINE-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	370.4	64.8	64.8	...	27.8	9.2	64.8	92.6	...	37.0	55.6	129.7	916.7
1871	348.2	8.9	8.9	8.9	133.9	26.8	...	44.7	...	62.5	107.2	35.7	98.2	62.5	107.2	1,053.6
1872	90.9	22.7	34.1	11.4	11.4	22.7	34.1	11.4	...	56.8	45.4	11.4	352.3
1873	42.7	...	8.6	...	59.8	...	34.2	25.6	76.9	...	42.7	76.9	188.1	555.5
1874	...	8.2	385.2	8.2	49.2	16.4	24.6	147.5	...	123.0	163.9	16.4	65.6	73.8	188.5	1,270.5
1875	40.7	...	89.4	8.1	11.5	32.5	...	24.4	81.3	8.1	24.4	65.0	105.7	821.1
1876	129.3	17.2	8.6	8.6	34.5	25.9	34.5	51.7	8.6	25.9	43.1	51.7	439.6
1877	872.9	93.2	25.4	25.4	16.9	...	8.5	8.5	16.9	25.4	50.9	135.6	1,279.6
1878	146.6	...	8.7	43.1	34.5	17.2	...	17.2	17.2	25.9	163.8	...	17.2	43.1	112.1	616.6
Nine Years, 1870-78	7.7	1.5	437.8	1.5	4.6	12.3	147.5	32.3	18.4	64.5	12.3	66.0	135.2	15.4	67.6	90.6	184.3	1,299.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	9.26	9.26	1	1		
1871		
1872		
1873		
1874		
1875	...	32.52	...	32.52	4	4		
1876	8.62	8.62	1	1	...		
1877		
1878		
Nine Years, 1870-78	...	6.14	...	3.08	9.22	6	4	1	1	...		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE NINE YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE NINE YEARS, 1870-78.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	5
1877
1878
Nine Years, 1870-78	5	5

III.—STATISTICS OF INDIVIDUAL STATIONS—DALHOUSIE, 1873-78.

CXXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DALHOUSIE during the SIX YEARS from 1873 to 1878, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Six Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.
January	No troops.
February
March
April	...	589	17	28·9
May	...	661	30	45·4
June	...	660	31	47·0
July	...	659	26	39·5
August	...	655	26	39·7	1
September	...	653	16	24·3	1
October	...	600	12	20·0	1	1
November	...	319	7	21·9
December
						1	1
						Died per 1,000 of the Average Strength.																			
For the Six Years	400	14	35·0	2	5·00	2·50	2·50

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Six Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent	18	34	24	25	25	12	11	2
Fevers, Remittent and Continued	15	8	12	6	5	14	2
Apoplexy
Delirium Tremens
Dysentery	1	2
Diarrhoea	4	1	2	13	21	3	2
Hepatitis	1	2	1	1
Spleen disease	2	3	2	1	1	2
Respiratory diseases	5	7	4	2	2	1	1	1
Phthisis Pulmonalis	1
Scurvy
Rheumatism	3	6	4	8	5	3	1
Veueal diseases	12	10	4	8	8	2	4	1
Eye diseases	3	1	1
Abscess and Ulcer	6	4	...	3	...	3	5	1
Wounds and Accidents	2	11	7	5	4	6	7	1
All other Causes	3	5	5	6	8	9	3	3
No troops.												...	498
Admitted per 1,000 of the Average Strength in each Month.															
				123·9	136·2	101·5	124·4	123·7	85·1	65·0	31·3	...	1,245·0		

III.—STATISTICS OF INDIVIDUAL STATIONS—DALHOUSIE, 1873-78.

CXXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DALHOUSIE in each Year of the SIX YEARS from 1873 to 1878.

I.—DAILY SICK-RATE OF EACH MONTH OF THE SIX YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1873	... For 8 Months	134	14.7	51.5	44.1	37.0	59.3	30.1	22.7	24.0	...	37.3
1874	... " 7 "	121	24.8	33.1	33.1	16.5	21.8	21.8	16.7	24.8
1875	... " 8 "	90	37.5	39.6	69.3	59.4	50.0	20.0	33.3
1876	... " 8 "	101	9.9	49.5	29.7	29.7	20.0	10.0	30.0	28.3	...	29.7
1877	... " 7 "	100	39.6	39.6	40.0	40.0	40.4	20.2	20.2	30.0
1878	... " 6 "	101	80.0	59.4	69.3	59.4	40.0	38.1	40.0	49.5
Six Years, 1873-78	...	400	28.9	45.4	47.0	39.5	39.7	24.3	20.0	21.9	...	35.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE SIX-YEAR PERIOD.																			
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.	
1873	328.3	7.5	134.3	...	22.4	7.5	...	22.4	104.5	22.4	...	89.5	44.8	783.6	
1874	165.3	33.1	...	8.2	57.8	...	49.6	16.5	...	49.6	49.6	49.6	479.3	
1875	11.1	...	166.7	11.1	133.3	11.1	11.1	33.3	11.1	44.4	77.8	...	22.3	33.3	66.7	633.3	
1876	198.0	39.6	...	79.2	49.5	9.9	49.5	89.1	49.5	564.3	
1877	910.0	10.0	20.0	...	60.0	30.0	...	60.0	70.0	...	50.0	80.0	150.0	1470.0	
1878	227.7	19.8	99.0	39.6	...	49.5	...	29.7	138.6	9.9	19.8	49.5	39.6	722.7	
Six Years, 1873-78	...	2.5	...	532.5	12.5	115.0	12.5	27.5	57.5	2.5	75.0	122.5	12.5	60.0	107.5	105.0	1,245.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.					Total Deaths.	CAUSES OF DEATHS.												
	A. Cholera.	B. All other Causes.		C. All Causes.	Cholera.		Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Heart dis- cases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1873	7.46	7.46	1	1	
1874	
1875	
1876	
1877	
1878	9.90	9.90	1	1	
Six Years, 1873-78	5.00	5.00	2	1	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE SIX YEARS.													
ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE SIX YEARS, 1873-78.													
YEAR.	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Total Admissions.
1873
1874
1875
1876	1
1877
1878
Six Years, 1873-78	1	...	1

III.—STATISTICS OF INDIVIDUAL STATIONS—MURREE HILLS, 1870-79.

CXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS stationed in the MURREE HILLS during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anemia.	All other Causes.
January ...	437	17	38·9
February ...	455	22	48·4	1	1
March ...	498	22	44·2
April ...	2,551	65	25·5	2
May ...	9,355	357	38·2	12	...	3	...	4	2	1	1	1
June ...	10,019	431	43·0	17	...	4	...	1	1	1	...	1	...	1	...	3	1	...	1	1
July ...	11,412	550	48·2	13	...	5	...	1	...	1	...	1	...	1	1	1
August ...	11,483	570	49·6	28	...	19	...	1	...	1	1	4	1	1
September ...	11,433	550	48·1	13	1	1	3	...	1	1	1	2
October ...	8,151	450	55·2	5	1	...	1	1	1	1
November ...	2,464	160	64·9	2	1	1	...
December ...	543	18	33·1	1	1
						31	...	9	2	4	1	2	6	...	8	1	5	7	1	7	2	8
Died per 1,000 of the Average Strength.																									
For the Ten Years	5,733	268	46·7	94	16·40	5·41	...	1·57	1·05	·17	·35	1·05	...	1·40	·17	·87	1·22	·17	1·22	·35	1·40	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fever, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phtisis Pulmonatis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
	40	48	41	203	1,034	1,150	1,400	1,369	1,333	807	218	47	7,680			
Admitted per 1,000 of the Average Strength in each Month.																
	91.5	105.5	82.3	79.6	110.5	114.8	122.7	119.2	116.6	99.0	88.5	86.6	1,341.4			

III.—STATISTICS OF INDIVIDUAL STATIONS—MURREE HILLS, 1870-79.

CXXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS stationed in the MURREE HILLS in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	544	12.0	36.7	51.5	38.4	35.3	32.1	29.2	40.4
1871	...	550	31.6	31.0	34.0	38.9	31.3	34.5
1872	...	668	51.1	43.3	41.8	43.3	42.0	44.9
1873	...	1,002	35.4	41.3	45.5	55.5	50.4	34.9	31.6	42.9
1874	...	84	38.9	48.4	50.4	33.6	29.2	42.2	51.8	49.0	41.0	45.6	42.5
1875	...	1,170	23.0	30.3	28.6	31.1	26.6	19.1	21.6	25.6
1876	...	1,250	43.7	51.6	55.1	53.6	45.1	46.5	49.6
1877	...	1,179	40.5	43.2	45.6	51.4	55.6	62.2	49.2
1878	...	1,200	41.1	44.4	48.0	48.7	48.9	46.5
1879	...	1,618	53.7	52.3	62.1	66.4	75.4	92.9	92.6	...	73.5
Ten Years, 1870-79	...	5,733	38.9	48.4	44.2	25.5	38.2	43.0	48.2	49.6	48.1	55.2	64.9	33.1	46.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission- rate of each Year and of the Period.			
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	702.2	...	1.8	1.8	38.6	12.9	3.7	33.1	...	49.6	57.0	11.0	25.7	75.4	46.0	1,058.8	
1871	292.7	12.7	23.6	27.3	1.8	51.6	...	32.7	83.6	3.7	20.0	33.2	40.0	630.9	
1872	80.8	...	1.5	13.5	40.4	16.5	4.5	23.5	4.5	31.4	89.8	1.5	26.9	53.9	50.9	444.6	
1873	1.0	482.0	4.0	14.0	41.9	5.0	99.8	2.0	42.9	106.8	17.0	44.9	70.9	85.8	1,019.0	
1874	2.2	105.2	...	3.4	20.1	17.9	39.2	1.1	91.7	1.1	38.0	209.2	13.4	71.6	106.3	128.6	849.0	
1875	64.99	3.4	15.4	19.7	6.0	49.6	1.7	35.1	73.6	6.8	11.6	68.4	72.6	437.6	
1876	...	12.8	1.6	352.8	...	1.6	.8	4.8	28.8	29.6	11.2	72.0	6.4	45.6	72.0	19.2	33.6	66.4	84.0	843.2
1877	117.98	4.2	10.2	13.6	3.4	61.9	5.1	41.6	136.6	9.3	24.6	89.1	143.3	662.4	
1878	3.1	54.3	6.2	14.7	5.4	...	40.3	.8	28.7	116.3	12.4	22.5	42.6	53.5	400.8	
1879	15.5	459.86	2.5	35.8	93.3	33.9	8.0	47.6	1.2	45.1	108.8	6.8	34.6	55.0	121.2	1,081.5
Ten Years, 1870-79	...	7.2	3.5	463.79	2.1	20.9	57.9	8.7	105.4	4.5	70.8	193.4	19.0	57.2	120.2	161.0	1,341.4	

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	1.84	3.67	5.51	3	1	1	1		
1871	3.64	3.64	2	1		
1872	...	1.50	2.99	4.49	3	1	1	...	1		
1873	...	3.00	3.00	5.99	6	1	3		
1874	...	3.36	6.71	10.07	9	1	1	1	...	1	3		
1875	4.27	4.27	5	1	...	1	3	...		
1876	...	9.60	.80	2.40	16	12	1	2	1		
187785	.85	2	1	...	1		
1878	4.65	4.65	6	2	1	2	...	1		
1879	...	11.74	14.22	25.96	42	19	...	5	3	...	1	5	3	...	1	3	2	...		
Ten Years, 1870-79	...	5.41	1.75	9.24	94	31	...	9	6	1	2	6	8	1	5	7	1	7	10	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	16	16
1878
1879	5	7	5	8	25
Ten Years, 1870-79	5	7	5	24	41

III.—STATISTICS OF INDIVIDUAL STATIONS—CHERAT, 1871-79.

CXXXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying CHERAT during the NINE YEARS from 1871 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Nine Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen Disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January
February
March
April	...	552	14	25.4
May	...	4,512	176	30.0	5	1	...	1	
June	...	5,057	241	47.7	6	5	
July	...	6,756	402	50.5	15	9	...	2	
August	...	7,222	457	63.3	20	6	...	2	1	
September	...	7,331	443	60.4	10	1	3	
October	...	5,951	308	51.8	8	1	2	
November	...	2,902	114	39.3	1	1	
December	...	421	19	45.1	
						1	...	23	...	7	7	...	8	...	3	1	1	10	...	4
Died per 1,000 of the Average Strength.																										
For the Nine Years	3,392	181	53.4	65	19.16	.29	...	6.78	2.07	2.07	...	2.3688	.29	.29	2.95	...	1.18	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Nine Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	2	6	50.00
Cholera	1
Smallpox
Enteric Fever	6	12	15	9	13	1	56	41.07
Fever, Intermittent	7	151	195	289	141	92	71	25	1,260	371.5
Fever, Remittent and Continued	10	125	119	243	171	206	55	35	1	965	284.5	73
Apoplexy	2	1	3	9	...
Delirium Tremens	1	2	...	3	9	...
Dysentery	26	22	39	41	43	24	4	2	201	59.2	3.48
Diarrhea	1	36	26	100	101	61	34	11	1	374	110.3	...
Hepatitis	13	21	48	55	45	36	13	2	233	68.7	3.43
Spleen disease	2	5	3	4	12	9	3	41	12.1	...
Respiratory diseases	5	19	24	34	40	60	35	14	2	233	68.7	1.29
Phthisis Pulmonalis	2	...	4	8	9	7	38	11.2	2.63
Scurvy
Rheumatism	4	9	17	26	30	35	29	9	3	162	47.8	...
Veneral diseases	18	56	31	78	67	69	29	9	1	358	105.5	...
Eye diseases	1	5	10	11	7	8	4	4	...	50	14.7	...
Abscess and Ulcer	7	21	12	51	46	42	21	9	...	209	61.6	...
Wounds and Accidents	1	30	24	25	49	35	32	7	5	208	61.3	...
All other Causes	4	51	71	104	114	134	97	41	2	618	182.2	...
...	61	555	591	1,077	1,041	913	500	232	44	5,014			
Admitted per 1,000 of the Average Strength in each Month.																
...	110.5	123.0	116.9	159.4	144.1	124.5	84.0	79.9	104.5	1,478.2				

III.—STATISTICS OF INDIVIDUAL STATIONS—CHERAT, 1871-79.

CXXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CHERAT in each Year of the NINE YEARS from 1871 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE NINE YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	50.7	80.6	90.8	69.0	73.3
1871	For 4 Months	860	33.5	28.7	36.9	39.7	41.7	36.2	16.0	...	32.9
1872	" 7 "	760	42.9	44.6	56.6	56.4	47.4	35.2	47.1
1873	" 6 "	679	37.9	39.6	60.5	63.3	50.4	37.5	48.2
1874	" 7 "	767	23.9	34.2	49.2	50.4	41.1	36.3	41.3	...	37.9
1875	" 7 "	713	42.9	79.6	80.8	73.0	76.7	70.4	68.3	...	70.5
1876	" 6 "	806	25.7	27.1	36.9	42.1	43.1	28.8	34.7
1877	" 5 "	796	53.9	83.5	81.1	73.1	66.2	71.6
1878	" 4 "	827	88.3	83.0	78.0	106.0	87.1
1879
Nine Years, 1871-79	...	3,392	39.0	47.7	59.5	63.3	60.4	51.8	39.3	...	53.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE NINE-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1871	15.1	300.0	1.2	...	22.1	137.2	25.6	...	23.2	...	8.1	73.3	4.7	38.4	24.4	67.4	740.7
1872	1.3	6.6	175.0	1.3	3.9	46.1	28.9	51.3	10.5	38.2	...	21.1	36.8	9.2	32.9	22.4	80.3	565.8	
1873	...	2.9	549.4	29.4	11.8	5.9	8.8	20.6	5.9	36.8	23.6	7.4	20.6	36.8	63.4	823.3	
1874	135.6	28.7	53.5	23.5	1.3	40.4	11.8	15.8	61.1	5.2	48.2	41.7	109.5	576.3	
1875	...	2.9	583.5	44.9	37.9	21.0	11.2	51.9	8.4	15.4	26.6	26.6	28.1	22.4	109.4	990.2	
1876	...	18.0	450.9	30.4	42.9	84.4	19.4	58.1	19.4	55.3	67.8	6.9	33.1	38.7	150.3	1,081.6	
1877	...	1.2	171.3	1.2	...	22.3	16.1	40.9	1.2	8.7	2.5	6.2	37.2	2.5	12.4	32.3	33.5	359.5	
1878	...	12.6	309.0	18.8	30.2	12.6	3.8	26.4	1.2	28.9	80.4	...	28.9	32.6	93.0	678.4	
1879	1.2	12.1	239.4	21.8	105.2	36.3	...	33.9	2.4	25.4	47.1	2.4	24.2	19.3	84.7	655.4	
Nine Years, 1871-79	...	6	16.5	656.0	9	9	59.2	110.3	68.7	12.1	68.7	11.2	47.8	105.5	14.7	61.6	61.3	182.2	1,478.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1871	11.63	11.63	10	5	2	1	1	...	1
1872	15.79	15.79	12	6	1	3	2	...
1873	...	1.47	10.31	11.78	8	1	1	5	...
1874
1875	...	1.40	9.82	11.22	8	2	2	1	2	1
1876	...	1.38	9.68	11.06	8	4	2	...	1	1
1877	4.96	4.96	4	1	1
1878	3.77	3.77	3	1	1	1	...
1879	...	1.21	12.09	14.51	12	1	...	3	3	3	1	1
Nine Years, 1871-79	...	2.9	1.18	17.69	65	1	...	23	7	7	8	...	3	1	1	10	4

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE NINE YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE NINE YEARS, 1871-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1871
1872	1	1
1873
1874
1875
1876
1877
1878
1879	1	1
Nine Years, 1871-79	1	...	1	2

* 570 men belonging to the Peshawar garrison were stationed at Cherat in October and November 1870. Their sickness and mortality are included in the Peshawar returns.

III.—STATISTICS OF INDIVIDUAL STATIONS—NUSSEERABAD, 1870-79.

CXXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying NUSSEERABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	693	49·3	69·9	80·2	86·8	85·3	78·4	74·2	98·4	144·3	176·2	160·8	100·7	101·0
1871	...	720	74·8	73·6	86·5	93·2	97·8	101·0	101·0	117·8	117·4	116·6	108·5	61·7	95·8
1872	...	646	58·3	68·5	52·3	56·6	59·7	61·4	48·0	63·0	95·0	91·7	75·6	77·8	66·6
1873	...	588	48·7	36·0	51·8	60·6	67·5	69·3	48·9	43·8	57·0	64·1	73·3	30·6	54·4
1874	...	613	24·3	20·6	23·7	39·8	33·3	34·9	26·6	21·6	31·6	33·2	21·1	23·0	27·7
1875	...	587	35·1	49·9	46·0	67·7	67·1	56·5	50·2	64·6	84·9	76·3	63·9	43·7	59·6
1876	...	648	43·3	41·8	53·8	43·8	55·7	60·5	54·3	50·8	70·2	75·5	79·8	53·1	57·1
1877	...	638	40·1	39·8	38·9	38·9	39·9	50·3	53·6	53·6	55·7	54·8	30·8	45·5	45·5
1878	...	625	32·0	42·8	44·2	55·3	45·3	45·4	55·6	64·4	103·1	124·8	96·2	77·0	65·6
1879	...	605	97·6	92·1	88·1	92·9	98·1	106·4	85·7	92·5	132·2	142·6	121·8	110·4	104·1
Ten Years, 1870-79	...	6,363	51·9	54·3	56·8	64·0	66·1	66·8	60·1	68·1	89·9	96·5	88·5	61·3	68·5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	5·8	1,447·3	7·2	21·6	24·5	76·5	60·6	7·2	72·2	10·1	98·1	239·5	31·8	155·9	67·8	239·5	2,565·6
1871	...	8·3	1,223·6	4·2	13·9	40·3	87·5	113·9	40·3	106·9	5·6	136·1	270·8	54·2	147·2	136·1	288·9	2,677·8
1872	...	10·8	1,161·0	7·7	1·5	41·8	74·3	63·5	12·4	63·5	3·1	51·1	281·7	23·2	111·5	71·2	249·2	2,227·5
1873	...	1·7	549·3	5·1	3·4	11·9	49·3	54·4	18·7	80·0	...	35·7	231·3	20·4	115·7	51·0	238·1	1,466·0
1874	...	4·9	203·9	14·7	52·2	21·2	...	35·9	1·6	35·9	124·0	14·7	79·9	71·8	166·4	827·1
1875	...	1·7	490·6	29·0	1·7	42·6	75·0	35·8	3·4	167·0	8·5	102·2	182·3	23·9	105·5	134·6	172·0	1,577·5
1876	...	9·3	489·2	6·2	4·6	37·0	69·4	38·6	1·5	50·9	10·8	50·9	197·5	44·8	88·0	106·5	271·6	1,476·8
1877	310·3	1·6	7·8	31·3	54·9	45·5	1·6	117·6	...	32·9	189·6	28·2	105·0	119·2	166·1	1,211·6
1878	...	20·8	6·4	918·4	6·4	3·2	54·4	107·2	32·0	8·0	150·4	4·8	57·6	164·8	35·2	70·4	107·2	2,035·2
1879	...	13·2	1,330·6	6·6	3·3	72·7	107·4	57·9	23·1	138·9	1·7	47·9	272·7	14·9	137·2	95·9	373·5	2,697·5
Ten Years, 1870-79	...	2·2	6·3	827·3	7·2	6·4	37·1	75·6	53·4	12·0	97·6	4·7	66·2	216·7	29·7	112·5	96·5	1,897·5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	1·44	34·64	36·08	25	2	9	2	1	...	2	1	1	6	1	
1871	...	2·78	15·28	18·06	13	5	1	2	...	1	1	1	2	
1872	21·67	21·67	14	7	1	1	...	
1873	11·90	11·90	7	2	1	1	...	1	2	
1874	...	3·26	4·90	8·16	5	3	2	
1875	...	1·70	25·56	27·26	16	1	2	2	...	2	2	3	...	
1876	...	9·26	10·80	20·06	13	1	1	2	1	...	6	
1877	...	9·41	9·40	18·81	12	2	1	...	3	6	
1878	...	19·20	19·20	38·40	24	12	...	2	1	2	4	1	...	2	...	
1879	...	1·65	34·71	36·36	22	6	2	1	...	6	1	...	1	...	3	...	1	
Ten Years, 1870-79	...	2·04	2·83	18·86	151	13	...	27	17	14	1	12	15	...	7	5	4	18	18	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875	1
1876	1
1877
1878	10	3	13
1879
Ten Years, 1870-79	10	3	1	14

III.—STATISTICS OF INDIVIDUAL STATIONS—NEEMUCH, 1870-79.

CXL.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying NEEMUCH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MON THS.	Average Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent. Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
January ...	4,097	211	51·5	6	2	...	2	...	1	1	...	
February ...	3,918	193	49·3	1	1	
March ...	4,271	210	49·2	5	1	1	...	1	2	
April ...	4,410	217	49·2	4	1	
May ...	4,409	234	53·1	2	...	1	1	
June ...	4,401	242	55·0	5	...	2	1	
July ...	4,391	261	59·4	6	...	6	3	
August ...	4,368	308	70·5	29	...	25	...	1	...	1	...	1	
September ...	4,310	438	101·6	26	...	9	...	6	1	1	2	2	...	1	1	
October ...	4,297	623	145·0	17	...	5	...	3	...	1	...	2	1	...	
November ...	4,126	530	128·4	15	...	7	...	2	...	3	2	2	...	1	1	...	
December ...	4,120	329	79·9	8	2	...	1	2	1	1	...	
						55	...	16	1	8	10	3	8	...	8	...	1	4	...	
						Died per 1,000 of the Average Strength.																		
For the Ten Years	4,260	316	74·2	124	29·11	12·91	...	3·75	2·11	2·35	·71	1·88	...	1·88	...	·23	·94	·94	...	1·41

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fever, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
	468	385	427	527	550	542	666	893	1,412	1,609	1,251	823	9,553			
Admitted per 1,000 of the Average Strength in each Month.																
	114.2	98.3	100.0	119.5	124.7	123.2	151.7	204.4	327.6	374.4	303.2	199.8	2,242.5			

III.—STATISTICS OF INDIVIDUAL STATIONS—NEEMUCH, 1870-79.

CXLI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying NEEMUCH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	333	50.7	41.8	27.4	39.7	57.9	44.7	31.6	52.8	111.4	112.9	156.3	133.7	75.1
1871	...	458	65.3	52.0	70.7	60.6	58.6	62.6	62.6	72.7	101.6	126.0	118.5	71.0	78.6
1872	...	468	57.8	66.7	54.7	50.4	29.4	21.1	21.3	36.6	39.6	84.1	73.3	44.7	47.0
1873	...	452	35.0	44.5	57.7	46.1	65.8	48.5	50.7	55.1	88.5	97.8	129.2	66.8	66.4
1874	...	400	59.2	47.4	47.0	49.6	39.7	52.2	79.6	94.8	100.5	240.4	136.5	94.3	85.0
1875	...	434	32.8	32.3	39.0	43.6	34.9	52.5	68.1	72.2	101.1	108.8	89.8	71.7	59.9
1876	...	401	24.7	60.9	46.4	51.5	56.2	63.4	58.7	64.0	111.1	141.1	117.0	49.5	72.3
1877	...	446	47.2	33.3	31.1	31.1	46.7	55.6	69.0	62.4	84.6	81.9	99.5	33.4	56.1
1878	...	456	24.1	40.3	46.4	33.3	33.3	53.5	49.1	78.1	133.3	253.4	193.0	145.3	87.7
1879	...	412	114.5	71.1	72.1	86.7	113.5	99.3	106.5	121.4	163.4	222.2	181.1	96.5	118.9
Ten Years, 1870-79	...	4,260	51.5	49.3	49.2	49.2	53.1	55.0	59.4	70.5	101.6	145.0	128.4	79.9	74.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	6.0	1,843.8	9.0	6.0	12.0	48.1	135.1	12.0	45.1	12.0	87.1	192.2	...	129.1	93.1	168.2	2,798.8
1871	15.3	906.1	6.6	8.7	37.1	61.1	67.7	4.4	56.8	13.1	78.6	364.6	15.3	80.8	113.5	104.8	1,934.5
1872	...	62.0	4.3	615.3	4.3	4.3	15.0	27.8	21.4	2.1	12.8	...	8.5	19.2	269.2	8.5	89.7	55.5	60.0
1873	1,123.9	6.6	4.4	28.8	35.4	50.9	2.2	137.2	...	75.2	245.6	13.3	119.5	130.5	146.0	2,119.5
1874	2.5	1,157.5	10.0	12.5	22.5	32.5	85.0	2.5	67.5	10.0	52.5	210.0	20.0	90.0	162.5	100.0	2,037.5
1875	...	59.9	...	940.1	4.6	13.8	41.5	101.4	62.2	9.2	62.2	...	59.9	179.7	20.7	83.0	133.7	106.0	1,877.9
1876	24.9	1,062.4	...	2.5	...	87.3	39.9	2.5	49.9	2.5	47.4	139.6	27.4	122.2	59.8	276.8	1,945.1
1877	762.3	...	4.5	...	65.0	26.9	6.7	65.0	...	35.9	87.4	20.2	85.2	145.7	215.3	1,524.6
1878	...	37.3	...	1,684.2	4.4	...	43.8	357.4	30.7	...	70.2	...	39.5	157.9	11.0	89.9	96.5	239.0	2,861.8
1879	2.4	3,233.0	2.4	...	36.4	167.5	58.3	17.0	109.2	2.4	80.1	179.6	21.9	82.5	109.2	225.7	4,327.6
Ten Years, 1870-79	...	16.9	5.4	1,305.7	4.7	5.6	24.6	100.0	55.4	5.6	67.8	4.7	56.6	204.5	16.0	96.2	110.1	162.7	2,242.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	24.02	24.02	8	2	...	2	...	1	1	1	...
1871	2.18	13.10	7	3	2	...	1	1
1872	...	44.87	...	10.68	26	21	...	1	...	2	1
1873	2.21	17.70	9	1	...	1	1	1	4	1
1874	5.00	17.50	9	2	...	2	2	2
1875	...	46.08	...	11.52	25	20	1	2	1	1
1876	2.49	22.45	10	8	1	...
1877	2
1878	...	30.70	...	19.74	23	14	2	2	...	3	1
1879	2.43	14.56	7	1	2	1	...	1	1	1
Ten Years, 1870-79	...	12.91	1.41	14.79	124	55	...	16	9	10	3	8	8	...	1	4	...	4	6

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	2	6	9	12	29
1873
1874
1875	1	21	4	26
1876
1877
1878	1	1	...	5	10	...	17
1879
Ten Years, 1870-79	1	2	7	31	16	5	10	...	72

III.—STATISTICS OF INDIVIDUAL STATIONS—INDORE, 1870-79.

CXLII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying INDORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January ...	857	42	49.0	1	1
February ...	863	34	39.4
March ...	946	44	46.5	2	1	1
April ...	961	58	60.4	2	...	2
May ...	963	50	51.9	3	...	2	1
June ...	1,008	46	45.6	2	1	1
July ...	985	48	48.7
August ...	1,009	54	53.5	6	...	4
September ...	937	61	65.1	2	1	...	1
October ...	941	73	77.6	1	1
November ...	903	57	63.1
December ...	872	47	53.9
						8	...	1	...	3	1	2	2	...	1	1
						Died per 1,000 of the Average Strength.																				
For the Ten Years	937	51	54.4	19	20.28	8.54	...	1.07	3.20	1.07	2.13	2.13	...	1.07	1.07

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	9	9.6	88.89
Cholera	2	2	5
Smallpox
Enteric Fever	1	2	3	3.2	33.33
Fever, Intermittent	25	23	28	21	16	15	21	75	111	87	49	23	494	527.2	...	
Fevers, Remittent and Continued	1	4	12	7	3	6	17	17	11	6	1	5	90	96.1	3.33	
Apoplexy	1	1	1	3.2	33.33
Delirium Tremens	1	3	...	2	2	3	...	2	...	1	14	14.9	...	
Dysentery	2	1	6	...	3	2	...	14	14.9	...	
Diarrhoea	4	3	4	5	5	8	12	10	5	2	9	5	72	76.8	...	
Hepatitis	1	3	2	4	1	1	4	6	4	3	2	...	31	33.1	...	
Spleen disease	1	1	1.1	...	
Respiratory diseases	12	5	3	9	6	5	8	4	5	5	6	4	72	76.8	...	
Phthisis Pulmonalis	1	...	4	1	4	1	2	...	2	1	...	3	19	20.3	10.53	
Scurvy
Rheumatism	...	6	10	...	8	4	7	3	2	5	5	2	58	61.9	...	
Veneral diseases	24	18	33	25	19	21	18	15	18	20	14	32	257	274.3	...	
Eye diseases	4	1	1	2	1	2	...	1	...	3	2	...	17	18.2	...	
Abscess and Ulcer	6	4	8	9	8	6	12	7	6	3	4	6	79	84.3	...	
Wounds and Accidents	12	8	12	12	6	4	9	11	4	7	4	9	98	104.6	...	
All other Causes	18	13	22	13	15	18	15	14	12	18	9	14	181	193.2	...	
	109	91	139	123	96	92	127	177	182	165	107	104	1,512			
Admitted per 1,000 of the Average Strength in each Month.																
	127.2	105.4	146.9	128.0	99.7	91.3	129.0	175.4	194.2	175.3	118.5	119.3	1,613.7			

III.—STATISTICS OF INDIVIDUAL STATIONS—INDORE, 1870-79.

CXLIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying INDORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	86	38.5	13.0	41.1	41.7	28.6	35.3	...	52.1	52.6	30.9	20.6	20.6	31.9
1871	... "	118	21.1	24.2	16.3	24.4	24.4	24.4	16.1	24.2	40.0	72.6	75.6	43.5	33.9
1872	... "	96	46.9	31.2	34.5	53.8	54.3	35.4	22.7	41.7	72.7	70.2	71.4	79.6	52.1
1873	... "	107	30.0	39.2	45.9	73.4	63.1	64.8	67.3	9.3	70.2	93.2	48.5	39.2	56.1
1874	... "	97	51.0	20.4	40.8	61.2	31.6	53.2	64.5	41.2	30.9	63.2	72.2	40.4	51.5
1875	... "	93	51.5	41.2	72.2	82.5	61.5	52.1	41.2	51.0	82.5	84.3	61.1	71.4	64.5
1876	... "	84	76.9	81.1	61.7	62.5	108.4	60.7	104.7	96.4	94.1	64.5	44.4	34.9	71.4
1877	... "	102	92.0	58.1	88.6	95.2	68.0	35.5	60.3	56.1	58.3	89.4	45.0	38.8	68.6
1878	... For 8 Months	108	66.7	58.8	70.7	57.7	44.6	52.6	60.9	99.1	64.8
1879	... For the Year	82	...	25.6	10.0	50.0	37.0	37.0	47.6	78.7	35.7	127.7	125.0	114.6	73.2
Ten Years, 1870-79	...	937	49.0	39.4	46.5	60.4	51.9	45.6	48.7	53.5	65.1	77.6	63.1	53.9	54.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	1,104.7	34.9	81.4	46.5	11.6	34.9	209.3	23.2	104.6	69.8	69.8	1,790.7
1871	322.0	...	16.9	...	33.9	25.4	8.5	25.4	...	25.4	347.5	...	50.9	93.2	50.9	1,000.0
1872	...	31.3	10.4	...	20.8	10.4	72.9	20.8	...	10.4	52.1	31.3	177.1	10.4	62.5	72.9	104.2	989.6
1873	504.7	9.3	...	9.3	65.4	18.7	...	37.4	28.0	56.1	149.6	9.3	56.2	102.8	106.2	1,243.0
1874	711.3	...	10.3	...	61.9	41.2	...	92.8	216.5	20.6	30.9	144.4	103.1	1,433.0
1875	720.4	21.5	86.0	64.5	...	43.0	10.8	53.8	397.8	32.3	129.0	118.3	139.8	1,817.2
1876	297.6	...	11.9	11.9	154.8	119.0	...	202.4	35.7	107.1	297.6	47.6	119.0	107.2	357.2	1,869.0
1877	245.1	...	39.2	...	49.0	49.0	...	264.7	39.2	68.6	353.0	29.4	127.4	137.3	500.0	1,901.9
1878	...	55.5	9.2	351.9	9.2	27.8	46.3	27.8	...	27.8	...	92.6	277.8	...	64.8	83.3	213.0	1,314.8
1879	1,768.3	...	12.2	12.2	146.4	61.0	24.4	36.6	195.1	12.2	85.3	73.2	134.1	2,573.2
Ten Years, 1870-79	...	9.6	3.2	623.3	3.2	14.9	14.9	76.8	33.1	1.1	76.8	20.3	61.9	274.3	18.2	84.3	104.6	1,613.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	
1871	8.47	...	16.95	
1872	...	31.25	...	10.42	41.67	3	1	
1873	28.04	28.04	1	
1874	
1875	
1876	
1877	9.80	9.80	1	1	
1878	...	46.30	...	27.77	74.07	8	5	3	
1879	12.20	12.20	1	1	
Ten Years, 1870-79	...	8.54	1.07	10.67	20.28	19	8	...	1	3	1	2	2	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	2	2	5	9

III.—STATISTICS OF INDIVIDUAL STATIONS—MHOW, 1870-79.

CXLIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MHOW during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January ...	12,886	829	64·3	9	1	1	...	1	1	...	2	1	1	1
February ...	13,216	796	60·2	7	1	1	2	1
March ...	13,080	693	53·0	10	5	1	3
April ...	13,476	750	55·7	12	...	2	...	2	...	2	1	...	1	...	1	2
May ...	13,559	802	59·1	9	...	1	...	1	2	...	2	1	1
June ...	13,518	763	56·4	16	...	1	...	2	...	1	5	...	1	...	1	...	1	1	1	1	...
July ...	13,564	864	63·7	7	1	1	2	1	1	...
August ...	13,537	1,017	75·1	16	...	6	...	1	1	2	1	3	1	1
September ...	13,453	1,196	88·9	29	7	1	5	2	6	...	1	1	4	1	1
October ...	13,289	1,157	87·1	17	8	...	1	1	1	1	5
November ...	13,030	953	73·1	12	1	...	1	1	3	4
December ...	12,629	809	64·1	11	2	1	...	1	...	1	...	1	...	1	...	2	1	1
						10	...	26	2	13	9	1	7	1	21	...	4	6	8	1	27	5	14
Died per 1,000 of the Average Strength.																									
For the Ten Years	13,270	886	66·8	155	11·68	·75	...	1·96	1·13	·68	·08	·53	·08	1·58	...	·30	·45	·60	·08	2·03	·38	1·05	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1873)	6	5	...	11	·8	...
Cholera	3	1	1	...	10	15	1·1	66·67
Smallpox	1	1	2	·2	...
Enteric Fever	2	3	...	4	3	1	4	10	9	4	2	47	3·5	55·32
Fever, Intermittent ...	357	302	296	346	412	372	504	1,255	2,047	1,946	960	517	9,314	701·9	·02
Fever, Remittent and Continued ...	23	51	99	138	127	72	70	115	160	119	62	49	1,085	81·8	1·20
Apoplexy	4	1	7	5	11	2	1	4	2	2	1	40	3·0	22·50
Delirium Tremens ...	5	3	1	5	5	2	6	3	10	3	2	4	49	3·7	2·04
Dysentery ...	15	11	28	20	17	20	26	54	30	24	27	14	286	21·6	2·45
Diarrhoea ...	34	39	34	54	37	30	77	111	52	50	43	35	596	44·9	·17
Hepatitis ...	38	50	59	63	69	88	81	73	74	66	53	39	773	58·2	2·72
Spleen disease ...	8	9	11	15	17	13	21	6	10	14	5	15	144	10·8	...
Respiratory diseases ...	130	130	137	129	84	69	57	39	34	59	84	110	1,052	79·3	·38
Phthisis Pulmonalis ...	9	3	9	3	6	5	9	10	8	8	6	7	83	6·3	9·64
Scurvy	1	2	2	1	6	·5	...
Rheumatism ...	67	66	60	57	72	69	102	89	55	50	49	55	791	59·6	...
Veneral diseases ...	253	255	211	281	262	236	243	199	191	205	133	202	2,721	205·0	...
Eye diseases ...	23	29	32	45	26	18	23	25	23	26	24	35	334	25·2	·43
Abscess and Ulcer ...	105	116	127	132	126	100	114	86	95	105	116	97	1,319	99·4	...
Wounds and Accidents ...	127	125	120	147	146	100	136	83	89	106	101	168	1,448	109·1	...
All other Causes ...	212	166	162	198	217	156	254	218	207	208	199	186	2,383	179·6	...
Admitted per 1,000 of the Average Strength in each Month.															
1,408	1,362	1,392	1,646	1,653	1,355	1,731	2,383	3,099	3,006	1,927	1,537	22,499			
109·3	103·1	106·4	122·1	121·9	100·2	127·6	176·0	230·4	226·2	147·9	121·7	1,695·5			

III.—STATISTICS OF INDIVIDUAL STATIONS—MHOW, 1870-79.

CXLV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MHOW in each Year of the TEN YEARS from 1870-79.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,320	45.5	61.1	64.3	56.5	63.1	58.6	70.8	99.1	103.8	95.8	68.1	49.7	69.7
1871	"	1,413	53.8	52.3	42.5	41.5	50.6	56.5	65.0	59.5	62.3	54.8	53.7	46.2	53.1
1872	"	1,432	64.1	62.9	57.2	52.4	49.9	41.2	48.7	59.4	90.8	79.3	48.0	39.7	58.7
1873	"	1,346	47.0	46.1	38.2	50.9	48.1	40.1	46.7	57.4	67.5	107.2	104.3	82.6	61.7
1874	"	1,401	86.6	72.8	71.1	66.6	70.8	64.0	80.7	89.6	84.0	80.1	59.4	57.8	74.2
1875	"	1,250	59.2	57.1	53.1	67.8	63.9	49.0	53.8	69.8	79.9	81.0	55.5	41.9	60.8
1876	"	1,206	50.6	53.6	45.7	56.6	72.4	67.0	64.3	65.5	64.0	53.3	44.3	64.6	58.9
1877	"	1,322	71.1	62.4	48.0	42.1	55.6	67.1	69.0	79.9	88.6	83.5	80.8	82.3	69.6
1878	"	1,374	83.1	73.9	67.0	62.7	67.8	69.9	80.8	87.0	112.3	104.8	107.2	77.5	83.0
1879	"	1,204	78.1	53.5	39.4	52.1	50.1	51.8	56.2	85.4	140.8	134.0	107.4	88.1	78.1
Ten Years, 1870-79	...	13,270	64.3	60.2	53.0	55.7	59.1	56.4	63.7	75.1	88.9	87.1	73.1	64.1	66.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	2.8	1,290.9	.8	.8	18.9	56.8	27.3	...	75.7	9.1	50.8	206.8	22.7	113.6	76.5	139.4	2,090.1
1871	...	2.8	1,051.0	.7	1.4	17.7	74.3	30.4	2.1	62.3	5.0	70.1	236.4	30.4	117.5	84.9	96.2	1,883.9
1872	...	2.8	807.3	3.5	7.7	7.7	39.1	25.8	3.5	42.6	5.6	43.3	185.0	15.4	113.8	98.5	105.4	1,507.0
1873	413.8	.7	7.4	27.5	42.3	71.3	6.7	75.0	8.1	40.9	155.3	29.0	83.2	110.0	185.8	1,262.2
1874	534.0	...	1.4	8.6	28.6	104.9	30.0	74.9	8.6	68.5	163.4	45.7	107.1	124.2	219.8	1,527.5
1875	...	8.0	520.0	9.6	8.0	34.4	38.4	76.8	28.8	78.4	4.8	57.6	167.2	32.8	82.4	120.8	156.8	1,426.4
1876	419.6	5.8	4.1	20.7	29.8	90.4	12.4	71.3	4.1	50.6	202.3	15.8	82.9	138.6	204.0	1,358.2
1877	424.4	3.0	2.3	16.6	25.0	68.1	9.1	118.0	6.0	75.6	214.1	21.9	88.5	108.9	262.5	1,447.0
1878	73	3.6	2.2	53.9	49.5	68.4	13.1	88.1	4.4	80.8	280.2	17.4	107.7	120.1	270.0	2,092.4
1879	1,461.7	3.3	1.7	10.0	64.8	20.8	3.3	112.9	6.6	56.5	240.9	19.1	91.4	113.8	176.9	2,385.4
Ten Years, 1870-79	...	1.1	783.7	3.0	3.7	21.6	44.9	58.2	10.8	79.3	6.3	50.6	205.0	25.2	99.4	109.1	181.1	1,695.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
187076	10.60	11.36	15	5	1	..	1	..	4	1	
187171	8.49	9.91	14	1	...	2	2	1	..	2	2	1	2	1	
187270	10.47	13.26	19	3	...	1	1	3	..	1	4	..	1	3	2	1	
1873	...	2.09	11.89	14.12	19	4	1	1	..	1	5	..	2	1	1	3	
1874	...	1.43	6.42	7.85	11	5	2	3	1	2	
1875	...	4.80	12.72	19.12	24	6	...	1	2	1	1	..	3	1	..	1	5	2	
1876	...	1.66	5.80	7.46	9	2	1	3	1	2	
1877	...	1.51	6.05	7.56	10	1	1	1	..	1	1	1	2	2	
1878	...	1.46	14.55	16.01	22	9	..	1	..	1	3	7	2	
1879	...	2.49	7.48	9.97	12	2	1	1	..	1	..	1.	3	3	
Ten Years, 1870-7975	1.43	11.68	155	10	...	26	15	9	1	8	21	...	4	6	28	19	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	3	1	1
1873
1874
1875	10
1876
1877
1878
1879
Ten Years, 1870-79	3	1	1	...	10	15

III.—STATISTICS OF INDIVIDUAL STATIONS—DEESA, 1870-79.

CXLVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DEESA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																			Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
January	7,296	335	45·9	8	1	...	2	1	3	1
February	7,360	296	40·2	6	1	2	...	1	1	
March	7,221	315	43·6	8	2	...	1	1	...	1	...	2	1	
April	6,606	281	42·5	6	1	1	1	
May	6,478	259	40·0	10	...	1	1	4	1	1	
June	6,843	311	45·4	16	1	11	1	1	
July	7,618	422	55·4	15	5	3	1	1	1	1	...	
August	7,628	425	55·7	11	...	2	1	1	1	3	1	...	
September	7,599	450	59·2	16	5	2	...	2	1	3	...	1	...	1	1	...	
October	7,538	479	63·5	9	1	1	2	1	1	...	3	
November	6,545	391	59·7	14	1	1	1	1	...	3	2	3	3	...	
December	6,052	268	44·3	5	1	1	1	...	
						3	...	10	2	7	24	3	5	1	12	1	8	6	17	...	1	...	16	...	8	
						Died per 1,000 of the Average Strength.																				
For the Ten Years	7,065	353	50·0	124	17·55	·42	...	1·42	1·27	3·40	·42	·71	·14	1·70	·14	1·13	·85	2·41	...	·14	...	2·27	...	1·13		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	41	479	69	3	592	83·8	...
Cholera	1	2	2	5	·7	60·00
Smallpox	...	1	1	2	·3	...
Enteric Fever	...	1	3	2	1	9	4	1	...	21	3·0	47·62
Fever, Intermittent	...	146	138	137	107	111	142	250	243	320	720	462	269	3,045	431·0
Fever, Remittent and Continued	...	23	3	47	62	24	82	59	37	71	95	21	6	530	75·0
Apoplexy	1	3	11	32	11	...	2	3	63	8·9
Delirium Tremens	...	4	2	1	2	1	3	4	...	5	1	23	3·3
Dysentery	...	14	4	13	6	7	7	13	15	27	15	7	5	133	18·8
Diarrhoea	...	16	15	11	9	2	16	31	61	58	26	12	23	280	39·6
Hepatitis	...	23	20	25	18	27	25	31	31	26	37	29	17	309	43·8
Spleen disease	...	3	4	1	...	4	1	3	7	6	6	1	3	39	5·5
Respiratory diseases	...	83	70	34	30	20	38	45	38	33	30	45	29	495	70·1
Phthisis Pulmonalis	...	2	1	4	1	6	6	12	5	8	7	12	11	75	10·6
Scurvy	1	1	1	3	·4
Rheumatism	...	24	26	21	14	17	13	28	23	30	20	21	10	247	35·0
Veneral diseases	...	84	113	124	111	85	83	106	90	99	77	75	64	1,111	157·3
Eye diseases	...	21	20	23	16	15	16	20	32	36	15	12	11	237	33·5
Abscess and Ulcer	...	46	45	43	35	48	86	90	90	67	50	31	26	657	93·0
Wounds and Accidents	...	38	39	46	37	50	31	40	37	43	38	26	30	455	64·4
All other Causes	...	78	65	64	79	88	104	138	139	111	97	65	44	1,072	151·7
Admitted per 1,000 of the Average Strength in each Month.															
83·2	77·2	82·7	80·4	79·8	106·2	178·5	120·6	125·9	164·8	125·3	90·5	1,329·7			

III.—STATISTICS OF INDIVIDUAL STATIONS—DEESA, 1870-79.

CXLVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DEESA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	584	38.0	28.8	43.7	73.8	54.0	47.4	46.8	56.3	65.8	54.5	47.9	35.8	49.7
1871	...	"	843	45.2	60.2	73.9	71.4	52.7	57.2	41.9	48.4	43.2	41.4	38.0	29.4	49.8
1872	...	"	897	38.7	27.8	37.7	39.0	26.7	44.3	91.5	63.5	66.9	124.5	139.1	91.8	66.9
1873	...	For 10 Months	748	80.3	68.4	52.6	54.3	65.1	67.8	81.2	69.1	80.4	75.1	69.5
1874	...	For the Year	709	48.4	62.7	44.9	33.2	33.2	38.7	59.2	62.0	57.9	67.4	81.4	61.0	55.0
1875	...	"	754	69.4	39.3	44.5	34.9	42.0	51.1	55.8	60.7	51.2	43.4	31.3	34.2	46.4
1876	...	"	688	41.2	34.3	27.5	26.0	30.8	40.1	48.2	49.6	55.2	52.5	50.2	37.3	42.2
1877	...	"	672	35.8	29.7	43.3	37.2	32.7	32.8	38.1	39.5	38.5	29.6	32.8	32.8	35.7
1878	...	"	651	22.1	21.0	28.5	27.8	29.4	33.0	42.7	54.5	86.2	74.4	36.8	31.6	39.9
1879	...	"	643	29.6	31.8	32.5	27.6	34.2	35.9	35.2	40.7	50.4	58.9	56.1	24.5	38.9
Ten Years, 1870-79			7,065	45.9	40.2	43.6	42.5	40.0	45.4	55.4	55.7	59.2	63.5	59.7	44.3	50.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phtisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	155.8	1.7	15.4	18.8	8.6	20.6	1.7	34.2	1.7	29.1	388.7	36.0	63.4	44.5	114.7	934.9
1871	453.1	20.2	4.7	20.2	34.4	77.1	...	124.5	13.1	38.0	188.6	20.2	87.8	54.6	160.1	1,296.6
1872	1,282.1	8.9	2.2	19.0	33.4	46.8	1.1	52.4	23.4	15.6	84.7	21.2	40.2	45.7	797.1	2,474.9
1873	...	1.3	862.3	5.3	1.3	6.7	40.1	46.8	10.7	125.7	22.8	41.4	76.2	24.1	66.8	82.9	172.5	1,586.9
1874	331.5	7.1	...	28.2	22.6	76.2	22.6	84.6	11.2	45.1	155.1	43.7	77.6	50.8	150.9	1,107.2
1875	...	1.3	184.4	9.3	...	14.6	43.8	31.8	7.9	34.5	5.3	25.2	137.9	62.3	90.2	57.0	114.1	819.6
1876	...	1.5	212.2	4.4	...	8.7	40.7	45.1	2.9	61.0	4.4	42.2	120.6	62.5	126.4	77.0	151.2	960.8
1877	340.7	11.9	10.4	22.3	31.3	22.3	1.5	32.7	...	52.1	122.0	8.9	136.9	92.3	166.7	1,056.5
1878	...	6.1	548.1	12.3	...	32.3	104.5	26.1	...	73.7	...	38.4	130.6	33.8	144.4	81.4	239.6	1,473.1
1879	329.7	3.1	...	15.6	31.1	21.8	6.2	48.2	15.6	20.2	199.1	20.2	99.5	51.3	90.2	956.5
Ten Years, 1870-797	506.0	8.9	3.3	18.8	39.6	43.8	5.5	70.1	10.6	35.0	157.3	33.5	83.0	64.4	236.2	1,329.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	...	1.71	10.28	11.99	7	4	1	1	1	
1871	...	2.37	20.17	22.54	19	3	4	1	2	3	1	4	2	2	
1872	...	1.12	25.64	26.76	24	6	1	...	2	1	7	3	1	
1873	...	1.34	16.04	17.38	13	1	1	1	...	1	2	1	1	
1874	16.92	16.92	12	1	3	...	1	4	1	...	2	...	
1875	...	2.65	11.94	14.59	11	3	...	1	1	...	2	...	
1876	...	1.45	8.73	11.63	8	1	...	1	...	1	...	1	1	1	
1877	10.42	10.42	7	1	...	3	2	2	...	
1878	...	3.07	12.29	15.36	10	2	...	5	...	1	1	1	...	
1879	20.22	20.22	13	2	1	1	...	3	1	3	2	...	
Ten Years, 1870-79			1.13	16.00	17.55	124	3	10	9	24	3	6	12	1	8	6	17	17	8	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH DURING THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	1
1877	1
1878	2	2	4
1879
Ten Years, 1870-79			1	2	2	5

III.—STATISTICS OF INDIVIDUAL STATIONS—AHMEDABAD, 1870-79.

CXLVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying AHMEDABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January	2,780	148	53·2	6	2	...	3	...	1	1	1	1
February	2,788	147	52·7	9	3	1	3	1
March	3,096	148	47·8	4	1	1
April	3,062	148	48·3	6	1	...	1	1	1
May	2,992	143	47·8	10	...	4	...	1	5
June	2,898	165	56·9	19	...	6	...	1	10	1	...
July	2,657	168	63·2	4	...	2	1	1
August	2,649	162	61·2	4	1	2	1
September	2,606	178	68·3	5	2	1	...
October	2,578	194	75·3	6	2	1	2	...	1
November	2,474	180	72·8	3	1	1
December	2,240	151	67·4	3	1	1	1
						12	1	11	...	8	17	1	1	...	5	...	3	4	1	7	...	8	
Died per 1,000 of the Average Strength.																										
For the Ten Years	2,735	161	58·9	79	28·88	4·39	·36	4·02	2·93	6·22	·36	·36	...	1·83	...	1·10	1·46	·36	2·56	2·93	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	9	16	25	9·1	...	
Cholera	9	7	3	1	20	7·3	60·00	
Smallpox	1	1	2	7	50·00	
Enteric Fever	...	2	...	1	1	2	1	3	2	1	14	5·1	78·57	
Fever, Intermittent	...	96	75	72	50	34	50	77	120	181	294	191	1,387	507·1	...	
Fevers, Remittent and Continued	...	40	36	61	60	79	151	90	97	152	149	131	69	407·7	...	
Apoplexy	3	4	4	21	1	...	2	35	12·8	48·57	
Delirium Tremens	...	5	...	2	2	...	1	...	3	4	21	7·7	4·76	
Dysentery	...	2	2	4	2	3	2	5	6	6	4	5	4	16·5	2·22	
Diarrhoea	...	25	22	24	23	36	26	19	29	24	27	17	22	
Hepatitis	...	8	4	4	7	6	6	5	10	8	7	10	81	29·6	6·17	
Spleen disease	1	1	...	1	2	1	1	2	2	11	4·0	...	
Respiratory diseases	...	16	20	17	11	5	13	12	10	14	13	7	15	55·9	1·96	
Phthisis Pulmonalis	...	1	3	1	...	2	6	...	2	1	2	6·6	5·56	
Scurvy	
Rheumatism	...	14	...	21	24	...	21	245	89·6	} 46	
Veneral diseases	...	45	50	38	55	31	30	38	33	32	29	32	33	446		163·1
Eye diseases	...	7	5	15	7	4	6	3	7	6	1	4	7	72		26·3
Abscess and Ulcer	...	22	26	41	43	48	40	49	43	54	44	37	16	463		169·3
Wounds and Accidents	...	27	29	44	38	22	33	40	33	29	25	13	38	371		135·7
All other Causes	...	65	44	59	57	61	90	87	78	57	63	53	60	774	283·0	}
													5,592			
Admitted per 1,000 of the Average Strength in each Month.																
													2,044·6			
													2,044·6			

III.—STATISTICS OF INDIVIDUAL STATIONS—AHMEDABAD, 1870-79.

CXLIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying AHMEDABAD* in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	For the Year	247	67.2	63.7	63.2	44.3	44.8	69.8	73.6	58.8	54.2	90.5	100.9	132.8	68.8	
1871	"	273	69.9	55.7	42.3	31.4	52.8	60.7	63.8	46.3	47.1	57.8	66.9	71.0	54.9	
1872	"	166	77.3	79.2	28.4	28.2	33.7	69.0	59.2	64.7	53.3	52.3	67.5	67.5	54.2	
1873	"	264	46.7	60.8	44.3	35.7	29.3	41.7	52.0	52.6	41.4	56.6	57.5	50.0	45.5	
1874	"	300	50.2	48.7	41.5	35.6	35.3	32.1	47.3	47.3	47.9	57.7	65.3	71.8	46.7	
1875	"	610	23.1	36.8	40.1	46.9	42.4	56.2	65.7	66.0	78.9	68.8	51.8	49.9	50.8	
1876	"	274	54.2	56.5	78.3	96.6	96.2	69.9	68.3	65.0	75.5	60.7	67.0	66.7	73.0	
1877	"	198	60.6	73.9	64.4	60.6	41.5	71.4	61.2	60.0	68.4	79.8	59.1	57.0	60.6	
1878	"	196	55.9	23.4	30.0	61.3	60.5	58.6	64.5	86.0	130.4	150.5	76.5	60.9	71.4	
1879	"	207	73.0	66.7	57.3	44.1	44.8	52.4	80.0	76.1	102.0	118.3	158.2	105.0	77.3	
Ten Years, 1870-79	...	2,735	53.2	52.7	47.8	48.3	47.8	56.9	63.2	61.2	68.3	75.3	72.8	67.4	58.9	

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1,323.9	20.3	8.1	...	214.6	28.3	...	68.8	8.1	141.7	117.4	44.5	226.7	149.8	477.7	2,829.9
1871	...	7.3	875.5	...	3.7	7.3	146.5	40.3	...	69.6	...	109.9	80.6	25.6	183.1	219.8	505.5	2,274.7
1872	1,114.4	30.1	18.1	...	126.5	42.2	...	60.2	...	120.5	144.6	48.2	126.5	277.1	494.0	2,002.4
1873	...	3.8	943.2	7.6	3.8	22.7	125.0	45.5	3.8	56.8	11.4	132.6	140.1	26.5	125.0	174.2	310.6	2,132.6
1874	...	10.0	703.3	6.7	16.7	20.0	26.7	33.3	20.0	56.7	16.7	56.7	146.7	13.3	143.3	96.6	256.7	1,623.4
1875	26.2	1.6	575.4	16.4	9.8	23.0	132.8	19.7	4.9	57.4	6.6	54.1	214.8	26.2	178.7	121.3	172.1	1,611.0
1876	7.3	10.9	671.6	3.6	3.6	14.6	29.2	36.5	...	54.8	3.6	135.0	142.3	10.9	240.9	69.4	142.3	1,576.6
1877	...	5.1	595.9	15.2	5.1	25.3	35.4	15.2	...	40.4	...	90.9	227.2	35.4	116.1	65.6	207.1	1,479.9
1878	10.2	15.3	1,535.7	35.7	...	40.8	61.3	25.5	...	10.2	15.3	56.1	148.0	40.8	163.3	137.7	250.0	2,545.9
1879	1,628.0	...	4.8	...	149.8	19.3	...	72.5	...	43.5	222.2	4.9	144.9	96.6	338.2	2,729.5
Ten Years, 1870-79	...	7.3	5.1	914.8	12.8	7.7	16.5	107.5	29.6	4.0	55.9	6.6	89.6	163.1	26.3	169.3	135.7	2,044.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	4.05	32.39	36.44	9	3	4	1	1	
1871	25.64	25.64	7	2	1	1	1	
1872	...	6.03	18.07	24.10	4	2	1	
1873	3.79	3.79	1	1	
1874	...	3.33	30.00	33.33	10	2	...	1	1	3	1	
1875	...	4.92	22.95	44.26	27	10	...	2	3	4	1	3	
1876	...	3.65	...	10.95	4	1	...	1	...	1	1	
1877	5.05	25.25	6	1	...	3	
1878	...	5.10	...	25.51	6	1	1	2	...	1	1	1	
1879	4.83	19.32	5	1	2	1	
Ten Years, 1870-79	...	4.39	2.93	21.56	79	12	1	11	8	17	1	1	5	...	3	4	1	8	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.																
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870			
1871			
1872			
1873			
1874			
1875	9	7			
1876	1	1			
1877			
1878	2			
1879			
Ten Years, 1870-79	9	7	3	1	20			

* A small detachment at Baroda from 1870 to 1875 is included in this Table.

III.—STATISTICS OF INDIVIDUAL STATIONS—KURRACHEE AND GHIZRI, 1870-79.

CL.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying KURRACHEE and GHIZRI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.			All other Causes.	
January ...	6,899	336	48·7	11	2	...	7	1	...	1
February ...	7,119	366	51·4	6	3	1	2	...	1	1
March ...	7,028	340	48·4	9	4	...	2	2
April ...	7,718	354	45·9	8	2	1	...	1	...	2	2
May ...	7,985	383	48·0	11	...	2	...	4	3	1	1
June ...	8,005	434	54·2	15	3	...	2	5	1	...	2	...	1	1
July ...	7,999	425	53·1	13	3	...	3	1	1	1	...	2	2	...	1
August ...	7,934	406	51·2	10	3	...	1	1	1	2
September ...	7,936	463	58·3	9	6	2	1
October ...	8,018	444	55·4	19	4	...	2	...	1	2	1	3	1	1	4
November ...	8,095	483	59·7	8	1	1	1	3	2
December ...	7,641	413	54·1	7	1	1	...	2	1	2
						2	...	28	...	9	13	2	10	2	9	...	4	5	18	12	...	12	
Died per 1,000 of the Average Strength.																										
For the Ten Years ...	7,698	404	52·5	126	16·37	·26	...	3·63	1·17	1·60	·26	1·30	·26	1·17	...	·52	·65	2·34	1·56	1·56	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.													
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.																
																
Dengue (of 1872) ...	4	50	65	58	177	23·0	...													
Cholera	1	2	3	·4	66·67													
Smallpox ...	2	5	·7	...													
Enteric Fever ...	2	3	7	8	6	...	4	5	7	4	...	3	46	6·0	60·87													
Fever, Intermittent ...	244	188	154	202	310	394	360	300	341	322	412	366	3,593	466·7	...													
Fevers, Remittent and Continued ...	18	33	79	91	112	129	137	131	157	178	198	157	1,420	184·4	·63													
Apoplexy	7	10	1	2	1	1	1	...	23	3·0	56·52													
Delirium Tremens ...	3	2	2	2	5	4	2	9	3	1	33	4·3	6·06													
Dysentery ...	24	26	27	19	8	7	25	39	34	27	21	17	274	35·6	3·65													
Diarrhea ...	34	57	73	92	73	73	61	104	53	46	24	42	732	95·1	·27													
Hepatitis ...	15	11	13	10	12	16	24	20	24	24	17	11	197	25·6	4·57													
Spleen disease ...	1	2	2	1	2	3	7	2	4	3	3	6	36	4·7	...													
Respiratory diseases ...	47	41	27	22	39	51	42	37	27	31	33	43	440	57·1	40·91													
Phthisis Pulmonalis ...	4	4	3	1	4	3	5	4	3	4	7	2	44	5·7	...													
Scurvy	1	...	1	1	3	·4	...													
Rheumatism ...	22	22	27	20	31	20	28	24	26	29	26	23	298	38·7	...													
Veneral diseases ...	85	74	54	61	83	54	62	59	71	51	65	63	782	101·6	...													
Eye diseases ...	8	8	9	12	12	10	18	9	20	17	17	7	147	19·1	·38													
Abscess and Ulcer ...	57	47	42	70	84	110	106	81	55	58	57	53	820	106·5	...													
Wounds and Accidents ...	69	53	68	73	53	60	57	61	78	82	72	74	800	103·9	...													
All other Causes ...	65	92	110	146	124	156	143	128	148	115	109	118	1,454	188·9	...													
												704	664	698	830	963	1,096	1,085	1,010	1,052	1,051	1,130	1,044	11,327				
Admitted per 1,000 of the Average Strength in each Month.																102·0	93·3	99·3	107·5	120·6	136·9	135·6	127·3	132·6	131·1	139·6	136·6	1,471·4

III.—STATISTICS OF INDIVIDUAL STATIONS—KURRACHEE AND GHIZRI, 1870-79.

CLI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying KURRACHEE and GHIZRI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	647	91.4	74.3	55.6	48.1	60.7	83.6	56.8	49.4	62.4	55.5	56.0	45.9	58.7
1871	"	789	39.6	47.5	61.5	66.2	47.3	63.8	53.0	45.6	39.2	34.7	44.0	38.3	48.2
1872	"	802	47.0	35.8	25.9	26.7	28.0	30.2	31.7	44.0	47.7	40.5	48.9	49.6	38.7
1873	"	744	41.4	38.9	34.7	31.3	25.0	27.4	36.4	32.8	34.8	38.8	41.0	38.8	34.9
1874	"	774	36.2	50.7	38.3	39.1	38.9	37.5	38.8	42.8	50.4	49.1	37.4	39.1	41.3
1875	"	770	40.8	51.6	48.4	47.6	46.3	50.6	53.1	48.5	60.6	46.9	54.7	55.9	51.3
1876	"	751	69.5	55.8	27.4	37.8	37.7	37.6	40.1	50.5	68.4	59.7	63.3	53.8	50.4
1877	"	817	31.2	55.5	65.5	50.3	53.5	62.0	49.3	53.5	55.1	60.2	57.3	54.4	53.9
1878	"	820	55.8	44.6	57.2	48.9	48.8	57.5	74.3	66.8	74.2	79.3	72.1	49.2	61.0
1879	"	774	80.6	82.0	76.1	62.8	90.2	88.9	94.8	76.5	89.2	88.5	120.0	103.7	87.9
Ten Years, 1870-79	...	7,698	48.7	51.4	48.4	45.9	48.0	54.2	53.1	51.2	58.3	55.4	59.7	54.1	52.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	6.2	613.6	1.5	9.3	32.5	250.4	26.3	...	103.5	7.7	38.6	119.0	35.6	95.8	109.7	375.6	1,825.3
1871	...	6.3	704.7	...	16.5	41.8	167.3	21.5	...	55.8	3.8	50.7	138.2	49.4	92.5	140.7	204.1	1,693.3
1872	...	10.0	598.5	3.7	7.5	69.8	153.4	28.7	6.2	46.1	3.7	38.7	93.5	24.9	127.2	94.8	354.1	1,060.8
1873	...	2.7	475.8	1.3	1.3	32.3	63.2	22.8	...	82.0	6.7	45.7	91.4	14.8	111.6	90.1	138.4	1,180.1
1874	...	9.0	208.0	3.9	1.3	41.3	49.1	16.8	...	33.6	2.6	33.6	86.6	11.6	148.6	103.3	168.0	917.3
1875	...	11.6	367.1	3.9	1.3	19.3	53.9	19.3	1.3	50.1	10.2	42.4	64.2	10.2	151.5	160.4	215.6	1,182.3
1876	1.3	...	522.6	1.3	1.3	29.2	61.0	31.8	1.3	53.1	10.6	31.8	79.6	10.6	87.6	100.8	181.7	1,205.6
1877	...	8.6	443.0	18.4	25.7	8.6	3.7	57.5	4.9	35.5	128.5	9.8	75.9	82.0	194.6	1,096.7
1878	...	4.9	734.1	6.1	2.5	26.8	59.8	31.7	3.7	45.1	1.2	25.6	100.0	13.4	76.8	96.3	173.2	1,401.2
1879	...	2.6	1,835.9	7.8	2.6	43.9	93.0	49.1	29.7	54.2	6.5	45.2	115.0	12.9	98.2	62.0	144.7	2,603.3
Ten Years, 1870-79	...	4	6.0	651.1	3.0	4.3	35.6	95.1	4.7	57.1	5.7	38.7	101.6	19.1	106.5	103.9	213.0	1,471.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.55	20.09	21.64	14	4	4	1	2	1	1	1
1871	...	2.53	13.95	16.48	13	3	...	1	1	1	1	2	1	2
1872	...	1.25	17.45	18.70	15	4	2	3	...	1	1	3	...	1
1873	10.75	10.75	8	1	...	1	1	2	3	...
1874	...	2.58	6.46	9.04	7	2	...	1	1	1	...	2
1875	...	1.28	20.54	21.82	17	7	1	2	2	...	1	1	1	1	1
1876	10.61	10.61	8	1	1	...	1	1	3	1	...
1877	...	2.45	12.24	14.69	12	4	1	1	1	...	4	...	2
1878	...	3.66	12.19	15.85	13	3	...	1	1	2	1	...	1	1	3
1879	...	2.58	21.97	24.55	19	2	1	4	...	6	1	1	3	1	...
Ten Years, 1870-79	...	2.26	14.55	16.37	126	2	...	28	9	13	2	12	9	...	4	5	18	12	12

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	1	1
1877
1878
1879	2	2
Ten Years, 1870-79	...	1	2	3

III.—STATISTICS OF INDIVIDUAL STATIONS—HYDERABAD, 1870-79.

CLII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying HYDERABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January	...	3,633	173	47·6	2	1	1
February	...	3,605	140	38·8	2	1	1
March	...	3,657	145	39·6	2	1	1	...
April	...	4,015	153	38·1	3	1	1
May	...	3,985	154	38·6	2	1
June	...	3,940	171	43·4	9	7	1
July	...	3,952	170	43·0	7	3
August	...	3,967	177	44·6	2
September	...	3,891	197	50·6	3	3
October	...	3,792	213	56·2	5	1	1	1
November	...	3,425	240	70·1	1	...	1	1
December	...	3,310	238	71·9	5	1	1	1	1
						7	...	3	11	1	...	3	3	2	4	2	10	
Died per 1,000 of the Average Strength.																										
For the Ten Years	3,764	181	48·1	46	12·22	1·86	·80	2·92	·27	...	·80	·80	·53	1·06	·53	2·65		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.																
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.																			
Dengue (of 1872 and 1873)	3	12	9	24	6·4	...																
Cholera																
Smallpox	1	1																
Enteric Fever	1	2	1	1	2	1	8	2·1	87·50																
Fever, Intermittent	206	99	91	94	100	106	121	113	219	389	569	574	2,681	712·3	...																
Fever, Remittent and Continued	10	16	19	19	17	42	33	31	33	42	35	54	351	93·3	·85																
Apoplexy	1	1	3	28	5	2	40	10·6	27·50																
Delirium Tremens	2	1	...	2	1	...	2	1	4	3	1	...	17	4·5	...																
Dysentery	9	7	8	6	1	7	8	10	7	7	7	...	85	22·6	...																
Diarrhoea	14	5	9	14	8	10	14	24	14	12	5	6	135	35·9	...																
Hepatitis	4	4	4	7	12	2	5	6	5	9	3	5	66	17·5	1·52																
Spleen disease	...	1	3	2	1	1	1	2	11	2·9	...																
Respiratory diseases	35	21	12	12	10	15	13	11	8	12	9	25	183	48·6	1·64																
Phthisis Pulmonalis	...	3	...	1	2	1	2	1	2	2	2	3	19	5·0	10·53																
Scurvy	1	1																
Rheumatism	10	13	18	24	16	11	17	16	9	9	8	9	160	42·5	...																
Veneral diseases	61	44	28	40	46	50	51	64	49	38	31	30	541	143·7	...																
Eye diseases	6	5	6	4	5	3	4	5	1	7	1	...	47	12·5	...																
Abscess and Ulcer	24	26	28	42	40	51	50	48	33	32	18	23	415	110·3	...																
Wounds and Accidents	32	32	48	46	35	29	43	33	26	45	19	23	411	109·2	...																
All other Causes	42	54	45	77	63	85	99	71	77	75	32	48	768	204·0	...																
													461	333	316	398	364	442	468	434	492	684	753	819	5,964						
Admitted per 1,000 of the Average Strength in each Month.																															
																	126·9	92·4	86·4	99·1	91·3	112·2	118·4	109·4	126·4	180·4	219·9	247·4	1,584·5		

III.—STATISTICS OF INDIVIDUAL STATIONS—HYDERABAD, 1870-79.

CLIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying HYDERABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	354	56.0	45.5	37.6	21.4	30.9	45.3	31.1	28.3	38.2	63.3	71.4	49.1	42.4
1871	...	"	290	38.9	24.8	40.3	47.6	56.2	61.3	31.0	26.7	34.1	33.0	44.4	23.0	37.9
1872	...	"	377	34.0	29.6	35.2	36.5	34.1	34.8	37.2	56.8	56.2	63.9	115.8	102.0	55.7
1873	...	"	393	71.6	60.0	67.5	62.7	70.4	75.2	60.0	46.0	48.8	46.1	21.7	26.7	56.0
1874	...	"	428	18.8	25.8	25.4	24.9	20.5	30.1	32.4	50.9	48.7	56.2	70.7	73.9	39.7
1875	...	"	373	62.2	33.4	24.1	35.4	28.5	21.4	35.6	45.2	38.0	22.4	23.1	24.2	34.9
1876	...	"	370	22.4	29.3	37.3	39.9	40.5	35.5	57.9	46.6	54.8	73.8	82.9	106.5	51.4
1877	...	"	403	63.1	36.4	38.5	34.4	34.1	50.5	50.3	50.9	63.4	71.1	63.8	42.5	49.6
1878	...	"	386	33.4	26.3	28.6	21.7	24.8	22.8	32.6	34.7	42.1	44.2	76.9	150.2	41.5
1879	...	"	392	88.1	77.5	60.8	62.0	54.8	62.8	59.4	63.6	73.6	70.2	104.0	96.3	71.4
Ten Years, 1870-79	...		3,764	47.6	38.8	39.6	38.1	38.6	43.4	43.0	44.6	50.6	56.2	70.1	71.9	48.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.	
1870	694.9	45.2	...	28.2	76.3	11.3	...	42.4	8.5	33.9	110.1	2.8	79.1	76.3	169.5	1,378.5	
1871	434.5	6.9	...	34.5	48.3	24.1	...	51.7	...	41.4	203.4	31.0	86.2	65.5	155.2	1,192.7	
1872	...	8.0	938.9	2.7	18.6	31.8	58.4	29.2	...	37.1	8.0	18.6	103.4	2.7	114.0	124.7	355.4	1,851.5	
1873	498.7	12.7	2.5	28.0	28.0	7.6	...	56.0	2.5	68.7	198.5	17.8	145.1	129.8	229.0	1,424.9	
1874	609.8	9.3	4.7	25.7	21.0	14.0	...	42.1	...	23.4	70.1	18.7	193.6	79.4	142.5	1,259.3	
1875	622.0	5.4	...	13.4	34.9	2.7	2.7	53.6	10.7	34.9	104.6	13.4	120.6	99.1	144.7	1,262.7	
1876	...	5.4	1,373.0	16.2	...	2.7	18.9	13.5	...	46.0	2.7	32.4	105.4	13.5	91.9	143.2	294.6	2,159.4	
1877	...	2.5	585.6	2.5	5.0	12.4	27.3	17.4	7.4	47.1	...	72.0	171.2	19.8	109.2	176.2	327.5	1,583.1	
1878	1,028.5	7.8	10.4	7.8	18.1	31.1	12.9	54.4	2.6	15.5	126.9	2.6	51.8	93.3	152.8	1,616.5	
1879	...	5.1	1,214.3	...	2.6	43.4	35.7	25.5	5.1	56.1	15.3	81.6	255.1	5.1	86.7	91.8	127.6	2,051.0	
Ten Years, 1870-79	2.1	805.6	10.6	4.5	22.6	35.9	17.5	2.9	48.6	5.0	42.5	143.7	12.5	110.3	109.2	211.0	1,584.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR,	DIED PER 1,000 OF STRENGTH.				Total Deaths,	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	11.30	11.30	4	1	2	1	...
1871	3.54	10.34	4	1	1	...	1	...
1872	10.61	15.92	10	3	1	...	1	1	4
1873	7.64	7.64	3	1	1	...	1
1874	4.67	7.01	5	2	2
1875	2.68	8.04	4	1	...	1	1	1
1876	2.70	10.81	5	1	1	1
1877	4.96	4.96	2	1	...	2	1	2
1878	2.59	12.95	6	1	1	1
1879	7.65	7.65	3	2	...	2	1	1
Ten Years, 1870-79	3.18	9.04	46	7	3	11	1	...	3	3	2	4	12

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—ADEN, 1870-79.

CLIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ADEN during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.
					
January	7,100	236	33·2	10	3	...	3	2	1	1
February	7,303	276	37·8	8	1	1	2	4
March	7,323	282	38·5	5	1	...	1	1	1
April	7,504	253	33·7	3	2
May	7,408	301	40·6	7	1	3	1
June	7,393	340	46·0	17	13	1	1
July	7,375	299	40·5	16	5	...	3	...	3	1	...	1	3
August	7,172	287	40·0	9	1	1	...	1	...	2	...	1	...	1	1	...	1
September	7,157	281	39·3	7	2	1	1	...	1	2
October	7,475	231	30·9	8	1	1	4
November	6,999	194	27·7	4	1	1	1
December	7,112	253	35·6	10	1	...	3	...	4	1	1
						1	...	2	...	2	25	...	11	...	16	...	7	9	5	4	1	21
Died per 1,000 of the Average Strength.																									
For the Ten Years	7,277	269	37·0	104	14·29	·14	...	·27	·27	3·43	...	1·51	...	2·20	...	·96	1·21	·69	·55	·14	2·89	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1871-72 and 1873)	3	7	201	124	103	168	6	4	...	620	85·2	...
Cholera	1	·1	100·00
Smallpox	2	·3	...
Enteric Fever	7	1·0	28·57
Fever, Intermittent
Fevers, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
	463	442	522	560	962	942	906	768	573	486	323	665	7,612		
Admitted per 1,000 of the Average Strength in each Month.															
	65·2	60·5	71·3	74·6	129·9	127·4	122·8	107·1	80·1	65·0	46·1	93·5	1,046·0		

III.—STATISTICS OF INDIVIDUAL STATIONS—ADEN, 1870-79.

CLV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ADEN in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	For the Year	635	14.8	64.0	58.5	51.2	36.5	51.5	39.8	39.8	29.6	24.4	8.8	28.8	37.8	
1871	"	716	30.1	27.7	27.7	30.3	33.3	37.6	43.1	50.1	37.6	22.3	23.7	25.7	32.1	
1872	"	703	41.4	33.1	17.2	24.0	49.6	56.9	44.2	41.5	46.0	27.3	20.2	47.0	37.0	
1873	"	754	32.5	41.8	41.8	40.6	47.2	60.4	51.3	44.9	38.5	29.1	19.9	30.5	39.6	
1874	"	742	52.2	33.5	31.3	24.3	33.8	31.1	33.9	37.7	33.7	29.8	32.1	37.6	33.7	
1875	"	707	45.2	31.6	33.5	30.9	37.6	37.6	37.7	35.3	47.5	40.9	59.0	37.9	39.6	
1876	"	733	29.5	22.9	45.0	41.5	48.3	54.6	35.2	43.3	45.9	34.1	26.5	25.1	38.2	
1877	"	734	26.7	25.7	60.5	33.9	46.8	48.2	40.1	29.2	29.2	22.8	33.2	27.9	34.1	
1878	"	823	19.9	37.4	29.6	27.3	36.0	39.9	30.3	35.3	36.6	43.1	35.0	23.9	32.8	
1879	"	725	39.2	57.5	47.9	34.3	37.2	42.9	51.2	42.9	47.2	33.5	18.1	72.2	44.1	
Ten Years, 1870-79	...	7,277	33.2	37.8	38.5	33.7	40.6	46.0	40.5	40.0	39.3	30.9	27.7	35.6	37.0	

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	554.3	4.7	3.2	28.3	40.9	56.7	4.7	36.2	61.5	25.2	36.2	64.6	237.8	1,154.3
1871	141.1	5.6	1.4	46.1	40.5	51.7	2.8	30.7	2.8	79.6	60.0	7.0	75.4	39.1	458.1	1,041.9
1872	...	1.4	210.5	17.1	4.3	56.9	93.9	52.6	...	31.3	2.8	54.0	71.1	11.4	72.6	54.1	692.7	1,426.7
1873	510.9	7.9	7.9	38.3	54.1	76.5	6.6	35.6	17.2	50.1	126.6	5.3	81.8	93.7	215.0	1,357.5
1874	273.6	2.7	13.5	20.2	29.6	33.7	6.7	39.1	4.1	37.7	90.3	8.1	101.1	125.3	124.0	909.7
1875	335.2	2.8	7.1	12.7	19.8	14.1	1.4	24.0	4.3	24.0	89.1	17.0	121.7	87.7	121.7	882.6
1876	...	2.7	257.9	2.7	23.2	25.9	17.7	21.8	9.5	24.6	5.5	21.8	105.1	12.3	34.1	72.3	111.9	749.0
1877	1.4	...	234.3	15.0	2.7	31.1	40.9	31.3	1.4	30.0	5.4	15.0	92.6	4.1	89.9	102.2	129.4	829.7
1878	...	1.2	342.7	12.2	3.6	30.4	30.4	49.8	12.2	31.0	12.2	60.8	10.9	52.2	93.5	192.0	990.3	32.8
1879	...	4.2	302.0	16.6	4.2	37.2	35.8	23.5	...	104.8	9.7	70.3	97.9	15.2	80.0	124.1	217.9	1,143.4
Ten Years, 1870-79	...	1	317.8	8.8	7.1	33.0	40.1	36.3	4.3	40.8	7.0	44.2	85.8	11.4	74.6	86.3	247.4	1,046.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.57	12.60	14.17	9	1	3	2	1	...	1	
1871	9.78	9.78	7	1	1	
1872	...	8.53	17.07	25.60	18	1	...	4	...	3	...	1	6	
1873	...	1.32	13.19	14.51	11	3	...	1	1	
1874	...	2.70	4.04	6.74	5	2	2	
1875	...	1.41	4.25	5.66	4	2	1	
1876	...	8.19	6.82	15.01	11	1	6	
1877	1.36	...	8.18	9.54	7	1	3	...	2	
1878	...	4.86	14.58	19.44	16	3	...	1	5	4	
1879	...	1.38	20.69	22.07	16	1	3	...	2	...	6	3	...	1	
Ten Years, 1870-79	...	14	3.03	11.12	104	1	...	2	2	25	...	11	16	...	7	9	5	22	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.																
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870			
1871			
1872			
1873			
1874			
1875			
1876			
1877			
1878	1	1			
1879			
Ten Years, 1870-79	1	1			

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—BOMBAY, 1870-79.

CLVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BOMBAY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anemia.	All other Causes.		
January	5,220	331	63·4	7	1	...	2	1	...	2	1
February	5,440	322	59·2	6	2	...	3	1
March	4,832	295	61·1	8	2	1	3	...	1
April	4,743	298	62·8	3	1	1	1
May	4,804	322	67·0	5	1	1	1	2
June	4,745	316	66·6	6	1	1	...	1
July	4,685	293	62·5	9	1	4	2	...	1
August	4,635	315	68·0	9	4	...	1	1
September	4,518	344	76·1	2	1	1	1	...
October	4,336	375	86·5	7	1	1
November	4,523	347	76·7	6	2	1	1
December	4,691	336	71·6	6	1	2	2	1
						3	3	5	5	1	7	1	18	...	3	8	5	7	1	7	
Died per 1,000 of the Average Strength.																											
For the Ten Years	4,764	325	68·2	74	15·53	·63	1·68	1·05	·21	1·47	·21	3·77	...	·63	1·68	1·05	1·47	·21	1·47		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	6	70	77	27	2	...	4	186	39·1	...
Cholera	1	1	...	2	·4	...
Smallpox	...	1	1	1	3	·6	...
Enteric Fever	2	2	4	·8	75·00
Fever, Intermittent	213	176	152	182	248	229	301	394	598	902	632	344	4,370	917·3	·07
Fevers, Remittent and Continued	14	21	33	62	52	32	20	30	38	83	29	36	450	94·5	1·11
Apoplexy	1	2	1	1	2	...	4	11	2·3	45·45
Delirium Tremens	3	2	5	1	2	2	4	4	1	1	2	4	31	6·5	3·23
Dysentery	20	20	14	16	20	12	13	17	12	16	37	52	249	52·3	2·81
Diarrhoea	35	14	19	24	31	11	36	26	19	29	34	47	325	68·2	·31
Hepatitis	35	22	27	26	26	16	24	18	14	21	21	33	283	59·4	6·36
Spleen disease	1	2	...	1	...	4	...	1	2	1	3	2	17	3·6	...
Respiratory diseases	24	27	34	17	24	30	27	35	10	16	22	19	285	59·8	1·05
Phthisis Pulmonalis	8	2	5	1	3	2	5	2	1	7	5	4	45	9·5	11·11
Scurvy	1	1	·2	...
Rheumatism	24	28	27	24	12	16	22	29	31	19	19	11	262	55·0	...
Venereal diseases	129	118	96	124	94	79	104	97	79	77	68	78	1,143	239·9	...
Eye diseases	6	3	7	7	5	7	3	2	7	2	5	3	57	12·0	...
Abscess and Ulcer	41	45	31	69	49	45	44	41	53	40	49	51	558	117·1	·44
Wounds and Accidents	46	47	48	65	58	40	31	36	32	30	34	47	514	107·9	...
All other Causes	78	84	78	62	75	91	62	70	73	59	84	103	919	192·9	...
	678	612	577	691	771	694	724	806	970	1,311	1,045	836	9,715		
Admitted per 1,000 of the Average Strength in each Month.															
	129·9	112·5	119·4	145·7	160·5	146·3	154·5	173·9	214·7	302·4	231·0	178·2	2,039·3		

III.—STATISTICS OF INDIVIDUAL STATIONS—BOMBAY, 1870-79.

CLVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BOMBAY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	For the Year	366	40.5	36.8	53.2	87.6	85.0	79.6	63.1	56.6	31.2	65.2	56.8	67.8	57.4	
1871	"	463	73.8	60.8	52.9	59.8	78.1	89.3	60.1	46.7	49.9	36.5	29.6	24.6	56.2	
1872	"	443	37.7	34.9	37.0	51.4	77.3	70.7	62.2	51.0	41.4	55.2	60.1	72.9	54.2	
1873	"	441	54.5	47.1	59.3	41.7	35.3	28.9	33.3	53.1	43.6	56.4	60.8	51.5	45.4	
1874	"	443	54.0	56.2	52.9	55.8	49.3	51.7	53.8	60.8	66.5	81.6	60.5	75.8	60.9	
1875	"	517	72.9	42.7	52.1	56.3	65.8	61.3	75.2	68.7	88.6	87.7	90.2	79.8	69.6	
1876	"	509	53.1	55.6	60.7	73.7	65.2	76.1	66.1	78.2	89.2	122.6	81.4	72.4	72.7	
1877	"	430	74.4	88.3	66.9	65.2	70.7	72.1	83.2	97.0	117.0	153.0	106.0	105.4	90.7	
1878	"	501	85.3	89.9	85.2	64.6	71.7	63.6	75.6	114.3	190.8	170.7	147.3	71.9	93.8	
1879	"	650	82.4	86.8	81.4	74.6	72.9	72.5	55.2	55.0	63.7	70.3	72.9	76.3	72.3	
Ten Years, 1870-79	...	4,764	63.4	59.2	61.1	62.8	67.0	66.6	62.5	68.0	76.1	86.5	76.7	71.6	68.2	

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	882.5	...	8.2	73.8	128.4	95.6	2.7	35.5	207.7	19.1	79.2	92.9	319.7	1,945.3
1871	321.8	...	8.6	15.1	32.4	79.9	10.8	64.8	23.8	45.4	129.6	15.1	157.7	140.0	192.2	1,246.2
1872	...	6.8	593.7	...	6.8	58.7	49.7	65.5	...	94.8	11.3	81.3	167.0	18.0	103.8	94.8	523.7	1,875.9
1873	566.9	...	6.8	56.7	47.6	104.3	...	65.8	9.1	70.3	226.7	9.1	117.9	70.3	170.0	1,521.5
1874	...	2.3	717.8	2.3	9.0	60.9	51.9	81.2	6.8	85.8	6.8	128.7	309.3	11.3	149.0	79.0	187.3	1,889.4
1875	...	1.9	1,212.8	1.9	1.9	129.6	87.0	114.1	9.7	46.4	13.6	56.1	245.6	11.6	104.5	123.8	282.4	2,442.9
1876	1,174.8	2.0	5.9	60.9	31.4	49.1	...	29.5	5.9	47.1	184.7	7.9	129.7	117.9	214.1	2,060.9
1877	1,846.5	4.6	2.3	32.6	37.2	41.9	4.6	62.8	4.6	37.2	209.3	13.9	125.6	111.7	169.8	2,704.6
1878	2,029.9	6.0	8.0	12.0	115.8	23.9	4.0	47.9	8.0	47.9	293.4	8.6	143.7	129.7	171.7	3,049.9
1879	...	1.5	740.0	4.6	7.7	29.2	95.4	32.3	...	32.3	7.7	16.9	366.1	9.3	70.8	101.5	152.3	1,667.6
Ten Years, 1870-794	1,011.8	2.3	6.5	52.3	68.2	59.4	3.6	59.8	9.5	55.0	239.9	12.0	117.1	107.9	232.8	2,039.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	13.66	13.66	5	1	2	1	1
1871	2.16	8.64	5	1	2	...
1872	22.57	22.57	10	2	...	1	5
1873	11.34	11.34	5	1	2	...
1874	27.09	27.09	12	2	...	1	...	4	3	...	1	...
1875	...	1.93	15.48	17.41	9	1	...	2	2	...	1	...	1	...	1
1876	7.86	7.86	4	1	1	...	1
1877	13.95	13.95	6	1	2	1	1
1878	...	3.99	9.98	13.97	7	2	...	1	1	...	1	2
1879	...	6.15	10.77	16.92	11	1	1	1	2	1	1	...	4
Ten Years, 1870-79	...	1.68	13.85	15.53	74	3	8	5	1	8	18	...	3	8	5	7	8

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.																
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870			
1871			
1872			
1873			
1874			
1875			
1876	1	...	1			
1877			
1878			
1879	1			
Ten Years, 1870-79	1	1	...	2			

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—ASIRGARH, 1870-79.

CLVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ASIRGARH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	843	51	60·5	3	1	1	1
February ...	891	47	52·7	1
March ...	1,003	43	42·9
April ...	898	37	41·2
May ...	800	34	42·5
June ...	798	26	32·6	1	1
July ...	795	25	31·4
August ...	791	34	43·0
September ...	848	48	56·6
October ...	758	54	71·2
November ...	661	42	63·5	3	1	1	1
December ...	659	37	56·1	1	1
						1	...	2	1	2	1	1	...
Died per 1,000 of the Average Strength.																										
For the Ten Years	812	40	49·3	9	11·09	1·23	2·47	1·23	2·47	1·23	1·23	...	1·23	...	1·23

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73)	...	1	1	2	2·4	...
Cholera
Smallpox
Enteric Fever	1	1·2	100·00
Fever, Intermittent	...	13	9	15	10	18	23	37	62	91	88	66	459	565·3	...
Fever, Remittent and Continued	...	14	10	6	6	5	4	4	14	11	31	10	120	147·8	1·67
Apoplexy	1	2	3	3·7	33·33
Delirium Tremens	1	1	4	4·9	...
Dysentery	...	5	2	...	2	1	25	30·8
Diarrhoea	...	1	2	3	1	3	4	2	1	33	40·6
Hepatitis	...	3	1	2	9	1	3	...	1	4	...	3	32	39·4	6·25
Spleen disease	1	...	4	3	5	6·2	...
Respiratory diseases	61	75·1	...
Phthisis Pulmonalis	...	10	5	8	3	2	3	5	...	6	...	7	8	9·9	12·50
Scurvy	3	1	2
Rheumatism	...	3
Veneral diseases	6	46	56·6	...
Eye diseases	...	19	22	13	12	6	129	158·9	...
Abscess and Ulcer	...	4	3	...	2	1	5	8	23	28·3	...
Wounds and Accidents	...	13	7	9	4	8	...	10	6	5	86	105·9	...
All other Causes	...	9	12	8	6	9	7	8	7	14	11	8	107	131·8	...
	...	13	7	13	11	10	10	5	8	22	21	7	139	171·2	...
	108	87	94	74	70	70	86	116	176	192	116	94	1,283		
Admitted per 1,000 of the Average Strength in each Month.															
	128·1	97·6	93·7	82·4	87·5	87·7	108·2	146·6	207·5	253·3	175·5	142·6	1,580·0		

III.—STATISTICS OF INDIVIDUAL STATIONS—ASIRGARH, 1870-79.

CLIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ASIRGARH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For 6 Months	119	25·2	25·2	25·2	42·0	50·8	59·8	42·0
1871	... For the Year	125	62·0	77·5	62·5	46·9	47·6	32·5	16·4	16·5	49·6	50·0	33·3	23·1	40·0
1872	... For 10 Months	130	46·2	38·5	46·2	30·8	38·5	53·8	38·5	61·5	61·5	76·9	46·2
1873	... For 11 Months	108	94·3	66·7	58·3	97·1	97·3	44·2	36·4	45·5	56·6	83·3	93·5	...	74·1
1874	... For the Year	101	68·6	39·6	30·0	...	10·0	20·0	10·0	20·0	39·6	39·2	40·0	66·7	29·7
1875	... For 5 Months	91	61·9	58·8	38·8	29·7	39·6	9·9	9·7	9·8	19·8	11·8	43·5	33·3	33·0
1876	... For 4 Months	104	71·4	29·7	39·6	35·7	63·1	48·1
1877	... For 4 Months	96	27·3	45·9	55·0	55·6	41·7
1878	... For 4 Months	100	97·1	117·6	91·8	90·9	100·0
1879	... For the Year	106	56·3	57·1	27·3	36·0	36·0	17·9	53·6	81·1	81·1	108·1	90·1	61·5	56·6
Ten Years, 1870-79	...	812	60·5	52·7	42·9	41·2	42·5	32·6	31·4	43·0	56·6	71·2	63·5	56·1	49·3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	579·8	...	8·4	...	42·6	33·6	...	42·0	126·1	...	100·9	42·0	33·6	1,008·4
1871	304·0	...	24·0	48·0	40·0	56·0	...	40·0	16·0	16·0	168·0	24·0	88·0	248·0	80·0	1,152·0
1872	538·5	7·7	...	15·4	38·4	30·8	7·7	130·8	30·8	38·4	115·4	...	92·3	130·8	261·5	1,438·5
1873	601·8	18·5	...	138·9	18·5	92·6	9·3	101·9	9·3	64·8	231·5	27·8	83·3	74·0	101·9	1,574·1
1874	524·8	9·9	...	9·9	59·4	...	89·1	108·9	59·4	128·7	79·2	128·7	1,198·0
1875	307·7	11·0	11·0	...	11·0	...	33·0	98·9	11·0	65·9	33·0	65·9	648·4
1876	...	9·6	86·6	9·6	9·6	9·6	9·6	28·8	...	28·8	57·7	28·8	96·2	96·2	105·8	576·9
1877	52·1	31·3	20·8	...	41·7	83·3	10·4	52·1	20·8	62·5	375·0
1878	820·0	10·0	...	70·0	10·0	20·0	...	30·0	60·0	...	10·0	50·0	120·0	1,200·0
1879	1,481·1	94·3	9·4	...	84·9	9·4	47·2	103·8	56·6	66·0	160·4	320·8	2,433·9
Ten Years, 1870-79	...	1·2	713·1	3·7	4·9	30·8	40·6	39·4	6·2	75·1	9·9	56·6	158·9	28·3	105·9	131·8	173·6	1,580·0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	
1871	8'00	8'00	1	
1872	7'69	7'69	1	
1873	18'52	18'52	2	1	1	...	
1874	9'90	9'90	1	1	
1875	
1876	9'61	9'61	1	1	
1877	10'42	10'42	1	
1878	10'00	10'00	1	
1879	9'43	9'43	1	1	
Ten Years, 1870-79	1'23	9'86	11'09	9	1	2	1	2	1	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

[illegible]

III.—STATISTICS OF INDIVIDUAL STATIONS—AHMEDNAGAR, 1870-79.

CLX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying AHMEDNAGAR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.*	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																			Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
January ...	4,301	211	49·1	1
February ...	4,514	210	46·5
March ...	4,685	203	43·3	2
April ...	4,931	189	38·3	1	1
May ...	4,818	190	39·4	6	2	2
June ...	4,792	224	46·7	3	...	1	1
July ...	4,804	263	54·7	4	...	1	1	...	1
August ...	4,773	284	59·5	6	...	1	1
September ...	4,749	278	58·5	6	2
October ...	4,679	246	52·6	3	1	1
November ...	4,390	243	55·4	7	1	1	1	2	1
December ...	4,269	187	43·8	1	1
						4	...	3	...	3	5	1	3	1	3	2	8	1	6
Died per 1,000 of the Average Strength.																										
For the Ten Years ...	4,642	227	48·9	40	8·62	·86	...	·65	·65	1·08	·21	·65	·21	·65	·43	1·73	·21	1·29

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.											Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.				DEC.	
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fevers, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhœa
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
	389	350	381	445	407	425	580	551	465	540	447	379	5,359			
Admitted per 1,000 of the Average Strength in each Month.																
	90·4	77·5	81·3	90·2	84·5	88·7	120·7	115·4	97·9	115·4	101·8	88·8	1,154·5			

III.—STATISTICS OF INDIVIDUAL STATIONS—AHMEDNAGAR, 1870-79.

CLXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying AHMEDNAGAR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	582	53.4	33.4	44.5	43.5	45.3	56.9	73.2	65.6	55.0	36.1	36.5	28.1	48.1
1871	...	"	642	33.3	26.9	29.1	33.8	18.4	33.8	53.6	81.3	78.2	84.6	70.5	60.3	51.4
1872	...	"	592	61.5	53.1	45.6	43.8	29.1	48.8	44.3	47.7	48.0	44.7	50.7	44.8	47.3
1873	...	"	286	96.8	31.3	25.4	25.7	26.1	26.1	36.4	33.2	40.7	19.9	29.6	23.0	31.5
1874	...	"	519	47.6	57.4	44.9	32.9	29.4	40.4	58.8	53.3	42.5	40.4	43.6	29.9	43.7
1875	...	"	410	32.1	39.6	43.1	30.4	16.7	35.1	35.1	40.9	35.2	25.0	43.8	46.2	34.1
1876	...	"	477	68.5	61.7	45.5	41.6	41.8	48.2	53.9	57.8	54.7	47.2	51.9	49.6	52.4
1877	...	"	509	46.1	55.6	56.0	43.9	53.8	48.0	62.6	61.1	62.3	55.3	50.8	30.9	53.0
1878	...	"	301	30.9	41.8	44.2	45.4	53.5	49.0	35.9	53.5	80.5	76.2	83.3	60.4	53.2
1879	...	For 9 Months	373	38.1	94.4	79.1	75.1	82.9	87.8	88.6	99.4	93.0	80.4
Ten Years, 1870-79	...		4,642	49.1	46.5	43.3	38.3	39.4	46.7	54.7	59.5	58.5	52.6	55.4	43.8	48.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	...	1.7	204.5	...	3.4	8.6	22.3	6.8	5.2	12.0	152.9	15.5	79.1	106.5	206.2	824.7
1871	813.1	3.1	1.6	...	10.9	53.0	1.6	23.4	...	17.1	124.6	14.0	60.7	87.2	91.9	1,302.2
1872	...	1.7	307.4	6.8	1.7	6.8	16.9	18.6	3.4	50.7	5.1	25.3	150.3	20.3	77.7	99.6	86.1	885.2
1873	279.7	7.0	31.5	7.0	...	41.9	...	21.0	118.9	24.5	125.9	125.9	118.8	902.1
1874	211.3	...	9.1	3.6	61.9	21.9	1.8	71.0	1.8	63.8	229.5	16.4	82.0	83.8	131.2	959.1
1875	...	2.4	175.6	2.4	9.8	7.3	109.8	17.1	7.3	46.3	...	17.1	187.8	43.9	73.1	90.3	119.5	914.6
1876	498.9	2.1	2.1	56.6	73.4	75.5	8.4	77.6	...	58.7	186.6	21.0	98.5	83.8	186.6	1,129.8
1877	...	3.9	385.1	...	3.9	31.4	70.7	25.5	3.9	60.9	...	47.2	233.8	31.4	47.2	137.5	220.1	1,306.4
1878	...	3.3	272.4	6.6	3.3	39.9	46.5	66.4	6.6	46.5	...	76.4	315.6	26.6	63.3	152.8	229.2	1,355.4
1879	...	5.4	857.9	5.4	18.8	16.1	5.4	13.4	5.4	18.8	273.5	5.3	75.0	75.0	80.4	1,455.8
Ten Years, 1870-79	...	1.1	419.6	2.2	3.7	16.8	45.2	30.8	3.9	45.2	1.9	35.1	194.8	21.5	77.8	104.1	148.4	1,154.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	3.44	3.43	6.87	4	1	2	
1871	7.79	7.79	5	1	...	1	
1872	...	1.69	15.20	16.89	10	1	...	1	...	3	...	1	2	...	
1873	...	3.50	3.50	7.00	2	1	1	
1874	1.82	1.82	1	
1875	...	2.44	2.44	4.88	2	1	1	
1876	6.29	6.29	3	1	...	2	
1877	...	1.96	3.93	11.79	6	1	1	2	...	
1878	...	3.32	6.64	19.93	6	1	3	2	
1879	2.68	2.68	1	1	
Ten Years, 1870-7986	1.50	8.62	40	4	...	3	3	5	1	4	3	2	8	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.																
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.													Total Admissions.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870		
1871		
1872	1	1		
1873		
1874		
1875	1	1		
1876		
1877	1	1	2		
1878	1	1		
1879		
Ten Years, 1870-79	1	1	1	1	1	5		

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—POONA AND KIRKEE, 1870-79.

CLXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying POONA and KIRKEE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
January ...	16,274	912	56·0	13	2	1	...	4	2	2	1	...	1
February ...	16,033	832	51·9	9	3	1	2
March ...	18,325	940	51·3	14	1	...	1	...	2	3	1	1
April ...	22,055	1,090	49·4	15	1	2	...	2	3	1	1	...	3	...	1
May ...	21,994	1,146	52·1	22	...	1	...	3	1	1	4	1	1	...	1	3
June ...	23,043	1,225	53·2	25	...	3	...	6	...	2	1	...	3	...	1	1
July ...	23,478	1,422	60·6	38	...	19	...	1	...	1	3	2	1	...	1	1
August ...	23,370	1,489	63·7	41	...	15	...	2	...	4	4	1	3	...	1	1
September ...	23,463	1,387	59·1	21	...	2	...	4	4	1	2
October ...	22,424	1,289	57·5	19	1	2	...	1
November ...	21,967	1,267	57·7	18	5	...	1
December ...	19,385	1,070	55·2	15	1	1	...	1	3	...	4	2	1
						40	1	22	2	12	11	3	20	5	30	...	8	21	24	...	2	...	26	3	20	
Died per 1,000 of the Average Strength.																										
For the Ten Years ...	20,984	1,172	55·9	250	11·91	1·91	·05	1·05	·67	·52	·14	·95	·24	1·43	...	·38	1·00	1·14	...	·10	...	1·24	·14	·95		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
			
Dengue (of 1872)	243	450	80	26	49	43	67	39	5	3	1,005	47·9	...
Cholera ...	1	3	3	22	24	2	55	2·6	72·73
Smallpox ...	4	2	...	9	3	1	...	22	1·0	4·55
Enteric Fever ...	2	1	...	5	7	7	1	11	5	5	1	1	46	2·2	47·83
Fever, Intermittent ...	458	362	514	546	611	874	1,281	1,116	978	860	917	752	9,269	441·7	·02
Fevers, Remittent and Continued ...	75	60	273	349	410	392	477	369	286	368	391	226	3,676	175·2	·33
Apoplexy ...	2	...	2	7	3	1	...	2	...	1	1	2	21	1·0	52·38
Delirium Tremens ...	5	2	6	10	5	5	2	17	4	11	8	2	77	3·7	3·90
Dysentery ...	30	30	30	31	18	47	96	98	64	47	48	62	601	28·6	3·33
Diarrhœa ...	31	40	51	75	99	154	333	199	95	82	61	119	1,339	63·8	·37
Hepatitis ...	53	44	37	45	36	36	51	52	50	51	49	63	567	27·0	5·29
Spleen disease ...	6	1	5	10	9	8	17	12	11	8	5	7	99	4·7	...
Respiratory diseases ...	116	89	105	123	93	80	79	103	104	100	127	123	1,212	59·2	·64
Phthisis Pulmonalis ...	7	15	5	8	10	24	19	14	19	24	10	12	167	8·0	14·37
Scurvy	1	1	...	2	...	2	1	4	11	·5	18·18
Rheumatism ...	55	69	71	93	117	97	99	93	103	77	61	56	991	47·2	} 36
Veneral diseases ...	289	286	431	413	373	326	355	410	414	404	392	324	4,417	210·5	
Eye diseases ...	24	23	43	45	59	52	52	54	52	55	37	25	521	21·8	
Abscess and Ulcer ...	157	133	187	205	213	195	173	154	162	161	156	151	2,047	97·6	
Wounds and Accidents ...	102	138	174	197	178	146	153	158	171	204	191	174	1,986	94·7	
All other Causes ...	162	177	235	287	311	281	303	288	248	308	240	228	3,068	146·2	
													31,227		
Admitted per 1,000 of the Average Strength in each Month.															
													1,488·1		

III.—STATISTICS OF INDIVIDUAL STATIONS—POONA AND KIRKEE, 1870-79.

CLXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying POONA AND KIRKEE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.																
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	For the Year	2,284	34.4	35.4	44.8	40.0	55.1	52.9	44.2	46.7	43.4	41.5	39.6	45.8	44.7	
1871	"	2,226	44.8	41.1	41.5	36.2	53.0	56.3	73.2	61.9	45.1	43.8	51.7	42.3	50.3	
1872	"	2,308	51.5	39.5	45.1	69.9	56.1	46.7	41.1	50.0	44.2	38.5	40.9	46.5	47.7	
1873	"	2,056	52.0	54.9	51.6	42.2	38.5	42.7	45.4	50.6	43.9	45.5	36.5	35.9	44.8	
1874	"	2,202	52.2	45.7	61.1	56.0	37.8	44.2	50.5	60.3	57.0	54.9	63.7	54.8	54.0	
1875	"	1,850	58.9	53.3	40.1	42.5	45.3	52.4	64.7	67.2	59.2	58.5	57.8	51.6	55.1	
1876	"	1,940	59.2	56.5	51.8	43.9	39.8	46.2	55.6	54.1	47.3	53.1	59.6	60.8	52.1	
1877	"	1,917	69.3	58.0	48.6	54.0	60.7	54.4	68.2	81.2	73.5	76.4	75.8	67.0	66.2	
1878	"	1,790	77.7	71.1	58.2	50.4	63.5	59.4	65.8	102.2	89.7	91.2	82.8	76.5	71.5	
1879	"	1,811	63.2	64.6	63.5	62.9	76.4	81.7	96.8	95.6	97.3	91.3	96.3	89.9	83.9	
Ten Years, 1870-79	...	20,984	56.0	51.9	51.3	49.4	52.1	53.2	60.6	63.7	59.1	57.5	57.7	55.2	55.9	

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																		
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	...	2.6	438.7	.4	6.6	19.3	56.9	47.7	8.3	25.0	155.4	18.0	62.6	56.0	200.5	1,098.0
1871	673.0	1.3	4.5	13.5	35.5	10.3	1.8	45.8	7.2	32.3	111.0	32.8	66.1	79.0	99.7	1,213.8
1872	...	3.5	356.24	58.9	75.4	17.8	4.8	51.1	11.7	81.4	121.3	26.9	97.9	86.2	571.1	1,567.2
1873	302.7	.4	1.9	27.1	32.0	43.3	4.9	61.0	3.4	48.2	232.7	43.3	122.0	106.1	132.9	1,163.4
1874	...	1.4	508.2	.9	1.8	31.8	56.3	34.5	1.4	73.6	4.1	45.4	235.2	20.9	117.6	110.8	164.4	1,411.0
1875	...	11.4	4.3	790.8	1.1	7.6	24.3	111.9	29.7	87.0	8.7	45.4	198.9	23.1	121.1	114.0	194.6	1,781.1
18765	5.2	377.3	1.0	6.2	34.5	49.5	43.3	4.6	39.7	8.8	30.9	198.5	22.2	93.3	150.0	1,348.0
1877	...	6.3	1.6	496.0	1.6	5.2	37.6	98.1	38.1	6.8	57.9	7.3	53.2	249.3	19.3	100.2	106.4	1,423.1
1878	...	5.0	.6	833.5	.6	2.8	25.1	60.3	25.1	8.4	53.6	8.4	64.3	282.7	15.6	111.2	88.2	1,705.5
18796	1.1	1,476.5	3.3	.6	11.0	81.7	30.4	14.9	79.5	13.8	46.9	365.5	13.3	95.5	112.1	2,491.4
Ten Years, 1870-79	...	2.6	2.2	616.9	1.0	3.7	23.6	63.8	27.0	4.7	59.2	8.0	47.2	210.5	24.8	97.6	94.7	1,488.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																			
YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.31	11.39	12.70	29	5	4	2	1	6	3	2	...	3	
187190	8.53	9.43	21	2	1	6	...	2	
1872	...	3.03	.43	8.24	27	
1873	6.78	6.78	18	
187491	.45	6.81	18	
1875	...	7.57	.54	14.05	18	
1876	2.06	12.89	29	
1877	...	4.69	2.61	6.78	27	
1878	...	3.91	2.79	7.27	25	
187955	.55	7.18	15	
Ten Years, 1870-79	...	1.91	1.09	8.91	250	40	1	22	14	11	3	25	30	...	8	21	24	23	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.																
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870			
1871			
1872			
1873	7	1			
1874			
1875	1	...	2			
1876	2	...	18	1			
1877	1			
1878	...	1	1	1	8	1			
1879	1	...	4	3	1			
Ten Years, 1870-79	...	1	3	3	22	24	2	55			

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—SATARA, 1870-79.

CLXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SATARA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

[illegible]

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera	1	1	2	1.2
Smallpox	1	...	1	3	2	1.2
Enteric Fever	1	1	1	3	6	3.5	50.00
Fever, Intermittent	...	40	24	29	56	66	52	100	130	99	111	103	83	893	522.8	...
Fevers, Remittent and Continued	...	6	10	12	15	37	75	22	4	4	5	1	3	194	113.6	...
Apoplexy	1	1	6	100.00
Delirium Tremens	...	1	1	2	...	1	2	1	2	11	6.4	9.09
Dysentery	...	3	3	2	1	5	7	2	3	2	3	31	18.1	3.23
Diarrhoea	...	6	4	1	2	2	3	4	5	11	5	1	3	47	27.5	...
Hepatitis	...	6	6	6	6	1	3	1	6	3	4	1	4	47	27.5	2.13
Spleen disease	...	1	1	1	1	...	2	...	1	1	2	10	5.9	...
Respiratory diseases	...	8	12	10	11	5	3	...	8	6	9	4	...	97	56.8	2.06
Phthisis Pulmonalis	1	...	1	2	1	1	2	1	2	2	...	13	7.6	7.69
Scurvy
Rheumatism	...	6	3	4	4	1	...	6	6	5	5	3	...	47	27.5	...
Veneral diseases	...	45	45	43	52	47	41	52	36	47	55	54	29	546	319.7	...
Eye diseases	...	2	1	1	1	2	...	2	3	4	2	1	...	19	11.1	...
Abscess and Ulcer	...	6	5	7	6	7	8	9	10	12	14	8	7	99	58.0	...
Wounds and Accidents	...	8	6	9	7	9	7	6	7	7	8	5	12	91	53.3	...
All other Causes	...	19	14	13	19	18	13	12	7	17	22	12	11	177	103.6	...
	157	139	141	184	198	212	231	232	221	247	199	172	2,333			
Admitted per 1,000 of the Average Strength in each Month.																
	87.3	76.8	78.9	104.5	113.1	121.4	132.2	133.3	127.7	145.9	136.3	116.7	1,365.9			

III.—STATISTICS OF INDIVIDUAL STATIONS—SATARA, 1870-79.

CLXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SATARA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	194	55.3	65.3	65.7	75.8	60.6	50.5	50.6	61.2	61.5	73.7	109.3	116.0	72.2
1871	"	189	26.2	36.6	47.1	63.2	70.7	131.1	152.2	97.8	65.2	54.9	48.1	4.7	63.5
1872	For 10 Months	209	9.5	4.7	19.0	42.9	14.4	19.1	14.4	19.2	62.5	57.7	23.9
1873	For 11 Months	193	71.4	57.4	53.0	48.1	42.8	42.8	64.2	64.2	53.8	80.2	54.6	...	57.0
1874	For the Year	173	44.7	27.9	17.0	11.4	23.0	23.0	28.7	28.9	31.7	28.9	42.4	24.4	28.9
1875	"	160	43.2	37.0	55.6	37.0	37.0	43.2	67.9	55.6	37.3	31.1	39.2	27.8	43.7
1876	"	154	71.4	55.2	32.1	25.6	44.6	32.1	19.2	38.5	39.5	48.3	36.2	31.6	39.0
1877	"	158	37.5	37.5	50.0	81.2	143.8	125.0	88.1	63.3	94.9	101.3	133.8	64.1	82.3
1878	"	164	84.3	94.1	122.1	81.9	89.3	77.4	76.9	83.8	96.4	126.7	135.7	60.2	91.5
1879	"	150	72.3	90.4	135.5	132.5	112.6	80.0	94.0	120.8	88.4	93.5	124.1	104.2	106.7
Ten Years, 1870-79	...	1,708	50.6	49.7	58.7	59.1	61.7	61.2	65.3	62.1	63.5	68.5	78.8	50.2	60.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	634.0	5.1	...	5.1	15.5	15.5	10.3	15.5	67.0	10.3	10.3	10.3	190.8	989.7	
1871	5.3	5.3	1,740.7	...	26.4	5.3	21.1	10.6	26.4	111.1	...	74.1	58.2	15.9	63.5	95.3	137.6	2,396.8	
1872	119.6	9.6	23.9	...	19.1	19.1	4.8	229.7	4.8	23.9	9.6	62.2	526.3	
1873	...	5.2	383.4	51.8	25.9	88.1	10.3	57.0	15.6	31.1	243.5	5.2	15.6	25.9	72.5	1,031.1	
1874	265.9	11.6	...	5.8	...	63.6	5.8	23.1	109.8	...	57.8	34.7	75.1	653.2	
1875	262.5	...	12.5	...	25.0	6.2	...	50.0	...	18.8	337.5	6.2	43.8	50.0	112.5	925.0	
1876	162.3	...	6.5	13.0	39.0	19.5	...	97.4	6.5	32.5	266.2	6.5	45.4	32.5	51.9	779.2	
1877	6.3	...	481.0	19.0	25.3	50.6	...	44.3	6.3	6.3	651.9	31.7	139.2	107.6	76.0	1,645.5	
1878	676.8	...	12.2	61.0	61.0	24.4	18.3	42.7	6.1	30.5	597.5	24.4	103.6	103.6	140.3	1,902.4	
1879	...	6.7	1,526.6	...	6.7	6.7	53.3	13.3	...	66.7	...	33.3	733.3	6.7	86.7	73.3	86.7	2,700.0	
Ten Years, 1870-79	...	1.2	3.5	636.4	.6	6.4	18.1	27.5	27.5	5.9	56.8	7.6	27.5	319.7	11.1	58.0	53.3	104.8	1,365.9

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	10.31	10.31	2	1
1871	10.58	21.17	6	1	1	1
1872	4.78	4.78	2	...	1
1873	20.72	4	2	1	1
1874	5.78	1	1
1875	6.25	1
1876
1877	6.33	1	1
1878	12.20	2	1	1
1879	6.67	1	1
Ten Years, 1870-79	1.76	9.95	20	...	1	3	1	1	1	1	1	...	2	4	1	1	...

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	1	1
1873
1874
1875
1876
1877	1	1
1878
1879
Ten Years, 1870-79	1	1	2

III.—STATISTICS OF INDIVIDUAL STATIONS—BELGAUM, 1870-79.

CLXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BELGAUM during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January	9,238	409	44·3	2	1	1	
February	9,173	423	46·1	3	1	1	
March	9,458	417	44·1	7	1	2	1	
April	10,284	466	45·3	9	2	...	1	
May	10,267	499	48·6	6	1	
June	10,241	528	51·6	9	...	1	1	4	1	...	
July	10,232	547	53·5	8	3	...	1	...	1	1	1	
August	10,226	581	56·8	7	2	...	1	3	
September	10,185	548	53·8	4	2	1	
October	10,068	583	57·9	6	1	...	1	1	
November	8,688	566	65·1	8	1	2	
December	7,864	421	53·5	6	1	
						1	1	8	...	3	2	1	3	1	14	...	6	5	3	13	1	13
Died per 1,000 of the Average Strength.																									
For the Ten Years	9,660	499	51·7	75	7·76	·10	·10	·83	·31	·21	·10	·31	·10	1·45	...	·62	·52	·31	1·35	·10	1·35	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengne (of 1872)	1	100·00
Cholera	1	...	100·00
Smallpox	1	1	10	80·00
Enteric Fever	2	...	4	1	...	2	10	257·7	...
Fever, Intermittent	162	155	145	152	140	168	234	240	241	292	366	194	2,489	56·4	...
Fevers, Remittent and Continued	45	38	30	60	56	60	53	49	35	48	54	17	545	56·4	...
Apoplexy	1	...	1	1	2	5	...	40·00
Delirium Tremens	4	4	...	3	47	4·9	2·13
Dysentery	8	6	15	10	16	13	30	21	15	10	7	8	159	16·5	1·89
Diarrhea	18	11	27	32	41	53	45	33	24	33	22	12	351	36·3	...
Hepatitis	16	13	15	23	16	19	21	11	20	16	13	11	194	20·1	7·22
Spleen disease	1	3	3	3	2	3	4	...	1	2	27	2·8	...
Respiratory diseases	39	45	38	27	40	35	40	31	34	33	32	43	437	45·2	1·37
Phthisis Pulmonalis	4	3	...	2	2	4	5	8	4	4	5	6	47	4·9	6·38
Scurvy	...	1	1	2
Rheumatism	20	44	34	30	33	37	35	38	24	23	17	17	352	36·4	...
Venereal diseases	154	190	155	213	177	209	211	197	191	215	185	158	2,255	233·4	...
Eye diseases	6	8	10	11	14	6	7	12	8	12	5	5	104	10·8	...
Abscess and Ulcer	49	39	73	73	68	56	63	57	45	63	67	69	722	74·7	...
Wounds and Accidents	52	62	74	78	80	74	60	61	74	75	70	56	816	84·5	...
All other Causes	96	67	117	111	133	101	118	134	135	148	116	74	1,350	139·8	...
	675	687	743	833	822	842	937	906	855	979	965	670	9,914		
Admitted per 1,000 of the Average Strength in each Month.															
	73·1	74·9	78·6	81·0	80·1	82·2	91·6	88·6	83·9	97·2	111·1	85·2	1,026·3		

III.—STATISTICS OF INDIVIDUAL STATIONS—BELGAUM, 1870-79.

CLXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BELGAUM in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	954	48.4	44.4	60.3	45.2	48.4	53.3	30.1	35.9	36.9	46.6	42.1	52.3	45.1
1871	"	998	39.4	47.4	48.0	51.6	46.5	42.6	47.5	45.6	43.7	44.7	35.0	34.3	44.1
1872	"	1,037	35.5	32.2	36.0	29.1	35.7	36.7	33.0	29.2	34.0	36.8	43.6	34.5	34.7
1873	For 10 Months	1,064	40.1	37.2	30.2	32.1	32.1	27.4	38.8	41.6	36.0	26.6	33.8
1874	For the Year	1,037	29.1	44.5	33.4	32.0	34.9	47.0	58.5	54.7	59.3	59.5	64.2	58.6	48.2
1875	"	994	61.4	48.6	44.3	47.8	47.8	60.0	62.1	67.0	35.9	58.0	66.9	47.6	54.3
1876	"	972	38.7	39.6	38.4	37.2	46.3	57.2	66.5	60.4	50.4	56.7	58.4	47.8	49.4
1877	"	1,011	46.7	46.9	39.6	40.7	50.3	46.1	65.1	73.9	74.5	79.1	88.7	66.0	59.3
1878	"	874	57.2	68.5	56.9	64.3	66.0	75.8	57.7	78.6	87.7	82.5	114.7	108.6	74.4
1879	"	844	56.9	68.3	89.8	75.5	80.4	73.0	76.9	84.6	84.5	94.3	85.1	70.6	79.4
Ten Years, 1870-79	...	9,660	44.3	46.1	44.1	45.3	48.6	51.6	53.5	56.8	53.8	57.9	65.1	53.5	51.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																			Admission-rate of each Year and of the Period.
YEAR.	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	169.8	...	6.3	12.6	27.3	61.8	6.3	40.9	156.2	11.5	56.6	87.0	257.8	894.1	
1871	169.3	1.0	5.0	8.0	36.1	25.0	3.0	32.1	7.0	46.1	236.5	19.0	82.2	39.1	57.1	766.5	
1872	121.5	...	1.0	11.6	32.8	29.9	3.8	31.8	5.8	43.4	195.7	7.7	79.1	46.3	67.5	677.9	
1873	87.4	...	9	7.5	16.0	21.6	1.9	22.6	3.8	31.0	174.8	12.3	63.9	32.0	40.4	516.0	
1874	223.7	...	10.6	8.7	39.5	28.9	1.0	64.6	10.6	52.1	173.6	8.7	91.6	107.0	270.0	1,090.6	
1875	...	2.0	223.4	2.0	12.1	20.1	48.3	37.2	7.0	79.5	6.0	38.2	217.3	16.1	97.5	112.7	188.2	1,107.6	
1876	231.5	22.6	34.0	15.4	...	48.4	1.0	31.9	239.7	7.2	70.0	111.1	148.1	960.9	
1877	1.0	4.0	324.4	...	7.9	36.6	75.2	10.9	...	32.6	3.0	23.7	248.3	4.9	72.2	121.6	115.8	1,082.1	
1878	...	4.6	1,062.9	1.1	2.3	20.6	30.9	13.7	1.1	33.2	1.1	19.5	373.0	5.7	37.8	108.7	128.2	1,844.4	
1879	639.8	1.2	1.2	13.0	15.4	8.3	10.7	37.9	2.4	29.6	314.0	13.0	79.4	69.9	107.8	1,343.6	
Ten Years, 1870-79	1	1.0	314.1	.5	4.9	16.5	36.3	20.1	2.8	45.2	4.9	36.4	233.4	10.8	74.7	84.5	140.1	1,026.3	

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	9.43	9.43	9	1	...	1	1	...	2	1	1	2	...	
1871	7.01	7.01	7	
1872	5.78	5.78	6	1	3	2	...	3	...	
1873	...	94	1.88	2.82	3	2	1	
1874	...	1.93	.96	2.89	3	1	2	
1875	...	2.01	13.08	15.09	15	...	1	2	...	1	1	1	...	6	2	
1876	...	2.06	5.14	7.20	7	1	...	3	...	1	...	2	
1877	...	99	3.96	5.93	11	1	...	3	1	1	...	1	4	
1878	...	2.29	10.30	12.59	11	3	3	1	...	2	2	
1879	...	1.18	2.37	3.55	3	1	1	1	
Ten Years, 1870-79	...	10	1.45	6.21	7.76	75	1	1	8	3	2	1	4	14	...	6	5	3	14	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	1	1
1878
1879
Ten Years, 1870-79	1	1

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—SECUNDERABAD, 1870-79.

CLXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SECUNDERABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.
January	...	22,676	1,384	61·0	30	3	...	2	1	...	7	...	10	...	1	...	3	2	...	1
February	...	23,456	1,371	58·4	29	...	3	1	...	9	...	5	...	4	1
March	...	24,188	1,211	50·1	31	...	1	3	...	8	...	9	2	...	3	
April	...	23,842	1,186	49·7	31	...	1	...	6	5	...	1	4	...	
May	...	23,818	1,215	51·0	64	...	33	...	7	...	1	12	1	...	5	...	1	...	2	1	...	
June	...	23,734	1,234	52·0	26	...	3	...	2	3	1	...	7	...	1	3	...	4	
July	...	23,635	1,271	53·8	24	...	5	...	2	...	1	1	...	3	...	5	...	1	1	...	
August	...	23,559	1,352	57·4	49	...	8	...	8	...	1	1	...	5	...	10	3	5	...	
September	...	23,458	1,484	63·3	63	...	1	...	20	...	2	1	...	14	...	10	2	5	...	
October	...	23,390	1,516	64·8	52	7	1	14	...	16	...	2	4	1	...	
November	...	23,100	1,447	62·6	37	...	1	...	3	2	1	...	11	2	3	2	...	
December	...	22,071	1,365	61·8	31	1	2	...	12	...	11	...	1	2	1	1	
						56	...	64	...	10	32	4	88	...	100	...	7	23	19	1	27	1	35
Died per 1,000 of the Average Strength.																									
For the Ten Years	23,411	1,336	57·1	467	19·95	2·39	...	2·74	·43	1·37	·17	3·76	...	4·27	...	·30	·98	·81	·04	1·15	·04	1·50	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	...	1	1	2	·1	...
Cholera	...	1	9	111	4·7	50·45
Smallpox	9	6	·3	...
Enteric Fever	...	2	1	1
Fever, Intermittent	...	10	5	5
Fevers, Remittent and Continued	...	161	136	104	99	94	102	141	166	238	244	206	2,013	86·0	...
Apoplexy	...	205	196	248	299	318	201	235	247	288	360	258	3,066	131·0	...
Delirium Tremens	...	2	3	7	13	22	9	3	1	1	2	1	65	2·8	49·23
Dysentery	...	9	8	10	5	1	10	7	9	10	8	7	94	4·0	4·26
Diarrhoea	...	232	171	133	120	114	106	186	295	333	322	218	2,445	104·4	3·60
Hepatitis	...	155	149	126	120	122	143	341	366	247	158	123	2,207	94·3	...
Spleen disease	...	171	117	98	105	102	106	102	116	172	196	140	1,603	68·5	6·24
Respiratory diseases	...	3	8	3	6	2	5	1	3	1	9	3	52	2·2	...
Phthisis Pulmonalis	...	154	150	128	100	111	69	96	87	103	109	117	1,339	57·2	...
Scurvy	...	12	12	11	4	8	8	5	10	15	18	23	136	5·8	13·97
Rheumatism
Veneral diseases	...	112	97	75	63	73	85	121	73	94	101	87	1,081	46·2	...
Eye diseases	...	423	395	425	426	360	318	383	370	319	454	337	4,609	196·9	...
Abscess and Ulcer	...	24	16	34	32	21	25	35	55	32	61	34	396	16·9	...
Wounds and Accidents	...	191	206	241	242	237	233	195	159	178	163	148	2,339	99·9	...
All other Causes	...	229	234	249	205	215	188	243	196	152	167	178	2,493	106·5	...
	...	413	430	395	404	409	375	454	396	391	415	376	4,849	207·1	...
Admitted per 1,000 of the Average Strength in each Month.															
	2,510	2,343	2,295	2,260	2,298	1,904	2,575	2,581	2,638	2,878	2,336	2,358	29,066		
	110·7	99·9	9·49	94·8	96·5	84·0	108·9	109·6	112·5	123·0	101·1	106·8	1,241·6		

III.—STATISTICS OF INDIVIDUAL STATIONS—SECUNDERABAD, 1870-79.

CLXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SECUNDERABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	2,086	54.5	44.1	46.2	55.5	58.5	51.8	51.2	56.8	67.6	68.2	54.1	36.2	53.7
1871	...	2,121	30.5	36.5	44.6	48.9	54.7	59.0	56.7	56.1	64.8	68.6	70.9	67.6	55.5
1872	...	2,586	60.3	56.7	49.5	49.3	55.3	58.0	61.0	78.6	89.5	80.9	71.8	78.5	65.4
1873	...	2,421	70.3	47.3	53.1	47.3	42.3	39.1	45.3	50.7	56.7	57.1	56.1	55.9	51.6
1874	...	2,468	54.0	46.3	35.5	36.1	32.5	35.3	40.0	38.4	42.1	48.4	51.2	48.7	42.5
1875	...	2,261	54.6	58.4	48.1	49.7	49.5	47.1	53.7	46.6	51.2	51.4	46.7	57.6	51.3
1876	...	2,317	65.7	63.2	48.5	47.3	44.1	42.9	43.5	42.9	48.9	53.6	57.6	56.1	50.9
1877	...	2,423	57.3	57.3	45.1	47.6	55.8	59.6	55.9	63.2	62.4	68.9	62.9	71.3	57.8
1878	...	2,535	76.6	80.7	66.3	60.9	59.6	66.7	65.4	70.5	80.2	80.7	75.2	76.9	71.8
1879	...	2,192	71.2	81.5	62.7	56.1	59.4	61.3	65.5	68.4	66.5	78.5	76.2	71.4	68.4
Ten Years, 1870-79	...	23,411	61.0	58.4	50.1	49.7	51.0	52.0	53.8	57.4	63.3	64.8	62.6	61.8	57.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	5	8.6	152.0	2.9	3.4	131.8	90.1	71.4	3.8	54.7	3.8	43.6	147.6	22.5	104.5	82.9	162.1	1,086.2
1871	...	34.9	4.7	157.5	1.9	6.2	95.7	104.7	67.4	4.7	51.8	5.2	60.3	220.2	15.6	103.7	120.2	209.8	1,261.5
1872	...	1.2	13.5	230.1	7.3	5.4	167.1	117.6	56.5	8	52.2	5.8	39.8	198.4	18.9	129.9	96.3	208.4	1,349.2
1873	4	185.5	1.7	4.1	116.1	108.2	91.3	3.3	76.0	11.2	61.5	114.8	16.1	101.2	126.8	266.4	1,284.6
1874	1.2	146.7	1.2	4.1	69.7	59.6	82.7	2.0	64.4	10.5	60.8	117.1	12.1	80.6	115.5	199.8	1,025.0
1875	...	4	4.4	131.4	1.8	2.7	87.1	89.3	77.4	9	46.0	5.8	32.7	226.4	8.8	92.9	121.2	180.9	1,110.1
1876	...	3.0	16.4	211.0	3.0	3.9	51.8	59.7	53.1	1.7	62.2	5.6	37.1	214.9	15.1	79.4	100.2	203.7	1,120.8
1877	...	2.9	13.6	203.9	2.1	3.3	59.8	107.7	51.2	2.1	44.6	4.5	32.6	214.6	30.1	118.0	97.8	202.7	1,191.5
1878	...	7.1	3.6	372.3	3.6	4.7	69.2	136.1	71.4	...	67.1	3.9	43.0	271.4	14.6	87.2	100.6	246.2	1,602.0
1879	1.4	364.0	1.8	2.3	87.1	63.9	62.5	3.6	50.7	9	51.1	244.5	15.1	100.4	103.1	182.9	1,335.3
Ten Years, 1870-79	...	4.7	6.8	217.0	2.8	4.0	104.4	94.3	68.5	2.2	57.2	5.8	46.2	196.9	16.9	99.9	106.5	207.5	1,241.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	48	48	17.74	39	1	...	8	1	2	1	9	8	...	1	2	3	2	1
1871	...	16.97	3.30	19.81	85	36	...	4	...	2	...	9	17	...	2	3	2	3	7
1872	...	39	77	25.91	70	1	...	14	1	8	1	17	12	...	1	3	3	5	2
1873	2.07	20.23	54	2	1	...	22	19	...	1	3	1	...	5
1874	41	8.50	22	2	1	2	...	2	9	1	...	1
1875	2.65	15.04	40	3	2	1	...	7	13	2	3	6
1876	...	1.30	86	12.08	33	3	...	14	1	3	...	3	3	1	...	3	2
1877	...	1.24	2.48	11.55	37	3	...	9	...	3	...	3	6	4	2	6
1878	...	473	79	18.94	62	12	...	7	2	7	1	12	10	...	2	2	3	3	2
1879	1.82	9.59	25	3	...	3	...	4	3	1	2	5	4
Ten Years, 1870-79	...	2.39	1.54	16.02	467	56	...	64	10	32	4	88	100	...	7	23	19	28	36

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871	71	74
1872	2	3
1873
1874
1875
1876
1877	...	1	3	...	1	1	1
1878	5	1	7
1879	1	8	...	9	7
Ten Years, 1870-79	...	1	9	1	2	72	3	9	10	1	...	2	111

III.—STATISTICS OF INDIVIDUAL STATIONS—KAMPTEE, 1870-79.

CLXX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying KAMPTEE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	11,001	640	58·2	12	2	2	...	2	...	1	1	1	3
February ...	11,172	706	63·2	7	1	3	1
March ...	10,118	575	56·8	7	3	1	1
April ...	9,843	566	57·5	10	2	4
May ...	9,843	578	58·7	21	3	3
June ...	9,803	590	60·2	25	2	1	10
July ...	9,790	590	60·3	11	1	2	1	2
August ...	9,751	675	69·2	13	1	...	3
September ...	9,727	697	71·7	12	2	2	...	1
October ...	8,965	643	71·7	13	2
November ...	9,751	572	58·7	6	1	2
December ...	10,643	527	49·5	4	1
						5	8	7	...	14	25	1	8	...	18	...	3	15	8	19	1	9
Died per 1,000 of the Average Strength.																										
For the Ten Years ...	10,034	613	61·1	141	14·05	·50	·80	·70	1·39	2·49	·10	·80	...	1·79	...	·30	1·49	·80	1·89	·10	·90	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	1	...	17	27	13	21	2	...	80	8'0	...
Cholera	5	...	3	...	3	9	'9	55'56
Smallpox	3	...	5	5	1	1	24	2'4	33'33
Enteric Fever	2	...	1	...	1	3	5	3	2	...	1	19	1'9	36'84
Fever, Intermittent ...	309	241	184	173	221	377	458	601	826	797	395	300	4,882	486'5	...
Fevers, Remittent and Continued ...	52	83	76	100	151	237	119	162	172	135	68	53	1,408	140'3	'99
Apoplexy	2	...	5	16	34	2	2	1	...	65	6'5	38'46
Delirium Tremens ...	11	...	6	4	3	3	2	...	1	8	3	3	48	4'8	2'08
Dysentery ...	18	12	13	14	18	19	48	60	46	24	26	15	313	31'2	2'56
Diarrhoea ...	24	25	36	53	32	35	107	83	32	37	29	22	515	51'3	...
Hepatitis ...	16	29	19	22	32	30	27	19	25	27	18	12	276	27'5	6'52
Spleen disease ...	3	2	2	1	1	2	3	...	1	4	2	1	22	2'2	...
Respiratory diseases ...	113	106	94	66	59	45	41	64	48	53	63	63	815	81'2	'37
Phthisis Pulmonalis ...	5	8	6	2	6	7	4	11	12	5	4	6	76	7'6	10'53
Scurvy	1	1	...	2	'2	...
Rheumatism ...	44	46	33	30	22	30	56	39	34	33	30	25	422	42'1	} 46
Veneral diseases ...	355	311	233	251	217	189	196	178	151	160	189	223	2,703	269'4	
Eye diseases ...	17	12	20	13	12	18	28	36	35	18	11	13	233	23'2	
Abscess and Ulcer ...	115	107	90	95	119	138	112	86	94	90	74	84	1,204	120'0	
Wounds and Accidents ...	106	119	116	92	91	66	63	86	56	80	63	99	1,037	103'3	}
All other Causes ...	142	153	145	154	192	182	157	186	157	156	145	146	1,915	190'9	
													16,068		
Admitted per 1,000 of the Average Strength in each Month.															
													1,601'4		
121'1	112'9	112'1	109'8	121'7	144'3	147'7	169'0	175'8	184'3	115'3	100'3	1,601'4			

III.—STATISTICS OF INDIVIDUAL STATIONS—KAMPTEE, 1870-79.

CLXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying KAMPTEE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	1,077	62.3	72.9	69.7	51.4	56.2	73.5	80.2	88.8	70.1	56.1	59.4	53.7	65.9
1871	...	1,020	55.2	66.3	69.2	66.1	68.2	66.3	60.0	61.0	57.1	78.1	47.7	54.7	60.8
1872	...	1,040	58.5	64.4	55.8	66.6	82.1	83.7	53.9	67.8	99.4	103.0	71.6	51.3	71.2
1873	...	1,061	55.7	48.1	50.4	61.6	65.7	62.6	69.8	73.8	67.0	68.9	45.0	53.9	60.3
1874	...	1,019	89.8	101.1	67.1	61.6	65.6	56.2	69.3	67.3	75.2	69.7	67.5	62.6	71.5
1875	...	1,069	59.8	52.5	48.0	51.6	51.7	65.0	51.7	62.1	69.7	78.5	60.3	25.3	57.1
1876	...	972	50.8	53.7	55.4	65.3	55.8	56.2	65.3	73.8	80.9	60.2	51.4	45.8	59.7
1877	...	889	44.5	55.7	47.0	40.9	37.0	33.7	35.0	41.1	37.3	51.9	51.3	45.4	43.9
1878	...	906	56.7	59.6	53.6	58.7	54.2	57.8	51.9	64.2	61.6	69.9	57.1	34.6	57.4
1879	...	951	39.4	45.4	46.8	37.2	42.4	40.4	51.1	84.1	92.4	79.9	81.8	64.9	58.9
Ten Years, 1870-79	...	10,034	58.2	63.2	56.8	57.5	58.7	60.2	60.3	69.2	71.7	71.7	58.7	49.5	61.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	663.9	2.8	4.6	28.8	38.1	24.1	2.8	60.4	11.1	45.4	282.3	29.7	153.2	126.3	188.5	1,662.0
1871	...	1.0	373.5	1.0	9.8	24.5	32.4	21.6	2.0	74.5	6.9	56.9	273.5	42.1	150.0	103.9	157.8	1,331.4
1872	...	1.0	1,137.5	12.5	2.9	19.2	104.8	25.0	1.0	123.1	8.6	40.4	155.8	25.9	149.0	76.0	182.7	2,065.4
1873	942.5	2.8	1.9	32.0	63.1	24.5	1.9	73.5	2.8	41.5	194.2	27.3	108.4	111.2	289.4	1,917.0
1874	...	3.8	458.5	1.0	1.9	28.6	43.9	42.9	...	100.1	2.9	41.0	430.9	13.3	101.0	74.4	240.2	1,583.4
1875	...	1.9	530.4	2.8	3.7	15.0	58.9	29.0	2.8	88.9	15.0	29.9	261.0	15.9	108.5	107.6	265.7	1,537.0
1876	484.6	25.7	7.2	56.6	61.7	34.0	4.1	107.0	10.3	47.3	291.2	23.7	111.1	115.2	174.9	1,557.6
1877	...	1.1	410.6	5.6	11.2	28.1	41.6	23.6	3.4	41.6	3.4	34.9	248.6	7.9	121.5	121.5	117.0	1,221.6
1878	...	6.6	554.1	8.8	3.3	40.8	41.9	22.1	3.3	66.2	4.4	48.6	257.2	16.6	99.4	104.9	214.1	1,498.9
1879	...	2.1	657.1	3.2	2.1	42.1	22.1	27.3	1.1	70.5	9.5	35.8	295.5	27.3	92.5	94.6	164.0	1,552.1
Ten Years, 1870-799	626.8	6.5	4.8	31.2	51.3	27.5	2.2	81.2	7.6	42.1	260.4	23.2	120.0	103.3	201.5	1,601.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- cases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	11.14	11.14	12	3	2	...	1	1	...	1	...	2	...	
187198	6.86	7.84	8	1	1	1	...	1	3	1	
187296	20.19	21.15	22	1	2	...	6	4	...	2	2	3	1	...	
1873	6.60	11.31	12	...	1	...	2	1	5	
1874	12.39	12.39	13	1	...	1	...	1	6	1	
1875	12.16	12.16	13	2	1	1	3	...	
1876	21.60	22.63	22	1	11	...	1	2	...	1	1	1	...	
1877	4.51	6.75	6	2	2	
1878	...	3.31	14.35	17.66	16	3	5	1	...	3	...	1	1	2	...	
1879	...	1.05	15.78	17.88	17	1	...	3	...	1	...	2	4	...	1	2	1	1	
Ten Years, 1870-7950	12.55	14.05	141	5	8	7	14	25	1	8	18	...	3	15	8	10	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	1
1874
1875
1876
1877
1878	3	...	3	6
1879	1	1	2
Ten Years, 1870-79	1	2	3	...	3	9

III.—STATISTICS OF INDIVIDUAL STATIONS—BELLARY, 1870-79.

CLXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BELLARY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents, Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.		Atrophy and Anæmia.	All other Causes.			
January	8,013	604	75.4	5	3	1	
February	7,579	568	74.9	12	1	...	1	4	2	
March	8,355	498	56.2	2	1	
April	8,939	496	54.4	6	...	1	1	1	
May	8,821	497	56.3	10	1	4	
June	8,985	520	57.9	6	...	2	...	1	...	1	1	
July	9,007	619	68.7	8	1	1	...	1	2	
August	9,027	633	70.1	9	2	
September	8,944	648	72.5	6	1	
October	8,999	640	71.7	8	1	1	...	1	2	2	
November	8,435	655	77.7	6	2	1	2	2	
December	7,699	550	71.4	7	2	
						3	...	3	1	12	4	1	3	1	11	...	2	11	8	1	11	...	13	
Died per 1,000 of the Average Strength.																											
For the Ten Years	8,609	577	67.0	85	9.87	.3535	1.51	.47	.11	.35	.11	1.2823	1.28	.93	.11	1.28	...	1.51		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent
Fever, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
	836	685	807	815	736	825	1,074	989	998	1,080	1,077	1,022	10,944		
Admitted per 1,000 of the Average Strength in each Month.															
	104.3	90.4	91.1	91.2	83.4	91.8	119.2	109.6	111.6	120.0	127.7	132.7	1271.2		

III.—STATISTICS OF INDIVIDUAL STATIONS—BELLARY, 1870-79.

CLXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BELLARY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEO.	
1870	For the Year	921	63.0	65.1	70.5	63.0	62.6	57.4	63.8	65.9	68.8	76.1	61.3	41.3	63.0
1871	"	902	61.6	63.5	42.6	46.8	42.8	51.4	62.1	61.6	55.4	51.2	52.8	97.9	54.3
1872	For 10 Months	942	42.2	52.6	48.7	43.6	50.9	50.5	50.3	60.9	77.0	71.6	56.3
1873	For the Year	940	77.6	71.6	56.6	45.2	42.9	51.4	67.5	70.2	75.1	76.3	63.7	55.9	62.8
1874	"	916	67.0	50.3	47.9	45.4	55.7	55.6	63.8	71.4	64.9	59.0	76.8	70.5	60.0
1875	"	894	67.1	63.7	49.1	41.2	46.2	47.6	55.5	52.4	61.6	55.2	62.6	50.6	54.8
1876	"	897	75.5	71.9	42.3	39.1	49.1	53.5	60.6	63.5	59.2	58.4	69.2	54.7	58.0
1877	"	847	73.2	88.1	81.0	64.6	53.6	68.3	86.6	67.3	81.2	81.1	97.6	86.9	76.7
1878	"	873	87.6	91.2	32.3	48.5	76.1	70.4	83.7	101.1	106.1	96.6	128.2	136.1	88.2
1879	"	608	133.2	141.5	127.1	116.6	95.3	90.1	107.1	96.3	105.1	110.7	97.0	82.7	108.6
Ten Years, 1870-79	...	8,609	75.4	74.9	56.2	54.4	56.3	57.9	68.7	70.1	72.5	71.7	77.7	71.4	67.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	169.4	2.2	1.1	13.0	101.0	89.0	10.9	47.8	2.2	73.8	166.1	26.1	127.0	83.6	219.3	1,132.5
1871	...	1.1	78.7	...	1.1	16.6	49.9	44.3	4.4	52.1	5.5	76.5	126.4	18.9	159.7	75.4	164.1	874.7
1872	155.0	2.1	...	30.8	80.7	20.2	1.1	43.5	6.4	46.7	255.8	35.0	129.5	96.6	128.4	1,031.8
1873	148.9	17.0	29.8	22.3	...	24.5	2.1	23.4	367.0	44.7	147.9	57.5	105.3	990.4
1874	229.2	...	1.1	15.3	19.6	38.2	...	28.4	4.4	17.5	446.5	27.3	160.5	72.0	93.9	1,153.9
1875	360.2	...	2.2	14.5	25.7	31.3	...	23.5	4.5	13.4	319.9	11.2	105.2	74.9	111.9	1,098.4
1876	...	2.2	90.3	...	2.2	11.2	41.2	60.2	...	39.0	3.3	25.6	289.9	6.7	132.7	87.0	201.8	906.6
1877	...	2.4	270.4	...	3.5	33.1	47.2	53.1	...	42.5	8.3	34.2	493.5	53.1	170.0	85.0	168.9	1,468.7
1878	...	2.3	1040.1	3.4	4.6	20.6	40.1	11.5	2.3	22.9	5.7	22.9	318.4	18.3	123.7	72.2	120.3	1,830.4
1879	1419.4	4.9	...	39.5	16.5	8.2	...	26.3	4.9	16.5	440.8	23.0	136.5	69.1	92.1	2,297.7
Ten Years, 1870-798	363.3	1.2	1.6	20.8	47.2	39.5	2.0	36.1	4.9	36.4	323.6	27.1	141.9	78.9	145.1	1,271.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	6.51	6.51	6	4	...	2	...	
1871	...	1.11	6.65	7.76	7	1	1	...	1	...	1	2	1	
1872	5.31	5.31	5	1	2	
1873	...	2.13	12.76	14.89	14	1	3	2	1	3	2	
1874	...	1.09	8.74	9.83	9	1	...	1	
1875	...	4.47	4.47	8.95	8	2	...	2	4	
1876	...	1.11	3.34	2.24	6.69	6	1	1	...	1	3	
1877	...	1.18	8.27	9.45	8	1	2	...	1	2	1	...	1	
1878	...	2.29	...	10.31	12.60	11	2	...	1	1	...	1	1	1	...	
1879	...	1.64	16.45	18.09	11	5	1	...	1	1	1	1	1	
Ten Years, 1870-7935	1.51	8.01	9.87	85	3	...	3	13	4	1	4	11	...	2	11	13	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	1	...	2	...	1	1	3
1878	2	2
1879
Ten Years, 1870-79	...	1	...	2	...	2	1	1	7

CLXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BANGALORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
January	15,413	846	54.9	18	2	...	1	5	2	3	4	...	1
February	16,147	1,056	65.4	18	...	2	...	4	1	1	1	2	6
March	17,183	1,011	58.8	18	3	...	1	4	5	1	3
April	17,208	1,006	58.2	14	4	...	1	3	4	1	1
May	17,048	1,028	60.3	15	1	...	1	1	3	1
June	16,954	1,044	61.6	16	5	2	...	3	...	1	2	1	2
July	17,097	1,023	59.8	24	...	5	1	6	1	5	1	1	1	3	...	1
August	17,105	1,050	61.4	15	3	1	3	...	1	2	2	...	2
September	17,139	1,042	60.8	10	3	2	...	2	1	...	1
October	16,994	1,022	60.1	14	1	5	1	1	2	...	4
November	16,281	988	60.7	13	2	1	1	2	1	...	1
December	15,476	884	57.1	22	1	1	1	5	3	2	1	...	7
						8	1	32	...	6	6	4	12	...	36	...	3	25	15	23	3	23
Died per 1,000 of the Average Strength.																									
For the Ten Years	16,678	1,000	60.0	197	11.81	.48	.06	1.02	.36	.36	.24	.72	...	2.1518	1.50	.90	1.38	.18	1.38	

CAUSES OF ADMISSIONS.		NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	19	3	8	30	1.8	...
Cholera	...	1	1	3	6	1	13	.8	61.54
Smallpox	...	3	1	4	1	1	...	1	2	...	13	.8	7.69
Enteric Fever	...	3	10	11	8	11	10	16	12	11	3	2	4	101	6.1	31.68
Fever, Intermittent	...	109	584	467	359	392	407	304	268	174	126	100	128	3,418	204.9	...
Fevers, Remittent and Continued	...	71	92	151	170	129	131	146	111	111	92	77	138	1,419	85.1	.42
Apoplexy	2	2	2	3	...	1	1	2	14	.8	42.86
Delirium Tremens	...	9	5	6	4	7	13	8	15	8	9	3	4	91	5.5	4.40
Dysentery	...	48	57	61	80	103	103	112	85	70	55	43	64	881	52.8	1.36
Diarrhoea	...	44	59	79	89	67	100	78	71	31	32	25	41	716	42.9	...
Hepatitis	...	60	59	75	73	67	64	59	78	60	65	65	60	785	47.1	.459
Spleen disease	...	1	8	15	13	7	12	6	6	7	5	4	6	90	5.4	...
Respiratory diseases	...	66	93	108	105	99	79	74	58	65	79	66	69	961	57.6	.31
Phthisis Pulmonalis	...	4	9	9	11	12	17	12	12	11	19	17	17	150	9.0	10.00
Scurvy
Rheumatism	...	62	44	74	79	82	91	68	88	52	80	64	55	839	50.3	...
Veneral diseases	...	218	222	266	328	290	256	296	311	316	320	343	243	3,409	204.4	} .42
Eye diseases	...	13	18	20	25	27	59	74	43	43	23	30	17	392	23.5	
Abscess and Ulcer	...	144	154	154	182	155	161	157	149	141	157	144	119	1,820	109.1	
Wounds and Accidents	...	142	152	194	185	144	179	182	166	156	167	165	179	2,011	120.6	
All other Causes	...	276	272	295	333	304	323	329	343	277	295	258	252	3,557	213.3	
		1,274	1,812	2,010	2,050	1,903	2,008	1,929	1,818	1,535	1,527	1,408	1,406	20,710		
Admitted per 1,000 of the Average Strength in each Month.																
		82.7	114.1	117.0	118.5	111.6	118.4	112.8	106.3	89.6	89.9	86.5	90.9	1,241.8		

III.—STATISTICS OF INDIVIDUAL STATIONS—BANGALORE, 1870-79.

CLXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BANGALORE
in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	1,794	56.8	113.8	95.2	86.3	94.0	100.5	96.0	83.6	57.1	58.5	52.7	47.8	79.7
1871	...	1,562	49.6	52.5	49.9	54.2	49.1	55.4	54.8	51.4	52.5	53.4	56.1	63.0	53.1
1872	...	1,754	60.1	64.2	58.4	54.0	49.6	58.5	57.8	54.0	53.3	53.0	53.7	54.2	55.9
1873	...	1,807	59.6	58.1	60.4	55.0	47.8	50.0	50.6	58.9	61.8	57.9	53.8	47.8	55.3
1874	...	1,778	38.1	57.9	45.8	55.0	54.9	50.1	50.7	63.5	73.6	86.1	82.8	68.8	60.2
1875	...	1,646	63.9	80.9	53.0	50.8	68.0	68.3	55.3	52.2	51.5	47.9	43.4	39.7	55.9
1876	...	1,652	42.6	41.1	48.9	48.1	39.7	43.7	40.0	43.0	41.1	36.7	37.0	36.6	41.2
1877	...	1,730	40.3	37.3	41.6	33.0	42.9	48.2	48.2	56.0	65.9	60.1	55.1	50.6	48.0
1878	...	1,662	51.9	61.7	57.3	60.8	65.0	61.1	61.0	65.8	67.8	65.8	74.3	77.6	63.8
1879	...	1,294	96.8	89.1	81.8	88.0	96.2	81.3	88.2	90.2	91.1	89.3	111.8	97.8	92.0
Ten Years, 1870-79	...	16,678	54.9	65.4	53.8	53.2	60.3	61.6	59.8	61.4	60.8	60.1	60.7	57.1	60.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	3.9	11.7	1,415.8	.6	12.8	37.9	67.4	41.2	24.0	78.6	2.8	39.6	126.0	19.5	128.2	161.1	219.0	2,390.1
1871	.6	3.2	98.0	1.3	14.1	27.5	33.3	44.8	6.4	92.8	9.0	62.7	168.4	28.2	144.7	156.2	339.3	1,230.5
1872	...	13.1	160.2	2.8	2.8	35.9	64.4	49.0	7.5	69.6	10.3	65.0	159.6	21.7	136.2	149.4	291.9	1,239.4
1873	...	5.9	177.8	.6	3.3	75.8	48.1	52.0	3.9	53.7	17.1	44.3	164.4	37.1	99.6	115.1	210.3	1,109.0
1874	...	9.6	106.8	.6	2.8	55.7	20.8	56.3	5.1	42.7	9.0	62.4	191.2	17.4	111.9	142.3	180.0	1,014.6
1875	...	1.2	141.6	.6	4.2	58.9	31.0	60.1	1.2	37.1	6.7	39.5	197.4	36.5	86.3	111.2	197.4	1,010.9
1876	89.6	1.2	6.7	64.2	44.2	33.9	.6	43.6	10.3	54.5	104.1	16.3	71.4	89.0	184.6	814.2
1877	...	2.9	106.3	...	4.6	49.7	28.3	43.4	.6	35.3	6.4	30.0	250.3	12.1	84.4	57.2	122.0	842.2
1878	...	1.8	194.3	.6	1.8	42.1	34.3	48.1	1.2	65.0	9.0	44.5	296.0	18.1	109.5	97.5	195.6	1,159.4
1879	...	4.6	357.18	86.6	58.7	39.4	1.5	60.3	9.3	64.9	449.0	30.1	122.1	126.7	231.1	1,642.2
Ten Years, 1870-798	290.0	.8	5.5	52.8	42.9	47.1	5.4	57.6	9.0	50.3	204.4	23.5	109.1	120.6	215.9	1,241.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	2.79	1.11	8.36	12.26	22	5	...	4	2	1	...	2	3	2	1	...	2
1871	...	2.56	7.68	10.24	16	2	2	...	2	3	2	...	4
1872	...	1.71	13.68	15.39	27	7	...	3	1	2	4	3	1	3	3
1873	...	2.21	6.09	8.30	15	1	...	3	3	...	2	1	4
1874	...	1.69	10.12	11.81	21	...	1	3	4	4	3	1	3
1875	...	3.04	7.90	10.94	18	1	...	1	5	...	1	3	...	2	5
187662	11.49	12.11	20	3	...	1	1	7	3	2	...	1
1877	1.73	.58	11.56	13.87	24	3	...	7	2	1	4	3	3	1
1878	...	1.20	9.63	10.83	18	3	1	4	2	2	4	2
187977	11.59	12.36	16	6	1	3	1	4	1
Ten Years, 1870-7948	1.56	9.77	197	8	1	32	6	6	4	12	36	...	3	25	15	23	26

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	6	1	7
1871	1	1
1872
1873
1874
1875
1876
1877	...	1	1	3	5
1878
1879
Ten Years, 1870-79	...	1	1	3	6	1	1	13

III.—STATISTICS OF INDIVIDUAL STATIONS—CANNANORE, 1870-79.

CLXXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying CANNANORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Angemia.	All other Causes.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
January ...	6,771	417	61·6	8	3	...	1</

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872) ...	30	1	31	4.7	...
Cholera	1	2	3	5	66.67
Smallpox	1	1	2	...
Enteric Fever ...	22	8	2	10	2	...	2	...	4	1	...	15	60	10.0	22.73
Fever, Intermittent ...	7	4	3	5	5	6	14	5	9	5	2	7	72	10.9	...
Fevers, Remittent and Continued ...	100	80	90	133	98	86	78	115	106	105	102	123	1,221	185.6	16
Apoplexy	2	1	1	2	1	7	1.1	42.86
Delirium Tremens ...	5	4	...	5	3	...	6	2	1	...	26	4.0	7.69
Dysentery ...	68	47	29	42	46	71	113	105	73	82	61	96	833	126.6	2.04
Diarrhoea ...	43	30	45	43	30	48	59	45	52	24	61	59	539	81.9	...
Hepatitis ...	65	57	39	34	35	45	63	51	78	62	64	65	658	100.0	4.10
Spleen disease	1	1	2	3	...
Respiratory diseases ...	16	17	26	25	21	29	36	32	32	17	28	19	298	45.3	1.34
Phthisis Pulmonalis ...	12	9	5	2	3	8	9	5	6	7	9	10	65	12.9	7.06
Scurvy
Rheumatism ...	16	19	32	23	18	34	23	34	24	14	15	13	265	40.3	...
Veneral diseases ...	80	71	74	65	58	78	70	47	69	64	69	63	808	122.8	...
Eye diseases ...	3	6	4	7	7	4	4	6	3	8	2	2	56	8.5	...
Abscess and Ulcer ...	47	58	65	94	90	69	68	44	41	49	73	45	743	112.9	26
Wounds and Accidents ...	49	40	55	54	41	44	42	43	34	38	38	47	525	79.8	...
All other Causes ...	136	120	156	191	192	142	174	168	155	135	155	149	1,873	284.7	...
	690	571	627	735	650	664	761	703	688	613	681	720	8,112		
Admitted per 1,000 of the Average Strength in each Month.															
	103.2	84.6	91.5	109.0	98.6	101.7	116.4	105.7	103.0	103.8	102.4	114.4		1,233.0	

III.—STATISTICS OF INDIVIDUAL STATIONS—CANNANORE, 1870-79.

CLXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CANNANORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	738	46.5	39.1	38.1	27.9	28.8	38.5	44.1	41.6	49.5	23.8	30.8	53.1	39.3
1871	...	828	49.6	40.6	32.5	32.5	43.4	67.6	73.9	66.0	55.8	51.1	55.6	60.8	51.9
1872	...	747	86.9	81.3	50.8	41.5	35.5	45.3	56.9	55.2	53.5	64.9	45.9	53.3	56.2
1873	...	631	64.8	51.1	48.2	67.1	68.0	64.2	67.5	79.4	89.1	73.3	66.7	118.1	68.1
1874	...	600	97.6	52.2	58.8	46.4	44.3	50.6	71.2	82.9	73.7	83.5	76.7	68.7	66.7
1875	...	618	80.5	74.1	39.9	53.8	46.8	52.5	49.5	58.3	50.0	48.2	46.3	39.2	55.0
1876	...	700	35.2	30.0	37.7	36.6	34.8	38.3	33.9	39.5	45.4	49.6	49.9	53.7	41.4
1877	...	638	49.9	43.9	46.5	36.1	36.4	31.7	49.1	60.1	57.0	58.8	72.1	72.7	51.7
1878	...	646	63.3	50.0	35.6	53.6	35.9	35.0	52.5	55.4	66.3	59.7	71.9	63.3	52.6
1879	...	433	58.1	77.3	90.0	102.0	107.9	113.4	101.7	84.0	93.4	92.5	80.4	104.0	90.1
Ten Years, 1870-79	...	6,579	61.6	53.8	46.1	47.3	45.5	51.4	58.4	60.6	61.2	61.7	56.3	64.2	55.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	1.4	112.4	1.4	1.4	44.7	122.0	55.5	...	35.2	12.2	44.7	124.7	12.2	127.4	67.7	154.4	917.3
1871	...	1.2	19.3	202.9	1.2	13.3	198.1	68.8	...	30.2	16.9	20.5	100.9	3.6	109.9	77.3	208.9	1,119.5
1872	18.7	133.9	1.3	10.7	154.0	83.0	...	62.9	22.8	38.8	108.4	2.7	129.9	84.3	342.7	1,255.7
1873	44.4	202.8	...	1.6	271.0	169.6	...	76.1	12.7	55.5	96.7	4.7	156.9	60.2	405.7	1,781.3
1874	5.0	215.0	1.7	5.0	168.3	95.0	...	86.7	10.0	70.0	96.7	8.3	130.0	48.3	281.7	1,405.0
1875	6.5	139.1	77.7	50.2	...	29.1	6.4	27.5	121.4	4.9	89.0	58.2	279.9	1,003.2
1876	257.2	1.4	...	22.9	48.6	...	17.1	4.3	15.7	101.4	15.7	82.9	85.7	128.5	821.4
1877	322.9	100.3	62.7	...	7.8	15.7	29.8	87.8	11.0	70.5	75.2	148.9	1,020.4
1878	...	3.1	...	275.5	3.1	...	133.1	34.1	...	40.2	10.8	35.6	168.7	9.3	133.1	102.2	246.1	1,277.0
1879	80.8	80.8	90.1	...	90.1	16.1	90.1	263.3	16.1	92.4	164.0	970.0	2,152.4
Ten Years, 1870-79	...	5	10.0	196.5	1.1	4.0	126.6	81.9	...	45.3	12.9	40.3	122.8	8.5	112.9	79.8	289.6	1,233.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	10.84	10.84	8	1	3	...	1	...	1	2	...
1871	16.91	16.91	14	3	1	2	5	1	1
1872	13.39	13.39	10	4	...	1	1	1	1	...
1873	25.36	25.36	16	6	1	6	2
1874	5.00	21.67	16	2	5	5	1	...	3
1875	4.85	3	2	...	1
1876	2.86	4.28	5	1	1	...	1	2
1877	6.27	6.27	8	2	...	1	...	1	4
1878	...	3.10	...	17.02	13	2	1	1	2	3	...	1	1	1	...
1879	11.55	5	1	3
Ten Years, 1870-7930	1.37	13.23	98	2	...	15	2	3	2	17	27	...	4	5	6	6	9

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	1	...	1
1873
1874
1875
1876
1877
1878
1879	2	2
Ten Years, 1870-79	1	2	3

III.—STATISTICS OF INDIVIDUAL STATIONS—MALLIAPOORUM, 1870-79.

CLXXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MALLIAPOORUM during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January ...	946	39	41·2	2	2
February ...	936	34	36·3	1	1
March ...	925	23	30·3	1	1
April ...	923	30	32·5	1	1
May ...	931	46	49·4	2
June ...	930	48	51·6
July ...	919	53	57·7	2
August ...	901	45	49·9	2	1	1
September ...	899	40	44·5
October ...	909	36	39·6
November ...	884	34	38·5	4	...	2	1	1
December ...	945	35	37·0
						2	...	2	...	1	2	...	3	...	2	2	1
Died per 1,000 of the Average Strength.																										
For the Ten Years	921	39	42·3	15	16·29	2·17	...	2·17	1·09	2·17	...	3·26	...	2·17	2·17	1·09

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera	2	100·00
Smallpox
Enteric Fever	...	2	1	3	66·67
Fever, Intermittent	2	2	1	3	2	...	1	11	...
Fever, Remittent and Continued	...	11	6	3	4	15	4	9	2	2	1	9	5	...	11·9	...
Apoplexy	13	71	1·41
Delirium Tremens	13	15·38
Dysentery	...	11	9	...	10	14	12	21	14	14	8	10	7	135	146·6	2·22
Diarrhea	...	10	2	5	6	2	7	5	4	4	1	4	5	55	59·7	...
Hepatitis	...	2	6	5	6	7	5	8	14	4	8	5	9	79	85·8	2·53
Spleen disease
Respiratory diseases	...	1	36	...
Phthisis Pulmonalis	...	1	1	1	...	2	2	12	39·1	...
Scurvy	13·0	...
Rheumatism
Veneral diseases	...	2	...	1	2	2	27	29·3
Eye diseases	...	5	3	2	2	8	13	2	4	7	7	5	5	63	68·4	...
Abscess and Ulcer	1	1	3	3·3
Wounds and Accidents	...	7	9	7	11	10	8	3	3	8	3	6	9	84	91·2	...
All other Causes	...	3	12	2	5	5	3	5	1	6	5	4	4	54	58·6	...
	...	14	4	8	13	17	19	12	11	7	20	19	24	168	182·4	...
	69	56	40	65	105	85	73	68	53	60	72	75	821			...
Admitted per 1,000 of the Average Strength in each Month.																
	72·9	59·8	43·2	70·4	112·8	91·4	79·4	75·5	59·0	66·0	81·4	79·4	891·4			...

III.—STATISTICS OF INDIVIDUAL STATIONS—MALLIAPOORUM, 1870-79.

CLXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MALLIAPOORUM in
each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNR.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	79	62·5	37·5	37·5	75·0	87·5	87·5	75·0	78·9	55·6	59·7	29·9	40·0	63·3
1871	...	"	96	102·0	81·6	61·9	41·2	42·1	63·2	84·2	63·8	63·8	53·2	63·8	38·5	62·5
1872	...	"	96	100	20·2	10·1	20·2	50·5	30·3	70·7	70·0	50·5	30·3	12·7	50·6	31·3
1873	...	"	81	61·1	78·9	42·9	66·7	51·1	91·9	108·1	98·8	53·8	53·8	10·9	61·9	61·9
1874	...	"	98	20·0	20·0	32·3	30·6	60·0	50·0	60·0	61·0	63·2	70·7	73·9	81·6	51·0
1875	...	"	96	51·9	32·6	31·3	20·2	30·0	30·0	30·9	21·3	42·1	52·6	40·8	20·4	31·3
1876	...	"	93	20·0	51·0	42·6	10·6	21·3	42·1	42·6	43·0	21·1	...	21·1	11·1	32·3
1877	...	"	93	29·0	10·0	10·1	20·8	43·0	43·5	56·2	46·0	11·2	34·1	23·5	20·0	32·3
1878	...	"	95	40·0	30·3	20·4	10·2	10·2	20·6	30·9	10·4	10·6	...	11·5	23·3	21·1
1879	...	"	93	30·3	10·6	20·2	46·0	102·0	81·6	42·6	22·5	35·3	45·5	77·8	66·7	43·3
Ten Years, 1870-79	...		921	41·2	36·3	30·3	32·5	49·4	51·6	57·7	49·9	44·5	39·6	38·5	37·0	42·3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission- rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	63·3	25·3	139·2	63·3	88·6	...	38·0	12·7	12·7	139·2	12·7	113·9	63·3	265·8	1,038·0	
1871	20·8	229·2	20·8	218·7	62·5	104·2	...	52·1	20·8	41·7	52·1	...	135·4	62·5	218·8	1,239·6	
1872	20·8	...	166·7	62·5	31·2	...	104·2	10·4	41·7	52·1	10·4	20·8	31·2	218·8	770·8	
1873	37·0	...	395·1	222·2	148·2	...	37·0	12·4	37·0	86·4	...	209·9	37·0	185·2	1,407·4	
1874	20·4	...	163·3	71·4	163·3	...	10·2	...	40·8	91·8	30·6	163·3	755·1	
1875	41·7	...	10·4	...	62·5	...	20·8	93·8	10·4	93·8	41·7	187·4	562·5	
1876	182·8	...	32·3	32·3	64·5	...	32·3	10·7	64·5	32·3	...	86·0	86·0	118·3	742·0	
1877	10·7	193·6	...	118·3	32·3	43·0	...	75·2	21·5	21·5	118·3	...	32·3	32·3	204·3	903·3	
1878	...	21·1	10·5	126·3	10·5	10·5	10·5	10·5	52·7	315·8	
1879	96·8	139·7	...	120·0	64·5	139·8	193·6	225·8	1,301·0	
Ten Years, 1870-79	...	2·2	3·3	89·0	14·1	5·4	146·6	59·7	85·8	...	39·1	13·0	29·3	68·4	3·3	91·2	58·6	182·4	891·4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	12·66	12·66	1	
1871	41·67	41·67	4	2	1	1	
1872	10·41	20·83	2	1	
1873	12·35	12·35	1	1	1	
1874	
1875	
1876	10·75	10·75	1	1	
1877	10·75	10·75	1	1	
1878	...	21·05	...	21·05	2	2	
1879	32·26	32·26	3	2	...	1	
Ten Years, 1870-79	...	2·17	1·09	16·29	15	2	...	2	1	2	...	3	2	...	2	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878	2
1879
Ten Years, 1870-79	2	...	2

CLXX.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Angemia.
January ...	923	44	47·7	2	1	...	1
February ...	922	46	49·9	2	1	1
March ...	907	33	36·4	2	1
April ...	901	36	40·0	1
May ...	914	40	43·8	1	1
June ...	934	39	41·8	3	1	1
July ...	910	48	52·7
August ...	880	46	52·3	1
September ...	866	55	63·5	1
October ...	813	56	68·9	2	2
November ...	1,016	49	48·2
December ...	925	39	42·2	1	1
						1	...	1	1	...	5	...	4	3
						1
						Died per 1,000 of the Average Strength.																
For the Ten Years	909	44	48·4	16	17·60	1·10	1·10	1·10	...	5·50	...	4·40	3·30	1·10

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever	1
Fever, Intermittent	1	1	1	2	...	2	1	2	2
Fevers, Remittent and Continued	14	3	5	6	8	6	7	3	4	5	3	9
Apoplexy	1	2	...	1	1
Delirium Tremens	1	2
Dysentery	17	6	6	7	4	7	7	4	7	5	10	4
Diarrhoea	5	3	2	3	6	6	4	3	3	4	4	10
Hepatitis	7	3	5	8	8	4	1	5	3	7	6	8
Spleen disease	1	1
Respiratory diseases	1	7	1	4	7	1	7	7	5	3
Phthisis Pulmonalis	3	1	...	1	...	3	2	1	1
Scorvy
Rheumatism	13	4	10	3	4	2	2	2	2	3
Veneral diseases	13	21	17	15	10	6	9	15	28	18	18	11
Eye diseases	...	1	1	1	2	1
Abscess and Ulcer	7	7	7	6	8	4	9	5	8	7	8	5
Wounds and Accidents	12	3	4	5	12	8	9	4	8	7	7	5
All other Causes	18	15	22	9	18	17	16	19	10	22	16	16
	102	67	69	70	79	68	84	69	81	88	82	79	938			
Admitted per 1,000 of the Average Strength in each Month.																
	110·5	72·7	76·1	77·7	86·4	72·8	92·3	78·4	93·5	108·2	80·7	85·4	1,031·9			

III.—STATISTICS OF INDIVIDUAL STATIONS—CALICUT, 1870-79.

CLXXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CALICUT in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For 10 Months.	77	35.3	23.5	23.5	23.5	23.5	11.8	23.5	38.5	38.5	13.3	26.0
1871	For the Year	78	27.0	29.0	14.5	25.3	50.0	75.0	62.5	50.0	38.5	64.1	51.3	44.0	51.3
1872	"	86	32.6	34.5	22.2	45.5	45.5	56.8	46.0	34.5	37.0	35.7	38.0	25.6	34.9
1873	"	81	65.8	81.1	55.6	70.4	94.6	60.2	100.0	88.6	87.5	72.3	59.4	71.4	74.1
1874	"	99	49.0	38.8	30.3	20.4	21.1	30.6	84.2	80.0	93.7	110.0	100.0	122.4	60.6
1875	"	116	84.2	65.4	42.1	60.0	80.0	70.7	72.9	70.7	113.4	92.8	20.0	39.2	60.3
1876	"	95	20.0	29.7	40.4	10.2	31.2	19.8	41.2	43.0	21.5	23.3	12.2	10.1	21.1
1877	"	97	30.3	52.1	30.6	30.9	20.6	21.1	42.6	21.2	74.5	92.8	70.0	20.0	41.2
1878	"	98	60.0	80.0	60.6	70.7	30.9	49.0	31.3	72.9	83.3	62.5	97.8	50.0	61.2
1879	"	96	70.0	60.0	40.8	46.5	49.0	29.1	30.0	20.0	30.3	54.3	35.7	11.9	41.7
Ten Years, 1870-79	...	909	47.7	49.9	36.4	40.0	43.8	41.8	52.7	52.3	63.5	68.9	48.2	42.2	48.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	26.0	...	13.0	26.0	13.0	26.0	...	26.0	116.8	...	51.9	90.9	181.8	571.4	
1871	...	12.8	77.0	25.6	...	51.3	...	51.3	12.8	76.9	25.6	166.7	217.9	153.9	871.8	
1872	46.5	...	23.3	93.0	127.9	81.4	...	46.5	23.2	...	104.7	11.6	58.1	127.9	104.7	848.8	
1873	197.5	24.7	...	123.5	172.8	111.1	...	74.1	12.3	12.3	148.2	...	98.8	49.3	518.6	1,543.2	
1874	60.6	111.1	50.5	202.0	10.1	151.5	50.5	80.8	70.7	10.1	101.0	101.0	333.4	1,333.3	
1875	77.6	60.3	51.7	43.1	...	34.5	17.2	25.9	293.1	...	112.1	60.3	319.0	1,094.8	
1876	210.5	31.6	10.5	42.1	...	21.1	...	10.5	136.8	...	31.6	21.1	126.3	642.1	
1877	92.8	92.8	92.8	103.1	...	30.9	10.3	...	226.8	20.6	82.5	51.5	165.0	969.1	
1878	61.2	...	20.4	265.3	20.4	51.0	...	30.6	10.2	112.3	357.1	...	91.8	132.6	153.2	1,306.1	
1879	72.9	10.4	...	41.7	41.7	41.7	...	41.7	...	20.8	354.1	...	83.3	104.2	83.3	895.8	
Ten Years, 1870-79	1.1	93.5	5.5	5.5	92.4	58.3	74.8	2.2	47.3	13.2	30.8	199.1	6.6	89.1	94.6	217.9	1,031.9

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		<i>a</i> Violent Deaths.	<i>b</i> Diseases.																
1870	12.99	12.99	1	1
1871	51.28	51.28	4	1	1	1
1872	11.63	11.63	1
1873
1874	10.10	10.10	1
1875
1876	31.58	31.58	3
1877	20.62	20.62	2
1878	10.20	20.41	3	1
1879	10.42	1	1
Ten Years, 1870-79	1.10	16.50	17.60	16	1	1	1	...	5	4	3	...	1

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—TRICHINOPOLY, 1870-79.

CLXXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying TRICHINOPOLY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
January	2,518	192	76·3	3	...	1	2	1	1	1
February	2,537	189	73·1	6	1	1
March	2,765	188	68·0	4	1	1	1
April	2,769	189	68·3	5	5
May	2,767	183	66·1	11	4	2
June	2,756	211	76·6	7	2	...	1	1	1	...
July	2,764	208	75·3	6	...	2	1	1	...	1
August	2,762	185	67·0	4	1	...	2
September	2,725	188	69·0	7	...	1	1	2	1	1	...	1
October	2,719	217	79·8	8	1	1	2	2	1	...	1
November	2,661	208	78·2	2	2	1
December	2,468	174	70·5	1	1
						4	3	14	2	2	1	13	1	2	3	4	9	...	6
Died per 1,000 of the Average Strength.																									
For the Ten Years	2,688	194	72·2	64	23·81	1·49	1·12	5·21	·74	·74	·37	4·84	·37	·74	1·12	1·49	3·35	2·23

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	70	4	7	18	20	2	1	122	45·4	...
Cholera	1	2	...	2	1	6	2·2	66·67
Smallpox	1	1	4	...
Enteric Fever	1	1	4	...
Fever, Intermittent	31	22	29	16	12	8	17	14	13	13	38	27	240	89·3	...
Fevers, Remittent and Continued	12	17	44	68	46	50	33	23	30	21	19	23	386	143·6	78
Apoplexy	...	1	...	5	6	5	2	...	1	2	...	1	23	8·6	60·87
Delirium Tremens	2	2	2	3	3	12	4·4	16·67
Dysentery	8	12	5	15	9	24	14	28	14	14	12	12	167	62·1	1·20
Diarrhoea	14	5	10	7	11	18	15	10	12	10	15	8	135	50·2	7·4
Hepatitis	12	19	10	11	20	20	21	12	18	19	10	21	193	71·8	6·74
Spleen disease	1	3	1	5	1·8	20·00
Respiratory diseases	10	5	8	9	13	12	9	10	4	7	10	3	100	37·2	2·00
Phthisis Pulmonalis	2	3	2	...	2	2	3	3	1	3	1	1	23	8·6	17·39
Scurvy
Rheumatism	8	7	2	11	8	11	10	10	10	7	5	8	97	36·1	...
Veneral diseases	48	43	59	46	39	34	46	33	48	46	28	54	524	194·9	...
Eye diseases	2	3	2	2	1	5	3	8	6	3	5	...	40	14·9	...
Abscess and Ulcer	19	31	26	48	51	54	35	30	33	47	20	22	416	154·8	55
Wounds and Accidents	14	23	23	33	29	36	29	25	27	19	27	27	312	116·1	...
All other Causes	58	51	48	57	56	61	63	52	50	83	49	52	680	253·0	...
	310	246	278	333	305	343	305	259	288	314	241	261	3,483		
Admitted per 1,000 of the Average Strength in each Month.															
	123·1	95·1	100·5	120·3	110·2	124·5	110·3	93·8	105·7	115·5	90·6	105·8	1,295·8		

III.—STATISTICS OF INDIVIDUAL STATIONS—TRICHINOPOLY, 1870-79.

CLXXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying TRICHINOPOLY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	277	59.4	63.9	56.6	61.9	58.8	63.8	60.4	65.1	38.5	68.1	69.1	82.1	61.4
1871	...	280	101.1	95.7	88.7	60.1	47.1	51.1	47.6	44.0	62.5	62.0	72.5	44.9	64.3
1872	...	311	66.0	66.5	55.9	62.9	63.3	72.8	76.7	79.9	87.1	74.2	68.4	64.1	70.7
1873	...	288	86.5	83.9	102.0	73.3	74.1	84.2	98.6	78.0	56.5	93.4	84.7	96.6	83.3
1874	...	257	96.0	61.7	46.4	108.1	91.8	105.4	80.4	67.6	91.9	93.5	98.1	113.2	85.6
1875	...	281	157.9	79.7	72.7	72.8	88.9	88.3	89.2	73.7	71.0	80.6	89.7	77.2	85.4
1876	...	268	49.2	67.4	61.1	76.6	61.5	80.3	74.5	64.7	86.6	85.7	79.1	79.1	74.6
1877	...	288	69.3	92.8	84.5	37.5	47.5	74.6	68.5	65.5	79.0	96.9	94.1	69.0	72.9
1878	...	272	78.5	77.2	59.7	54.0	54.5	73.8	89.6	59.9	48.7	67.7	55.4	47.6	62.5
1879	...	166	39.8	39.9	44.1	82.2	69.0	62.1	55.6	68.5	61.6	69.4	68.5	39.0	54.2
Ten Years, 1870-79	...	2,688	76.3	73.1	68.0	68.3	66.1	76.6	75.3	67.0	69.0	79.8	78.2	70.5	72.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	433.3	3.6	3.6	75.8	83.0	86.6	3.6	32.5	14.5	21.7	122.7	32.5	216.6	173.3	220.2	1,523.5
1871	253.6	3.6	7.1	50.0	32.1	57.1	...	50.0	17.9	39.3	107.1	3.6	135.7	132.2	225.0	1,114.3
1872	160.8	6.4	9.6	48.2	28.9	135.1	3.2	22.5	12.9	12.9	147.9	22.5	141.5	122.2	424.4	1,299.0
1873	152.8	6.9	3.5	90.3	17.4	76.4	3.5	34.7	...	31.2	163.2	3.5	100.7	166.7	604.1	1,454.9
1874	...	3.9	381.3	19.5	...	93.4	31.1	35.0	...	73.9	...	19.5	186.8	...	210.1	120.6	245.2	1,420.3
1875	...	10.7	128.1	14.2	...	28.5	64.1	64.1	...	35.6	3.5	69.5	181.5	32.0	217.1	85.4	174.3	1,099.6
1876	138.1	18.7	3.7	97.0	52.2	89.5	...	33.6	7.5	33.6	74.6	14.9	130.6	56.0	287.3	1,037.3
1877	260.4	34.7	104.2	76.4	...	62.5	13.9	45.1	340.3	6.9	118.1	90.3	395.8	1,548.6
1878	...	11.0	213.2	11.0	11.0	69.9	47.8	47.8	7.4	11.0	7.4	7.4	338.3	14.7	150.7	117.7	213.2	1,345.6
1879	222.9	...	6.0	24.1	36.1	18.1	...	6.0	6.0	18.1	349.4	18.1	120.5	78.3	72.3	975.9
Ten Years, 1870-79	...	2.2	232.9	8.6	4.4	62.1	50.2	71.8	1.8	37.2	8.6	36.1	194.9	14.9	154.8	116.1	298.8	1,295.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	21.66	21.66	6	
1871	3.57	17.86	21.43	1	3	...	1	1	...	1	
1872	3.22	12.86	16.08	
1873	3.47	20.84	24.31	
1874	15.56	15.56	1	...	1	
1875	...	7.12	...	21.35	28.47	1	
1876	3.73	29.85	33.58	1	1	
1877	3.47	10.42	13.89	
1878	...	7.35	3.68	40.44	51.47	1	
1879	6.02	6.02	1	
Ten Years, 1870-79	...	1.49	2.23	20.09	23.81	64	4	3	14	2	3	13	1	2	3	6	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	2	1	3
1877
1878	...	1	2	3
1879
Ten Years, 1870-79	...	1	2	...	2	1	6

III.—STATISTICS OF INDIVIDUAL STATIONS—ST. THOMAS' MOUNT, 1870-79.

CLXXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ST. THOMAS' MOUNT during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	3,590	233	64·9	14	2	...	7	3	1	...	1
February ...	3,747	256	68·3	5	1	...	1	1	1
March ...	3,806	217	57·0	4	1	...	1	2
April ...	3,765	230	61·1	9	2	2	...	2	3
May ...	3,609	252	69·8	11	7	...	1	3
June ...	3,574	223	62·4	7	1	2	1	2
July ...	3,683	219	59·5	6	1	1	3	1	...	1
August ...	3,540	215	60·7	4	1	...	1	2
September ...	3,565	234	65·7	6	1	...	1	1	1	1	1
October ...	3,553	242	68·1	5	1	2	1
November ...	3,567	239	67·0	3	1	...	1	1
December ...	3,667	241	65·7	6	1	2	1	...	1
						1	...	5	...	1	11	1	14	...	17	9	5	9	...	7
Died per 1,000 of the Average Strength.																										
For the Ten Years	3,639	233	64·0	80	21·98	·28	...	1·37	·28	3·02	·28	3·85	...	4·67	2·47	1·37	2·47	1·92

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872) ...	2	2	10	25	72	9	4	...	2	126	34·6	...
Cholera	1	2	·5	50·00
Smallpox	1	2	·5	...
Enteric Fever	8	2·2	62·50
Fever, Intermittent ...	14	4	6	14	6	8	21	12	11	5	6	9	116	31·9	...
Fever, Remittent and Continued ...	29	29	44	67	73	40	25	30	30	39	17	14	437	120·1	...
Apoplexy	1	4	31	4	1	41	11·3	26·83
Delirium Tremens ...	3	1	4	1	3	...	1	22	6·1	4·55
Dysentery ...	38	30	19	22	18	13	24	22	21	28	22	24	281	77·2	4·98
Diarrhoea ...	10	18	25	14	12	10	23	7	14	27	19	23	202	55·5	...
Hepatitis ...	32	17	34	26	21	19	25	36	23	23	38	23	317	87·1	5·36
Spleen disease	1	3	·8	...
Respiratory diseases ...	12	14	21	18	7	10	18	18	12	22	12	17	181	49·7	...
Phthisis Pulmonalis ...	3	4	1	4	3	5	3	1	4	5	45	12·4	11·11
Scurvy	1	1	·3	...
Rheumatism ...	8	15	13	14	9	14	16	12	15	14	15	...	148	40·7	...
Veneral diseases ...	67	48	72	90	83	43	71	50	70	55	75	63	787	216·3	...
Eye diseases ...	4	4	2	2	4	3	5	8	10	9	3	6	60	16·5	...
Abscess and Ulcer ...	32	38	35	50	52	65	59	36	37	39	36	29	508	139·6	...
Wounds and Accidents ...	32	58	54	40	44	34	40	29	35	46	42	38	492	135·2	...
All other Causes ...	61	45	66	69	71	75	97	80	59	81	48	70	822	225·9	...
Admitted per 1,000 of the Average Strength in each Month.															
347	326	404	463	512	353	436	344	347	397	340	332	4,601			
96·7	87·0	106·2	123·0	141·9	98·8	118·4	97·2	97·3	111·7	95·3	90·5	1,264·4			

III.—STATISTICS OF INDIVIDUAL STATIONS—ST. THOMAS' MOUNT, 1870-79.

CLXXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ST. THOMAS' MOUNT in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year.	464	78.7	77.4	54.9	57.4	93.0	80.3	77.1	73.0	61.0	51.8	65.0	70.1	69.0
1871	"	397	96.6	102.1	52.8	52.5	38.3	35.7	43.0	52.9	56.9	51.6	46.6	57.8	55.4
1872	"	401	58.5	66.4	59.7	62.1	86.8	72.8	45.9	48.8	75.1	108.2	87.2	55.2	69.8
1873	"	351	59.5	62.2	46.5	56.1	59.1	54.5	44.4	55.7	56.3	56.7	71.4	93.5	59.8
1874	"	354	46.7	47.6	48.6	66.1	52.9	44.9	56.0	41.9	56.0	64.6	73.2	70.9	56.5
1875	"	372	75.3	74.3	64.0	58.0	54.6	46.6	65.8	74.6	72.0	74.4	80.1	80.3	67.2
1876	"	350	55.2	67.3	56.7	56.3	65.9	60.8	51.1	62.7	66.0	74.1	46.3	52.0	60.0
1877	"	325	38.3	31.4	54.6	62.3	79.8	73.0	68.2	55.4	58.6	53.2	57.6	49.2	55.4
1878	"	318	68.1	78.5	81.5	85.0	101.6	82.2	62.5	63.3	71.2	68.6	57.7	71.9	75.5
1879	"	308	61.5	66.0	54.1	60.8	66.2	76.2	86.2	80.8	87.0	82.2	87.4	62.5	71.4
Ten Years, 1870-79	...	3,639	64.9	68.3	57.0	61.1	69.8	62.4	59.5	60.7	65.7	68.1	67.0	65.7	64.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	4.3	131.5	60.3	...	116.4	38.8	109.9	...	60.3	6.5	17.3	247.8	34.5	129.3	109.9	211.2	1,278.0
1871	35.3	5.0	12.6	27.7	37.8	138.5	...	80.6	45.3	57.9	123.4	20.2	88.2	133.5	188.9	994.9
1872	...	7.5	124.7	10.0	10.0	62.3	32.4	104.7	...	47.4	29.9	59.9	192.0	15.0	134.7	104.7	493.7	1,431.4
1873	148.1	8.6	8.6	83.3	99.7	76.9	...	37.0	2.8	42.7	145.3	8.6	179.5	133.9	242.2	1,222.2
1874	...	2.7	282.5	2.8	5.6	101.7	65.0	50.8	...	36.7	5.6	14.1	166.7	5.7	161.1	146.9	228.8	1,276.8
1875	129.0	2.7	5.4	53.8	80.6	88.7	...	40.3	2.7	56.5	172.0	18.8	137.1	115.6	371.0	1,276.9
1876	...	3.1	231.4	91.4	68.6	108.6	...	60.0	2.9	34.3	125.7	11.4	125.7	205.7	297.1	1,371.4
1877	258.4	3.1	3.1	83.1	76.9	80.0	...	64.6	6.2	67.7	304.6	9.2	141.5	163.1	212.3	1,480.0
1878	116.4	3.1	15.7	56.6	34.6	53.4	...	28.3	6.2	25.2	349.1	15.7	157.2	119.7	179.2	1,160.4
1879	84.4	87.6	26.0	32.5	...	32.5	9.7	32.5	383.1	19.5	155.8	133.1	140.4	1,146.1
Ten Years, 1870-79	...	5	152.0	11.3	6.1	77.2	55.5	87.1	8	49.7	12.4	40.7	216.3	16.5	139.6	135.2	261.3	1,264.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	53.88	53.88	25	2	1	7	...	5	6	1	2	1	...	
1871	5.04	15.11	8	1	
1872	19.95	19.95	
1873	5.70	5.70	4	
1874	2.82	5.65	3	
1875	...	2.69	2.69	18.81	24.19	9	1	2	
1876	20.00	29.00	7	
1877	21.54	21.54	7	1	
1878	18.87	18.87	6	1	
1879	3.25	6.49	3	1	1	
Ten Years, 1870-79	...	28	19.78	21.98	80	1	...	5	1	11	1	14	17	9	5	9	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	1	1
1877
1878	1	1
1879
Ten Years, 1870-79	1	1	2

III.—STATISTICS OF INDIVIDUAL STATIONS—MADRAS, 1870-79.

CLXX XVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MADRAS during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.		Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.
January ...	6,887	430	62·4	11	...	2	1	1	1	...	3
February ...	6,869	405	59·0	9	...	1	1	1	3
March ...	7,184	392	54·6	10	...	5	1	3
April ...	7,122	413	58·0	6	...	2	1	3
May ...	6,829	434	63·6	7	...	1	2	1	1
June ...	6,726	430	63·9	11	...	3	1	1
July ...	6,512	446	68·5	6	3	1	1
August ...	6,697	457	68·2	7	...	1	1	1
September ...	6,481	424	65·4	8	1
October ...	6,638	404	60·9	2	1	...	1	4
November ...	6,791	448	66·0	2
December ...	7,160	449	62·7	8	...	1	...	1	1
						16	...	1	...	2	11	1	4	...	6	...	2	8	6	10	2	18
Died per 1,000 of the Average Strength.																									
For the Ten Years	6,825	428	62·7	87	12·75	2·34	...	·15	·29	1·61	·15	·59	...	·88	...	·29	1·17	·88	1·47	·29	2·64

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)	3	5	43	118	58	51	16	1	...	295	43·2	...												
Cholera	3	5	2	1	22	3·2	72·72												
Smallpox	1	7	1												
Enteric Fever												
Fever, Intermittent	1	2	3												
Fevers, Remittent and Continued	26	31	19	21	34	25	19	21	13	18	20	24	271	39·7												
Apoplexy	34	25	30	53	89	134	172	75	60	50	52	22	796	116·6												
Delirium Tremens	3	...	1	1	3	4	4	16	2·3												
Dysentery	5	5	2	3	2	...	2	3	3	6	6	3	40	5·9												
Diarrhea	16	19	26	20	11	12	21	24	18	17	26	28	238	34·9												
Hepatitis	22	23	24	24	17	21	31	28	14	20	22	26	272	39·9												
Spleen disease	37	27	27	29	30	28	31	31	32	36	37	30	375	55·0												
Respiratory diseases	2	1	2	3	3	2	1	3	1	18	2·6												
Phthisis Pulmonalis	24	42	47	38	54	43	54	59	36	43	47	34	521	76·3												
Scurvy	11	3	6	4	1	6	7	12	4	11	15	9	89	13·0												
Rheumatism	1	1	...												
Veneral diseases	24	19	31	30	32	22	34	44	35	25	32	30	353	52·5												
Eye diseases	137	142	158	143	133	103	112	121	122	115	128	127	1,541	225·8												
Abscess and Ulcer	6	4	9	11	8	3	14	6	8	14	4	11	98	14·4												
Wounds and Accidents	37	49	46	82	103	93	66	71	44	59	42	42	734	107·6												
All other Causes	50	64	61	73	59	52	36	59	39	47	45	84	669	98·0												
	...	131	118	147	179	169	147	193	186	167	170	161	137	1,905	279·1												
567																572	641	721	753	740	917	802	649	648	642	609	8,261
Admitted per 1,000 of the Average Strength in each Month.																											
82·3																83·3	89·2	101·2	110·3	110·0	140·8	119·8	100·1	97·6	94·5	85·1	1,210·4

III.—STATISTICS OF INDIVIDUAL STATIONS—MADRAS, 1870-79.

CLXXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MADRAS in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	841	46.8	49.1	43.0	51.8	60.6	51.0	59.1	66.9	75.4	66.9	50.5	51.2	55.9
1871	...	751	59.5	63.5	53.1	51.1	70.8	65.2	67.5	67.9	52.8	51.9	63.1	66.7	61.3
1872	...	742	54.9	61.9	76.2	89.6	96.9	95.4	81.5	103.6	96.0	49.0	55.9	45.9	74.1
1873	...	801	58.8	45.2	46.2	37.7	45.7	59.6	63.1	62.3	66.9	69.8	86.1	77.8	59.9
1874	...	646	107.3	50.2	48.3	59.1	49.3	50.5	65.1	72.8	58.8	64.7	80.7	92.1	65.0
1875	...	562	84.2	58.5	67.0	67.1	69.2	61.6	69.1	60.4	59.2	50.4	59.0	45.7	62.3
1876	...	649	68.3	76.5	38.9	43.4	40.8	27.6	49.3	50.1	49.2	46.7	47.7	45.6	46.2
1877	...	708	41.8	51.5	50.2	45.3	47.4	46.7	52.4	47.1	43.7	50.4	56.8	53.9	49.4
1878	...	634	60.2	84.4	81.2	83.3	91.7	100.8	94.4	93.0	98.0	97.7	93.9	84.9	88.3
1879	...	492	80.0	76.1	45.0	56.8	73.1	101.1	91.9	57.1	53.1	60.9	69.2	70.2	69.1
Ten Years, 1870-79	...	6,825	62.4	59.0	54.6	58.0	63.6	63.9	68.5	68.2	65.4	60.9	66.0	62.7	62.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	9.5	...	86.8	2.4	10.7	9.5	35.7	25.0	1.2	66.6	11.9	28.5	181.9	14.3	71.3	110.6	258.0	923.9
1871	82.6	1.3	14.6	13.3	36.0	39.9	...	62.6	5.3	29.3	159.8	8.0	133.2	117.2	296.9	1,000.0
1872	250.7	8.1	8.1	32.3	70.1	70.1	...	145.6	12.1	106.4	140.2	26.9	153.7	184.6	777.6	1,986.5
1873	78.7	1.2	3.7	36.2	20.0	66.2	7.5	45.0	26.2	91.1	118.6	6.2	148.6	98.6	305.9	1,053.7
1874	...	1.5	171.9	3.1	1.5	72.8	4.6	97.5	12.4	63.5	26.3	61.9	161.0	15.5	72.8	96.0	368.4	1,230.7
1875	...	1.8	258.0	1.8	1.8	33.8	28.5	60.5	...	51.6	19.6	33.8	258.0	10.7	89.0	64.0	209.9	1,124.6
1876	13.9	...	121.7	1.5	...	47.8	41.6	66.3	4.6	72.4	3.1	43.1	260.7	4.6	127.9	58.5	225.0	1,101.7
1877	5.7	...	84.7	1.4	1.4	43.8	49.4	35.3	...	62.1	4.2	39.6	261.3	22.6	69.2	42.4	175.2	898.3
1878	149.8	1.6	7.9	36.3	69.4	50.5	...	116.7	14.2	25.2	422.7	15.8	91.5	86.7	228.7	1,317.0
1879	392.3	...	6.1	32.5	44.7	44.7	...	79.3	6.1	58.9	390.2	20.3	109.8	103.7	341.4	1,630.0
Ten Years, 1870-79	3.2	*3	156.3	2.3	5.9	34.9	39.9	55.0	2.6	76.3	13.0	52.5	225.8	14.4	107.6	98.0	322.4	1,210.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phtisis Pul- monalis.	All Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	7.13	8.32	9.52	24.97	21	6	1	2	1	1	...	3	7	
1871	...	4.00	5.32	9.32	7	1	...	1	...	1	...	1	3	
1872	...	1.35	10.78	12.13	9	4	1	...	2	1	
1873	...	1.25	6.24	7.49	6	1	2	1	1	1	
1874	...	3.10	13.93	17.03	11	1	2	...	2	...	
1875	...	1.78	3.56	7.12	7	1	1	...	1	1	
1876	...	9.25	1.54	12.33	8	6	1	
1877	...	4.24	...	11.39	8	3	1	...	1	1	
1878	7.15	12.62	8	1	1	1	
1879	...	3.15	9.47	4.07	2	1	2	1	2	
1879	...	2.03	2.04			1	1	
Ten Years, 1870-79	2.34	2.93	7.48	12.75	87	16	...	1	2	11	1	4	6	...	2	8	6	20	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	7	8
1871
1872
1873
1874
1875
1876	1
1877	...	3	5	2	2	1
1878
1879
Ten Years, 1870-79	...	3	1	7	5	2	2	...	1	1	22

III.—STATISTICS OF INDIVIDUAL STATIONS—RANGOON, 1870-79.

CLXXXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying RANGOON during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.	
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.			All other Causes.
January ...	7,931	389	49.0	11	2	...	5	...	1	1	...	2
February ...	7,999	399	49.9	13	1	2	...	2	...	1	1	3	...	2
March ...	8,662	367	42.4	5	1	...	1	1	...
April ...	8,222	365	44.4	5	1	...	2	...	1
May ...	8,350	410	49.1	6	1	1	3
June ...	8,175	413	50.5	7	1	...	3	1	...	1
July ...	8,180	462	56.5	11	4	2	...	1	2
August ...	8,059	442	54.8	11	...	3	1	...	3	...	1	1	2
September ...	7,919	419	52.9	15	6	...	3	...	3	4	1	...	1
October ...	7,821	419	53.6	12	1	1	...	3	...	2	1	3
November ...	7,871	413	52.5	10	1	3	1	...	3
December ...	8,547	429	50.2	13	5	1	1	1	...	5
						3	1	3	...	1	5	2	33	...	17	...	1	11	3	12	3	24
Died per 1,000 of the Average Strength.																									
For the Ten Years ...	8,145	411	50.5	119	14.61	.37	.12	.37	.12	.61	.25	4.05	...	2.0912	1.35	.37	1.47	.37	2.95

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	1	...	19	60	73	50	58	34	295	36.2	...
Cholera	5	1	1	7	.9	42.86
Smallpox4	33.33
Enteric Fever	3	...	1	1	18	2.2	16.67
Fever, Intermittent ...	32	45	22	15	29	46	35	48	54	43	46	229	644	79.1	...
Fever, Remittent and Continued ...	62	62	67	45	64	66	89	45	51	71	69	47	738	90.6	14
Apoplexy ...	2	...	1	3	4	1	...	2	1	1	15	6.7	3.64
Delirium Tremens ...	4	5	5	6	7	5	6	6	1	6	3	1	55	107.3	3.78
Dysentery ...	91	57	39	37	67	81	128	84	83	66	65	76	874	58.2	3.29
Diarrhea ...	40	38	39	27	44	45	52	38	33	37	39	42	474	63.5	...
Hepatitis ...	48	41	41	37	42	36	47	49	46	54	42	34	517	1.4	...
Spleen disease	1	1	1	1	...	1	3	1	2	11	51.8	24
Respiratory diseases ...	54	30	25	27	29	27	32	30	39	58	33	38	422	5.2	7.14
Phthisis Pulmonalis ...	2	3	4	3	2	2	4	4	4	5	6	3	42	.1	...
Scurvy	1	...	1
Rheumatism ...	30	27	28	28	31	49	39	32	33	40	39	23	399	49.0	...
Veneral diseases ...	131	107	131	161	115	113	120	106	77	99	104	91	1,355	166.4	...
Eye diseases ...	8	7	8	4	5	5	8	3	5	10	8	6	77	9.4	...
Abscess and Ulcer ...	57	61	62	67	79	71	87	51	64	53	52	60	764	93.8	49
Wounds and Accidents ...	71	70	80	63	55	61	62	61	66	63	55	85	792	97.2	...
All other Causes ...	130	114	106	107	145	140	177	157	164	146	129	132	1,647	202.2	...
Admitted per 1,000 of the Average Strength in each Month.															
763	673	662	652	779	821	948	775	757	757	693	870	9,150			
96.2	84.1	76.4	79.3	93.3	100.4	115.9	96.2	95.6	96.8	88.0	101.8	1,123.4			

III.—STATISTICS OF INDIVIDUAL STATIONS—RANGOON, 1870-79.

CLXXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying RANGOON in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	770	76.5	77.8	69.3	64.9	74.9	82.0	92.4	82.8	68.1	75.9	63.6	30.9	71.4
1871	... "	792	26.4	34.9	46.9	49.2	45.9	46.1	51.2	45.6	47.1	37.3	39.9	33.4	41.7
1872	... "	854	36.8	43.6	40.8	33.5	40.9	47.2	41.9	45.5	33.7	36.2	43.0	29.0	38.6
1873	... "	916	39.4	36.0	38.4	31.2	40.2	34.5	39.7	55.6	59.9	52.7	45.7	45.9	43.7
1874	... "	885	42.7	38.8	37.5	36.8	43.3	41.3	45.8	50.4	50.6	47.5	47.2	56.9	45.2
1875	... "	802	47.8	33.5	22.0	37.1	42.4	52.6	52.3	45.8	49.4	62.4	53.2	64.7	47.4
1876	... "	764	54.4	53.5	44.8	27.4	44.0	42.4	66.9	64.1	60.7	48.6	54.7	67.0	52.4
1877	... "	781	48.2	54.1	52.0	65.6	49.7	50.1	69.9	61.1	63.5	59.8	58.2	42.2	56.3
1878	... "	763	49.2	66.0	48.2	41.7	50.5	60.3	60.7	45.5	45.1	55.4	53.6	42.5	51.1
1879	... "	819	67.5	63.8	32.3	59.8	62.0	53.3	50.0	55.1	52.1	62.2	67.1	100.8	59.8
Ten Years, 1870-79	...	8,145	49.0	49.9	42.4	44.4	49.1	50.5	56.5	51.8	52.9	53.6	52.5	50.2	50.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	1.3	...	270.1	...	23.4	79.2	57.1	74.0	1.3	68.8	3.9	85.7	222.1	29.9	139.0	167.5	281.8	1,505.1	
1871	...	12.6	176.8	2.5	2.5	127.5	55.6	40.4	1.3	42.9	8.8	29.0	203.3	2.5	68.2	80.8	137.7	992.4	
1872	...	2.3	57.4	1.2	...	76.1	36.3	60.9	...	35.1	4.7	32.8	141.7	8.2	94.8	93.7	370.0	1,015.2	
1873	...	5.5	92.8	5.5	...	66.6	113.5	52.4	...	81.9	4.4	41.5	133.2	8.7	105.9	82.9	327.5	1,122.3	
1874	50.9	2.3	7.9	109.6	35.0	80.2	2.3	40.7	4.5	62.1	113.0	4.5	55.4	54.2	185.3	807.9	
1875	98.5	...	21.2	93.5	27.4	56.1	3.7	38.7	2.5	28.7	173.3	7.5	102.2	94.8	213.2	961.3	
1876	74.6	...	9.2	162.3	39.3	79.9	2.6	47.1	13.1	60.2	179.3	13.1	64.1	102.1	209.4	1,056.3	
1877	...	1.3	96.0	2.6	5.1	207.4	39.7	62.7	...	53.8	2.6	46.1	185.7	9.0	76.8	84.5	233.0	1,106.3	
1878	...	7.9	180.9	2.6	...	128.4	98.3	82.6	1.3	64.2	1.3	79.9	146.8	10.5	132.4	112.7	246.4	1,206.2	
1879	617.8	1.2	...	36.6	75.7	47.6	1.2	44.0	6.1	28.1	179.5	2.4	102.6	108.7	169.7	1,421.2	
Ten Years, 1870-79	...	9	2.2	169.7	1.8	6.7	107.3	58.2	63.5	1.4	51.8	5.2	49.0	166.4	9.4	93.8	97.2	238.9	1,123.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever	Other Fevers	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	3.90	1.29	5.19	4	1	3
1871	10.10	10.10	8	2	1	2
1872	...	4.68	8.20	12.88	11	1	...	1	2	1	4
1873	...	3.27	14.20	17.47	16	1	...	2	...	4	3	2	3
1874	...	2.26	9.04	11.30	10	4	2	1	...	1	2
1875	...	3.74	8.73	12.47	10	1	1	2	1	...	2	3
1876	...	2.62	11.78	14.40	11	6	3	...	2
1877	...	5.12	19.21	24.33	19	1	...	10	1	1	...	2	4
1878	...	3.93	2.62	26.21	20	3	1	5	4	...	1	3	...	1	2
1879	...	4.88	7.33	12.21	10	1	1	...	1	2	1	...	4
Ten Years, 1870-79	...	3.37	3.32	14.61	119	3	1	3	1	5	2	33	17	...	1	11	3	12	27

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872
1873
1874
1875
1876
1877
1878	5	...	1
1879
Ten Years, 1870-79	5	1	1	7

III.—STATISTICS OF INDIVIDUAL STATIONS—TOUNGOO, 1870-79.

CXC.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying TOUNGOO during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January	4,198	164	39.1	4	1	1	1		
February	3,333	160	41.7	2	1	1		
March	4,266	186	43.6	3	2	...	2	...	3		
April	4,519	200	44.3	10	4	...	2	1	1	...		
May	4,610	193	41.9	11	1	1	...		
June	4,567	257	56.3	5	1	4		
July	4,470	250	55.9	11	...	1	2	...	1	1		
August	4,412	251	56.9	4	3		
September	4,387	216	49.2	7	2	...	1	1		
October	4,351	190	43.7	6	1	2	...	1	1	...		
November	4,046	163	40.3	5	1	...	1	1	1	...		
December	3,931	137	34.9	4	1	1		
						1	...	2	...	4	12	2	17	...	13	5	1	1	5	...	9
Died per 1,000 of the Average Strength.																									
For the Ten Years	4,299	197	45.8	72	16.75	.2347	.93	2.79	.47	3.96	...	3.03	1.16	.2323	1.16	...	2.00	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.					
					
Dengue (of 1872)	20	30	11	4	1	66	15.3	...		
Cholera	5	1.2	20.00		
Smallpox	2	1	...	2	1	.2	...		
Enteric Fever	17	66.67		
Fever, Intermittent	...	12	12	6	15	14	27	37	20	10	19	17	200	46.5	...		
Fevers, Remittent and Continued	...	25	15	18	23	38	61	58	33	27	37	30	379	88.2	1.06		
Apoplexy	2	...	5	6	3	2	1	...	19	4.4	63.16		
Delirium Tremens	1	5	5	3	...	3	...	2	1	...	28	6.5	7.14		
Dysentery	...	50	37	34	27	41	78	91	80	73	39	26	37	613	142.6	2.77	
Diarrhoea	...	12	14	18	16	49	67	64	49	40	25	15	19	388	90.3	...	
Hepatitis	...	28	25	28	25	31	47	49	43	43	37	25	26	407	94.7	3.19	
Spleen disease	1	1	.2	...		
Respiratory diseases	...	19	8	21	17	10	17	16	12	12	13	11	16	172	40.0	...	
Phthisis Pulmonalis	...	4	1	5	2	3	6	4	1	2	4	3	39	9.1	2.56		
Scurvy	1	3	1	1	1	1	...	1	9	2.1	...		
Rheumatism	...	8	18	10	6	14	14	18	11	13	9	11	144	33.5	...		
Veneral diseases	...	54	43	52	53	39	49	51	33	27	28	43	500	116.3	...		
Eye diseases	...	4	3	...	4	1	8	4	6	1	3	5	40	9.3	...		
Abscess and Ulcer	...	28	26	43	41	47	24	36	34	21	28	20	17	365	84.9	...	
Wounds and Accidents	...	25	39	48	49	44	37	28	26	18	20	34	404	94.0	...		
All other Causes	...	38	41	57	91	90	93	95	105	76	68	56	841	195.6	...		
													4,624				
Admitted per 1,000 of the Average Strength in each Month.																	
73.1	74.6	81.6	85.4	93.9	116.5	124.8	108.8	90.5	79.3	72.9	65.4	1,075.6					

III.—STATISTICS OF INDIVIDUAL STATIONS—TOUNGOO, 1870-79.

CXCI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying TOUNGOO in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	354	40.8	49.0	44.6	55.4	26.7	38.4	44.4	48.4	43.6	35.3	29.8	41.9	42.4
1871	...	"	375	52.6	45.7	44.0	43.1	44.4	52.6	56.0	37.6	32.3	40.2	41.5	38.9	42.7
1872	...	"	465	17.9	51.1	43.3	39.8	41.8	45.7	44.2	41.2	37.8	33.9	34.2	28.5	38.7
1873	...	"	475	33.8	31.3	38.9	33.4	35.6	47.4	60.2	76.5	57.7	42.9	30.7	34.9	44.2
1874	...	"	430	43.7	36.4	35.9	39.9	34.2	32.3	53.1	58.0	60.3	56.1	44.8	22.7	44.2
1875	...	"	476	45.5	52.2	58.1	76.9	65.9	108.3	78.2	71.3	65.0	54.9	43.8	28.9	63.0
1876	...	"	453	29.9	24.9	39.2	45.3	45.8	86.0	78.6	80.9	69.5	41.4	47.7	46.4	55.2
1877	...	"	418	46.2	33.3	35.8	26.3	48.1	49.1	53.9	71.3	50.6	53.1	51.4	38.9	45.5
1878	...	"	408	54.7	59.7	55.2	43.4	35.8	51.1	51.3	43.0	43.4	41.8	49.9	24.9	46.6
1879	...	"	444	23.9	35.4	40.9	35.8	34.9	40.8	35.9	33.8	27.5	36.2	30.8	43.7	36.0
Ten Years, 1870-79	...		4,290	39.1	41.7	43.6	44.3	41.9	56.3	55.9	56.9	49.2	43.7	40.3	34.9	45.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	127.1	14.1	8.5	81.9	28.2	50.9	...	53.7	8.5	22.6	53.7	22.6	101.7	129.9	254.2	957.6	
1871	242.7	8.0	21.3	34.7	93.3	48.0	...	48.0	2.7	50.7	82.7	29.3	80.0	173.3	230.0	1,194.7	
1872	101.1	2.2	6.5	116.1	43.0	105.4	...	36.6	4.3	34.4	133.3	6.4	101.1	45.1	268.8	1,004.3	
1873	6.3	2.1	52.6	4.2	4.2	259.0	56.8	164.2	2.1	19.0	8.4	25.3	124.2	4.2	29.5	40.0	69.5	871.6	
1874	48.8	...	4.7	246.5	62.8	118.6	...	32.6	9.3	32.6	151.2	...	95.3	37.2	130.2	969.8	
1875	2.1	...	126.1	...	2.1	205.9	159.7	105.0	...	65.1	23.1	12.6	73.5	12.6	105.0	107.2	319.3	1,319.3	
1876	196.5	...	4.4	147.9	209.7	86.1	...	39.7	19.9	59.6	152.3	13.3	108.1	79.5	236.2	1,353.2	
1877	165.1	14.3	7.2	110.0	100.5	78.9	...	40.7	7.2	38.3	129.2	...	67.0	107.6	215.3	1,081.3	
1878	...	2.5	198.5	4.9	2.5	129.9	98.0	90.7	...	22.0	4.9	27.0	149.5	9.8	80.9	105.4	147.0	1,073.5	
1879	...	4.5	114.9	...	6.8	54.1	36.0	76.5	...	45.0	...	33.8	101.4	...	83.3	139.6	223.0	918.9	
Ten Years, 1870-79	...	1.2	.7	134.7	4.4	6.5	142.6	90.3	94.7	.2	40.0	9.1	33.5	116.3	9.3	84.9	94.0	213.2	1,075.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart dis- cases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	22.60	22.60	8	4	1	1	1	1
1871	8.00	8.00	3	2	1
1872	2.15	12.90	15.05	7	1	1	1	1	2	1
1873	18.95	18.95	9	2	1	...	2
1874	9.30	9.30	4	1
1875	4.20	8.41	12.61	6	3	2
1876	6.62	13.25	19.87	9	1	3	...	3
1877	4.78	14.36	19.14	8	1	3	1	1	2
1878	...	2.45	2.45	29.41	34.31	14	1	1	2	...	3	4	2	...	1
1879	9.01	9.01	4	2	2
Ten Years, 1870-7923	2.09	14.43	16.75	72	1	...	2	4	12	2	17	13	...	5	1	6	9

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	2	3
1874	1
1875	1	1
1876
1877
1878	1	1
1879
Ten Years, 1870-79	2	1	...	2	5

III.—STATISTICS OF INDIVIDUAL STATIONS—THAYETMYO, 1870-79.

CXCVII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying THAYET-MYO during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																		Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
January	5,986	181	30·2	3	1	1	1	1
February	5,869	198	33·7	1	1	1
March	6,238	220	35·3	2	1	3
April	7,144	275	38·5	36	...	29	2	1	1
May	7,444	335	45·0	13	...	2	1	...	7	1	1	1
June	7,371	386	52·4	15	...	9	1	2	1	1
July	7,371	386	52·4	15	...	9	2	1	1	2
August	7,285	412	56·6	33	...	21	...	2	...	1	...	2	2	1	1	2
September	7,193	392	54·5	12	...	2	...	2	1	1
October	7,068	374	52·9	17	...	7	...	2	2	1	1
November	7,050	348	49·4	8	...	1	1	1
December	6,919	316	45·7	6	2
December	6,674	261	39·1	6	1	1	1	...	2
						71	...	6	...	2	15	3	4	...	14	...	1	9	5	5	1	16	
Died per 1,000 of the Average Strength.																											
For the Ten Years	6,853	308	44·9	152	22·18	10·36	...	·88	·20	2·19	·44	·58	...	2·04	...	·15	1·31	·73	·73	·15	2·33		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	65	44	30	3	4	2	148	21.6	...
Cholera	41	2	14	34	3	10	2	106	15.5	66.98
Smallpox	1	1	1	...
Enteric Fever ...	2	1	3	4	1	1	12	1.8	50.00
Fever, Intermittent ...	21	27	21	25	35	70	67	42	35	27	21	33	433	63.2	...
Fevers, Remittent and Continued ...	26	23	32	79	99	84	73	103	84	80	76	74	833	121.6	24
Apoplexy	15	1	3	5	4	1	2	...	36	5.3	41.67
Delirium Tremens	1	5	4	1	2	2	3	3	2	2	3	28	4.1	10.71
Dysentery ...	20	21	13	20	37	55	59	42	19	17	21	14	338	49.3	1.18
Diarrhoea ...	12	19	23	46	61	90	155	57	24	21	13	23	544	79.4	...
Hepatitis ...	37	26	24	31	53	52	70	57	72	36	36	24	518	75.6	2.70
Spleen disease	2	1	3	4	...
Respiratory diseases ...	29	27	32	30	24	26	29	26	42	46	35	47	393	57.3	25
Phthisis Pulmonalis ...	1	1	2	5	2	2	2	3	2	4	2	2	28	4.1	17.86
Scurvy
Rheumatism ...	13	17	28	25	32	21	36	15	26	38	24	11	286	41.7	...
Veneral diseases ...	71	62	68	100	49	62	46	30	57	39	48	34	666	97.2	...
Eye diseases ...	5	5	8	5	7	10	7	9	8	10	7	10	91	13.3	...
Abscess and Ulcer ...	42	34	45	62	56	67	74	84	54	56	27	38	639	93.2	34
Wounds and Accidents ...	33	47	57	70	65	58	65	64	76	48	56	86	725	105.8	...
All other Causes ...	72	75	109	170	212	211	182	187	181	175	165	100	1,839	268.3	...
	384	388	470	716	815	878	938	737	697	602	540	502	7,667		
Admitted per 1,000 of the Average Strength in each Month.															
	64.1	66.1	75.3	100.2	109.5	119.1	128.8	102.5	98.6	85.4	78.0	75.2	1,118.8		

III.—STATISTICS OF INDIVIDUAL STATIONS—THAYETMYO, 1870-79.

CXCIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying THAYETMYO in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	438	42.7	42.3	61.3	67.9	77.6	109.3	66.8	50.5	40.9	38.0	38.2	71.4	59.4
1871	...	542	34.1	46.8	42.9	47.0	53.1	61.9	72.1	61.3	69.0	61.7	44.7	48.2	53.5
1872	...	569	22.1	24.6	25.0	30.9	43.7	48.8	47.2	18.9	29.3	34.3	26.0	24.3	31.6
1873	...	583	28.7	38.5	38.3	33.3	35.2	38.7	44.2	42.9	47.0	42.5	40.9	25.6	37.7
1874	...	692	16.7	39.5	35.2	41.6	38.7	36.0	39.0	40.3	39.1	36.8	31.9	30.7	36.1
1875	...	679	21.9	22.7	26.6	29.3	28.7	31.6	46.1	39.2	31.8	30.6	20.5	17.6	29.5
1876	...	673	24.6	27.9	37.6	53.0	57.9	59.5	50.8	53.0	81.9	70.6	72.6	49.4	52.0
1877	...	578	41.1	31.7	29.1	38.3	41.5	47.9	44.6	46.1	46.2	41.8	25.3	33.3	39.8
1878	...	622	45.8	41.9	45.4	29.5	43.7	64.4	59.8	58.4	58.3	58.8	61.3	37.5	49.8
1879	...	1,479	33.3	25.6	19.6	30.3	43.1	50.4	72.2	81.7	64.6	59.4	63.9	49.7	53.4
Ten Years, 1870-79	...	6,853	30.2	33.7	35.3	38.5	45.0	52.4	56.6	54.5	52.9	49.4	45.7	39.1	44.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	86.8	2.3	283.1	..	9.1	95.9	89.0	82.2	4.6	52.5	6.9	111.9	79.9	22.8	175.8	159.8	456.6	1,719.2
1871	232.5	1.8	9.2	72.0	88.6	134.7	...	86.7	11.1	77.5	153.1	7.4	145.7	156.8	265.7	1,442.8
1872	43.9	...	3.5	14.1	22.8	47.4	...	38.7	...	17.6	77.3	17.6	63.3	86.1	448.2	880.5
1873	31.3	1.7	97.8	1.7	5.1	30.9	61.8	60.0	...	56.6	10.3	53.2	44.6	15.4	60.0	85.8	289.9	909.1
1874	1.4	5.8	257.2	...	1.4	63.6	72.3	99.7	...	67.9	1.4	31.8	88.2	4.3	105.5	99.7	157.6	1,057.8
1875	...	2.9	150.3	4.4	5.9	35.3	35.3	76.6	...	33.9	4.4	25.0	100.1	2.9	85.5	78.1	145.8	786.4
1876	...	1.5	124.8	3.0	4.5	32.7	26.7	41.6	...	47.6	1.5	26.7	129.3	16.3	78.8	90.6	419.0	1,044.6
1877	17.3	1.7	121.1	3.5	5.2	32.9	83.0	60.6	...	83.0	1.7	41.5	115.9	15.6	95.2	114.2	316.6	1,109.0
1878	3.2	1.6	319.9	17.7	3.2	48.2	82.0	57.9	1.6	53.0	...	43.4	96.5	17.7	82.0	104.5	286.2	1,218.6
1879	23.6	.7	203.5	10.8	.7	62.2	146.7	85.9	...	57.5	4.7	31.1	91.3	14.9	82.5	106.1	219.5	1,171.7
Ten Years, 1870-79	15.5	1.8	184.8	5.3	4.1	49.3	79.4	75.6	.4	57.3	4.1	41.7	97.2	13.3	93.2	105.8	290.0	1,118.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.															
	A Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.		
		a Violent Deaths.	b Diseases.																		
1870	...	61.64	4.57	4.57	70.78	31	27	1	2		
1871	3.69	11.07	14.76	8	1	1	2		
1872	5.27	5.27	3	1		
1873	...	20.53	1.71	17.16	39.45	23	12	1	...	1	1		
1874	...	1.45	...	5.78	7.23	5	1	2	5	...	1	...		
1875	2.95	4.41	7.36	5	1		
1876	2.97	2.97	5.94	4	1		
1877	...	10.38	1.73	8.65	20.76	12	6	1		
1878	...	3.22	4.83	9.63	17.68	11	2	1	2	1		
1879	...	15.55	2.70	15.56	33.81	50	23	1	3	...	7		
Ten Years, 1870-79	...	10.36	2.48	9.34	22.18	152	71	...	6	2	15	3	4	14	...	1	9	5	17		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	28	1	6	3	38
1871
1872
1873	10	1	4	5	20
1874	1	1
1875
1876
1877
1878	2	8	2	10
1879	4	26	3	2	2
Ten Years, 1870-79	41	2	14	34	3	10	2	106

III.—STATISTICS OF INDIVIDUAL STATIONS—PORT BLAIR, 1870-79.

CXCIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying PORT BLAIR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January	1,232	32	26·0
February	1,172	29	24·7	2	1	...	1
March	1,187	33	27·8	3
April	1,229	29	23·6	1
May	1,210	35	28·9
June	1,208	46	38·1	1	1
July	1,204	36	29·9	2
August	1,187	40	33·7	1
September	1,179	36	30·5
October	1,193	33	27·7
November	1,178	35	29·7	1
December	1,207	32	26·5	1
						1	...	1	1	1	1	2	1	...	4
Died per 1,000 of the Average Strength.																										
For the Ten Years	1,190	35	20·2	12	10·01	·83	·83	·83	·83	·83	1·67	·83	...	3·34	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera
Smallpox	2	2	1·7
Enteric Fever	...	1	1	2	1·7
Fever, Intermittent	...	5	2	4	2	1	16	12	13	5	14	6	4	84	70·1
Fever, Remittent and Continued	3	...	2	1	5	1	4	4	4	2	27	22·5	3·70
Apoplexy	1	...	1	2	1·7	50·00
Delirium Tremens	3	...	2	6	5·0
Dysentery	...	4	1	1	...	2	4	3	4	3	...	2	2	24	20·0
Diarrhea	...	1	3	2	...	2	3	4	6	3	1	...	4	29	24·2
Hepatitis	...	12	6	5	5	9	5	7	7	8	5	5	4	78	65·1
Spleen disease	1	1	2	2	1·7
Respiratory diseases	...	5	5	4	5	4	6	5	7	2	5	9	2	59	49·2
Phthisis Pulmonalis	1	2	...	1	1	5	4·2	40·00
Scurvy
Rheumatism	...	1	4	3	...	5	1	1	3	2	2	2	2	25	20·8
Veneral diseases	...	14	7	10	7	7	5	2	2	6	6	6	8	80	66·7
Eye diseases	...	2	1	1	1	2	2	7	5·8
Abscess and Ulcer	...	3	7	6	...	13	25	5	12	5	...	12	116	96·7	33
Wounds and Accidents	...	10	6	19	7	14	21	11	15	11	14	20	166	138·4	}
All other Causes	...	15	13	10	23	15	27	23	15	19	16	20	218	181·8	
Admitted per 1,000 of the Average Strength in each Month.															

III.—STATISTICS OF INDIVIDUAL STATIONS—PORT BLAIR, 1870-79.

CXCv.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying PORT BLAIR
in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	For the Year	107	27·3	27·3	27·3	18·2	18·2	9·1	9·2	31·6	31·6	18·2	18·2	18·7
1871	...	"	110	18·2	18·2	55·0	36·7	64·8	73·4	82·6	61·2	27·3	50·0	36·4	45·5
1872	...	"	110	27·8	18·5	91·2	9·1	27·3	54·5	36·4	51·8	18·2	9·1	...	27·3
1873	...	"	102	9·3	9·3	9·4	9·5	...	19·8	...	19·8	9·9	...	20·6	9·8
1874	...	"	106	9·3	18·7	...	9·3	18·5	...	9·3	28·0	37·0	28·3
1875	...	"	137	16·4	37·7	28·6	13·3	37·0	20·6	22·6	30·1	45·5	37·9	22·7	11·8
1876	...	"	133	22·2	22·2	29·9	29·9	29·9	37·3	22·2	29·9	22·7	22·7	22·7	23·1
1877	...	"	134	38·5	29·2	29·2	36·8	22·2	30·1	22·4	15·0	15·2	7·6	30·1	52·2
1878	...	"	130	44·8	29·9	22·4	14·9	37·3	44·8	44·8	44·8	70·3	65·6	66·7	46·2
1879	...	"	129	50·8	50·8	44·4	44·8	37·3	59·7	45·5	22·9	22·9	30·5	46·9	38·8
Ten Years, 1870-79	...		1,199	26·0	24·7	27·8	23·6	28·9	38·1	29·9	33·7	30·5	27·7	29·7	29·2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.		ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
		Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	102·8	9·3	18·7	9·3	28·1	...	18·7	9·3	9·3	9·3	...	158·9	140·2	84·2	607·4	
1871	9·1	118·2	...	9·1	27·3	109·1	...	118·2	9·1	36·3	100·0	18·2	172·7	154·5	200·0	1,081·8	
1872	90·9	72·7	27·3	...	9·1	...	9·1	72·7	9·1	54·5	54·5	72·7	527·2	
1873	58·8	9·8	...	19·6	...	9·8	29·4	19·6	58·8	49·0	49·0	392·1	
1874	28·3	18·9	18·9	...	28·3	18·9	...	56·6	75·4	141·5	443·4	
1875	7·3	36·5	21·9	7·3	...	36·5	...	7·3	160·6	...	116·8	124·0	146·0	686·1	
1876	15·0	45·1	...	7·5	15·0	22·6	52·6	7·5	90·2	60·2	180·5	548·8	
1877	14·9	7·4	67·2	...	22·4	...	37·3	67·2	...	29·8	126·9	179·1	634·3	
1878	200·0	38·5	7·7	...	161·5	7·7	23·1	61·5	...	92·3	284·6	400·0	1,384·6	
1879	255·8	7·8	23·3	7·8	38·8	7·8	62·0	...	46·5	69·7	7·8	139·5	279·0	317·8	1,325·6	
Ten Years, 1870-79	1·7	92·6	1·7	5·0	20·0	24·2	65·1	1·7	49·2	4·2	20·8	66·7	5·8	96·7	138·4	183·5	777·3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	9.35	9.35	1	1	
1871	18.18	18.18	2	
1872	
1873	...	9.80	9.80	19.60	2	1	1	
1874	
1875	7.30	7.30	1	1.	
1876	7.52	7.52	1	1	
1877	...	7.46	7.46	14.03	2	1	1	
1878	7.69	7.69	1	1	...	1	
1879	...	15.50	...	15.50	2	2	
Ten Years, 1870-79	3.34	6.67	12	1	1	1	1	...	1	2	1	4	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

[illegible]

III.—STATISTICS OF INDIVIDUAL STATIONS—MOUNT ABOO, 1870-79.

CXCVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MOUNT ABOO during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents. Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.		All other Causes.		
January	697	32	45·9
February	727	35	48·1	3
March	1,287	50	38·9	2
April	1,958	103	52·6	6	2	...	1	1
May	2,059	126	61·2	1
June	1,663	87	52·3	2
July	846	57	67·4	2
August	824	49	59·5	3
September	798	49	61·4	1
October	729	45	61·7	1
November	674	46	68·2
December	563	28	49·7
						2	...	1	2	1	4	...	1	...	1	3	1	2	1	...	2	
						Died per 1,000 of the Average Strength.																				
For the Ten Years	1,069	59	55·2	21	19·64	1·87	·94	1·87	·94	3·74	...	·94	...	·94	2·81	·94	1·87	·94	1·87	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			

Dengue (of 1872)
Cholera
Smallpox
Enteric Fever	1
Fever, Intermittent	67	30	60	75	121	133	162	72	57	171	162	117	1,227	1,147·8	40·00
Fevers, Remittent and Continued	1	1	2	3	4	1	2	17	15·9	5·88
Apoplexy	1	1	...	1	...	1	3	2·8	66·67
Delirium Tremens	1	6	5·6	16·67
Dysentery	...	1	2	...	9	38	35·6	10·53
Diarrhoea	...	2	...	3	12	7	7	16	14	4	71	66·4	...
Hepatitis	1	6	10	8	12	4	52	48·6	1·92
Spleen disease	3	1	7	6·6	...
Respiratory diseases	...	5	...	10	17	13	...	3	3	...	2	...	70	65·5	1·43
Phthisis Pulmonalis	1	1	1	1	5	4·7	20·00
Scurvy
Rheumatism	2	3	...	9	1	7	...	1	...	54	50·5	...
Venereal diseases	9	5	24	44	36	26	17	18	16	9	7	...	217	203·0	...
Eye diseases	...	1	4	15	5	3	1	29	27·1	...
Abscess and Ulcer	...	2	4	9	12	8	12	4	...	3	62	58·0	·89
Wounds and Accidents	5	3	5	23	19	14	3	10	5	10	1	2	100	93·5	...
All other Causes	11	16	25	50	37	16	14	17	10	4	4	5	209	195·5	...
Admitted per 1,000 of the Average Strength in each Month.															
147·8	101·8	125·1	148·1	136·0	143·1	279·0	178·4	141·6	286·7	271·5	246·9	2,032·7			

III.—STATISTICS OF INDIVIDUAL STATIONS—MOUNT ABOO, 1870-79.

CXCVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MOUNT ABOO in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.															
YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	98	153.8	125.0	89.2	81.8	85.2	90.4	95.9	68.5	54.8	71.4	91.8
1871	... "	135	...	70.2	43.5	84.3	112.9	83.3	112.0	114.3	147.1	100.0	148.1	97.6	88.9
1872	... "	148	37.0	74.1	25.2	42.3	55.2	64.7	68.4	59.8	71.4	110.0	153.8	81.1	60.8
1873	... For 11 Months	152	104.3	79.8	59.5	56.0	67.6	59.1	64.2	46.3	56.1	56.8	38.0	...	59.2
1874	... For the Year	107	20.8	35.3	23.5	46.8	55.1	57.0	71.4	73.2	75.9	55.6	35.1	17.5	46.7
1875	... "	106	16.7	51.7	28.2	49.0	52.4	25.8	61.7	61.7	37.0	24.7	13.2	39.5	37.7
1876	... "	73	26.3	13.2	13.2	26.3	17.1	34.2	34.5	17.2	...	17.2	71.4	100.0	27.4
1877	... "	76	17.2	...	12.2	37.7	28.3	24.2	34.5	34.5	34.5	17.2	13.7	27.4	26.3
1878	... "	90	14.1	13.7	27.4	9.0	18.6	18.8	27.4	13.7	54.8	13.9	13.9	14.1	22.2
1879	... "	96	14.9	16.1	17.7	47.6	65.1	47.3	58.8	72.5	28.9	117.6	88.2	44.1	52.1
Ten Years, 1870-79	...	1,069	45.9	48.1	38.9	52.6	61.2	52.3	67.4	59.5	61.4	61.7	68.2	49.7	55.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.																	
YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	...	20.4	1,010.2	...	30.6	30.6	30.6	30.6	...	91.8	275.5	10.2	40.8	122.5	459.2
1871	1,792.6	...	7.4	51.9	81.5	133.3	...	111.1	14.8	51.9	266.7	44.4	51.9	133.3	3,074.1
1872	1,891.9	13.5	...	20.3	168.9	87.8	...	60.8	...	47.3	216.2	13.5	54.0	81.1	2,831.0
1873	1,559.2	...	6.6	6.6	46.0	39.5	...	39.5	...	78.9	98.7	32.9	111.8	125.0	3,302.6
1874	850.5	84.1	46.7	28.0	28.0	140.2	18.7	112.1	56.1	18.7	74.8	74.8	1,755.0
1875	405.7	66.0	37.7	47.2	28.3	37.7	...	37.7	283.0	28.3	18.9	66.0	1,207.5
1876	712.3	13.7	13.7	54.8	...	41.1	68.5	41.1	51.8	68.5	1,123.3
1877	302.6	...	13.1	13.1	39.5	13.1	...	39.5	223.7	...	39.5	131.6	52.7
1878	...	22.2	411.1	33.3	55.6	77.8	...	11.1	155.6	11.1	33.3	44.4	868.4
1879	...	10.4	1,458.4	41.7	72.9	20.8	...	52.1	10.4	20.8	364.6	62.5	62.5	52.1	2,354.2
Ten Years, 1870-79	...	4.7	1163.7	2.8	5.6	35.6	66.4	48.6	6.6	65.5	4.7	50.5	203.0	27.1	58.0	93.5	196.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.																		
YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.												
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.
		a Violent Deaths.	b Diseases.															
1870	30.61	30.61	3	2	1
1871	22.22	22.22	3	1
1872	20.27	20.27	3	1
1873	6.58	26.31	5	1	1
1874	9.35	9.35	1
1875	9.43	9.43	1
1876	13.70	13.70	1	1
1877	13.16	13.16	1
1878	11.11	11.11	1	1
1879	20.83	20.83	2	1	1	...
Ten Years, 1870-79	...	1.87	17.77	19.64	21	2	1	2	1	4	1	...	1	3	1	3

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.														
YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.													Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	
1871	
1872	
1873	
1874	
1875	
1876	
1877	
1878	
1879	
Ten Years, 1870-79	

III.—STATISTICS OF INDIVIDUAL STATIONS—PURANDHAR, 1870-79.

CXCVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying PURANDHAR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January ...	601	50	83·2
February ...	543	37	68·1
March ...	802	66	82·3
April ...	1,187	113	95·2
May ...	1,400	121	86·4	2	1	1
June ...	898	84	93·5
July ...	674	62	92·0
August ...	683	53	77·6	1	1
September ...	665	46	69·2	1	1
October ...	844	73	86·5	1	1
November ...	882	78	88·4	2	1	1
December ...	717	68	94·8
						2	...	1	1	...	2	...	1
						Died per 1,000 of the Average Strength.																				
For the Ten Years ...	825	71	86·1	7	8·48	2·42	1·21	1·21	...	2·42	...	1·21

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever	1	1	1	...	3	3·6	66·67
Fevers, Intermittent ...	36	20	85	94	86	53	43	26	23	46	45	52	609	738·2	...
Fevers, Remittent and Continued ...	1	1	...	8	4	1	4	3	1	3	4	2	32	38·8	3·13
Apoplexy	1	1	...	1	3	3·6	...
Delirium Tremens	1	1	1·2	...
Dysentery	1	4	3	2	3	...	1	3	1	...	18	21·8	5·56
Diarrhoea ...	7	2	2	4	3	5	3	3	4	3	4	5	45	54·6	...
Hepatitis ...	3	1	7	6	2	5	2	1	4	2	5	3	41	49·7	4·88
Spleen disease ...	2	1	2	1	2	...	1	...	1	1	11	13·3	...
Respiratory diseases ...	2	3	13	11	9	6	8	5	5	3	7	10	82	99·4	2·44
Phthisis Pulmonalis ...	1	...	2	3	2	1	1	...	2	3	1	1	17	20·6	...
Scurvy
Rheumatism ...	1	7	7	8	11	12	5	4	3	5	9	5	77	93·3	...
Veneral diseases ...	6	5	22	19	26	10	10	9	7	14	21	8	157	190·3	...
Eye diseases ...	1	3	2	2	1	1	...	3	1	...	14	17·0	...
Abscess and Ulcer ...	3	11	7	11	16	7	8	4	8	14	7	12	108	130·9	...
Wounds and Accidents ...	3	2	4	4	3	1	4	...	1	2	3	3	30	36·4	...
All other Causes ...	24	21	37	82	72	32	39	34	40	40	47	27	495	600·0	...
Admitted per 1,000 of the Average Strength in each Month.															
149·8	136·3	235·7	219·0	172·9	152·6	200·3	131·8	150·4	167·1	176·9	179·9	2,112·7			

III.—STATISTICS OF INDIVIDUAL STATIONS—PURANDHAR, 1870-79.

CXCLX.

*GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying PURANDHAR
in each Year of the TEN YEARS from 1870 to 1879.*

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	60	32·3	42·9	78·7	96·2	75·6	116·9	137·3	90·9	...	83·3	50·0	52·6	83·3
1871	...	53	83·3	41·7	66·7	64·1	61·2	105·3	...	76·9	230·8	129·0	92·0	92·4	75·5
1872	...	64	104·8	61·9	26·3	40·0	33·3	60·6	80·0	90·9	52·6	27·8	62·5
1873	...	33	76·9	76·9	142·9	88·9	76·9	166·7	60·6
1874	...	89	118·9	166·7	125·7	160·3	210·7	118·6	135·6	160·0	143·9	194·2	146·1
1875	...	76	280·0	191·5	144·1	163·0	143·7	93·0	128·6	87·0	111·1	137·9	150·0	62·5	144·7
1876	...	92	100·0	121·2	89·6	89·7	43·8	41·7	31·6	12·3	24·7	40·3	90·9	121·2	54·3
1877	...	126	90·9	93·8	63·7	53·9	49·5	56·6	44·1	46·4	40·3	61·6	53·6	55·6	55·6
1878	...	106	46·4	62·0	66·7	53·9	62·5	100·0	46·5	58·8	41·7	68·0	94·6	62·5	56·6
1879	...	126	97·6	44·4	93·8	121·9	148·1	125·0	127·4	149·3	85·5	77·5	72·9	111·9	111·1
Ten Years, 1870-79	...	825	83·2	68·1	82·3	95·2	86·4	93·5	92·0	77·6	68·2	86·5	88·4	94·8	86·1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	933.3	50.0	66.7	50.0	200.0	33.3	...	133.3	66.7	1,133.3	2,666.6
1871	1,717.0	56.6	113.2	75.5	56.6	94.3	94.3	150.9	18.9	56.6	113.2	...	792.5	3,339.6
1872	843.7	31.2	93.8	46.9	...	93.8	...	62.5	15.6	...	78.1	46.9	1,453.1	1,453.1
1873	575.8	30.3	30.3	60.6	...	30.3	30.3	30.3	121.2	30.3	424.2	1,363.6
1874	269.7	33.7	22.5	56.2	33.7	78.6	11.2	123.6	157.3	44.9	292.2	33.7	606.7	1,764.0
1875	631.6	13.2	65.8	26.3	144.7	...	144.7	236.8	...	157.9	52.7	592.1	2,065.8
1876	293.5	76.1	54.3	43.5	10.9	108.7	10.9	108.7	217.4	10.9	163.0	43.5	304.3	1,445.7
1877	515.8	7.9	47.6	63.5	...	55.6	23.8	63.5	261.9	23.8	87.3	23.8	658.8	1,833.3
1878	...	9.4	622.7	...	9.4	28.3	56.6	47.2	...	37.7	...	37.7	151.0	9.4	56.6	9.4	1,028.3	2,103.8
1879	...	7.9	1,523.8	7.9	71.4	39.7	15.9	214.3	23.8	63.5	381.0	15.9	150.8	55.5	341.3	2,912.7
Ten Years, 1870-79	...	3.6	777.0	3.6	1.2	21.8	54.6	49.7	13.3	99.4	20.6	93.3	190.3	17.0	130.9	36.4	600.0	2,112.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Pulmonary diseases.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	
1871	
1872	
1873	
1874	
1875	11·24	11·24	1	
1876	10·87	10·87	1	
1877	28·30	28·30	3	1	
1878	15·87	15·87	2	
1879	
Ten Years, 1870-79	8·48	8·48	7	2	1	1	2	...	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

[illegible]

III.—STATISTICS OF INDIVIDUAL STATIONS—WELLINGTON, 1870-79.

CC.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying WELLINGTON during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January ...	2,656	184	69·3	5	1	2	1	1
February ...	2,158	139	64·4	4	1	2	1
March ...	2,504	147	58·7	3	1	1	1	...
April ...	4,329	322	66·7	4	1	1	...
May ...	5,303	382	72·0	5	2	1	...
June ...	5,457	418	76·6	10	4	1	1	1	1	...
July ...	5,496	434	79·0	8	...	1	1	1	1	3
August ...	5,561	419	75·4	12	2	...	1	1	1	4
September ...	5,612	399	71·1	3	1	1	1	2
October ...	5,321	363	68·2	5	1	...	1	3
November ...	4,446	272	61·2	7	1	...	1	2	2	1
December ...	3,334	222	66·6	5	1	3	1
						1	...	10	...	2	3	...	4	...	9	...	5	12	3	1	15	2	4
Died per 1,000 of the Average Strength.																									
For the Ten Years	4,390	308	70·2	71	16·17	·23	...	2·28	·46	·68	...	·91	...	2·05	...	1·14	2·73	·68	·23	3·41	·46	·91	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)
Cholera	1	1	...	1	3	7	33·33
Smallpox
Enteric Fever	...	1	1	3	...	4	3	5	2	1	24	5·4	41·67
Fever, Intermittent	...	15	29	40	68	91	89	73	61	46	31	21	600	150·3
Fever, Remittent and Continued	...	11	16	27	34	72	108	113	57	52	49	31	533	132·8	...	34
Apoplexy	...	1	7	2	1	1	...	12	2·7	...	25·00
Delirium Tremens	1	...	2	18	4·1
Dysentery	...	5	4	18	33	36	29	37	23	16	9	10	238	54·2	...	1·63
Diarrhoea	...	2	4	11	42	58	31	29	13	9	11	7	219	49·9
Hepatitis	...	13	13	10	27	29	30	39	20	27	20	15	9	252	57·4	3·57
Spleen disease	1	3	3	6	3	...	2	18	4·1	...
Respiratory diseases	...	31	15	14	43	41	43	54	57	34	44	32	431	98·2	...	1·16
Phthisis Pulmonalis	...	8	3	4	7	7	5	9	7	5	5	6	68	15·5	...	4·41
Scurvy	1	1	2	·5
Rheumatism	...	15	15	20	40	32	33	42	36	38	42	21	353	80·4
Veneral diseases	...	35	11	42	88	88	57	65	42	75	56	44	639	145·6
Eye diseases	...	6	2	5	8	9	16	7	11	5	5	4	86	19·6
Abscess and Ulcer	...	18	12	51	69	41	47	26	38	41	31	17	411	93·6
Wounds and Accidents	...	12	13	15	28	33	36	50	35	52	40	20	360	82·0
All other Causes	...	91	46	88	130	137	123	155	161	113	150	109	1,389	316·4
Admitted per 1,000 of the Average Strength in each Month.																
99·4 85·3 139·4 128·6 130·3 120·2 130·8 107·0 96·8 97·7 78·0 83·1 1,313·4																

III.—STATISTICS OF INDIVIDUAL STATIONS—WELLINGTON, 1870-79.

CCI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying WELLINGTON in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	421	95.2	93.5	89.7	87.0	82.6	83.0	77.7	65.7	66.5	79.4	104.2	72.3	80.8
1871	...	353	68.7	58.2	36.4	65.1	62.8	79.2	62.9	56.9	55.4	55.6	41.5	60.0	62.3
1872	...	293	62.1	41.0	35.5	25.3	51.6	46.7	44.4	45.9	38.0	31.0	57.4	109.9	47.8
1873	...	456	121.2	74.8	97.6	109.0	110.7	93.3	101.9	80.8	76.4	74.7	81.3	60.7	89.9
1874	...	492	56.4	51.5	43.2	65.5	55.3	82.9	81.4	82.1	81.7	71.8	65.4	90.0	71.1
1875	...	509	76.9	61.5	33.1	43.2	55.6	60.0	52.2	45.5	55.6	52.1	34.2	37.4	51.1
1876	...	449	25.2	41.3	67.9	96.3	90.5	110.7	102.7	95.7	96.9	96.9	85.2	74.5	89.1
1877	...	520	69.2	68.8	51.0	68.4	97.5	103.6	116.8	174.3	132.9	100.8	63.3	82.9	101.9
1878	...	408	78.0	49.5	46.1	50.6	60.7	60.3	65.9	47.2	45.3	48.1	36.2	48.4	51.5
1879	...	490	66.2	77.4	67.0	43.2	48.4	44.2	38.6	43.3	46.3	53.5	43.5	55.1	46.9
Ten Years, 1870-79		4,390	69.3	64.4	58.7	66.7	72.0	76.6	79.0	75.4	71.1	68.2	61.2	66.6	70.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission- rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	451.3	2.4	14.3	57.0	61.8	45.1	7.1	140.1	4.7	149.6	114.0	23.8	85.5	121.1	446.6	1,724.4	
1871	...	2.8	158.6	48.2	17.0	68.0	...	96.4	...	87.8	158.6	17.0	124.7	68.0	348.4	1,195.5	
1872	...	3.4	157.0	...	6.8	30.7	34.1	30.7	3.4	54.6	10.3	129.7	41.0	34.1	116.1	64.8	477.8	1,194.5	
1873	...	8.8	225.8	46.1	59.2	105.3	11.0	103.1	17.5	131.6	157.9	24.1	85.5	50.4	449.6	1,475.9	
1874	...	2.0	142.3	...	2.0	30.5	30.5	16.2	2.0	97.6	24.4	95.5	117.9	44.7	85.4	87.4	335.4	1,113.8	
1875	...	2.0	147.3	5.9	...	45.2	15.7	43.2	...	33.4	7.8	15.7	180.7	7.9	62.9	35.4	141.5	744.6	
1876	2.2	11.1	519.0	11.1	15.6	42.3	113.6	84.6	...	211.6	20.0	95.8	129.2	22.3	109.1	122.5	407.6	1,917.6	
1877	3.8	21.2	413.4	5.8	...	103.8	113.5	107.7	5.7	163.5	50.0	76.9	138.5	15.4	82.7	100.0	375.0	1,776.9	
1878	294.1	80.9	36.7	36.7	4.9	22.1	7.3	34.3	166.7	...	95.6	80.9	186.3	1,046.5	
1879	275.5	...	4.1	46.9	4.1	26.5	6.1	42.9	2.0	18.4	210.2	10.2	108.2	85.7	89.8	930.6	
Ten Years, 1870-79	...	7	5.4	283.1	2.7	4.1	54.2	49.9	57.4	4.1	98.2	15.5	80.4	145.6	19.6	93.6	82.0	316.9	1,313.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	11.88	11.88	5	1	1	1	1
1871	2.83	8.50	4	1	1	1	1
1872	10.24	3	1	...	1
1873	19.74	9	1	1	1	2	...	1	2	1
1874	14.23	7	1	2	...	3
1875	11.79	6	3	...	3
1876	2.23	22.27	11	3	...	1	...	1	1	2
1877	...	1.92	1.92	25.01	15	1	...	3	...	1	2	...	1	1	...	5	1
1878	2.45	9.80	5	1	3	...	1
1879	2.04	10.20	6	1	2	...	2	...	1
Ten Years, 1870-7923	1.37	14.57	71	1	...	10	2	3	...	4	9	...	5	12	3	16	6

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH DURING THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	1	1
1878	1	2
1879
Ten Years, 1870-79	1	1	...	1	3

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each JANUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JANUARY OF EACH YEAR.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
1870	...	53,146	3,015	56·7	81	1·52	1·52	2	14	1	3	10	...	15	...	10	7	7	13	
1871	...	55,175	2,847	51·6	82	1·49	1·49	1	4	1	2	13	...	13	11	9	11	
1872	...	57,894	2,903	51·7	65	1·12	1·12	3	6	1	2	1	...	5	...	11	1	10	4	14	6	
1873	...	58,135	3,025	52·0	63	1·08	1·08	3	1	3	2	8	...	13	...	11	9	9	4
1874	...	58,444	2,951	50·5	50	·86	·86	2	...	5	8	1	12	1	6	6	3	1	...	5
1875	...	58,252	3,261	56·0	48	·82	·82	6	...	3	1	1	...	6	...	11	6	7	7
1876	...	57,508	2,894	50·3	50	·87	·85	1	...	8	...	1	...	2	4	...	6	...	6	...	10	4	7	6
1877	...	57,613	2,980	51·7	52	·90	·83	4	...	5	...	1	1	...	6	...	12	...	8	3	6	6	
1878	...	56,738	3,276	57·7	50	·88	·85	2	...	5	...	4	...	1	9	...	11	1	5	1	7	1	3	
1879	...	56,602	4,057	71·7	110	1·94	1·94	9	2	2	4	1	12	...	11	...	37	9	9	1	12	
								7	5	55	6	41	14	7	65	1	110	3	121	60	78	2	1	2	73	
Died per 1,000 of the Average Strength.																										
For the Month	569,507	31,299	55·0	651	1·14	1·13	·01	·01	·10	·01	·07	·02	·01	·12	·00	·19	·01	·21	·11	·14	·00	·00	·00	·13		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JANUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	30	102	132	·2	...
Cholera	7	11	·0	63·63
Smallpox	13	11	5	47	·1	10·64
Enteric Fever	...	1	35	15	19	10	12	25	9	15	18	·3	34·59
Fever, Intermittent	...	1	35	15	19	10	12	25	9	15	18	·3	·05
Fevers, Remittent and Continued...	...	1,734	1,739	860	1,241	940	825	1,028	971	1,024	2,017	21·7	1·51
Apoplexy	...	220	305	279	313	243	304	224	253	232	341	4·8	41·18
Delirium Tremens	...	3	9	2	1	1	6	2	2	2	6	·1	4·29
Dysentery	...	18	24	26	9	12	16	17	19	16	6	·3	3·76
Diarrhoea	...	151	182	195	207	160	130	140	130	178	258	3·0	·05
Hepatitis	...	156	219	260	209	137	160	149	136	216	302	3·4	5·46
Spleen disease	...	209	255	216	224	210	189	161	229	166	157	3·5	1·38
Respiratory diseases	...	15	30	16	17	18	31	18	27	19	26	·4	2·38
Phthisis Pulmonalis	...	366	533	448	448	496	495	481	532	437	841	8·9	20·97
Scurvy	...	32	50	48	41	35	51	26	33	24	32	·7	8·33
Rheumatism	...	4	3	3	...	2	12	·0	4·9
Veneral diseases	...	240	347	352	268	276	241	240	324	250	213	4·9	20·4
Eye diseases	...	1,031	1,178	1,347	830	1,107	1,204	1,038	1,089	1,401	1,376	20·4	1·3
Abscess and Ulcer	...	73	85	119	75	76	68	62	65	69	45	1·3	6·9
Wounds and Accidents	...	365	455	475	395	383	351	344	395	390	339	6·9	8·0
All other Causes	...	336	483	511	442	454	451	413	511	518	413	8·0	12·3
	...	540	747	786	712	614	716	577	776	758	805	7,031	
											57,612		
Admitted per 1,000 of the Average Strength in each January.													
103·4	121·1	103·6	95·5	88·6	90·7	86·0	95·8	101·0	127·7	101·2			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each FEBRUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN FEBRUARY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	51,975	3,036	58.4	59	1.14	1.10	2	...	9	2	5	1	...	6	1	11	...	8	4	4	6	...	1	3
1871	...	56,189	2,977	53.0	52	.93	.93
1872	...	58,028	2,880	49.8	53	.91	.91
1873	...	58,702	2,804	47.8	49	.83	.83
1874	...	59,121	3,005	50.8	49	.83	.83
1875	...	58,733	3,214	54.7	54	.92	.92
1876	...	58,107	2,978	51.3	35	.60	.60
1877	...	58,379	2,969	50.9	41	.70	.63
1878	...	55,776	3,320	59.5	27	.48	.47
1879	...	57,572	3,943	68.5	60	1.04	1.04
								7	5	55	4	21	9	3	38	1	91	...	57	52	61	...	1	4	70
Died per 1,000 of the Average Strength.																									
For the Month	572,582	31,135	54.4	479	.84	.83	.01	.01	.10	.01	.04	.01	.01	.06	.00	.1610	.10	.1000	.01	.12	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH FEBRUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
			
Dengue (of 1872 and 1873)	2	8	10	.0	...
Cholera	...	3	16	.0	43.75
Smallpox	...	3	46	.1	10.87
Enteric Fever	...	12	16	13	14	9	7	12	14	10	122	.2	45.08
Fever, Intermittent	...	1,757	1,168	592	767	693	685	1,065	581	718	1,401	9.447	10.6
Fever, Remittent and Continued	...	273	293	299	303	252	266	315	222	259	370	2.842	5.0
Apoplexy	...	5	4	6	2	3	3	6	2	3	3	37	.1
Delirium Tremens	...	14	16	20	14	9	5	13	13	4	9	117	.2
Dysentery	...	131	137	116	149	147	108	116	89	133	222	1,348	2.4
Diarrhoea	...	204	182	159	157	119	149	171	150	198	238	1,727	3.0
Hepatitis	...	170	246	192	228	230	184	211	162	146	136	1,905	3.3
Spleen disease	...	13	23	34	23	35	29	23	30	12	25	247	.4
Respiratory diseases	...	353	409	386	431	458	497	509	406	383	618	4,450	7.6
Phthisis Pulmonalis	...	31	36	34	35	29	31	33	23	18	22	292	.5
Scurvy	...	5	1	2	1	...	1	2	4	16	.0
Rheumatism	...	244	275	262	260	310	239	314	313	242	242	2,701	4.7
Veneral diseases	...	961	1,005	1,023	852	1,027	1,101	1,359	994	1,417	1,152	10,891	19.0
Eye diseases	...	82	82	94	66	82	57	69	50	68	56	706	1.2
Abscess and Ulcer	...	333	380	426	374	428	362	441	340	370	372	3,835	6.7
Wounds and Accidents	...	382	478	445	452	432	446	587	507	454	405	4,588	8.1
All other Causes	...	621	704	645	728	662	711	824	670	726	744	7,035	12.4
													52,378
													91.5
Admitted per 1,000 of the Average Strength in each February.													
107.7	97.2	82.0	83.0	83.3	83.0	104.9	78.4	92.7	104.9				

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each MARCH of the
TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MARCH OF EACH YEAR.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
1870	...	53,287	3,086	57.9	86	1.61	1.50	6	2	...	8	1	8	12	...	19	13
1871	...	55,969	2,995	53.5	52	.93	.89	2	...	5	4	1	1	5	...	13	...	3	9	3	6	
1872	...	59,916	2,848	47.5	46	.77	.75	1	1	2	2	5	13	...	4	6	6	8	
1873	...	59,409	2,908	48.9	48	.81	.81	...	1	1	4	2	...	5	...	6	...	7	7	1	7	
1874	...	60,163	2,848	47.3	44	.73	.71	1	1	3	2	1	...	4	...	6	...	4	9	4	9	
1875	...	59,382	2,939	49.5	55	.93	.89	2	2	4	5	4	...	3	...	7	...	6	4	7	10	
1876	...	57,805	2,832	49.0	54	.93	.88	1	1	1	...	2	...	11	...	4	11	11	7	
1877	...	58,162	2,813	48.4	36	.62	.57	3	...	5	1	1	...	1	1	2	6	9	
1878	...	57,145	3,123	54.6	53	.93	.91	1	4	5	2	2	...	1	5	...	13	...	1	5	4	7	
1879	...	58,465	3,663	62.7	69	1.18	1.18	...	1	9	1	7	2	2	1	13	...	6	...	13	2	4	10	
								19	10	43	2	36	19	3	54	1	95	1	49	64	53	...	1	7	86		
Died per 1,000 of the Average Strength.																											
For the Month	579,703	30,055	51.8	543	.93	.90		.03	.02	.07	.01	.06	.03	.01	.09	.00	.17	.00	.08	.11	.0900	.01	.15		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MARCH.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	187 7	1878.	1879.			
Dengue (of 1872 and 1873)	302	37	339	·6	...
Cholera ...	9	3	1	...	2	3	4	2	1	...	25	·0	76·00
Smallpox ...	4	...	10	...	6	2	3	4	13	8	65	·1	15·38
Enteric Fever ...	15	8	12	17	15	7	11	7	20	25	137	·2	31·39
Fever, Intermittent ...	1,852	1,143	629	740	891	756	704	558	617	1,260	9,150	15·8	·02
Fevers, Remittent and Continued ...	472	451	436	501	623	465	300	316	436	470	4,470	7·7	·81
Apoplexy ...	5	6	9	6	13	12	7	1	4	4	67	·1	28·36
Delirium Tremens ...	38	23	13	14	14	16	11	12	12	6	159	·3	1·89
Dysentery ...	203	116	95	160	146	189	93	89	126	155	1,372	2·4	3·94
Diarrhoea ...	280	229	192	225	225	244	155	218	250	271	2,269	3·9	·04
Hepatitis ...	258	232	174	246	235	233	182	147	151	136	1,994	3·5	4·76
Spleen disease ...	40	21	19	37	22	35	22	19	10	22	247	·4	·40
Respiratory diseases ...	415	444	355	431	558	385	352	356	314	399	4,009	6·9	1·22
Phthisis Pulmonalis ...	40	36	33	42	36	55	22	27	7	21	319	·6	16·61
Scurvy ...	4	2	3	2	...	1	18	·0	5·56
Rheumatism ...	342	277	275	262	358	310	251	223	245	276	2,822	4·9	...
Veneral diseases ...	1,188	1,042	1,132	904	1,257	1,470	1,096	964	1,296	1,231	11,580	20·0	...
Eye diseases ...	126	110	106	108	130	107	69	86	83	74	999	1·7	...
Abscess and Ulcer ...	489	421	403	444	542	490	370	349	394	358	4,260	7·3	·47
Wounds and Accidents ...	542	463	457	509	680	631	481	550	516	495	5,214	9·0	...
All other Causes ...	890	734	757	869	869	928	771	710	736	743	8,007	13·8	...
	7,192	5,761	5,413	5,564	6,522	6,330	4,908	4,639	5,238	5,946	57,522		
Admitted per 1,000 of the Average Strength in each March.													
	135·0	102·9	90·3	93·7	108·4	106·7	84·9	79·8	91·7	101·7	99·2		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each APRIL of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN APRIL OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	56,187	3,318	59.1	98	1.74	1.30	25	2	12	2	10	2	3	8	...	10	...	4	8	5	7
1871	...	57,920	3,101	53.6	63	1.09	1.04	3	...	3	...	12	7	1	3	...	10	...	3	5	8
1872	...	59,681	2,960	49.6	54	.90	.79	7	2	7	...	2	6	2	4	...	5	...	3	7	6
1873	...	59,122	3,059	51.7	62	1.05	.96	5	3	12	...	6	4	1	5	...	5	...	6	6	5
1874	...	59,422	3,068	51.6	50	.84	.82	1	2	10	...	2	4	2	6	...	9	...	1	4	3
1875	...	59,099	3,121	52.8	48	.81	.68	8	...	10	...	7	7	...	1	...	4	1	3	2	2
1876	...	58,667	2,945	50.2	61	1.04	.78	15	...	5	11	...	1	1	9	5	1	11
1877	...	57,285	2,745	47.9	36	.63	.61	1	...	9	...	2	1	...	2	...	4	...	1	8	4
1878	...	56,887	3,203	56.3	65	1.14	.98	9	6	14	...	2	5	...	1	1	12	4	2
1879	...	59,886	3,638	60.7	98	1.64	1.34	18	1	22	2	13	6	...	12	...	3	1	4	1	6	2	7
								92	16	104	4	56	53	9	43	2	71	2	25	47	44	4	63
Died per 1,000 of the Average Strength.																									
For the Month	584,156	31,158	53.3	635	1.09	.93	.16	.03	.18	.01	.10	.09	.02	.07	.00	.12	.00	.04	.08	.0701	.11	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH APRIL.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	726	2	728	1.2	...
Cholera	37	3	10	13	1	10	30	2	10	34	150	.3	61.33
Smallpox	2	3	9	33	17	3	3	3	20	8	101	.2	15.84
Enteric Fever	24	12	15	32	25	26	15	17	47	62	275	.5	37.82
Fever, Intermittent	1,702	1,248	937	1,376	816	1,013	746	725	863	2,001	11,427	19.6	.04
Fever, Remittent and Continued	717	750	718	1,004	825	914	547	496	884	1,118	7,973	13.6	.70
Apoplexy	10	19	16	17	13	14	19	9	12	21	150	.3	35.33
Delirium Tremens	35	21	21	14	16	8	14	11	10	9	159	.3	5.66
Dysentery	165	130	154	210	159	132	137	120	233	300	1,740	3.0	2.47
Diarrhoea	376	294	310	316	222	325	238	269	410	519	3,279	5.6	.06
Hepatitis	247	215	255	309	195	200	189	155	212	168	2,145	3.7	3.31
Spleen disease	25	32	31	29	20	33	19	23	16	30	258	.4	.78
Respiratory disease	348	383	383	565	389	291	363	288	355	428	3,793	6.5	.66
Phthisis Pulmonalis	39	38	36	28	22	17	33	29	16	24	282	.5	15.60
Scurvy	1	...	1	3	3	2	10	.0	...
Rheumatism	309	285	315	307	282	254	301	235	258	283	2,829	4.8	...
Venereal diseases	1,078	1,051	1,346	977	968	1,089	1,022	885	1,651	1,645	11,712	20.0	...
Eye diseases	102	142	120	132	125	116	99	76	119	114	1,145	2.0	.32
Abscess and Ulcer	454	480	564	589	451	442	394	391	500	485	4,750	8.1	...
Wounds and Accidents	467	445	568	549	423	492	455	526	608	609	5,142	8.8	...
All other Causes	814	827	970	1,097	800	863	825	757	989	1,103	9,045	15.5	...
6,952 6,378 7,505 7,602 5,772 6,242 5,449 5,017 7,213 8,963 67,093													
Admitted per 1,000 of the Average Strength in each April.													
123.7 110.1 125.7 128.6 97.1 105.6 92.9 87.6 126.8 149.7 114.9													

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each MAY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MAY OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	...	56,214	3,629	64·6	107	1·90	1·80	6	2	15	...	22	23	...	8	...	5	...	6	6	3	11
1871	...	57,453	3,333	58·0	101	1·76	1·20	33	...	4	...	9	6	...	7	...	10	...	4	8	5	9
1872	...	59,282	3,227	54·4	106	1·79	1·40	23	4	13	...	9	18	...	9	1	10	...	6	5	3	4
1873	...	59,157	3,153	53·3	72	1·22	1·20	1	3	17	...	1	20	...	1	5	9	...	2	6	2	5
1874	...	59,652	3,208	53·8	52	·87	·85	1	...	10	...	3	10	...	3	...	10	...	3	3	5	7
1875	...	58,808	3,275	55·7	69	1·17	1·02	9	...	9	...	8	6	...	1	4	9	...	1	6	3	12
1876	...	58,106	3,147	54·1	64	1·10	·96	8	...	13	...	2	12	...	3	...	7	...	1	7	3	7
1877	...	57,166	3,028	53·0	58	1·01	·96	3	...	15	...	1	15	...	1	2	7	...	3	1	4	5
1878	...	56,505	3,489	61·7	99	1·75	1·26	28	2	25	17	...	1	3	4	...	2	4	2	11
1879	...	60,329	4,164	69·0	224	3·71	2·01	103	...	29	24	...	1	...	6	...	7	6	3	11
							215	11	150	4	72	151	9	55	3	77	1	32	52	36	2	82
							Died per 1,000 of the Average Strength.																	
For the Month	582,672	33,653	57·8	952	1·63	1·26	·37	·02	·26	·01	·12	·26	·02	·09	·01	·13	·00	·05	·09	·06	·00	·14

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MAY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	867	4	5	876	1·5	...
Cholera ...	5	72	34	2	...	20	9	6	41	120	311	·5	69·13
Smallpox ...	10	4	9	18	8	...	5	2	3	6	65	·1	16·92
Enteric Fever ...	32	16	25	29	21	25	41	44	73	80	386	·7	38·86
Fever, Intermittent ...	2,179	1,975	942	1,422	966	1,050	1,279	1,386	912	2,187	14,298	24·5	·03
Fevers, Remittent and Continued...	1,631	1,354	743	765	1,047	894	1,086	1,018	920	1,287	10,745	18·4	·67
Apoplexy ...	56	12	34	34	23	24	27	27	30	72	339	·6	44·54
Delirium Tremens ...	26	19	19	16	12	22	18	16	19	7	174	·3	5·17
Dysentery ...	168	204	174	137	151	153	163	183	180	223	1,736	3·0	3·17
Diarrhoea ...	362	304	304	213	224	247	260	341	319	467	3,041	5·2	·10
Hepatitis ...	293	299	219	277	240	220	280	248	218	160	2,454	4·2	3·14
Spleen disease ...	32	30	24	31	30	37	38	30	14	21	287	·5	·35
Respiratory diseases ...	439	412	306	310	355	322	419	389	276	358	3,586	6·2	·89
Phthisis Pulmonalis ...	37	45	34	30	27	26	40	33	26	24	322	·6	11·18
Scurvy ...	5	2	1	3	1	2	4	1	1	1	21	·0	...
Rheumatism ...	323	368	274	283	246	253	307	317	235	215	2,821	4·8	...
Venereal diseases ...	989	1,071	794	739	835	889	1,111	1,091	1,150	1,063	9,732	16·7	·41
Eye diseases ...	122	132	130	99	82	124	102	104	104	103	1,102	1·9	...
Abscess and Ulcer ...	486	614	479	395	461	439	439	490	385	396	4,584	7·9	...
Wounds and Accidents ...	493	567	420	396	467	418	497	598	434	421	4,711	8·1	...
All other Causes ...	1,036	1,018	838	890	950	854	1,102	1,084	841	1,005	9,618	16·5	...
											71,209		
Admitted per 1,000 of the Average Strength in each May.													
											155·2	148·3	112·5
											103·0	103·1	102·4
											124·4	129·6	109·4
											136·2	122·2	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each JUNE of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (ex- cluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JUNE OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	56,042	3,733	66·6	99	1·77	1·69	4	1	8	...	10	25	3	13	...	11	1	7	5	5	6
1871	...	57,259	3,570	62·3	81	1·41	1·31	6	...	7	...	11	13	4	6	...	8	...	4	7	5	4
1872	...	59,156	3,334	56·4	126	2·13	1·76	22	...	10	...	4	48	1	4	...	10	...	3	5	6	10
1873	...	59,125	3,293	55·7	77	1·30	1·23	4	...	8	1	3	25	...	3	...	15	...	1	5	6	4
1874	...	59,554	3,366	56·5	69	1·16	1·12	2	...	12	...	8	16	1	4	...	7	5	6
1875	...	58,696	3,386	57·7	119	2·03	1·86	10	...	20	...	9	40	1	...	1	9	5	6	18
1876	...	58,038	3,308	57·0	68	1·17	1·03	8	...	8	...	1	27	1	5	...	6	5	6	4
1877	...	57,232	3,262	57·0	57	1·00	·93	4	...	10	...	3	22	4	1	...	2	5	6	4
1878	...	56,397	3,710	65·8	105	1·86	1·81	3	...	35	...	4	29	2	6	...	10	5	6	8
1879	...	60,204	4,290	71·3	409	6·79	2·39	265	...	23	2	24	46	2	14	3	12	5	1	7
							328	5	141	3	77	291	19	56	6	90	1	26	38	51	3	75	
Died per 1,000 of the Average Strength.																									
For the Month	581,733	35,252	60·6	11,210	2·08	1·52	·56	·01	·24	·01	·13	·50	·03	·10	·01	·15	·00	·04	·07	·09	·01	·13	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JUNE.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	497	16	37	550	·9	...
Cholera ...	10	6	28	8	2	12	10	8	3	370	457	·8	71·77
Smallpox ...	1	...	5	3	8	...	2	1	...	1	21	·0	23·81
Enteric Fever ...	8	18	15	11	20	24	20	18	64	47	245	·4	57·55
Fever, Intermittent ...	2,414	1,795	875	1,531	1,192	1,501	1,227	1,334	1,119	2,303	15,291	26·3	·02
Fever, Remittent and Continued ...	1,122	1,030	970	805	1,100	1,069	873	955	1,170	1,390	10,484	18·0	·73
Apoplexy ...	60	33	112	67	28	81	84	63	72	102	692	1·2	42·05
Delirium Tremens ...	41	25	14	9	13	11	15	15	9	12	164	·3	11·59
Dysentery ...	181	202	167	137	143	181	137	144	185	211	1,688	2·9	3·32
Diarrhoea ...	310	311	275	252	226	325	219	253	202	500	2,873	4·9	·21
Hepatitis ...	281	311	280	268	242	287	258	228	218	238	2,611	4·5	3·45
Spleen disease ...	31	41	29	37	26	36	25	23	12	37	297	·5	·34
Respiratory diseases ...	289	289	276	288	321	305	264	298	254	230	2,814	4·8	·92
Phthisis Pulmonalis ...	50	39	47	53	28	51	32	23	30	32	385	·7	13·25
Scurvy ...	5	3	3	5	4	...	1	1	22	·0	...
Rheumatism ...	341	313	260	293	316	333	265	240	208	226	2,795	4·8	...
Veneral diseases ...	794	778	709	748	823	1,059	789	848	1,086	1,005	8,639	14·9	·37
Eye diseases ...	96	117	99	99	99	113	74	68	85	75	925	1·6	...
Abscess and Ulcer ...	554	482	491	495	520	588	476	416	420	434	4,876	8·4	...
Wounds and Accidents ...	362	370	422	379	417	529	429	473	387	344	4,112	7·1	...
All other Causes ...	946	940	991	908	915	1,203	941	882	915	892	9,533	16·4	...
7,896 7,103 6,565 6,402 6,443 7,708 6,178 6,290 6,439 8,450 69,474													
Admitted per 1,000 of the Average Strength in each June.													
140·9 124·1 110·9 108·3 108·1 131·3 106·4 109·9 114·2 140·4 119·4													

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each JULY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JULY OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	55,886	3,728	66·7	83	1·49	1·25	13	...	2	1	8	17	1	5	1	12	1	1	5	9	7
1871	57,193	3,687	64·5	69	1·21	1·17	2	...	14	...	9	2	3	11	...	11	...	3	1	7	1	5
1872	58,930	3,312	56·2	105	1·78	1·19	35	...	12	...	3	11	1	5	...	13	...	5	6	5	8
1873	58,895	3,463	58·8	79	1·34	1·26	5	1	9	...	4	10	1	5	...	13	...	3	7	9	1	1	...	10
1874	59,440	3,682	61·9	82	1·38	1·30	5	1	10	...	6	13	2	5	...	11	...	2	16	4	7
1875	58,523	3,574	61·1	83	1·42	1·21	12	...	5	...	6	25	2	1	...	4	...	2	4	4	7
1876	57,827	3,373	58·3	85	1·47	1·12	20	...	3	1	3	28	1	7	...	3	...	4	4	5	6
1877	57,170	3,407	59·6	75	1·31	1·19	7	6	11	1	8	...	10	...	1	6	7	10
1878	56,209	3,754	66·8	113	2·01	1·62	22	...	20	...	1	27	1	10	...	10	...	2	4	6	10
1879	59,777	4,550	76·1	224	3·75	1·77	118	...	26	...	15	20	2	12	3	7	...	2	6	4	9
							239	2	108	2	61	164	15	69	9	101	1	25	59	60	1	2	1	79
Died per 1,000 of the Average Strength.																								
For the Month	579,850	36,530	63·0	998	1·72	1·31	·41	·00	·19	·00	·11	·28	·03	·12	·02	·18	·00	·04	·10	·10	·00	·00	·00	·14

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JULY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.		
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.					
Dengue (of 1872, 1873 and 1876)	1,042	56	5	1,103	1·9	...		
Cholera	...	28	3	51	8	...	21	24	10	...	358	·6	66·76		
Smallpox	5	3	...	2	1	1	...	16	·0	12·50		
Enteric Fever	...	11	16	19	19	...	19	22	49	...	238	·4	45·38		
Fever, Intermittent	...	2,346	2,021	1,055	1,781	1,602	1,250	1,384	1,548	3,649	18,035	31·1	·01		
Fevers, Remittent and Continued	...	1,023	1,001	910	989	1,201	899	828	1,015	1,372	16,111	10,849	18·7		
Apoplexy	...	22	11	31	37	...	49	69	43	78	71	447	·8		
Delirium Tremens	...	33	34	29	13	24	24	15	19	17	16	224	·4		
Dysentery	...	175	183	251	212	257	160	163	196	257	316	2,170	3·8		
Diarrhea	...	395	452	697	372	535	459	259	381	404	760	4,714	8·1		
Hepatitis	...	261	326	302	375	329	244	254	261	280	255	2,887	5·0		
Spleen disease	...	46	32	28	49	30	44	38	15	29	51	362	·6		
Respiratory diseases	...	229	281	324	338	386	303	287	195	287	265	2,895	5·0		
Phthisis Pulmonalis	...	60	49	59	63	56	42	37	41	32	30	469	·8		
Scurvy	...	4	...	4	2	3	...	1	1	...	2	18	·1		
Rheumatism	...	310	323	335	324	377	229	295	290	327	3,137	5·4	...		
Venereal diseases	...	773	744	856	899	1,028	844	771	961	1,304	9,385	16·2	...		
Eye diseases	...	107	111	126	88	148	96	62	93	81	104	1,016	1·8		
Abscess and Ulcer	...	498	442	579	586	601	516	454	595	656	5,407	9·4	...		
Wounds and Accidents	...	355	355	452	456	496	395	371	468	465	4,249	7·3	...		
All other Causes	...	919	1,014	1,155	1,236	1,266	952	984	1,043	1,270	11,033	19·0	...		
											79,072				
Admitted per 1,000 of the Average Strength in each July.															
135·9	129·3	141·0	134·2	141·5	111·7	109·3	123·3	151·2	184·9	136·4					

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each AUGUST of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN AUGUST OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	55,675	3,857	69·3	86	1·54	1·54	10	1	15	6	...	8	...	15	10	11	1	9
1871	...	57,087	3,786	66·3	93	1·63	1·59	11	...	10	7	2	12	...	18	9	6	1	13
1872	...	58,817	3,622	61·6	256	4·35	1·45	171	...	14	...	10	9	1	15	...	11	5	5	1	10
1873	...	58,762	3,636	61·9	57	·97	·90	4	...	6	1	6	2	1	5	...	10	5	5	7
1874	...	59,347	3,995	67·3	63	1·06	1·06	13	...	7	5	1	5	...	11	7	4	9
1875	...	58,315	3,474	59·6	137	2·35	·93	83	...	4	...	3	6	...	4	...	9	6	7	10
1876	...	57,763	3,445	59·6	104	1·80	1·28	30	...	18	...	4	7	...	6	...	14	7	6	8
1877	...	57,025	3,595	63·0	60	1·05	1·02	2	...	13	...	5	9	...	4	...	13	1	...	4	3	5
1878	...	56,116	3,995	71·2	134	2·39	1·14	70	...	17	...	7	2	2	6	...	13	5	5	1	7
1879	...	59,644	4,793	80·4	187	3·14	1·91	73	...	25	2	...	9	...	18	4	13	6	5	13
								435	...	131	4	84	62	7	85	8	127	5	12	60	60	1	1	4	91
Died per 1,000 of the Average Strength.																									
For the Month	578,551	38,198	66·0	1,177	2·03	1·28	·75	...	·23	·01	·15	·11	·01	·15	·01	·22	·01	·02	·10	·10	·00	·00	·01	·15	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH AUGUST.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.								
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
Dengue (of:1872 and 1873)	721	86	807	1·4	...								
Cholera	...	5	2	282	10	...	121	45	...	85	650	1·1	...								
Smallpox	1	1	·0	66·92								
Enteric Fever	·4	49·62								
Fever, Intermittent	...	23	16	24	15	34	11	28	24	40	264	36·7	·02								
Fever, Remittent and Continued...	...	3,150	2,694	1,413	1,637	1,839	1,621	2,072	1,483	1,792	21,219	18·1	·80								
Apoplexy	...	1,272	1,193	914	776	1,013	929	969	1,225	1,030	10,491	18·1	·80								
Delirium Tremens	...	6	13	26	7	6	23	13	56	9	180	·3	34·44								
Dysentery	...	40	43	25	17	15	30	26	14	18	238	·6	2·94								
Diarrhoea	...	297	293	342	232	228	262	260	227	280	2,708	4·7	3·14								
Hepatitis	...	601	476	814	423	366	654	517	278	515	5,193	8·9	·15								
Spleen disease	...	341	359	285	287	305	305	293	255	213	2,875	5·0	4·42								
Respiratory diseases	...	34	31	24	27	33	41	29	29	22	302	·5	1·66								
Phthisis Pulmonalis	...	266	357	265	323	303	296	308	273	225	2,830	4·9	·42								
Scurvy	...	45	58	48	44	46	53	48	47	29	449	·8	13·36								
Rheumatism	...	5	3	2	2	2	1	2	3	...	27	·0	3·70								
Veneral diseases	...	361	299	304	291	329	308	326	255	239	2,920	5·0	...								
Eye diseases	...	8·2	918	651	765	765	956	883	971	1,139	8,716	15·1	...								
Abscess and Ulcer	...	178	161	126	108	149	106	128	82	76	1,211	2·1	...								
Wounds and Accidents	...	477	547	386	421	490	517	510	561	428	4,853	8·4	·47								
All other Causes	...	407	408	350	345	317	518	494	460	340	3,990	6·9	...								
	...	1,032	1,245	965	964	1,088	1,143	1,229	1,096	976	10,662	18·4	...								
											80,591										
Admitted per 1,000 of the Average Strength in each August.																					
											167·8	159·7	135·5	115·2	124·0	135·4	141·6	128·8	132·9	153·6	139·3

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each SEPTEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN SEPTEMBER OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	...	55,448	3,961	71·4	86	1·55	1·53	1	...	7	1	12	8	3	11	...	19	...	1	7	10	6
1871	...	56,951	3,703	65·0	75	1·32	1·28	2	...	13	...	14	2	2	6	...	19	...	7	7	2	6
1872	...	58,382	3,950	67·7	232	3·97	2·07	111	...	24	1	11	10	2	21	3	20	...	2	12	4	11
1873	...	58,506	3,772	64·4	93	1·59	1·38	12	...	10	2	13	4	...	9	1	17	1	1	7	4	12
1874	...	59,237	3,937	66·4	88	1·49	1·47	1	...	23	2	8	3	1	10	...	12	...	1	6	7	14
1875	...	58,108	3,575	61·5	121	2·08	1·14	55	...	7	1	5	6	1	7	1	10	...	3	5	13
1876	...	57,584	3,774	65·5	85	1·48	1·13	20	...	20	...	9	4	...	12	1	5	...	3	3	7
1877	...	56,901	3,574	62·8	53	·93	·83	6	...	9	...	4	4	...	10	...	8	...	3	3	4	3
1878	...	55,990	4,571	81·6	151	2·70	1·50	67	1	29	4	6	5	2	7	...	14	...	2	4	4	6
1879	...	59,467	5,120	86·1	152	2·56	1·63	55	...	29	3	11	7	1	12	1	...	6	...	2	3	4	...	18
								330	1	171	14	93	53	12	105	8	130	2	17	57	47	96
Died per 1,000 of the Average Strength.																								
For the Month	576,654	39,937	69·3	1,136	1·97	1·40	·57	·00	·30	·03	·16	·09	·02	·18	·01	·23	·00	·03	·10	·08	·17

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH SEPTEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.														
Dengue (of 1872, 1873 and 1876)	1,309	47	186	1,542	2·7	...											
Cholera ...	2	4	155	14	1	76	29	9	95	69	454	·8	72·69											
Smallpox	1	...	1	1	1	4	·0	25·00											
Enteric Fever ...	15	32	35	30	39	15	40	30	68	67	371	·6	46·09											
Fever, Intermittent ...	3,246	1,962	2,171	2,431	2,763	1,745	2,584	1,168	3,806	6,976	28,852	50·0	·05											
Fever, Remittent and Continued...	1,175	915	1,396	1,179	1,236	1,028	1,120	722	1,562	1,646	11,979	20·8	·78											
Apoplexy ...	16	8	15	8	11	14	8	9	15	22	126	·2	42·06											
Delirium Tremens ...	21	24	31	12	25	23	17	21	12	21	207	·4	5·80											
Dysentery ...	223	199	336	332	281	210	217	172	314	339	2,623	4·5	4·00											
Diarrhoea ...	369	317	464	350	318	408	310	206	382	444	3,568	6·2	·22											
Hepatitis ...	276	305	312	373	367	210	275	213	249	290	2,900	5·0	4·48											
Spleen disease ...	22	41	16	36	22	31	24	36	15	43	286	·5	·70											
Respiratory diseases ...	207	258	232	308	357	252	207	216	281	309	2,627	4·6	·65											
Phthisis Pulmonalis ...	42	47	44	58	66	46	40	35	37	38	453	·8	10·38											
Scurvy ...	3	...	1	3	1	1	6	2	17	·0	...											
Rheumatism ...	263	256	276	342	347	235	248	221	222	286	2,696	4·7	...											
Veneral diseases ...	637	696	587	866	952	722	625	933	1,064	1,156	8,238	14·3	...											
Eye diseases ...	137	109	132	149	133	107	89	76	72	87	1,091	1·9	...											
Abscess and Ulcer ...	391	345	352	526	511	396	375	426	437	460	4,219	7·3	·48											
Wounds and Accidents ...	371	367	318	445	467	376	419	389	372	435	3,959	6·9	...											
All other Causes ...	835	760	861	1,206	1,223	877	1,002	990	1,026	1,124	9,904	17·2	...											
											8,251	6,646	9,043	8,716	9,120	6,801	7,815	5,873	10,036	13,815	86,116			
Admitted per 1,000 of the Average Strength in each September.																								
											148·8	116·7	154·9	148·8	153·0	117·0	135·7	103·2	179·2	232·4	149·4			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each OCTOBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN OCTOBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	53,511	3,720	69.5	103	1.92	1.87	3	...	9	1	12	3	2	14	1	24	3	9	4	2	...	1	15	
1871	...	56,077	3,458	61.7	78	1.39	1.39	10	
1872	...	58,112	3,894	67.0	153	2.63	1.76	51	...	9	1	16	3	1	15	1	26	6	7	10	
1873	...	58,405	3,603	61.7	66	1.13	1.08	3	...	2	1	9	1	...	11	1	11	...	12	5	
1874	...	58,792	3,869	65.8	52	.88	.88	1	2	1	1	1	11	...	9	6	
1875	...	57,693	3,586	62.2	62	1.07	.85	13	...	6	2	13	1	1	1	9	
1876	...	57,688	3,809	66.0	93	1.61	1.11	29	...	11	...	5	3	...	9	...	8	...	1	1	18	
1877	...	56,735	3,408	60.1	49	.86	.72	8	...	4	1	3	2	...	7	1	6	...	1	5	3	8	
1878	...	55,480	4,653	83.9	118	2.13	1.96	9	1	31	4	14	5	2	15	...	10	...	3	2	10	11	
1879	...	57,746	5,325	92.2	117	2.03	1.65	22	...	14	2	20	4	1	15	...	3	...	5	5	
								138	1	103	11	92	24	13	106	9	132	1	35	64	58	2	2	3	97
Died per 1,000 of the Average Strength.																									
For the Month	570,239	39,325	69.0	891	1.56	1.31	.25	.00	.18	.02	.16	.04	.02	.19	.02	.23	.00	.06	.11	.10	.00	.00	.01	.17	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH OCTOBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
			
Dengue (of 1872 and 1873)	1,150	30	345	1,525	2.7	...
Cholera	...	4	...	67	3	...	17	45	...	11	180	.3	76.67
Smallpox	2	.0	50.00
Enteric Fever	...	13	15	18	11	...	7	...	19	...	199	.4	51.76
Fever, Intermittent	...	3,673	2,554	3,959	2,340	2,487	2,265	3,596	5,470	6,602	31,616	60.7	.03
Fever, Remittent and Continued	...	929	827	1,416	641	844	961	1,128	723	2,061	10,473	18.4	.88
Apoplexy	...	6	3	9	...	7	81	.1	29.63
Delirium Tremens	...	34	28	22	3	4	17	10	24	19	204	.4	6.37
Dysentery	...	184	221	345	218	185	189	218	185	300	2,304	4.0	4.60
Diarrhoea	...	237	283	378	190	179	215	238	246	300	2,601	4.6	.35
Hepatitis	...	238	316	371	272	260	222	301	236	267	2,698	4.7	4.89
Spleen disease	...	24	48	32	33	30	44	44	21	30	368	.6	.27
Respiratory diseases	...	231	295	345	294	307	277	339	318	281	2,985	5.2	1.17
Phthisis Pulmonalis	...	44	54	75	46	41	49	63	48	46	506	.9	11.46
Scurvy	1	5	...	2	...	1	...	1	23	.0	8.70
Rheumatism	...	225	337	330	243	284	211	273	247	234	2,585	4.5	...
Veneral diseases	...	688	942	726	631	769	743	800	1,130	1,353	8,762	15.4	...
Eye diseases	...	119	109	125	112	64	117	110	95	80	998	1.8	...
Abscess and Ulcer	...	348	457	425	330	342	339	398	413	463	3,861	6.8	.53
Wounds and Accidents	...	347	471	406	384	423	443	498	459	452	4,245	7.4	...
All other Causes	...	715	977	1,003	807	913	865	1,073	951	1,037	9,282	16.3	...
											88,498		
Admitted per 1,000 of the Average Strength in each October.													
	150.7	141.6	192.8	113.0	122.0	121.1	164.9	121.2	226.0	200.8	155.2		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each NOVEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN NOVEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	54,282	3,288	60·6	85	1·57	1·57	1	...	8	5	...	7	2	25	...	8	4	9	1	...	2	13
1871	...	57,598	3,162	55·0	78	1·35	1·16	11	...	3	1	7	6	3	15	...	1	9	12	8
1872	...	59,126	3,481	58·9	61	1·03	·95	5	...	5	2	6	1	...	9	1	10	...	2	4	6	10
1873	...	58,528	3,250	55·5	73	1·25	1·04	12	...	3	1	6	2	1	4	2	13	...	8	10	2	9
1874	...	59,558	3,644	61·2	59	·99	·99	4	2	2	7	...	18	...	4	3	7	...	1	...	11
1875	...	58,160	3,339	57·4	73	1·26	1·22	2	...	6	...	5	3	...	14	1	7	1	...	11	8	13
1876	...	57,603	3,553	61·7	46	·80	·80	6	1	3	...	1	8	...	9	...	3	5	7	3
1877	...	56,805	3,403	59·9	43	·76	·74	1	...	5	...	1	2	...	2	...	13	...	3	1	3	12
1878	...	57,859	4,662	80·6	117	2·02	1·85	10	...	13	5	16	2	2	16	1	20	...	9	7	7	9
1879	...	59,553	5,173	86·9	89	1·49	1·49	7	2	17	5	...	16	2	12	...	15	1	3	2	7
								41	...	53	14	71	20	6	89	12	142	1	55	55	64	1	1	4	95
Died per 1,000 of the Average Strength.																									
For the Month	579,072	36,955	63·8	724	1·25	1·18	·07	...	·09	·02	·12	·03	·01	·16	·02	·25	·00	·10	·10	·11	·00	·00	·01	·16	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH NOVEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue (of 1872 and 1873)	557	8	79	644	1·1	...										
Cholera	...	1	24	5	16	...	6	...	1	13	67	·1	61·19										
Smallpox	3	1	1	...	4	3	12	·0	...										
Enteric Fever	...	6	8	...	6	10	14	12	11	18	116	·2	45·69										
Fever, Intermittent	...	4,304	1,677	2,860	2,054	2,015	2,842	2,232	1,576	4,399	29,628	51·2	·05										
Fevers, Remittent and Continued	...	594	474	731	402	782	649	636	492	1,284	502	6,546	11·3	1·08									
Apoplexy	...	9	3	5	2	2	5	3	6	4	9	48	·1	41·67									
Delirium Tremens	...	21	20	16	16	9	20	9	10	9	12	142	·2	4·23									
Dysentery	...	199	181	211	207	150	208	161	143	287	233	1,930	3·4	4·49									
Diarrhoea	...	282	245	216	247	205	231	203	182	269	272	2,352	4·1	·51									
Hepatitis	...	266	254	236	224	266	234	248	176	191	182	2,277	3·9	6·24									
Spleen disease	...	26	24	25	31	36	36	29	11	25	41	284	·5	·35									
Respiratory diseases	...	365	274	326	343	396	395	267	300	432	558	3,656	6·3	1·50									
Phthisis Pulmonalis	...	62	51	51	66	51	62	48	36	40	46	513	·9	12·48									
Scurvy	...	4	4	1	3	1	2	2	11	28	·0	3·57									
Rheumatism	...	270	285	223	200	243	238	249	196	207	248	2,359	4·1	} ·55									
Veneral diseases	...	798	807	600	629	822	1,046	741	924	1,334	1,078	8,779	15·2										
Eye diseases	...	110	85	64	84	69	117	76	69	56	53	783	1·4										
Abscess and Ulcer	...	407	461	416	375	366	389	302	298	379	326	3,619	6·2										
Wounds and Accidents	...	404	408	351	359	446	510	426	374	324	392	3,994	6·9										
All other Causes	...	810	720	721	705	849	940	834	793	825	902	8,099	14·0										
8,938														5,908	7,623	5,977	6,719	7,945	6,555	5,602	10,101	10,558	75,926
Admitted per 1,000 of the Average Strength in each November.																							
164·7														102·6	128·9	102·1	112·8	136·6	113·8	98·6	174·6	177·3	131·1

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each DECEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN DECEMBER OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	...	53,281	2,770	52.0	83	1.56	1.54	1	1	6	...	5	...	1	8	13	...	12	12	4	3	17
1871	...	56,818	2,872	50.5	69	1.21	1.20	4	9	8	...	18	12	6	4
1872	...	59,121	3,161	53.5	72	1.22	1.20	1	...	6	1	5	13	13	...	6	11	7	8
1873	...	58,395	3,009	51.5	61	1.04	1.03	1	...	2	...	1	11	1	9	...	7	8	...	1	...	9
1874	...	58,936	3,339	56.6	50	.85	.85	...	1	3	1	2	6	1	...	6	5	12	6
1875	...	57,139	3,036	53.1	51	.89	.89	5	...	5	...	1	6	1	11	...	5	4	8
1876	...	57,591	3,213	55.8	48	.83	.83	5	...	2	...	1	1	...	13	...	3	5	6
1877	...	56,651	3,171	56.0	58	1.02	.94	5	1	6	...	3	...	3	...	12	...	4	3	1	4
1878	...	56,603	4,095	72.3	85	1.50	1.43	4	...	6	6	4	15	2	9	...	13	6	...	1	...	6
1879	...	59,742	4,459	74.6	95	1.59	1.59	...	1	11	3	5	8	1	6	...	34	6	9
							13	4	54	11	35	15	3	88	7	101	...	108	77	67	1	1	8	79
Died per 1,000 of the Average Strength.																								
For the Month	574,277	33,125	57.7	672	1.17	1.15	.02	.01	.10	.02	.06	.03	.01	.15	.01	.1819	.13	.12	.00	.00	.01	.13

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH DECEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	283	8	18	309	.5	...
Cholera ...	1	2	1	2	...	2	...	6	18	.0	72.22
Smallpox ...	1	2	1	...	1	...	4	14	3	2	28	.1	11.29
Enteric Fever ...	11	15	22	7	17	10	16	18	19	18	153	.3	35.29
Fever, Intermittent ...	2,137	1,198	2,179	1,507	1,479	1,726	1,458	1,470	3,257	4,070	20,481	35.7	.05
Fevers, Remittent and Continued...	358	285	521	295	533	379	395	396	653	289	4,104	7.2	.85
Apoplexy ...	1	4	3	...	3	2	1	3	7	2	26	.0	57.69
Delirium Tremens ...	20	13	9	18	11	9	14	14	12	8	128	.2	2.34
Dysentery ...	146	197	247	206	165	167	157	150	311	210	1,956	3.4	4.50
Diarrhoea ...	196	256	341	217	163	238	201	227	447	288	2,574	4.5	.27
Hepatitis ...	179	182	264	258	256	156	193	180	150	200	2,018	3.5	5.00
Spleen disease ...	17	22	25	36	50	30	25	21	27	68	321	.6	...
Respiratory diseases ...	404	386	388	442	574	336	391	308	673	906	4,808	8.4	2.25
Phthisis Pulmonalis ...	35	47	71	33	58	36	46	45	35	40	446	.8	15.02
Scurvy ...	1	1	2	3	3	1	2	...	1	4	18	.0	5.56
Rheumatism ...	193	228	258	237	344	169	226	212	215	275	2,357	4.1	...
Venereal diseases ...	696	947	769	955	1,077	855	754	1,092	1,128	1,177	9,450	16.5	...
Eye diseases ...	81	80	69	112	64	63	66	56	49	58	698	1.2	...
Abscess and Ulcer ...	311	373	359	385	415	300	304	318	396	396	3,471	6.0	.57
Wounds and Accidents ...	437	580	471	518	650	444	569	539	490	605	5,303	9.2	...
All other Causes ...	529	616	791	755	889	588	735	732	864	907	7,406	12.9	...
											66,073		
Admitted per 1,000 of the Average Strength in each December.													
108.0	95.6	119.6	102.6	114.6	96.4	96.8	102.4	152.9	159.4	115.1			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each JANUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JANUARY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	33,149	1,863	56·2	52	1·57	1·57	1	6	1	1	6	...	12	...	9	4	2	10
1871	...	34,170	1,751	51·2	48	1·40	1·40	...	1	3	...	2	1	8	...	11	7	5	8
1872	...	35,743	1,811	50·7	44	1·23	1·23	...	3	4	1	1	...	4	...	7	1	8	3	6	5	
1873	...	36,431	1,784	49·0	35	·96	·96	1	1	4	...	3	...	11	5	6	...	1	...	2	
1874	...	35,743	1,755	49·1	29	·81	·81	1	4	1	3	1	5	6	1	1	4	
1875	...	38,054	2,052	53·9	28	·74	·74	5	...	1	2	...	10	3	2	4	4	
1876	...	36,597	1,874	51·2	35	·96	·96	6	...	1	...	4	...	1	...	7	4	4	6	
1877	...	36,690	1,881	51·3	26	·71	·68	3	...	1	4	...	5	2	1	1	4	
1878	...	35,440	1,971	55·6	24	·68	·65	4	...	2	...	1	...	5	...	4	1	5	1	
1879	...	38,119	2,790	73·2	82	2·15	2·15	...	1	7	2	2	1	5	...	9	...	33	5	6	8	
								2	5	34	5	20	6	4	33	1	54	2	103	40	38	1	1	2	52
Died per 1,000 of the Average Strength.																									
For the Month	360,136	19,532	54·2	403	1·12	1·11	·01	·01	·09	·01	·06	·02	·01	·09	·00	·15	·01	·29	·11	·11	·00	·00	·01	·14	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JANUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1873)	10	10	·0	...
Cholera	1	2	·0	100·00
Smallpox ...	1	2	1	2	...	1	10	...	28	·1	17·86
Enteric Fever	17	4	...	9	6	20	4	8	15	95	·3	35·79
Fever, Intermittent
Fever, Remittent and Continued... ..	1,208	1,251	537	775	656	592	763	708	536	1,372	8,398	23·3	·06
Apoplexy ...	110	158	172	152	117	185	151	149	115	215	1,524	4·2	1·81
Delirium Tremens ...	1	3	1	3	2	3	13	·0	46·15
Dysentery ...	13	9	14	...	3	5	7	9	3	6	74	·2	5·41
Diarrhoea ...	89	89	91	69	62	41	75	67	61	158	802	2·2	4·11
Hepatitis ...	82	135	153	117	62	78	102	84	111	185	1,109	3·1	·09
Spleen disease ...	119	121	122	121	98	86	71	118	76	81	1,013	2·8	5·33
Respiratory diseases ...	11	24	15	15	13	23	15	22	12	19	169	·5	1·18
Phthisis Pulmonalis ...	284	393	282	296	302	399	355	391	317	683	3,702	10·3	2·78
Scurvy ...	19	30	22	19	24	26	16	22	15	18	211	·6	18·01
Rheumatism ...	4	1	1	...	2	8	·0	12·50
Veneral diseases ...	173	235	249	192	195	187	181	253	179	163	2,007	5·6	} 49
Eye diseases ...	701	817	911	568	745	798	666	758	905	921	7,790	21·6	
Abcess and Uleer ...	43	54	82	52	46	54	44	41	36	30	482	1·3	
Wounds and Accidents ...	205	248	280	240	209	235	200	237	222	212	2,288	6·4	
All other Causes ...	209	305	321	305	256	312	233	334	336	257	2,868	8·0	
	253	409	432	415	309	430	332	460	414	513	3,967	11·0	
											36,560		
Admitted per 1,000 of the Average Strength in each January.													
106·3	125·9	103·4	92·3	87·0	91·0	88·3	99·7	91·8	127·4	101·5			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each FEBRUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN FEBRUARY OF EACH YEAR.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
1870	...	32,354	1,832	56·6	34	1·05	1·02	1	...	6	2	2	3	...	8	...	6	...	4	1	...
1871	...	34,413	1,851	53·8	27	·78	·78	5	2	...	6	...	4	...	1	3
1872	...	36,732	1,760	47·9	33	·90	·90	1	1	...	6	...	6	...	1	8
1873	...	36,908	1,680	45·5	24	·65	·65	1	1	...	4	...	12	...	4	6
1874	...	35,878	1,816	50·6	28	·78	·78	1	10	...	3	...	5	3
1875	...	38,113	2,094	54·9	30	·79	·79	1	1	...	6	...	4	...	12	6
1876	...	36,783	1,915	52·1	25	·68	·68	4	...	1	4	...	6	...	3	4
1877	...	36,996	1,870	50·5	24	·65	·65	1	6	...	3	10
1878	...	34,962	2,019	57·7	16	·46	·46	1	3	...	4	1
1879	...	39,007	2,682	68·8	46	1·18	1·18	1	5	2	1	6	...	15	...	2	1	7
								1	5	31	4	12	5	2	10	...	50	...	52	26	38	2	49	
Died per 1,000 of the Average Strength.																										
For the Month	362,146	19,519	53·9	287	·79	·79	·00	·01	·09	·01	·03	·01	·01	·03	...	·14	...	·14	·07	·10	·00	·00	·01	·14		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH FEBRUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1873)	2	2
Cholera	...	2	3
Smallpox	...	3	34
Enteric Fever	...	9	13	4	10	1	2	73
Fever, Intermittent	935	809	395	446	485	470	763	407	345	944	5,999	16'6	...
Fevers, Remittent and Continued...	134	189	150	170	139	136	197	100	141	239	1,595	4'4	...
Apoplexy	...	1
Delirium Tremens	...	10
Dysentery	...	70	67	35	54	50	39	45	34	43	139	576	1'6
Diarrhoea	...	111	117	86	68	65	85	89	72	102	171	966	2'7
Hepatitis	...	100	163	112	120	101	89	122	90	73	79	1,049	2'9
Spleen disease	...	10	19	25	20	22	21	19	23	5	20	184	...
Respiratory diseases	...	257	286	249	300	311	368	355	304	268	495	3,193	8'8
Phthisis Pulmonalis	...	16	21	15	19	11	12	18	15	8	14	149	...
Scurvy	...	4
Rheumatism	...	157	200	203	173	187	165	236	232	164	175	1,892	5'2
Veneral diseases	...	643	677	689	572	637	768	911	671	1,007	764	7,339	20'3
Eye diseases	...	61	48	61	41	54	39	45	31	42	43	465	1'3
Abscess and Ulcer	...	172	228	251	211	239	197	250	199	213	210	2,170	6'0
Wounds and Accidents	...	232	296	246	282	260	283	372	327	267	251	2,816	7'8
All other Causes	...	345	423	385	416	356	436	467	407	406	497	4,138	11'4
											32,732		
Admitted per 1,000 of the Average Strength in each February.													
101'1	103'5	79'5	79'0	81'6	81'9	106'3	79'0	88'7	104'3	90'4			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each MARCH of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MARCH OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.
1870	...	33,441	1,907	57.0	50	1.50	1	...	7	1	7	7	...	10	...	3	3	3	9
1871	...	34,690	1,879	54.2	33	.95	2	...	4	...	3	2	...	9	...	1	6	3	4
1872	...	37,045	1,741	47.0	29	.78	1	3	3	...	9	...	1	6	3	3
1873	...	37,216	1,758	47.2	27	.73	1	3	3	...	4	...	7	4	3	3
1874	...	37,837	1,800	47.6	28	.74	3	3	...	4	...	7	4	3	6
1875	...	38,183	1,932	50.6	35	.92	2	3	3	...	4	...	7	4	3	5
1876	...	36,672	1,831	49.9	30	.82	3	3	3	...	4	...	7	4	3	4
1877	...	36,811	1,782	48.5	23	.62	3	1	1	...	4	...	1	1	3	4
1878	...	35,948	1,950	54.2	23	.64	1	2	1	...	1	1	3	7
1879	...	39,107	2,513	64.3	48	1.23	...	1	9	1	5	...	1	5	...	3	...	11	1	2	8
							13	6	33	2	23	8	1	26	...	49	1	33	35	32	...	1	5	53
Died per 1,000 of the Average Strength.																								
For the Month	366,950	19,093	52.0	326	.89	.85	.04	.02	.09	.01	.08	.02	.00	.0713	.00	.09	.10	.0900	.01	.14

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MARCH.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.														
														
Dengue (of 1872 and 1873)	7	1	8	.0	...											
Cholera	...	2	...	1	...	2	...	1	17	.0	76.47											
Smallpox	...	4	41	.1	14.63											
Enteric Fever	6	5	2	...	1	16	...	36.67											
Fever, Intermittent	...	10	6	3	8	5	9	4	23	.3	...											
Fevers, Remittent and Continued...	1,091	752	430	476	537	534	483	385	333	781	5,802	15.8	.03											
Apoplexy	289	263	179	316	347	278	169	198	232	290	2,561	7.0	1.09											
Delirium Tremens	...	1	3	4	2	7	5	...	3	2	34	.1	23.53											
Dysentery	...	23	9	7	8	8	5	...	6	4	83	.2	1.20											
Diarrhoea	...	116	61	48	68	97	48	35	46	112	698	1.9	3.72											
Hepatitis	...	169	142	108	110	144	100	114	149	202	1,383	3.8	...											
Spleen disease	...	165	136	113	129	137	110	85	73	85	1,146	3.1	4.28											
Respiratory diseases	...	21	19	12	28	17	17	15	8	19	183	.5	.55											
Phtthisis Pulmonalis	...	278	284	222	318	404	262	259	214	312	2,809	7.7	1.17											
Scurvy	...	26	18	14	22	20	42	13	17	2	185	.5	17.30											
Rheumatism	...	3	1	...	2	...	1	...	1	...	12	.0	8.33											
Veneral diseases	...	234	198	193	171	228	229	187	158	174	202	1,974	5.4	...										
Eye diseases	...	819	720	789	589	823	996	735	616	890	7,745	1.1	...											
Abscess and Ulcer	...	90	74	68	70	83	71	39	59	63	51	608	1.8	...										
Wounds and Accidents	...	253	244	217	249	312	268	222	211	244	207	2,427	6.6	...										
All other Causes	...	332	286	292	302	358	403	322	375	319	284	3,273	8.9	...										
	...	517	443	407	485	544	601	469	443	515	4,876	13.3	...											
										36,015														
Admitted per 1,000 of the Average Strength in each March.														132.9	105.6	84.1	90.3	106.3	107.8	87.2	81.3	89.9	99.1	98.1

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each APRIL of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN APRIL OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	34,169	2,051	60·0	50	1·46	1·35	4	2	5	...	7	1	...	6	...	7	...	3	7	4	4
1871	...	35,787	1,932	54·0	37	1·03	·95	3	...	2	...	11	2	...	1	...	3	...	3	3	5	4
1872	...	37,057	1,819	49·1	29	·78	·65	5	...	3	...	2	1	...	1	...	3	...	2	4	3	5
1873	...	36,929	1,947	52·7	37	1·00	1·00	...	3	9	...	3	...	2	2	...	2	...	6	4	6	1
1874	...	37,322	1,997	53·5	33	·88	·88	...	2	8	1	2	4	...	7	...	1	2	1	5
1875	...	37,397	2,003	53·6	32	·86	·64	8	...	6	...	3	3	3	...	3	1	3	1	2
1876	...	37,110	1,886	50·8	31	·84	·67	6	...	4	4	...	1	1	3	...	1	1	1	1	6
1877	...	36,101	1,734	48·0	22	·61	·58	1	...	5	...	2	1	...	3	1	3	3
1878	...	35,516	2,057	57·9	33	·93	·93	...	3	12	1	7	4	3	5
1879	...	39,164	2,356	60·2	85	2·17	1·71	18	1	21	...	11	4	...	10	...	3	1	4	...	5	2	4
								45	11	75	1	39	17	3	26	1	41	2	23	29	33	4	39
Died per 1,000 of the Average Strength.																									
For the Month	366,552	19,782	54·0	389	1·06	·94	·12	·03	·20	·00	·11	·05	·01	·07	·00	·11	·01	·06	·08	·09	·01	·11	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH APRIL.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872)	196	196	·5	...
Cholera	9	3	6	1	...	10	10	1	...	34	74	·2	60·81
Smallpox	1	3	2	30	13	1	16	7	73	·2	15·07
Enteric Fever	9	8	7	23	20	15	11	8	45	58	204	·6	36·76
Fever, Intermittent	1,081	878	649	952	639	785	504	524	510	1,274	7,796	21·3	·01
Fever, Remittent and Continued	516	530	416	772	543	695	352	297	633	754	5,508	15·0	·71
Apoplexy	8	7	7	7	8	6	9	5	2	13	72	·2	23·61
Delirium Tremens	17	11	8	9	9	3	5	2	3	4	71	·2	4·23
Dysentery	100	84	84	97	92	64	83	59	141	223	1,027	2·8	2·53
Diarrhoea	223	210	207	188	168	228	131	174	297	398	2,224	6·1	·04
Hepatitis	156	146	176	162	105	114	109	105	112	100	1,285	3·5	3·19
Spleen disease	10	24	18	17	10	22	14	20	9	24	168	·4	1·19
Respiratory diseases	217	255	249	427	316	187	261	184	257	318	2,671	7·3	·86
Phthisis Pulmonalis	32	24	25	23	14	9	21	19	11	19	197	·5	16·75
Scurvy	1	2	3	2	8	·0	...
Rheumatism	215	187	204	201	203	187	205	169	177	199	1,947	5·3	} ·33
Veneral diseases	676	673	935	649	673	715	671	544	1,126	1,056	7,718	21·1	
Eye diseases	77	87	82	99	88	91	65	50	92	71	802	2·2	
Abscess and Ulcer	253	268	299	307	275	240	202	207	278	266	2,595	7·1	
Wounds and Accidents	292	269	336	365	290	304	299	325	368	350	3,198	8·7	
All other Causes	492	477	558	641	509	526	454	467	581	656	5,361	14·6	
	4,384	4,144	4,465	4,972	3,978	4,201	3,406	3,161	4,658	5,826	43,195		
Admitted per 1,000 of the Average Strength in each April.													
	128·3	115·8	120·5	134·6	106·6	112·3	91·8	87·6	131·2	148·8	117·8		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each MAY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MAY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	33,843	2,232	66·0	78	2·30	2·19	4	2	10	...	20	7	...	8	...	4	...	5	5	2	11
1871	...	35,461	2,135	60·2	48	1·35	1·33	1	...	3	...	8	3	...	4	4	5	6	1	5
1872	...	36,739	2,053	55·9	72	1·96	1·42	20	2	10	...	7	4	1	5	...	1	6	6	5	2	3
1873	...	37,037	2,030	54·8	49	1·32	1·32	...	2	15	...	1	14	...	3	...	6	...	1	2	2	3
1874	...	37,552	2,183	58·1	38	1·01	·99	1	...	8	...	3	7	...	2	...	6	2	4	5
1875	...	37,171	2,122	57·1	43	1·16	1·02	5	...	9	...	6	4	...	4	1	...	1	4	7
1876	...	36,638	2,060	56·2	41	1·12	·96	6	...	9	...	1	6	...	2	...	3	5	3	1	4
1877	...	35,990	1,899	52·8	30	·83	·78	2	...	10	2	1	1	1	5	...	3	1	3	1
1878	...	35,641	2,286	64·1	68	1·91	1·15	27	1	23	4	2	...	2	2	1	6
1879	...	39,343	2,729	69·4	198	5·03	2·47	101	...	26	2	17	14	2	9	1	4	...	5	4	2	11
								167	7	123	2	63	61	4	38	3	48	1	28	35	27	2	56
Died per 1,000 of the Average Strength.																									
For the Month	365,415	21,729	59·5	665	1·82	1·36	·46	·02	·34	·01	·17	·17	·01	·10	·01	·13	·00	·07	·10	·07	·01	·15	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MAY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	316	1	5	322	·9	...
Cholera ...	3	1	31	1	1	8	5	4	39	117	210	·6	79·52
Smallpox ...	10	4	3	16	7	...	3	...	2	6	51	·1	13·73
Enteric Fever ...	25	12	16	23	18	21	30	31	73	76	325	·9	37·85
Fever, Intermittent ...	1,438	1,401	656	942	814	797	990	1,023	607	1,308	9,966	27·3	·02
Fevers, Remittent and Continued...	1,367	938	479	588	894	688	753	719	621	1,053	8,100	22·2	·78
Apoplexy ...	18	2	10	20	18	7	8	7	7	42	139	·4	43·89
Delirium Tremens ...	13	11	13	6	5	10	11	9	13	6	97	·3	4·12
Dysentery ...	104	130	97	65	83	89	87	93	95	171	1,014	2·8	3·75
Diarrhoea ...	210	192	190	123	162	150	152	232	233	390	2,024	5·5	·15
Hepatitis ...	204	201	153	160	137	130	155	152	125	96	1,513	4·1	3·17
Spleen disease ...	23	25	17	27	19	25	28	21	7	15	207	·6	·48
Respiratory diseases ...	297	305	226	208	284	242	308	249	188	264	2,571	7·0	1·09
Phthisis Pulmonalis ...	26	21	21	13	14	18	25	24	17	12	191	·5	14·14
Scurvy ...	4	1	1	1	1	2	3	1	14	·0	...
Rheumatism ...	230	255	152	189	171	186	210	225	167	140	1,925	5·3	...
Veneral diseases ...	673	700	545	494	557	556	720	658	786	641	6,330	17·3	·45
Eye diseases ...	88	78	104	62	51	87	68	73	90	61	762	2·1	...
Abscess and Ulcer ...	286	301	259	190	248	260	215	257	222	218	2,456	6·7	...
Wounds and Accidents ...	339	324	245	232	304	265	310	400	263	241	2,923	8·0	...
All other Causes ...	612	624	497	539	554	519	667	656	473	632	5,773	15·8	...
													46,913
Admitted per 1,000 of the Average Strength in each May.													
	176·4	155·8	109·7	105·3	115·6	109·2	129·5	134·3	113·0	139·3	128·4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each JUNE of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JUNE OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	33,787	2,263	67.0	67	1.98	1.95	1	1	5	...	6	17	9	2	7	...	9	1	6	4	3	...	5	
1871	...	35,369	2,248	63.6	60	1.70	1.64	2	...	6	...	9	9	3	3	4	...	5	...	4	6	3	...	3	
1872	...	36,642	2,134	58.2	79	2.16	1.66	18	...	7	...	2	27	3	1	4	3	...	3	
1873	...	36,986	2,160	58.4	49	1.32	1.27	2	...	6	1	3	3	20	3	
1874	...	37,514	2,272	60.6	48	1.28	1.23	2	...	11	...	3	9	3	3	6	
1875	...	37,088	2,175	58.6	84	2.26	2.24	1	...	13	...	3	33	1	1	...	1	5	...	1	3	14	
1876	...	36,615	2,166	59.2	43	1.17	1.04	5	...	6	...	1	17	1	3	...	5	3	2	
1877	...	36,010	2,048	56.9	33	.92	.92	5	...	2	14	2	1	...	2	3	2	
1878	...	35,630	2,436	68.4	64	1.80	1.77	1	...	34	...	1	15	1	2	...	3	2	1	
1879	...	39,290	2,878	73.3	391	9.95	3.33	260	...	22	2	24	43	2	13	3	9	...	4	1	4	
								292	5	115	3	64	204	13	38	6	47	1	18	29	32	3	48
Died per 1,000 of the Average Strength.																									
For the Month	364,931	22,780	62.4	918	2.52	1.72	.80	.01	.31	.01	.17	.57	.04	.10	.02	.13	.00	.05	.08	.0901	.13	

CAUSES OF ADMISSION.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JUNE.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1876)	76	37	113	.3	...
Cholera	...	4	3	24	4	2	8	364	412	1.1	70.87
Smallpox	...	1	...	5	3	7	2	1	19	.0	26.32
Enteric Fever	...	3	14	11	8	18	17	7	63	46	205	.5	56.10
Fever, Intermittent	...	1,371	1,151	631	907	926	1,066	937	1,026	752	1,421	27.9	.03
Fever, Remittent and Continued	...	792	727	636	663	938	764	576	690	773	1,151	21.1	.83
Apoplexy	...	28	20	72	44	17	56	57	41	36	89	1.3	44.35
Delirium Tremens	...	22	13	8	6	5	5	8	5	9	89	.2	14.61
Dysentery	...	78	109	87	59	54	76	63	57	87	159	2.3	4.58
Diarrhoea	...	124	187	181	136	137	172	117	130	137	365	4.6	.36
Hepatitis	...	180	218	206	158	140	165	158	153	129	168	4.6	2.81
Spleen disease	...	15	30	25	29	15	30	16	21	7	25	.6	.47
Respiratory diseases	...	171	184	186	185	245	223	176	195	169	160	5.2	.95
Phthisis Pulmonalis	...	33	23	26	37	16	30	19	16	18	236	.9	13.56
Scurvy	...	5	3	3	4	2	...	1	18	.0	...
Rheumatism	...	219	207	163	200	220	251	192	151	137	149	5.2	...
Veneral diseases	...	497	495	499	496	548	663	482	475	720	566	14.9	...
Eye diseases	...	48	83	66	59	63	64	47	44	60	39	1.6	.42
Abscess and Ulcer	...	262	263	258	267	293	328	294	202	216	253	7.2	...
Wounds and Accidents	...	187	202	262	222	246	312	262	328	249	196	6.7	...
All other Causes	...	467	553	611	545	610	760	615	561	566	5,845	16.0	...
	4,505	4,485	4,036	4,032	4,502	4,985	4,084	4,105	4,125	5,736	44,595		
Admitted per 1,000 of the Average Strength in each June.													
	133.3	126.8	110.1	109.0	120.0	134.4	111.5	114.0	115.8	146.0	122.2		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each JULY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JULY OF EACH YEAR.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.			
1870	...	33,666	2,329	69.2	61	1.81	1.63	6	...	1	...	5	14	1	4	...	10	1	1	...	4	6
1871	...	35,300	2,296	65.0	45	1.27	1.25	1	...	10	...	7	1	1	5	...	9
1872	...	36,523	2,125	58.2	69	1.89	1.23	24	...	9	...	2	5
1873	...	36,862	2,238	60.7	47	1.23	1.25	1	1	8	...	2	7	...	2	...	6
1874	...	37,437	2,411	64.4	58	1.55	1.47	3	...	8	...	6	12	2	4	...	6
1875	...	36,984	2,291	61.9	53	1.43	1.22	8	...	3	...	5	20	...	1	...	7
1876	...	36,516	2,167	59.3	68	1.86	1.34	19	...	3	1	2	25	...	1	4
1877	...	35,954	2,077	57.8	47	1.31	1.31	5	...	5	10	...	1	4	1	7
1878	...	35,507	2,449	69.0	73	2.06	1.77	10	...	17	...	1	21	...	3	...	6
1879	...	38,867	3,030	78.0	188	4.84	2.21	102	...	21	...	14	18	2	9	3	4
								174	1	85	1	49	133	9	40	4	67	1	17	35	43	1	...	1	48	...	
Died per 1,000 of the Average Strength.																											
For the Month	363,616	23,413	64.4	709	1.95	1.47	48	00	23	00	13	37	03	11	01	19	00	05	10	12	00	...	00	...	13		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JULY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	241	22	5	268	7	...
Cholera ...	19	2	38	2	2	17	23	...	14	144	261	7	66.67
Smallpox	4	3	...	2	...	1	2	1	13	0	7.69
Enteric Fever ...	3	10	11	16	22	4	15	11	44	41	177	5	48.02
Fever, Intermittent ...	1,513	1,304	741	1,042	1,210	841	945	978	884	2,344	11,802	32.5	01
Fevers, Remittent and Continued...	...	652	668	817	972	674	639	711	950	1,266	8,189	22.5	60
Apoplexy ...	21	7	21	32	31	45	59	39	67	64	386	1.1	34.46
Delirium Tremens ...	20	19	17	8	14	10	8	7	11	9	123	3	7.32
Dysentery ...	84	83	108	74	108	79	55	54	96	191	932	2.6	4.29
Diarrhoea ...	215	318	447	218	346	277	130	141	200	500	2,792	7.7	14
Hepatitis ...	173	220	211	220	189	139	152	145	195	166	1,810	5.0	3.70
Spleen disease ...	32	27	22	38	16	32	34	13	20	31	265	7	89
Respiratory diseases ...	121	196	225	233	259	205	191	128	194	168	1,920	5.3	14.38
Phthisis Pulmonalis ...	38	22	35	44	3	30	25	19	24	20	299	8	...
Scurvy ...	3	...	3	2	2	2	12	0	...
Rheumatism ...	210	188	222	211	267	162	216	186	209	212	2,083	5.7	...
Veneral diseases ...	473	465	544	565	673	547	476	517	889	775	5,924	16.3	...
Eye diseases ...	67	68	86	48	107	56	32	46	47	59	616	1.7	39
Abscess and Ulcer ...	307	287	341	333	365	331	290	358	445	360	3,417	9.4	...
Wounds and Accidents ...	210	199	237	272	279	240	223	264	297	246	2,489	6.9	...
All other Causes ...	561	538	716	782	822	603	625	621	824	790	6,882	18.9	...
	4,910	4,605	4,961	4,982	5,723	4,294	4,145	4,239	5,412	7,389	50,660		
Admitted per 1,000 of the Average Strength in each July.													
	145.8	130.4	135.8	135.2	152.9	116.1	113.5	117.9	152.4	190.1	139.3		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each AUGUST of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN AUGUST OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	33,577	2,390	71·2	55	1·64	1·64	8	...	11	5	...	5	...	8	6	9	1	2
1871	...	35,212	2,445	69·4	68	1·93	1·87	2	...	9	...	10	6	...	8	...	11	7	4	1	3
1872	...	36,372	2,319	63·8	215	5·91	1·46	162	...	8	...	10	6	...	8	...	6	...	1	2	2	1	5
1873	...	36,792	2,357	64·1	39	1·06	·95	4	...	5	1	4	2	...	1	...	8	4	4	5
1874	...	37,344	2,667	71·4	44	1·18	1·18	9	...	6	3	...	4	...	8	3	3	6
1875	...	36,959	2,202	59·6	81	2·19	·95	46	...	3	...	2	4	...	1	...	6	4	5	6
1876	...	36,413	2,193	60·2	79	2·17	1·37	29	...	12	...	1	7	...	3	...	7	1	...	5	5	7
1877	...	35,881	2,170	60·5	38	1·06	1·03	1	...	8	...	3	9	9	1	...	2	1	3
1878	...	35,496	2,543	71·6	82	2·31	1·13	42	...	17	...	2	2	...	5	...	8	1	1	2
1879	...	38,802	3,189	82·2	152	3·92	2·09	71	...	21	2	14	6	...	15	2	7	...	1	3	3	7
								357	...	100	3	63	50	5	50	5	78	4	7	37	38	1	1	3	51
Died per 1,000 of the Average Strength.																									
For the Month	362,848	24,475	67·5	853	2·35	1·37	·98	...	·28	·01	·17	·14	·02	·14	·02	·21	·01	·02	·10	·10	·00	·00	·01	·14	

CAUSES OF ADMISSION.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH AUGUST.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	466	2	468	1·3	...
Cholera	...	4	271	10	...	70	42	2	54	93	548	1·5	65·15
Smallpox	1	1	·0	...
Enteric Fever	...	12	11	11	20	3	15	13	39	43	181	·5	55·25
Fever, Intermittent
Fever, Remittent and Continued	2,057	1,867	969	1,147	1,459	1,046	1,585	974	983	2,169	14,256	39·3	·02
Apoplexy	851	928	723	666	834	609	710	979	714	869	7,883	21·7	·80
Delirium Tremens	5	11	21	6	4	13	12	56	7	16	151	·4	33·11
Dysentery	16	17	18	12	8	16	10	7	10	7	121	·3	4·13
Diarrhoea	172	146	153	105	117	133	139	78	105	190	1,343	3·7	3·72
Hepatitis	381	276	555	295	281	414	337	162	311	410	3,422	9·4	·15
Spleen disease	216	245	183	175	177	185	193	174	128	147	1,828	5·0	4·27
Respiratory diseases	28	15	24	19	25	35	25	26	11	23	231	·6	1·73
Phthisis Pulmonalis	160	241	196	218	211	190	216	191	149	134	1,906	5·3	·37
Scurvy	29	35	30	29	26	34	30	29	15	19	276	·8	13·77
Rheumatism	5	2	1	1	1	...	1	3	...	4	18	·1	5·56
Veneral diseases	252	178	186	187	222	229	227	189	165	152	1,987	5·5	...
Eye diseases	492	570	405	459	461	628	540	624	765	509	5,453	15·0	...
Abscess and Ulcer	116	110	76	60	107	57	79	57	42	71	775	2·1	...
Wounds and Accidents	270	325	188	259	301	320	325	393	291	363	3,035	8·4	·45
All other Causes	198	232	191	191	208	303	306	300	203	190	2,322	6·4	...
	606	659	618	605	709	698	747	701	597	628	6,568	18·1	...
Admitted per 1,000 of the Average Strength in each August.													
	5,870	5,873	5,295	4,457	5,171	4,983	5,540	4,958	4,589	6,037	52,773		
	174·8	166·8	145·6	121·1	138·5	134·8	152·1	138·2	129·3	155·6	145·4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each SEPTEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN SEPTEMBER OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	...	33,510	2,532	75·6	53	1·53	1	...	4	...	7	5	2	9	...	14	...	1	2	4	4
1871	...	35,127	2,428	69·1	48	1·37	2	...	8	...	13	2	1	2	...	11	1	...	4	2	2
1872	...	36,068	2,530	70·2	184	5·10	104	...	9	1	10	10	2	12	3	14	...	1	7	3	7
1873	...	36,742	2,444	66·5	62	1·69	12	...	5	2	10	2	2	3	1	11	1	2	4	2	2
1874	...	37,315	2,581	69·2	70	1·88	1	...	18	2	8	2	...	9	...	6	6	6	12
1875	...	36,822	2,276	61·8	83	2·25	53	...	1	...	3	5	...	2	...	4	2	5	6
1876	...	36,274	2,458	67·8	58	1·60	18	...	8	...	8	3	...	6	1	3	...	2	2	1	5
1877	...	35,814	2,131	59·5	26	·73	6	...	4	3	...	2	...	5	...	1	3	3
1878	...	35,431	2,892	81·6	113	3·19	60	1	17	3	4	3	2	5	...	8	...	2	1	3	4
1879	...	38,753	3,400	87·7	119	3·07	53	...	23	2	10	5	1	7	1	1	...	2	3	1	10
							304	1	99	10	77	40	8	57	6	77	2	14	33	30	58
Died per 1,000 of the Average Strength.																								
For the Month	361,856	25,672	70·9	816	2·25	1·41	·84	·00	·27	·03	·21	·11	·02	·16	·02	·21	·01	·04	·09	·08	·16

CAUSES OF ADMISSION.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH SEPTEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue (of 1872)	1,126	186	1,312	3·6	...	
Cholera	...	1	143	...	1	71	27	...	84	67	410	1·1	74·15	
Smallpox	14	1	1	2	·0	50·00	
Enteric Fever	...	9	17	14	26	49	62	244	·7	40·57	
Fever, Intermittent	...	2,418	1,340	1,272	1,723	2,088	1,125	2,122	602	2,472	4,832	19,994	55·3	·05
Fevers, Remittent and Continued...	...	834	726	1,156	998	980	722	816	457	1,126	1,312	9,127	25·2	·84
Apoplexy	...	8	5	13	6	6	8	6	8	11	15	86	·2	46·51
Delirium Tremens	...	12	11	22	8	16	13	7	8	17	122	·3	6·56	
Dysentery	...	132	108	181	181	133	127	120	59	138	232	1,411	3·9	4·04
Diarrhoea	...	222	199	337	235	238	302	203	121	215	353	2,425	6·7	·25
Hepatitis	...	175	198	210	224	212	138	174	129	158	186	1,804	5·0	4·27
Spleen disease	...	21	28	13	26	11	27	20	30	11	30	217	·6	·92
Respiratory diseases	...	139	172	161	204	246	174	145	141	193	198	1,773	4·9	·79
Phthisis Pulmonalis	...	27	30	34	39	41	32	27	26	23	24	303	·9	9·90
Scurvy	...	2	...	1	3	1	2	1	10	·0	...
Rheumatism	...	181	156	195	227	232	157	169	160	140	201	1,818	5·0	...
Venereal diseases	...	373	453	359	465	597	499	374	504	701	634	4,959	13·7	...
Eye diseases	...	81	57	90	85	96	64	65	46	39	66	689	1·9	·46
Abscess and Ulcer	...	215	202	187	308	296	233	240	271	277	294	2,523	7·0	...
Wounds and Accidents	...	201	204	190	252	283	230	259	249	240	285	2,393	6·6	...
All other Causes	...	492	470	566	776	761	554	616	638	634	751	6,258	17·3	...
											57,880			
Admitted per 1,000 of the Average Strength in each September.														
165·4	124·6	173·8	157·7	167·9	121·8	154·1	97·0	184·1	246·7	159·9				

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each OCTOBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Aggregate Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN OCTOBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	33,406	2,382	71·3	73	2·19	2·10	3	...	4	...	11	2	2	10	...	19	5	3	1	11
1871	...	35,017	2,238	63·9	48	1·37	1·37	4	...	7	1	2	3	1	12	5	5	6
1872	...	35,969	2,478	69·1	114	3·18	1·78	50	...	6	...	12	10	1	15	...	6	3	4	7
1873	...	36,537	2,225	60·9	49	1·34	1·26	3	...	2	1	9	5	1	9	7	6	5
1874	...	36,898	2,421	65·6	29	·79	·79	3	...	1	1	1	6	...	6	1	5	1	5
1875	...	36,520	2,329	63·8	43	1·18	·88	11	...	5	...	2	2	...	5	...	1	1	6	7
1876	...	36,488	2,533	69·4	68	1·86	1·07	29	...	6	2	...	5	1	5	4	1	1	10
1877	...	35,697	1,985	55·6	28	·78	·62	6	...	2	...	2	1	...	1	...	4	1	4	1	6
1878	...	34,877	2,912	83·5	79	2·27	2·15	4	...	23	...	12	2	1	11	...	5	...	2	1	7	1	6
1879	...	37,290	3,575	95·9	97	2·60	2·01	22	...	12	2	16	4	1	12	1	6	...	10	4	2	1	4
								128	...	67	7	76	14	7	65	5	86	1	25	39	38	3	67
Died per 1,000 of the Average Strength.																									
For the Month	358,590	25,078	69·9	628	1·75	1·39		36	...	19	·02	·21	·04	·02	·18	·01	·24	·00	·07	·11	·10	·01	·19

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH OCTOBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	1,006	2	345	1,353	3·8	...
Cholera	66	3	...	15	44	...	6	...	166	·5	77·11
Smallpox
Enteric Fever ...	8	8	11	11	11	7	12	8	41	17	134	·4	50·00
Fever, Intermittent ...	2,701	1,853	2,159	1,797	1,886	1,662	2,829	981	3,675	4,908	24,451	68·2	·03
Fevers, Remittent and Continued... ..	679	558	1,169	463	557	689	803	436	1,425	642	7,421	20·7	1·02
Apoplexy ...	4	2	4	1	1	3	6	10	12	3	46	·1	30·43
Delirium Tremens ...	21	11	12	9	13	7	8	12	9	4	106	·3	6·60
Dysentery ...	110	115	188	112	89	111	112	69	188	183	1,277	3·5	5·09
Diarrhoea ...	149	165	264	114	121	148	164	112	199	190	1,626	4·5	·31
Hepatitis ...	164	199	245	148	147	126	194	128	145	117	1,613	4·5	5·33
Spleen disease ...	18	39	27	26	12	38	36	16	18	43	273	·8	·37
Respiratory diseases ...	131	207	237	167	217	186	229	227	178	218	1,997	5·5	1·25
Phthisis Pulmonalis ...	28	32	46	24	25	37	46	31	31	22	322	·9	11·80
Scurvy	1	4	1	1	1	10	18	·1	...
Rheumatism ...	138	218	234	147	196	151	194	162	138	147	1,725	4·8	...
Venereal diseases ...	437	611	459	338	464	474	536	707	886	529	5,441	15·2	·56
Eye diseases ...	82	74	83	57	46	69	66	35	50	35	597	1·7	...
Abscess and Ulcer ...	196	239	228	190	181	195	220	217	275	196	2,137	6·0	...
Wounds and Accidents ...	199	275	236	205	252	288	316	297	259	229	2,556	7·1	...
All other Causes ...	389	568	659	464	531	518	661	543	600	604	5,537	15·4	...
	5,458	5,175	7,337	4,278	4,749	4,724	6,822	3,998	8,136	8,119	58,796		
Admitted per 1,000 of the Average Strength in each October.													
	163·4	147·8	204·5	117·0	128·7	129·4	186·9	112·0	233·3	217·7	164·0		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each YEAR from 1870 to 1879, and the AVERAGE for the
 NOVEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN NOVEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	33,037	2,064	62.5	60	1.82	1.82	
1871	...	35,538	1,937	54.5	55	1.55	1.24	
1872	...	36,479	2,164	59.3	37	1.01	.90	
1873	...	36,003	1,975	54.8	51	1.42	1.11	
1874	...	37,961	2,283	60.1	39	1.03	1.03	
1875	...	30,702	2,195	59.8	41	1.12	1.06	
1876	...	36,278	2,295	63.3	31	.85	.85	
1877	...	36,147	2,016	55.8	27	.75	.75	
1878	...	37,993	3,070	80.8	75	1.97	1.95	
1879	...	38,481	3,412	88.7	61	1.59	1.59	
								29	...	35	12	53	8	3	60	7	86	1	43	33	36	...	1	4	66
Died per 1,000 of the Average Strength.																									
For the Month	364,619	23,411	64.2	477	1.31	1.23	.0810	.03	.15	.02	.01	.16	.02	.24	.00	.12	.09	.1000	.01	.18	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH NOVEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength,	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	455	1	75	531	1.5	...
Cholera ...	1	23	3	15	...	5	1	...	49	.1	59.18
Smallpox	1	1	4	3	...	9	.0	...
Enteric Fever ...	2	8	5	6	6	13	7	7	14	18	86	.2	40.70
Fever, Intermittent ...	3,335	1,213	1,777	1,603	1,570	2,178	1,627	1,011	3,141	4,071	21,526	59.0	.06
Fevers, Remittent and Continued ...	347	253	532	247	560	405	450	250	876	263	4,183	11.5	1.27
Apoplexy ...	5	3	3	1	2	2	3	3	3	3	28	.1	28.57
Delirium Tremens ...	8	6	12	6	5	7	7	7	2	6	66	.2	4.55
Dysentery ...	117	102	96	90	61	102	88	68	200	169	1,099	3.0	5.46
Diarrhoea ...	166	166	119	116	102	167	136	113	166	187	1,438	3.9	.49
Hepatitis ...	145	143	150	110	120	133	138	94	118	104	1,273	3.5	6.76
Spleen disease ...	22	17	21	21	32	34	25	10	14	33	229	.6	.44
Respiratory diseases ...	234	184	254	227	268	285	184	198	324	390	2,518	7.0	1.69
Phthisis Pulmonalis ...	40	40	35	34	34	39	35	24	31	33	345	.9	10.43
Scurvy ...	4	2	1	2	1	1	11	22	.1	4.55
Rheumatism ...	187	181	158	135	157	180	185	126	126	178	1,616	4.4	...
Venereal diseases ...	502	504	375	334	545	689	473	550	897	590	5,459	15.0	...
Eye diseases ...	60	48	45	34	45	77	45	25	29	38	446	1.2	...
Abscess and Ulcer ...	242	218	214	211	211	213	177	182	249	186	2,103	5.8	...
Wounds and Accidents ...	214	227	221	202	275	296	300	226	187	241	2,389	6.6	...
All other Causes ...	431	414	472	390	514	582	491	437	461	573	4,765	13.1	...
	6,062	3,756	4,957	3,785	4,518	5,408	4,446	3,335	6,848	7,095	50,210		
Admitted per 1,000 of the Average Strength in each November.													
	183.5	105.7	135.9	105.1	119.0	147.3	122.6	92.3	180.2	184.4	137.7		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each DECEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN DECEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	32,516	1,703	52·4	62	1·91	1·91	...	1	5	...	2	...	1	5	...	10	...	9	10	4	3	12
1871	...	35,383	1,770	50·0	48	1·36	1·33	1	...	3	...	1	16
1872	...	36,818	1,927	52·3	33	·90	·87	1	3	6
1873	...	31,959	1,816	51·9	34	·97	·97	1	6	1
1874	...	38,531	2,095	54·4	37	·96	·96	...	1	1	1	1
1875	...	36,215	2,024	55·9	34	·94	·94	4
1876	...	36,600	2,043	55·8	28	·77	·77	3	1
1877	...	36,060	1,973	54·7	38	1·05	·97	3	1	4	3	3	3
1878	...	37,590	2,802	74·5	70	1·86	1·81	2	...	6	6	3	3	...	13	1	10	1	...
1879	...	38,837	2,843	73·2	74	1·91	1·91	...	1	6	2	1	7	1	3	...	29	3	8	1	...
							7	4	33	10	27	10	1	53	6	58	...	92	43	51	...	1	6	56	
Died per 1,000 of the Average Strength.																									
For the Month	363,509	20,996	57·8	458	1·26	1·24	·02	·01	·09	·03	·07	·03	·00	·15	·02	·16	...	·25	·12	·14	...	·00	·02	·15	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH DECEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1876)	2	156	16	172	·5	...
Cholera	2	1	10	·0	70·00
Smallpox	...	1	2	1	...	1	13	3	23	·1	17·39
Enteric Fever	...	7	7	4	...	7	14	14	13	·3	33·33
Fever, Intermittent	...	1,689	839	1,298	1,104	1,100	1,430	1,034	983	2,338	2,612	14,427	39·7
Fever, Remittent and Continued...	...	156	162	309	129	356	211	215	205	406	162	2,311	6·4
Apoplexy	1	1	...	2	1	...	2	4	2	13	·0
Delirium Tremens	...	11	6	9	...	5	5	...	4	8	2	64	·2
Dysentery	...	83	108	103	89	61	78	60	61	215	143	1,001	2·8
Diarrhoea	...	124	164	184	105	89	159	112	129	340	182	1,588	4·4
Hepatitis	...	106	107	148	121	138	76	119	100	96	109	1,120	3·1
Spleen disease	...	13	14	18	29	45	22	21	12	21	49	244	·6
Respiratory diseases	...	283	277	274	308	465	243	297	209	547	691	3,594	9·9
Phthisis Pulmonalis	...	24	22	41	20	37	23	28	24	25	21	265	·7
Scurvy	1	1	...	3	1	...	2	...	4	15	·0
Rheumatism	...	131	171	177	144	237	113	177	162	151	223	1,686	4·6
Venereal diseases	...	480	648	455	587	736	566	539	702	779	722	6,214	17·1
Eye diseases	...	43	61	48	62	48	42	36	26	30	42	438	1·2
Abscess and Ulcer	...	175	207	206	198	227	167	189	185	192	215	1,961	5·4
Wounds and Accidents	...	254	362	308	273	415	266	396	348	306	384	3,312	9·1
All other Causes	...	277	327	452	399	534	341	432	409	557	531	4,259	11·7
											42,816		
Admitted per 1,000 of the Average Strength in each December.													

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each JANUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JANUARY OF EACH YEAR.		CAUSES OF DEATHS.																					
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
1870	...	9,621	575	59·8	13	1·35	1·35	3	3	...	2	...	2	4	1	1	2
1871	...	10,764	579	53·8	22	2·04	2·04	6	...	3	1	2	...	2	...	7	1	1
1872	...	11,149	639	57·3	10	·90	·90	1	...	1	1	...	1	...	2	3	1	
1873	...	11,375	703	61·8	13	1·14	1·14	1	1	3	...	2	1	
1874	...	11,809	639	54·1	14	1·19	1·19	2	3	1	1	
1875	...	11,377	749	65·8	15	1·32	1·32	1	...	1	1	...	3	...	3	3	
1876	...	10,616	561	52·9	8	·75	·66	1	...	1	1	5	1	
1877	...	10,845	579	53·4	13	1·20	·92	3	...	1	5	1	...	3	
1878	...	10,763	717	66·6	22	2·04	1·95	1	...	1	...	2	...	1	7	...	5	1	1	1	1	...	1	1	1	...	1	
1879	...	9,756	674	69·1	11	1·13	1·13	2	2	1	2	
								5	...	12	...	12	4	2	22	...	37	1	5	11	18	1	11		
Died per 1,000 of the Average Strength.																												
For the Month	103, 075	6,415	59·4	141	1·31	1·26	·05	...	·11	...	·11	·04	·02	·20	...	·34	·01	·05	·10	·17	·01	·10			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JANUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	30	37	103	1·0	...
Cholera	2	5	1	...	8	·1	62·50
Smallpox	4	1	5	·0	...
Enteric Fever	...	16	5	8	...	4	5	2	6	1	47	·4	25·53
Fever, Intermittent	127	87	59	151	71	43	29	42	83	191	883	8·2	...
Fevers, Remittent and Continued...	45	79	61	127	75	79	63	62	93	90	774	7·2	1·55
Apoplexy	2	3	1	1	...	1	1	1	...	2	12	·1	33·33
Delirium Tremens	3	7	7	3	4	5	8	7	8	...	52	·5	3·85
Dysentery	50	69	81	100	79	78	47	44	100	74	722	6·7	3·05
Diarrhoea	31	38	60	64	50	53	19	32	66	45	458	4·2	...
Hepatitis	63	79	63	60	89	74	52	81	61	56	681	6·3	5·43
Spleen disease	3	2	...	1	1	1	...	1	4	...	13	·1	7·69
Respiratory diseases	36	56	94	70	60	48	68	60	53	53	598	5·5	8·4
Phthisis Pulmonalis	7	8	20	8	6	17	6	9	6	7	94	·9	19·15
Scurvy
Rheumatism	36	54	55	44	41	30	30	35	26	41	392	3·6	} 36
Venereal diseases	169	189	186	137	202	244	216	199	232	245	2,069	19·1	
Eye diseases	16	9	17	10	5	5	9	12	17	8	108	1·0	
Abscess and Ulcer	100	109	117	88	73	90	74	86	92	79	908	8·4	
Wounds and Accidents	81	100	104	71	98	77	90	94	91	83	889	8·2	
All other Causes	171	204	212	201	180	210	138	184	176	158	1,834	17·0	
940 1,109 1,176 1,217 1,034 1,059 857 960 1,165 1,133 10,650													
Admitted per 1,000 of the Average Strength in each January.													
97·7 103·0 105·5 107·0 87·6 93·1 80·7 88·5 108·2 116·1 98·5													

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each FEBRUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN FEBRUARY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	10,664	740	69·4	14	1·31	1·22	1	...	2	3	...	3	...	1	3	1
1871	...	10,902	615	56·4	10	·92	·92	2	...	1	1	2	2	2
1872	...	11,014	673	61·1	12	1·09	1·09	1	3	...	4	4	2
1873	...	11,316	611	54·0	16	1·41	1·41	4	...	4	3	2	1
1874	...	11,734	610	51·5	15	1·23	1·28	1	3	...	5	1	2
1875	...	11,014	665	60·4	17	1·54	1·54	1	4	...	5	...	1	5	1
1876	...	10,736	563	52·9	7	·65	·65	3	2	2
1877	...	11,314	614	54·3	12	1·06	·71	4	...	1	...	1	1	...	3	1	1
1878	...	10,319	700	67·6	9	·87	·77	1	...	1	...	1	1	...	3	...	1	1
1879	...	9,822	687	69·9	10	1·02	1·02	2	1	3	1
								6	...	15	...	4	2	1	22	...	29	...	2	19	12	10
Died per 1,000 of the Average Strength.																									
For the Month	108,865	6,513	59·8	122	1·12	1·07	·05	...	·14	...	·04	·02	·01	·20	...	·27	...	·02	·17	·11	·09

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH FEBRUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue (of 1872 and 1873)	2	6	8	·1	...	
Cholera	...	1	3	7	1	...	12	·1	50·00	
Smallpox	1	1	3	...	6	·0	...	
Enteric Fever	...	2	6	8	3	...	1	7	2	...	33	·3	45·45	
Fever, Intermittent	583	109	51	93	63	47	55	38	57	143	1,239	11·4	...	
Fever, Remittent and Continued	49	58	100	96	71	81	88	69	78	90	780	7·2	·51	
Apoplexy	...	1	3	1	1	1	2	1	2	...	13	·1	15·38	
Delirium Tremens	...	1	7	10	3	3	2	2	1	...	32	·3	3·12	
Dysentery	...	50	55	71	61	82	56	48	44	77	51	595	5·5	3·70
Diarrhoea	...	61	23	45	64	32	41	39	62	54	32	453	4·2	...
Hepatitis	...	49	55	63	58	93	67	53	45	50	41	574	5·3	5·05
Spleen disease	...	2	2	7	...	5	1	2	3	2	25	·2	...	
Respiratory diseases	...	30	57	94	56	50	54	80	54	47	569	5·2	·35	
Phthisis Pulmonalis	...	5	3	16	7	10	13	9	5	4	74	·7	16·22	
Scurvy	1	1	·0	...	
Rheumatism	...	47	39	31	40	56	36	38	44	30	31	392	3·6	...
Veneral diseases	...	164	171	177	118	208	186	204	167	242	181	1,818	16·6	·49
Eye diseases	...	3	16	16	8	8	8	7	11	8	5	95	·9	...
Abscess and Ulcer	...	100	90	117	85	95	93	95	83	96	91	945	8·7	...
Wounds and Accidents	...	79	119	125	92	85	91	100	91	94	91	967	8·9	...
All other Causes	...	172	162	179	195	187	160	191	146	168	150	1,710	15·7	...
Admitted per 1,000 of the Average Strength in each February.														
131·7	89·1	101·1	87·6	89·7	85·2	94·7	77·7	98·3	97·6	95·0				

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each MARCH of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MARCH OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Pneumonia Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	10,806	676	62·6	25	2·31	1·85	5	3	...	7	...	3	2	1	4	
1871	...	11,056	590	53·4	7	·63	·63	1	...	1	...	2	...	1	1		
1872	...	12,017	640	53·3	11	·92	·92	...	2	1	...	2	...	1	1		
1873	...	11,563	645	55·8	12	1·04	1·04	...	1	1	...	1	...	4	2	2		
1874	...	11,559	617	44·7	9	·78	·78	1	...	1	...	1	2		
1875	...	11,144	543	48·7	4	·36	·36	1	1	2		
1876	...	10,839	518	47·8	11	1·01	1·01	1	...	1	2		
1877	...	11,271	554	49·2	9	·80	·71	1	...	1	1	1	4	1	2	2		
1878	...	10,896	618	56·7	26	2·39	2·39	2	1	5	...	8	3	2	2		
1879	...	10,103	503	58·7	7	·69	·69	...	3	3	...	1	...	1	1		
								6	3	5	...	3	8	2	17	1	25	...	7	17	9	1	17
Died per 1,000 of the Average Strength.																									
For the Month	111,254	5,894	53·0	121	1·09	1·04	·05	·03	·05	...	·03	·07	·02	·15	·01	·23	...	·06	·15	·08	·01	·15	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MARCH.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue (of 1872 and 1873)	31	36	67	·6	...	
Cholera	...	7	1	8	·1	75·00	
Smallpox	...	1	...	6	3	1	...	1	4	1	16	·1	18·75	
Enteric Fever	9	8	2	2	...	27	·2	18·52	
Fever, Intermittent	467	61	42	84	54	59	19	30	51	124	991	8·9	...	
Fevers, Remittent and Continued...	57	60	151	148	124	98	86	70	150	108	1,052	9·5	20	
Apoplexy	...	3	2	3	4	4	1	1	1	1	21	·2	38·10	
Delirium Tremens	...	11	7	4	4	4	6	4	1	2	45	·4	4·44	
Dysentery	...	68	31	40	54	64	71	34	35	65	27	489	4·4	3·48
Diarrhoea	...	62	54	49	76	48	42	35	68	64	27	525	4·7	·19
Hepatitis	...	62	52	44	71	65	60	38	37	53	31	513	4·6	4·87
Spleen disease	...	12	...	4	2	...	2	1	2	...	1	24	·2	...
Respiratory diseases	...	70	76	92	53	74	41	46	45	46	33	576	5·2	1·22
Phthisis Pulmonalis	...	9	10	9	9	11	10	4	5	4	5	76	·7	11·84
Scurvy	3	3	·0	...
Rheumatism	...	47	39	53	41	61	33	30	36	20	42	402	3·6	...
Venereal diseases	...	184	162	181	146	221	295	205	187	228	231	2,040	18·3	...
Eye diseases	...	16	14	21	20	17	8	6	10	8	11	131	1·2	...
Abscess and Ulcer	...	142	113	106	102	117	104	76	74	85	74	993	8·9	53
Wounds and Accidents	...	138	102	111	125	117	112	75	79	102	106	1,067	9·6	...
All other Causes	...	239	187	215	229	156	190	181	136	167	143	1,843	16·6	...
											10,909			
Admitted per 1,000 of the Average Strength in each March.														
147·6	87·6	97·7	105·1	98·8	101·6	77·7	72·8	96·5	95·7	98·0				

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each MAY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MAY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	11,121	747	67·2	19	1·71	1·53	2	...	3	...	1	11	1	...	1	...	1
1871	...	10,969	603	55·0	43	3·32	1·00	32	1	1	1	3	1	...	2
1872	...	11,540	675	58·5	22	1·91	1·91	...	2	1	...	2	11	...	3	...	2
1873	...	11,562	624	54·0	14	1·21	1·12	1	1	2	1	2	...	3	...	3
1874	...	11,487	563	49·0	7	·61	·61	1	...	1
1875	...	11,099	624	56·2	12	1·08	1·08	2	2	4	1	1
1876	...	11,245	563	50·1	16	1·42	1·33	1	...	2	1	6	1	...	3	1
1877	...	11,068	585	52·9	18	1·63	1·63	4	7	...	1	...	2	1
1878	...	11,137	672	60·3	21	1·89	1·89	9	1	3	...	2	2	1
1879	...	10,701	687	64·2	15	1·40	1·40	1	1	1	1
								36	3	11	1	7	58	3	16	...	20	...	1	9	5	17
Died per 1,000 of the Average Strength.																									
For the Month	111,929	6,343	56·7	187	1·67	1·35	·32	·03	·10	·01	·06	·52	·03	·14	...	·18	...	·01	·08	·04	·15

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MAY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.														
Dengue (of 1872 and 1873)	201	1	202	1·8	...											
Cholera	...	2	71	1	3	1	...	1	80	·7	45·00											
Smallpox	1	...	1	...	1	7	·1	42·86											
Enteric Fever	4	2	36	·3	30·56											
Fever, Intermittent	...	4	3	7	4	11	...	1											
Fevers, Remittent and Continued...	415	100	64	151	27	54	28	64	61	134	1,098	9·8	·09											
Apoplexy	76	94	204	109	84	111	190	190	191	127	1,376	12·3	·51											
Delirium Tremens	34	4	18	6	4	5	16	11	16	22	136	1·2	42·65											
Dysentery	7	7	4	4	2	6	3	3	3	...	39	·4	7·69											
Diarrhea	56	61	53	63	54	44	57	66	69	43	571	5·1	2·80											
Hepatitis	45	66	56	72	32	59	74	73	55	48	580	5·2	...											
Spleen disease	58	57	38	68	54	67	65	58	70	40	575	5·1	3·48											
Respiratory diseases	6	3	1	1	2	...	1	2	2	1	19	·2	...											
Phthisis Pulmonalis	78	56	40	72	42	36	57	55	54	44	534	4·8	·19											
Scurvy	3	15	7	10	7	3	4	6	8	7	70	·6	7·14											
Rheumatism	1	1	2	·0	...											
Veneral diseases	46	59	42	53	37	20	49	32	34	32	404	3·6	...											
Eye diseases	155	195	144	111	139	189	183	257	175	176	1,724	15·4	...											
Abscess and Ulcer	8	17	9	15	12	10	9	16	7	25	128	1·1	...											
Wounds and Accidents	112	162	133	126	118	100	126	117	112	101	1,207	10·8	·38											
All other Causes	102	118	106	79	80	67	98	81	83	104	918	8·2	...											
	237	246	236	218	203	192	242	233	216	219	2,242	20·0	...											
											1,445	1,334	1,372	1,167	899	964	1,209	1,277	1,156	1,125	11,948			
Admitted per 1,000 of the Average Strength in each May.																								
														130·0	121·6	119·0	100·9	78·3	86·9	107·5	115·4	103·8	105·1	106·7

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each JUNE of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JUNE OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	...	11,036	774	70.1	14	1.27	1.00	3	1	1	4	...	2	1	2
1871	...	10,938	665	60.8	11	1.01	.73	3	1	2	...	3	1	1
1872	...	11,500	700	60.9	22	1.91	1.83	1	...	3	...	3	1	1	...	6	...	1	1	2	1
1873	...	11,565	634	54.8	16	1.38	1.21	2	...	1	1	...	6	...	1	...	2	1
1874	...	11,493	591	51.4	10	.87	.87	1	...	1	...	1	...	4	1	1	1
1875	...	11,126	672	60.4	7	.63	.63	2	2	1
1876	...	11,214	589	52.5	19	1.69	1.43	3	...	1	2	1	1	2	2
1877	...	11,047	638	57.8	12	1.09	.91	2	...	4	1	1	1	1
1878	...	11,027	718	65.1	25	2.27	2.09	2	...	1	...	6	1	3	...	4	1	1	4
1879	...	10,652	674	63.2	12	1.13	.66	5	1	...	3	1	2
								21	...	13	...	5	23	4	15	...	30	...	3	6	13	15
Died per 1,000 of the Average Strength.																								
For the Month	111,598	6,655	59.6	148	1.33	1.14	.191204	.21	.04	.132703	.05	.1213

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JUNE.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	163	6	169	1.5	...
Cholera	...	6	1	4	2	...	5	28	.3	75.00
Smallpox	1	1	.0	...
Enteric Fever	...	1	4	25	.2	52.00
Fever, Intermittent	475	94	55	184	69	130	69	62	82	125	1,345	12.1	...
Fever, Remittent and Continued	83	62	192	64	92	150	200	147	219	138	1,377	12.3	.36
Apoplexy	6	...	13	4	1	3	20	4	12	1	64	.6	35.91
Delirium Tremens	13	11	3	2	3	2	2	1	3	1	41	.4	9.76
Dysentery	70	77	60	70	71	85	63	69	80	45	690	6.2	2.17
Diarrhea	101	72	51	77	51	72	60	72	42	89	687	6.2	...
Hepatitis	56	60	46	67	58	78	56	49	55	49	574	5.1	5.23
Spleen disease	14	2	1	6	2	...	1	...	1	1	23	.3	...
Respiratory diseases	55	48	58	47	39	35	39	45	41	39	446	4.0	.67
Phthisis Pulmonalis	5	11	8	12	6	10	10	4	5	8	79	.7	16.46
Scurvy	1	1	.0	...
Rheumatism	74	44	49	45	45	40	37	38	44	42	453	4.1	...
Veneral diseases	137	144	118	123	129	231	151	201	192	214	1,643	14.7	...
Eye diseases	28	10	19	23	16	26	7	11	15	21	176	1.6	...
Abscess and Ulcer	166	132	134	130	113	128	97	125	103	97	1,230	11.0	.31
Wounds and Accidents	108	94	93	94	83	101	90	77	77	80	897	8.0	...
All other Causes	278	230	245	224	173	230	187	178	195	205	2,145	19.2	...
	1,676	1,096	1,313	1,183	953	1,325	1,094	1,099	1,204	1,161	12,104		
Admitted per 1,000 of the Average Strength in each June.													
	151.9	100.2	114.2	102.3	82.9	119.1	97.5	99.5	109.2	109.0	108.5		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each JULY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JULY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	11,028	775	70·3	12	1·09	·45	7	2	2	1	
1871	...	10,913	690	63·2	14	1·28	1·19	1	...	3	...	1	2	...	1	...	1	
1872	...	11,456	680	59·4	13	1·13	1·13	3	...	1	1	
1873	...	11,497	698	60·7	18	1·57	1·22	4	...	1	...	1	3	...	5	...	1	
1874	...	11,428	659	57·7	13	1·14	1·14	...	1	2	1	4	...	1	1	1	
1875	...	11,080	673	60·7	13	1·17	·99	2	...	1	3	1	
1876	...	11,112	636	57·2	9	·81	·81	2	...	2	...	1	1	
1877	...	11,061	709	64·1	16	1·45	1·36	1	...	1	...	1	1	1	1	1	
1878	...	11,031	719	65·2	21	1·90	1·36	6	2	6	...	3	...	1	1	
1879	...	10,646	737	69·2	29	2·72	1·32	15	...	5	1	3	
								36	1	16	...	6	12	1	18	...	27	...	5	11	9	16
Died per 1,000 of the Average Strength.																									
For the Month	111,252	6,976	62·7	158	1·42	1·09	·33	·01	·14	...	·05	·11	·01	·16	...	·24	...	·05	·10	·08	·14	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JULY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.								
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
Dengue (of 1872 and 73)	213	25	238	2·1	...								
Cholera	...	9	1	...	6	...	2	...	2	17	26	63	·5	57·14							
Smallpox	1	1	·0	100·00							
Enteric Fever	...	7	5	8	2	6	3	4	9	1	5	50	·4	32·00							
Fever, Intermittent	...	399	73	86	218	73	62	89	105	145	230	1,480	13·3	...							
Fever, Remittent and Continued	...	63	55	128	86	142	138	142	195	244	204	1,397	12·6	·43							
Apoplexy	4	1	2	3	...	1	3	2	16	·1	75·00							
Delirium Tremens	...	8	...	4	1	4	6	4	8	5	3	53	·5	1·89							
Dysentery	...	57	74	96	117	125	59	79	98	125	103	933	8·4	1·93							
Diarrhoea	...	83	65	158	99	90	94	78	106	126	174	1,073	9·7	...							
Hepatitis	...	51	63	52	106	85	67	71	79	55	55	684	6·2	3·95							
Spleen disease	...	12	1	...	5	4	1	1	...	2	1	27	·2	...							
Respiratory diseases	...	51	40	57	42	66	38	64	42	54	57	511	4·6	·98							
Phthisis Pulmonalis	...	10	17	8	7	8	7	9	14	3	2	85	·8	10·59							
Scurvy	1	1	2	·0	...							
Rheumatism	...	52	68	61	61	59	28	45	47	66	55	542	4·9	...							
Veneral diseases	...	145	136	193	164	181	169	156	247	235	200	1,826	16·4	} ·37							
Eye diseases	...	22	22	26	19	18	21	16	30	22	33	229	2·1								
Abscess and Ulcer	...	108	97	136	139	108	92	81	110	114	91	1,076	9·7								
Wounds and Accidents	...	100	89	103	96	106	66	93	91	86	110	940	8·4								
All other Causes	...	227	273	290	272	251	196	203	214	228	233	2,387	21·5								
											1,404	1,080	1,623	1,466	1,330	1,052	1,135	1,398	1,531	1,585	13,613
Admitted per 1,000 of the Average Strength in each July.																					
											127·3	99·8	141·7	127·5	116·4	94·9	102·1	126·4	138·8	148·9	122·4

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each AUGUST of the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN AUGUST OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Small pox.	Enteric Fever.	Fever, Intermittent	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	11,075	791	71·4	15	1·35	1·35	1	1	...	1	...	5	2	5
1871	...	10,895	658	60·4	17	1·56	1·56	1	3	...	6	2	2
1872	...	11,447	757	66·1	17	1·49	1·49	3	2	2
1873	...	11,473	750	65·4	13	1·13	1·13	2	3	1	1
1874	...	11,434	694	60·7	9	·79	·79	3	1	1
1875	...	11,059	640	57·9	9	·81	·72	1	1	1	1
1876	...	11,170	679	60·8	17	1·52	1·43	1	...	5	5	1	1
1877	...	11,027	754	68·4	13	1·18	1·18	4	4	2	1
1878	...	10,940	750	68·6	24	2·19	1·19	11	2	1	...	4	1	1
1879	...	10,609	769	72·5	20	1·89	1·70	2	1	4	2	4
								15	...	17	...	6	6	1	23	1	36	...	1	17	12	1	18
Died per 1,000 of the Average Strength.																									
For the Month	111,129	7,242	65·2	154	1·39	1·25	·14	...	·15	...	·05	·05	·01	·21	·01	·33	...	·01	·15	·11	·01	·16	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH AUGUST.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
			
Dengue (of 1872 and 1873)	104	84	188	1·7	...
Cholera	...	1	1	17	·2	88·24
Smallpox
Enteric Fever	...	7	1	8	3	4	11	7	49	·4	31·69
Fever, Intermittent	...	395	146	72	156	71	99	87	1,497	13·5	...
Fever, Remittent and Continued	...	79	82	104	50	91	145	167	1,222	11·0	...
Apoplexy	...	1	1	2	1	...	5	1	15	·1	40·00
Delirium Tremens	...	14	10	3	1	...	2	7	49	·4	2·04
Dysentery	...	91	105	112	113	86	80	82	976	8·8	2·36
Diarrhœa	...	97	102	136	89	40	78	87	864	7·8	·12
Hepatitis	...	81	70	68	80	84	83	61	677	6·1	5·32
Spleen disease	...	5	5	...	2	3	1	2	19	·2	...
Respiratory diseases	...	60	65	...	41	51	41	64	501	4·5	...
Phthisis Pulmonalis	...	3	14	8	11	15	13	14	104	·9	11·54
Scurvy	1	1	...	1	5	·0	...
Rheumatism	...	65	58	59	58	47	...	34	465	4·2	...
Venereal diseases	...	137	174	150	137	176	169	186	1,685	15·2	...
Eye diseases	...	44	22	25	23	22	23	13	234	2·1	...
Abscess and Ulcer	...	105	124	118	85	91	87	96	953	8·6	...
Wounds and Accidents	...	141	103	97	76	73	109	93	923	8·3	...
All other Causes	...	269	265	211	211	182	251	295	2,321	20·9	...
Admitted per 1,000 of the Average Strength in each August.													
1,595	1,348	1,330	1,221	1,039	1,215	1,337	1,164	1,251	1,264	12,764			
144·0	123·7	116·2	106·4	90·9	109·9	119·7	105·6	114·4	119·1	114·9			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each SEPTEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN SEPTEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	10,941	717	65·5	16	1·46	1·46	2	...	2	1	...	2	...	2	...	3	3	1	
1871	...	10,854	641	59·1	14	1·29	1·29	1	3	...	4	...	3	3	3	
1872	...	11,394	800	70·2	23	2·02	2·02	6	7	...	3	...	3	3	4	
1873	...	11,381	771	67·7	17	1·49	1·49	1	5	...	3	...	3	3	1	
1874	...	11,402	733	64·3	9	·79	·79	1	4	...	1	1	3	
1875	...	11,038	656	59·4	17	1·54	1·54	1	1	...	3	1	5	...	3	3	
1876	...	11,166	708	63·4	16	1·43	1·25	2	...	7	1	...	3	...	2	1	
1877	...	10,972	746	68·0	17	1·55	1·09	5	7	...	3	...	1	1	
1878	...	10,887	773	71·0	14	1·29	1·01	3	...	4	...	1	1	...	1	...	3	...	1	1	
1879	...	10,467	739	70·6	22	2·10	1·91	2	...	3	2	...	4	3	7	
								12	...	26	...	5	5	1	33	1	32	17	10	23	
Died per 1,000 of the Average Strength.																									
For the Month	110,502	7,284	65·9	165	1·49	1·38	·11	...	·23	...	·04	·04	·01	·30	·01	·30	·15	·09	·21	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH SEPTEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	101	47	148	1·3	...
Cholera	...	1	2	8	5	2	19	·2	63·16
Smallpox	...	1	1	2	·0	...
Enteric Fever	...	3	9	10	9	5	...	14	2	6	62	·6	41·94
Fever, Intermittent	...	229	92	258	151	111	115	50	91	206	1,673	15·1	...
Fever, Remittent and Continued	...	68	68	111	89	117	113	175	126	223	1,271	11·5	·39
Apoplexy	...	2	1	...	2	2	1	2	...	1	12	·1	41·67
Delirium Tremens	...	3	7	3	3	...	6	4	38	·4	2·63
Dysentery	...	75	68	111	128	114	64	62	90	112	896	8·1	3·68
Diarrhœa	...	75	56	75	66	41	37	62	46	67	565	5·1	·18
Hepatitis	...	59	57	66	102	104	68	69	55	56	703	6·4	4·55
Spleen disease	...	1	3	2	2	3	...	1	...	1	13	·1	...
Respiratory diseases	...	39	55	34	67	71	31	33	33	41	463	4·2	...
Phthisis Pulmonalis	...	5	8	6	12	19	9	4	4	8	79	·7	12·66
Scurvy	...	1	1	·0	...
Rheumatism	...	52	50	34	64	70	26	49	26	38	450	4·1	...
Veneral diseases	...	127	110	126	218	192	141	129	242	206	1,743	15·8	...
Eye diseases	...	29	18	26	24	15	17	13	16	12	181	1·6	·64
Abscess and Ulcer	...	104	85	87	116	110	79	69	66	90	897	8·1	...
Wounds and Accidents	...	103	85	66	95	101	67	84	62	61	804	7·3	...
All other Causes	...	191	171	163	287	246	188	236	179	195	2,063	18·7	...
											12,084		
Admitted per 1,000 of the Average Strength in each September.													
	106·7	87·1	112·3	129·9	116·1	87·1	95·1	95·9	122·3	141·8	109·4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each OCTOBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN OCTOBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	9,805	629	64.1	16	1.63	1.63	2	1	...	4	...	4	3	...	2
1871	...	10,139	607	59.9	15	1.48	1.48	2	2	3	...	4	...	1	2	4	1
1872	...	11,347	753	66.4	24	2.12	2.12	1	4	...	10	1	1	1
1873	...	11,404	762	66.8	12	1.05	1.05	6	...	1	3
1874	...	11,381	761	66.9	11	.97	.97	4	...	2	...	1
1875	...	11,014	639	58.0	14	1.27	1.18	1
1876	...	11,150	657	58.9	15	1.35	1.35	1	1	...	4	...	2
1877	...	10,940	731	66.8	17	1.55	1.46	1	1	...	6	...	2	1	1	6
1878	...	10,855	778	71.0	12	1.11	1.11	1	2	...	1	2	...	1	1	1
1879	...	10,439	767	73.5	8	.77	.77	1	1	...	3	...	1
								2	1	13	...	4	5	4	32	...	38	...	5	15	11	2	12
Died per 1,000 of the Average Strength.																									
For the Month	108,474	7,084	65.3	144	1.33	1.31	.02	.01	.1203	.05	.03	.303505	.14	.10	.0211

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH OCTOBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	47	21	68	.6	...
Cholera	1	1	3	5	.1	40.00
Smallpox	1	1	...	2	.0	50.00
Enteric Fever	1	...	6	7	3	1	26	.2	50.00
Fever, Intermittent	182	49	415	87	59	106	59	129	295	330	1,711	15.8	...
Fevers, Remittent and Continued...	48	76	91	94	123	112	211	157	287	129	1,328	12.2	.30
Apoplexy	1	...	2	...	1	1	1	2	2	1	11	.1	45.45
Delirium Tremens	...	7	4	...	5	5	6	4	7	2	44	.4	9.09
Dysentery	57	89	125	88	69	60	75	87	62	46	758	7.0	4.22
Diarrhoea	44	53	58	48	32	28	37	75	58	23	456	4.2	...
Hepatitis	40	74	82	81	90	62	66	65	72	65	697	6.4	5.45
Spleen disease	3	4	1	1	5	1	4	4	2	4	29	.3	...
Respiratory diseases	56	46	52	75	59	47	62	50	65	39	551	5.1	.91
Phthisis Pulmonalis	3	15	10	10	10	9	10	12	9	10	98	.9	11.22
Scurvy	1	1	2	.0	...
Rheumatism	47	60	51	58	56	30	47	44	45	37	475	4.4	...
Veneral diseases	133	162	144	133	178	155	153	256	250	186	1,750	16.1	...
Eye diseases	19	13	22	26	9	19	23	39	14	19	203	1.9	...
Abscess and Ulcer	82	123	124	64	86	58	94	107	87	84	909	8.4	.45
Wounds and Accidents	94	103	92	91	88	67	77	69	105	62	848	7.8	...
All other Causes	184	258	219	228	226	179	237	214	217	188	2,150	19.8	...
	1,000	1,134	1,543	1,106	1,097	940	1,169	1,324	1,581	1,227	12,121		
Admitted per 1,000 of the Average Strength in each October.													
	102.0	111.8	136.0	97.0	96.4	85.3	104.8	121.0	145.6	117.5	111.7		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each NOVEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN NOVEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.	
1870	...	10,615	589	55·5	13	1·22	1·22	1	1	...	3	1	...	5	1
1871	...	11,049	621	56·2	12	1·09	1·09	1	1
1872	...	12,106	683	56·4	10	·83	·74	1	1	1
1873	...	11,322	701	61·9	13	1·15	1·06	1	1	1	1
1874	...	11,321	774	68·4	15	1·32	1·32	5	5	1	3
1875	...	10,828	550	50·8	13	1·20	1·20	1	1	5	3
1876	...	11,108	661	59·5	8	·72	·72	1	...	1	2	1
1877	...	10,720	697	65·0	10	·93	·84	1	1	1	...	4	1
1878	...	10,515	768	73·0	13	1·24	1·05	2	1	1	1	1	...	2	1
1879	...	10,669	789	73·9	7	·66	·66	3	1	...	3
								5	...	5	...	7	4	1	18	...	34	...	1	13	14	12
Died per 1,000 of the Average Strength.																									
For the Month	110,253	6,833	62·0	114	1·03	·99	·04	...	·04	...	·06	·04	·01	·16	...	·31	...	·01	·12	·13	·11

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH NOVEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	7	2	4	13	·1	...
Cholera	2	1	7	·1	...
Smallpox	...	2	1	2	...	2	·0	71·43
Enteric Fever	10	·1	...
Fever, Intermittent	181	42	1	1	4	1,278	11·6	...
Fevers, Remittent and Continued...	69	63	205	58	58	47	61	110	253	263	1,109	10·0	·63
Apoplexy	115	107	123	207	90	1,109
Delirium Tremens	1	...	2	1	2	8	·1	50·00
Dysentery	6	...	1	3	6	42	·4	2·38
Diarrhoea	63	60	84	94	69	63	53	56	57	46	645	3·9	2·79
Hepatitis	48	34	71	77	32	27	41	39	26	33	428	5·9	...
Spleen disease	61	66	51	76	87	65	74	55	49	58	642	·8	5·30
Respiratory diseases	1	2	1	13	·1	...
Phthisis Pulmonalis	67	49	43	51	83	27	45	44	54	57	520	4·7	·19
Scurvy	10	9	10	25	11	12	6	8	7	5	103	·9	13·59
Rheumatism	2	·0	...
Veneral diseases	395	3·6	...
Eye diseases	141	155	116	133	156	166	149	193	235	311	1,755	15·9	...
Abscess and Ulcer	173	1·6	...
Wounds and Accidents	104	82	118	77	82	64	63	60	63	64	777	7·0	·43
All other Causes	102	92	73	69	71	106	67	79	80	95	834	7·6	...
	212	180	175	187	205	175	201	182	200	196	1,913	17·4	...
	1,145	920	1,099	1,018	1,074	917	920	1,015	1,293	1,268	10,669		
Admitted per 1,000 of the Average Strength in each November.													
	107·9	83·3	90·8	90·0	94·9	84·7	82·8	94·7	123·0	118·8	96·8		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each DECEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN DECEMBER OF EACH YEAR.		CAUSES OF DEATHS.																					
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
1870	...	10,515	528	50·2	6	·57	·57	2	...	2	...	1	1
1871	...	10,583	616	58·2	14	1·32	1·32	3	...	4	...	1	4
1872	...	11,948	623	52·1	25	2·09	2·09	6	...	5	4
1873	...	11,798	663	56·2	24	2·03	1·95	9	...	4	...	1
1874	...	11,427	758	66·3	9	·79	·79	1
1875	...	10,570	535	50·6	7	·66	·66	1
1876	...	10,714	628	58·6	10	·93	·93	2
1877	...	10,554	620	58·7	14	1·33	1·23	1
1878	...	10,185	687	67·4	10	·98	·79	2
1879	...	10,954	767	70·0	7	·64	·64	1
								4	...	10	...	2	3	1	28	1	26	...	5	22	12	2	10			
Died per 1,000 of the Average Strength.																												
For the Month	109,248	6,425	58·8	126	1·15	1·11	·04	...	·09	...	·02	·03	·01	·25	·01	·24	...	·04	·20	·11	·02	·09				

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH DECEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	2	8	2	12	1	...
Cholera	1	...	2	...	1	2	...	6	1	66.67
Smallpox	1	1	2	0	...
Enteric Fever ...	1	5	13	...	2	1	2	4	...	1	29	3	34.48
Fever, Intermittent ...	95	52	158	77	93	32	31	109	255	466	1,308	12.0	...
Fevers, Remittent and Continued ...	77	60	154	77	133	78	76	122	107	63	947	8.7	21
Apoplexy ...	1	1	2	2	...	6	1	50.00
Delirium Tremens ...	6	6	...	4	1	2	3	5	3	...	35	3	2.86
Dysentery ...	45	69	94	91	76	57	71	73	65	47	688	6.3	4.07
Diarrhoea ...	41	52	84	56	43	41	49	65	48	29	508	4.7	2.0
Hepatitis ...	46	50	62	92	86	36	54	61	42	55	584	5.3	4.45
Spleen disease ...	3	5	2	3	1	2	3	2	...	3	24	2	...
Respiratory diseases ...	54	68	54	38	58	55	42	40	49	49	507	4.6	99
Phthisis Pulmonalis ...	4	13	20	9	15	10	16	16	5	5	113	1.0	10.62
Scurvy	1	1	0	...
Rheumatism ...	29	27	46	53	59	25	23	23	39	26	350	3.2	...
Veneral diseases ...	110	152	137	170	226	138	118	224	200	258	1,733	15.9	58
Eye diseases ...	22	9	12	26	10	7	19	17	8	...	137	1	...
Abscess and Ulcer ...	80	91	85	80	89	64	58	75	70	97	789	7.2	...
Wounds and Accidents ...	102	131	94	122	137	80	93	91	106	127	1,086	9.9	...
All other Causes ...	144	178	226	213	214	146	178	156	161	180	1,796	16.4	...
	860	972	1,246	1,120	1,243	776	839	1,085	1,162	1,358	10,661		
Admitted per 1,000 of the Average Strength in each December.													
	81.8	91.8	104.3	94.9	108.8	73.4	78.3	102.8	114.4	124.0	97.6		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each JANUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JANUARY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	10,376	577	55·6	16	1·54	1·54	1	5	...	1	1	...	1	...	1	1	4	1
1871	...	10,223	517	50·6	12	1·17	1·17	1	1	1	1	3	1
1872	...	11,002	542	49·3	11	1·00	1·00	5
1873	...	10,329	538	52·1	15	1·45	1·45
1874	...	10,892	557	51·1	7	·64	·64	1
1875	...	8,821	460	52·1	5	·57	·57
1876	...	10,295	459	44·6	7	·68	·68	1
1877	...	10,078	520	51·6	13	1·29	1·29
1878	...	10,535	588	55·8	4	·38	·38
1879	...	8,727	593	68·0	17	1·95	1·95
								9	1	9	4	1	10	...	19	...	13	9	22	10
Died per 1,000 of the Average Strength.																									
For the Month	101,278	5,351	52·8	107	1·06	1·06	·09	·01	·09	·04	·01	·10	...	·19	...	·13	·09	·21	·10

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JANUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.														
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.																	
Dengue (of 1873)	19	19	·2	...														
Cholera	1	·0	...														
Smallpox	1	...	1	11	1	...	14	·1	...														
Enteric Fever ...	1	2	3	2	1	2	...	3	...	2	17	·2	52·94														
Fever, Intermittent ...	399	401	264	315	213	190	236	221	405	454	3,098	30·6	·03														
Fevers, Remittent and Continued... ..	65	68	46	34	51	40	10	42	24	36	416	4·1	2·16														
Apoplexy	3	1	2	1	1	...	1	9	·1	44·44														
Delirium Tremens ...	2	8	5	1	5	6	2	3	5	...	37	·3	2·70														
Dysentery ...	12	24	23	38	19	11	18	19	17	26	207	2·0	4·63														
Diarrhoea ...	43	46	47	28	25	29	28	20	39	72	377	3·7	...														
Hepatitis ...	27	55	31	43	23	29	38	27	29	20	322	3·2	5·90														
Spleen disease ...	1	4	1	1	4	7	3	4	3	7	35	·3	...														
Respiratory diseases ...	46	84	72	82	134	48	58	81	67	105	777	7·7	1·67														
Phthisis Pulmonalis ...	6	12	6	14	5	8	4	2	3	7	67	·7	32·84														
Scurvy	2	2	4	·0	...														
Rheumatism ...	31	58	48	32	40	24	29	36	45	39	382	3·8	} ·38														
Veneral diseases ...	161	172	250	125	160	162	156	132	214	210	1,742	17·2															
Eye diseases ...	14	22	20	13	25	9	9	12	16	7	147	1·5															
Abscess and Ulcer ...	60	98	78	67	101	56	70	72	76	48	726	7·2															
Wounds and Accidents ...	46	78	86	66	100	62	90	83	91	73	775	7·7															
All other Causes ...	116	134	142	96	125	76	107	132	168	134	1,230	12·1															
											1,030	1,271	1,126	976	1,032	761	859	902	1,204	1,241	10,402						
Admitted per 1,000 of the Average Strength in each January.																											
														99·3	124·3	102·3	94·5	94·8	86·3	83·4	89·5	114·3	142·2	102·7			

IV.—MONTHLY DISTRIBUTIONS OF DISEASE, 1870-79.

CCXXXIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each FEBRUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN FEBRUARY OF EACH YEAR.		CAUSES OF DEATH.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	...	8,957	464	51·8	11	1·23	1·23	1	...	3	1	...	1	1	1	2	1
1871	...	10,874	511	47·0	15	1·38	1·38	1	...	1	1	4	...	1	1	4	2
1872	...	10,282	455	44·2	8	·78	·78	...	1	1	...	1	...	1	1	2	1	1
1873	...	10,478	513	48·9	9	·86	·86	...	3	1	...	2	...	1	1	1	...	1	1
1874	...	11,509	549	47·7	6	·52	·52	1	...	1	...	1	1	1	1	2
1875	...	9,606	455	47·4	7	·73	·73	1	1	...	1	1	1	1	3
1876	...	10,538	495	46·8	3	·28	·28	1	1
1877	...	10,069	485	48·1	5	·50	·50	...	1	1	3
1878	...	10,465	601	57·4	2	·19	·19	...	1	1
1879	...	8,743	574	65·7	4	·46	·46	...	1	1	2
Died per 1,000 of the Average Strength.																								
For the Month	101,571	5,102	50·2	70	·69	·69	·09	...	·05	·02	...	·06	·01	·11	...	·03	·07	·11	...	·01	·02	·11

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH FEBRUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
			
Dengue (of 1872 and 1873)
Cholera	1	·0	...
Smallpox	1	1	2	1	1	...	6	·1	...
Enteric Fever	1	1	2	3	2	5	1	1	16	·1	56·25
Fever, Intermittent	239	250	146	228	145	168	267	136	316	314	2,209	21·7	...
Fevers, Remittent and Continued...	90	46	49	37	42	39	30	53	40	41	467	4·6	1·07
Apoplexy	3	1	4	1	1	...	2	...	2	2	14	·1	14·29
Delirium Tremens	3	3	3	2	2	...	4	3	1	4	25	·3	...
Dysentery	11	15	10	34	15	13	23	11	13	32	177	1·7	3·39
Diarrhoea	32	42	28	25	22	23	43	16	42	35	308	3·0	·32
Hepatitis	21	28	17	50	36	28	36	27	23	16	282	2·8	4·26
Spleen disease	1	2	2	3	8	7	3	5	4	3	38	·4	...
Respiratory diseases	66	66	43	75	9	75	74	48	68	76	688	6·8	·44
Phthisis Pulmonalis	10	12	3	9	...	6	6	3	6	6	69	·7	15·94
Scurvy	1	1	1	1	1	1	6	·1	16·67
Rheumatism	40	36	28	47	67	38	40	37	48	36	417	4·1	...
Veneral diseases	154	157	157	162	182	147	244	156	168	207	1,734	17·1	...
Eye diseases	13	18	17	17	20	10	17	8	18	8	146	1·4	...
Abscess and Ulcer	61	71	58	78	94	72	96	58	61	71	720	7·1	·40
Wounds and Accidents	71	63	74	78	87	72	115	89	93	63	805	7·9	...
All other Causes	104	119	81	117	119	115	166	117	152	97	1,187	11·7	...
Admitted per 1,000 of the Average Strength in each February.													
...	921	931	721	968	945	813	1,172	773	1,055	1,013	9,315
...	102·8	85·6	70·4	92·4	82·1	84·6	110·7	76·8	100·8	115·9	91·7

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXL.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each MARCH of the TEN-YEAR PERIOD 1870-79.

YEARS.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MARCH OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	...	9,040	503	55·6	11	1·22	1·22	1	2	...	2	...	1	1	3
1871	...	10,223	526	51·4	12	1·17	1·17	1	2	...	3	...	1	2	1
1872	...	10,854	467	43·0	6	·55	·55	1	1	1
1873	...	10,630	505	47·5	9	·85	·85	1	...	4	2	1	...
1874	...	10,767	531	49·3	7	·65	·65	1	...	1	2
1875	...	10,055	464	46·1	16	1·59	1·59	...	1	1	...	2	1	3	...	1	1
1876	...	10,294	483	46·9	13	1·26	1·26	1	1	3	...	2	2	3	1
1877	...	10,080	477	47·3	4	·40	·40	1	1	...	1	1	1
1878	...	10,301	555	53·9	4	·39	·39	1	3
1879	...	9,255	557	60·2	14	1·51	1·51	2	1	...	5	1	...	2	1
							Died per 1,000 of the Average Strength.																	
For the Month	101,499	5,068	50·0	96	·95	·95	...	·01	·05	...	·05	·03	...	·11	...	·20	...	·09	·12	·12	·01	·16

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MARCH.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
			
Dengue (of 1872)	264	264	2·6	...
Cholera
Smallpox	2	1	3	8	·1	12·50
Enteric Fever	4	2	5	2	1	1	2	2	20	·2	25·00
Fever, Intermittent	...	330	157	180	300	163	202	143	233	355	2,357	23·2	...
Fevers, Remittent and Continued...	126	128	106	37	152	89	45	48	54	72	857	8·4	·58
Apoplexy	1	1	2	...	2	4	1	1	12	·1	25·00
Delirium Tremens	4	7	2	2	5	2	2	3	4	...	31	·3	...
Dysentery	19	24	7	38	15	21	11	19	15	16	185	1·8	5·95
Diarrhoea	29	33	35	39	33	57	20	36	37	42	361	3·6	...
Hepatitis	31	44	17	46	57	36	34	25	25	20	335	3·3	6·27
Spleen disease	7	2	3	7	5	6	4	2	2	2	40	·4	...
Respiratory diseases	67	84	41	60	80	82	47	55	54	54	624	6·1	1·44
Phthisis Pulmonalis	5	8	10	11	5	3	5	5	1	5	58	·6	20·69
Scurvy	1	1	1	...	3	·0	...
Rheumatism	61	40	29	50	69	48	37	29	51	32	446	4·4	...
Venereal diseases	185	160	162	169	213	179	156	161	178	232	1,795	17·7	...
Eye diseases	20	22	17	18	30	28	24	17	12	12	200	2·0	...
Abscess and Ulcer	94	64	80	93	113	118	72	64	65	77	840	8·3	...
Wounds and Accidents	72	75	54	82	105	116	84	96	95	95	874	8·6	...
All other Causes	134	104	135	155	169	137	121	122	126	85	1,288	12·7	...
	1,154	1,129	1,123	989	1,358	1,091	869	828	955	1,102	10,598		
Admitted per 1,000 of the Average Strength in each March.													
	127·7	110·4	103·5	93·0	126·1	108·5	84·4	82·1	92·7	119·1	104·4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each APRIL of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN APRIL OF EACH YEAR.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
1870	...	10,879	572	52·6	9	·83	·83	2	1	1	...	2	1	...	1	4	...	1	...	1	1	2
1871	...	11,072	569	51·4	11	·99	·99	1
1872	...	11,019	522	47·4	9	·82	·64	2	2	1	2	1
1873	...	10,597	491	46·3	10	·94	·94	2	...	3	1
1874	...	10,558	491	46·5	6	·57	·57	1	1
1875	...	10,554	536	50·8	10	·95	·95	4	...	3	3
1876	...	10,224	496	48·5	12	1·17	1·17	1	2	5	3
1877	...	10,134	474	46·8	5	·49	·49	3	2
1878	...	10,177	511	50·2	11	1·08	·39	7	1	2	3
1879	...	10,214	645	63·1	8	·78	·78	1	...	2	1
								9	3	15	2	11	9	1	5	...	15	...	2	4	6	9	
Died per 1,000 of the Average Strength.																											
For the Month	105,428	5,307	50·3	91	·86	·78	·08	·03	·14	·02	·11	·08	·01	·05	...	·14	...	·02	·04	·06	·08		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH APRIL.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.									
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.												
Dengue (of 1872)	475	475	4·5	...									
Cholera	3	11	·1	81·82									
Smallpox	...	1	6	...	2	17	·2	17·65									
Enteric Fever	...	3	2	3	3	1	7	4	6	2	34	·3	44·12									
Fever, Intermittent	...	252	291	226	311	136	188	224	160	283	592	2,663	25·2	·08								
Fevers, Remittent and Continued	...	143	148	121	73	123	105	87	100	62	194	1,156	10·9	·95								
Apoplexy	...	1	3	...	3	3	7	5	2	7	3	34	·3	26·47								
Delirium Tremens	...	9	3	4	3	5	4	5	6	6	2	47	·4	2·13								
Dysentery	...	10	12	19	37	11	27	20	24	9	21	190	1·8	2·63								
Diarrhoea	...	93	44	58	37	21	59	20	44	42	76	494	4·7	...								
Hepatitis	...	36	31	29	70	36	28	41	17	35	24	347	3·3	4·32								
Spleen disease	...	2	4	8	8	9	9	5	3	3	5	56	·5	...								
Respiratory diseases	...	68	67	56	66	32	70	36	61	43	61	560	5·3	·36								
Phthisis Pulmonalis	...	4	5	3	1	3	3	3	3	2	3	30	·3	20·00								
Scurvy	...	1	1	·0	...								
Rheumatism	...	55	47	57	58	40	40	56	29	45	55	482	4·6	...								
Veneral diseases	...	229	173	183	170	130	154	169	160	265	273	1,906	18·1	...								
Eye diseases	...	16	35	22	16	20	22	27	17	16	27	218	2·2	...								
Abscess and Ulcer	...	83	93	113	125	73	92	107	77	93	94	950	9·1	·20								
Wounds and Accidents	...	66	79	108	80	66	100	80	119	126	137	961	9·1	...								
All other Causes	...	153	146	144	156	114	153	152	158	194	179	1,549	14·7	...								
											12,181											
Admitted per 1,000 of the Average Strength in each April.																						
											112·6	106·8	148·6	114·9	78·1	101·2	102·1	97·5	122·0	171·3	116·6	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY
in each MAY of the TEN-YEAR PERIOD 1870-79.

[illegible]

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MAY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	350	2	352	3.3	...
Cholera	3	...	1	11	1	1	...	2	21	.2	57.14
Smallpox	2	...	1	...	2	1	1	...	7	.1	14.29
Enteric Fever ...	3	1	2	2	1	4	7	2	...	3	25	.2	64.00
Fever, Intermittent ...	326	474	222	329	125	199	271	299	244	745	3,234	30.7	.03
Fevers, Remittent and Continued...	188	322	60	68	69	95	143	109	108	107	1,269	12.0	.16
Apoplexy ...	4	6	6	8	1	12	3	9	7	8	64	.6	50.00
Delirium Tremens ...	6	1	2	6	5	6	4	4	3	1	38	.4	5.26
Dysentery ...	8	13	19	9	14	20	19	24	16	9	151	1.4	.66
Diarrhoea ...	107	46	58	18	30	38	34	36	31	39	497	4.1	...
Hepatitis ...	31	41	28	40	49	23	60	38	23	24	366	3.5	2.46
Spleen disease ...	3	2	6	3	9	12	9	7	5	5	61	.6	...
Respiratory diseases ...	64	51	40	30	29	44	64	85	34	50	481	4.6	.62
Phthisis Pulmonalis ...	8	9	6	7	6	5	11	3	1	5	61	.6	6.56
Scurvy	1	...	1	...	1	1	1	1	...	5	.1	...
Rheumatism ...	47	54	80	41	38	47	48	60	34	43	492	4.7	...
Veneral diseases ...	161	176	105	134	139	144	208	176	189	246	1,678	15.9	...
Eye diseases ...	26	37	17	22	19	27	25	15	7	17	212	2.0	...
Abscess and Ulcer ...	88	151	87	79	95	79	98	116	51	77	921	8.7	.28
Wounds and Accidents ...	52	125	69	85	83	86	89	117	88	76	870	8.3	...
All other Causes ...	187	148	105	133	193	143	193	195	152	154	1,603	15.2	...
	1,309	1,658	1,267	1,026	907	995	1,280	1,298	997	1,611	12,348		
Admitted per 1,000 of the Average Strength in each May.													
	116.4	150.4	115.1	97.2	85.5	94.4	125.2	128.4	102.5	156.6	117.2		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each JUNE of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JUNE OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.	
1870	...	11,219	696	62.0	18	1.60	1.60	3	...	4	7	...	2	1	...	1	1
1871	...	10,952	657	60.0	10	.91	.82	1	...	1	4	1	...	1
1872	...	11,014	501	45.5	25	2.27	2.00	18	1
1873	...	10,574	499	47.2	12	1.13	1.13	1	3
1874	...	10,577	502	47.5	11	1.04	1.04	6
1875	...	10,482	539	51.4	28	2.67	1.81	5	...	1	7
1876	...	10,209	553	54.2	6	.59	.59	1	2	1
1877	...	10,175	576	56.6	12	1.18	.98	1	...	1	6	1
1878	...	9,740	556	57.1	16	1.64	1.64	1	8	...	1	...	3
1879	...	10,262	738	71.9	6	.58	.58	1	3	1
								15	...	13	...	8	64	2	3	...	13	...	5	3	6	12
Died per 1,000 of the Average Strength.																									
For the Month	105,204	5,817	55.3	144	1.37	1.23	.141208	.61	.02	.031205	.03	.0611

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JUNE.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	258	10	268	2.5	...
Cholera	3	10	...	2	...	1	17	.2	88.24
Smallpox	1	1	.0	...
Enteric Fever	...	4	...	2	1	2	3	1	...	1	15	.1	86.67
Fever, Intermittent	...	568	550	189	440	197	305	221	246	285	3,758	35.7	...
Fever, Remittent and Continued...	...	247	241	142	78	70	155	97	118	148	1,397	13.3	...
Apoplexy	...	26	13	27	9	10	22	7	18	24	12	1.6	38.10
Delirium Tremens	...	6	1	3	1	5	4	5	6	1	2	.3	5.88
Dysentery	...	33	16	20	8	18	20	11	18	18	7	1.6	1.78
Diarrhoea	...	85	52	43	39	38	81	42	51	23	46	4.8	...
Hepatitis	...	45	33	28	43	44	44	44	26	34	21	3.4	3.59
Spleen disease	...	2	9	3	2	9	6	8	2	4	11	.5	...
Respiratory diseases	...	63	57	32	56	37	47	49	58	44	31	4.5	1.05
Phthisis Pulmonalis	...	12	5	13	4	6	11	3	3	7	6	.7	8.57
Scurvy	1	2	3	.0	...
Rheumatism	...	48	62	48	48	51	42	36	51	27	35	4.3	} 26
Veneral diseases	...	162	139	92	129	146	165	153	172	174	225	14.8	
Eye diseases	...	20	24	14	17	20	23	20	13	10	15	1.7	
Abscess and Ulcer	...	126	87	99	98	114	132	85	89	96	84	9.6	
Wounds and Accidents	...	67	74	67	63	88	116	77	68	61	68	7.1	
All other Causes	...	201	157	135	139	132	213	139	143	154	130	14.7	
	1,715	1,522	1,216	1,187	988	1,398	1,000	1,086	1,110	1,553	12,775		
Admitted per 1,000 of the Average Strength in each June.													
	152.9	139.0	110.4	112.3	93.4	133.4	98.0	106.7	114.0	151.3	121.4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each JULY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JULY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	11,192	624	55·8	10	·89	·89	1	1	3	1	...	1	1	1	1
1871	...	10,980	701	63·8	10	·91	·91	1	...	1	1	1	4	1	1	
1872	...	10,951	507	46·3	23	2·10	1·10	11	3	1	1	...	1	2	3	
1873	...	10,536	527	50·0	14	1·33	1·33	1	3	1	3	1	3	
1874	...	10,575	612	57·9	11	1·04	·85	2	1	1	1	5	1	
1875	...	10,459	610	58·3	17	1·63	1·43	2	...	1	...	1	3	2	...	4	1	1	2	
1876	...	10,199	570	55·9	8	·78	·69	1	3	...	1	1	2	
1877	...	10,155	621	61·2	12	1·18	·59	6	...	1	2	...	1	...	1	1	
1878	...	9,671	586	60·6	19	1·96	1·34	6	...	3	4	...	1	...	1	1	3	
1879	...	10,264	783	76·3	7	·68	·58	1	1	...	1	2	1	1	
								29	...	7	1	6	19	5	11	5	7	...	3	13	8	...	2	...	15
Died per 1,000 of the Average Strength.																									
For the Month	104,982	6,141	58·5	131	1·25	·97	·28	...	·07	·01	·06	·18	·05	·10	·05	·07	...	·03	·12	·07	...	·02	...	·14	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JULY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.													
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.																
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.																
Dengue (of 1872 and 1873)	588	9	597	57	...													
Cholera	13	...	2	2	...	8	7	1	34	·3	85·29													
Smallpox	1	1	2	·0	...													
Euterie Fever	1	1	...	1	1	1	...	2	4	...	11	·1	63·64													
Fever, Intermittent	434	644	228	521	319	347	350	316	519	1,075	4,753	45·3	·02													
Fevers, Remittent and Continued...	120	294	114	86	87	87	109	178	141	1,263	120	·4	42·22													
Apoplexy	1	4	6	4	3	1	10	3	8	5	45	·4	10·42													
Delirium Tremens	5	5	8	4	6	8	3	4	1	4	48	·5	3·61													
Dysentery	34	26	47	21	24	22	29	44	36	22	305	2·9	·59													
Diarrhoea	97	69	92	55	99	88	51	134	78	86	849	8·1	178													
Hepatitis	37	43	39	49	55	38	31	37	30	34	393	3·8	...													
Spleen disease	2	4	6	6	10	11	3	2	7	19	70	·7	·65													
Respiratory diseases	57	45	42	63	61	60	32	25	39	40	464	4·4	9·41													
Phthisis Pulmonalis	12	10	13	12	9	5	3	8	5	8	85	·8	50·00													
Scurvy	1	...	1	1	1	4	·0	...													
Rheumatism	48	67	52	52	51	39	34	57	52	60	512	4·9	} 43													
Veneral diseases	155	143	119	170	174	128	139	197	180	230	1,635	15·6														
Eye diseases	18	21	14	21	23	19	14	17	12	12	171	1·6														
Abscess and Ulcer	83	58	102	114	128	93	83	127	97	89	974	9·3														
Wounds and Accidents	45	67	92	88	111	89	53	111	82	82	820	7·8														
All other Causes	131	203	149	182	193	153	156	208	218	171	1,764	16·8														
											1,281	1,704	1,726	1,458	1,356	1,191	1,041	1,410	1,553	2,079	14,799					
Admitted per 1,000 of the Average Strength in each July.																										
														114·5	155·2	157·6	138·4	128·2	113·9	102·1	138·8	160·6	202·6	141·0		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each AUGUST of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN AUGUST OF EACH YEAR.		CAUSES OF DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
1870	...	11,023	676	61·3	16	1·45	1·45	2	1	3	2	...	2	2	2

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH AUGUST.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
			
Dengue (of 1872 and 1873)	151	151	1·4	...
Cholera	11	50	...	2	...	85	·8	74·12
Smallpox
Enteric Fever	...	4	1	...	1
Fever, Intermittent	...	698	681	372	334	309	476	400	430	677	1,089	5·466	52·3
Fevers, Remittent and Continued	...	342	183	87	60	88	175	92	105	125	1,386	13·3	1·08
Apoplexy	1	3	...	2	5	1	14	·1	42·86
Delirium Tremens	...	10	16	4
Dysentery	...	34	42	72	14	25	49	39	43	54	17	389	3·7
Diarrhoea	...	123	98	123	39	45	162	93	53	99	72	907	8·7
Hepatitis	...	44	44	29	32	44	37	39	25	45	31	370	3·5
Spleen disease	...	1	11	...	6	5	5	2	3	10	9	52	·5
Respiratory diseases	...	46	51	17	61	41	65	23	42	29	40	423	4·1
Phthisis Pulmonalis	...	13	9	10	4	5	6	4	4	8	6	69	·7
Scurvy	1	...	1	2	4	·0	...
Rheumatism	...	44	63	59	46	...	54	...	32	...	34	408	4·5
Veneral diseases	...	173	174	96	169	128	159	157	151	173	195	1,578	15·1
Eye diseases	...	18	29	25	25	20	27	26	12	15	5	202	1·9
Abscess and Ulcer	...	102	98	80	77	98	110	89	66	77	73	870	8·3
Wounds and Accidents	...	68	73	62	78	66	106	95	89	60	48	745	7·1
All other Causes	...	157	321	136	138	197	194	187	157	180	106	1,773	17·0
Admitted per 1,000 of the Average Strength in each August.													
	1,877	1,895	1,342	1,092	1,148	1,697	1,304	1,221	1,616	1,862	15,054		
	170·3	172·6	122·0	104·0	108·6	164·8	128·1	120·7	166·9	182·0	144·0		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each SEPTEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN SEPTEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	10,997	712	64·7	17	1·55	1·55	1	1	3	2	1	3	2	3	1
1871	...	10,970	634	57·8	13	1·19	1·19	4	...	1	...	1	1	4	1
1872	...	10,920	620	56·8	25	2·29	1·65	7	...	9	...	1	...	2	...	3	2	1
1873	...	10,473	557	53·2	14	1·34	1·34	4	...	1	2	...	1	3
1874	...	10,520	623	59·2	9	·86	·86	4	...	1	...	1	...	2	1
1875	...	10,248	643	62·7	21	2·05	1·85	2	...	5	1	2	...	1	...	1	2	4
1876	...	10,144	608	59·9	11	1·08	1·08	5	...	1	...	3	1	1
1877	...	10,115	697	68·9	10	·99	·89	1	...	3	1	...	1	1	3
1878	...	9,672	906	93·7	24	2·48	2·07	4	...	8	1	1	1	...	1	...	4	2	1	1
1879	...	10,237	981	95·8	11	1·07	1·07	3	1	1	...	3	...	1	1
								14	...	46	4	11	8	3	15	1	21	...	3	7	7	15
Died per 1,000 of the Average Strength.																									
For the Month	104,296	6,981	66·9	155	1·49	1·36	·13	...	·44	·04	·11	·08	·03	·14	·01	·20	...	·03	·07	·07	·14

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH SEPTEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
			
Dengue (of 1872)	82	82	·8	...
Cholera	12	25	·2	56·00
Smallpox
Enteric Fever
Fever, Intermittent
Fevers, Remittent and Continued
Apoplexy
Delirium Tremens
Dysentery
Diarrhoea
Hepatitis
Spleen disease
Respiratory diseases
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases
Eye diseases
Abscess and Ulcer
Wounds and Accidents
All other Causes
											16,152		
Admitted per 1,000 of the Average Strength in each September.													
											154·9		·41

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each OCTOBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN OCTOBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	...	10,300	709	68·8	14	1·36	1·36	3	1	1	1	1	4		
1871	...	10,921	613	56·1	15	1·37	1·37	3	3		
1872	...	10,896	662	60·7	15	1·38	1·28	1	...	2	1	2	2	1	1	2		
1873	...	10,464	615	58·8	5	·48	·48		
1874	...	10,513	686	65·2	12	1·14	1·14	3	1	2	1	1		
1875	...	10,159	618	60·8	5	·49	·39	1	1		
1876	...	10,050	619	61·6	10	1·00	1·00	4	1	2		
1877	...	10,098	692	68·7	4	·40	·30	1	...	1	1	1	1	1		
1878	...	9,748	963	98·8	27	2·77	2·26	5	...	6	...	2	2	1	4	...	2	4		
1879	...	10,017	983	98·1	12	1·20	1·20	1	...	3	2	1		
								8	...	23	4	12	5	2	9	4	8	...	5	10	9	...	2	...	18
Died per 1,000 of the Average Strength.																									
For the Month	103,166	7,160	69·4	119	1·15	1·07	·08	...	·22	·04	·11	·05	·02	·09	·04	·08	...	·05	·09	·09	...	·02	...	·17	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH OCTOBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	97	7	104	1'0	...
Cholera	1	1	...	2	5	...	9	'1	88'89
Smallpox
Enteric Fever ...	2	5	4	...	2	...	7	4	12	3	39	'4	58'97
Fever, Intermittent ...	795	652	1,385	456	542	497	698	585	1,500	1,364	8,154	'05	'05
Fevers, Remittent and Continued... ..	202	193	156	84	161	160	114	130	349	172	1,724	16'7	'70
Apoplexy ...	1	1	3	2	2	3	3	2	5	2	24	'2	20'83
Delirium Tremens ...	9	10	6	2	3	5	6	8	3	2	54	'5	3'70
Dysentery ...	17	17	32	18	27	18	31	29	50	30	269	2'6	3'35
Diarrhoea ...	44	65	56	28	26	39	37	59	103	62	519	5'0	'77
Hepatitis ...	34	43	44	43	29	34	41	43	50	27	388	3'8	2'06
Spleen disease ...	3	5	4	6	13	5	4	1	10	15	66	'7	...
Respiratory diseases ...	44	42	56	52	31	44	48	41	38	41	437	4'2	1'14
Phthisis Pulmonalis ...	13	7	19	12	6	3	7	5	6	8	86	'8	10'47
Scurvy	2	1	3	'0	66'67
Rheumatism ...	40	59	45	38	32	30	32	41	51	17	385	3'7	...
Veneral diseases ...	118	169	123	160	127	114	111	227	217	205	1,571	15'2	...
Eye diseases ...	18	22	20	29	9	29	21	21	16	13	198	1'9	...
Abscess and Ulcer ...	70	95	73	76	72	86	84	89	101	66	815	7'9	...
Wounds and Accidents ...	54	93	78	88	83	88	105	93	88	71	841	8'2	...
All other Causes ...	142	151	125	115	156	168	175	191	220	149	1,595	15'5	...
	1,606	1,629	2,327	1,216	1,320	1,325	1,524	1,554	2,824	2,247	17,581		
Admitted per 1,000 of the Average Strength in each October.													
	155'9	149'2	213'6	116'2	126'4	130'4	151'6	153'9	289'7	221'3	170'4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each NOVEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN NOVEMBER OF EACH YEAR.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
1870	...	10,630	635	59·7	12	1·13	1·13	1	...	2	2	2	1	1	1	...	1	2
1871	...	11,011	604	54·9	11	1·00	1·00	1	2	...	2	1	2
1872	...	10,541	634	60·1	14	1·33	1·33	3	1	1	2	1	2	2
1873	...	11,203	574	51·2	9	·80	·80	1	1	1	...	2	1	1
1874	...	10,276	586	57·0	5	·49	·49	1	3	1	
1875	...	10,630	594	55·9	19	1·79	1·79	2	5	...	2	2	...	1	4	1	
1876	...	10,217	597	58·4	7	·69	·69	2	1	...	1	2	2	1	1	3
1877	...	9,938	690	69·4	6	·60	·60	1	2	2	5
1878	...	9,351	824	88·1	29	3·10	2·35	7	...	5	...	3	1	1	6	1	2
1879	...	10,403	972	93·4	21	2·02	2·02	2	...	2	1	...	2	...	8	...	2	2
								7	...	13	2	11	8	2	11	5	22	...	11	9	14	1	17	
								Died per 1,000 of the Average Strength.																		
For the Month	104,200	6,710	64·4	133	1·28	1·21		·07	...	·12	·02	·11	·08	·02	·11	·05	·21	...	·11	·08	·13	·01	·16

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH NOVEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	95	5	100	1'0	...
Cholera	1	10	...	11	'1	63'64
Smallpox	1	1	'0	...
Enteric Fever ...	2	...	3	...	2	...	4	...	4	5	20	'2	65'00
Fever, Intermittent ...	788	422	878	393	387	617	544	455	1,005	1,335	6,824	65'5	'03
Fevers, Remittent and Continued...	178	158	113	57	71	129	79	119	201	149	1,254	12'1	'88
Apoplexy ...	3	...	1	2	...	1	12	'1	66'67
Delirium Tremens ...	8	6	1	2	2	7	2	2	4	4	34	'3	5'88
Dysentery ...	19	19	31	23	20	43	20	19	24	18	236	2'3	4'66
Diarrhœa ...	68	45	26	54	71	37	26	30	77	52	486	4'7	1'03
Hepatitis ...	60	45	26	38	50	36	36	27	24	20	362	3'5	6'08
Spleen disease ...	4	6	4	6	2	1	2	1	11	7	42	'4	...
Respiratory diseases ...	64	41	29	65	45	83	38	58	54	111	588	5'6	1'87
Phthisis Pulmonalis ...	12	2	6	7	6	11	7	4	2	8	65	'6	21'54
Scurvy	1	2	...	4	'0	...
Rheumatism ...	34	46	25	32	33	31	35	42	36	34	348	3'3	...
Veneral diseases ...	155	148	109	162	121	191	119	181	202	177	1,565	15'0	'53
Eye diseases ...	22	18	6	25	14	26	14	14	16	10	164	1'6	...
Abscess and Ulcer ...	61	61	84	87	73	112	62	56	67	76	739	7'1	...
Wounds and Accidents ...	88	89	57	88	100	108	69	69	57	56	771	7'4	...
All other Causes ...	167	126	74	128	130	183	142	174	164	133	1,421	13'6	...
	1,731	1,232	1,567	1,174	1,127	1,620	1,189	1,252	1,960	2,195	15,047		
Admitted per 1,000 of the Average Strength in each November.													
	162'8	111'9	148'6	104'8	109'7	152'4	116'4	128'0	209'6	211'0	144'4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each DECEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN DECEMBER OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	...	10,250	539	52·6	15	1·46	1·37	1	...	1	...	3	...	1	...	1	...	2	1	1	5
1871	...	10,852	486	44·8	7	·65	·65	1	...	1	...	1	1	1	1	1
1872	...	10,355	559	54·0	14	1·35	1·35	2	...	2	1	2	1	2
1873	...	11,638	530	45·5	3	·26	·26	1	1	1	1
1874	...	8,978	486	54·1	4	·45	·45	1	2	1	1
1875	...	10,354	477	46·1	10	·97	·97	1	1	1	1	2	1	1
1876	...	10,277	542	52·7	10	·97	·97	1	3	...	3	...	1	1	1	1
1877	...	10,037	578	57·6	6	·60	·60	1	2	...	1	1	2
1878	...	8,828	606	68·6	5	·57	·57	1	...	1	1	1	1
1879	...	9,951	849	85·3	14	1·41	1·41	4	1	1	...	5	1	2
							2	...	11	1	6	2	1	7	...	17	...	11	12	4	1	13
Died per 1,000 of the Average Strength.																								
For the Month	101,520	5,652	55·7	88	·87	·85	·02	...	·11	·01	·06	·02	·01	·07	...	·16	...	·11	·12	·04	·01	·13

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH DECEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.													
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.																
Dengue (of 1872)	125	125	1·2	...													
Cholera	...	1	1	2	·0	100·00													
Smallpox	3	3	·0	...													
Enteric Fever	...	3	3	5	...	1	2	...	5	4	25	·3	44·00													
Fever, Intermittent	...	353	307	723	326	286	264	393	664	1,052	4,746	46·8	·02													
Fevers, Remittent and Continued...	...	125	63	58	89	44	90	104	69	64	846	8·3	·71													
Apoplexy	2	1	1	1	1	...	7	·1	28·57													
Delirium Tremens	...	3	1	...	7	5	2	4	5	1	29	·3	3·45													
Dysentery	...	18	20	50	26	28	32	26	16	31	267	2·6	2·62													
Diarrhoea	...	31	40	73	56	31	38	40	33	59	478	4·7	...													
Hepatitis	...	27	25	54	45	32	44	20	19	12	314	3·1	5·41													
Spleen disease	...	1	3	5	4	4	6	1	7	6	53	·5	...													
Respiratory diseases	...	67	41	60	96	51	38	52	59	77	166	7·0	1·56													
Phthisis Pulmonalis	...	7	12	10	4	6	3	2	5	5	68	·7	5·88													
Scurvy	...	1	1	...	2	·0	...													
Rheumatism	...	33	30	35	40	48	31	26	27	25	321	3·2	} 51													
Venereal diseases	...	106	147	177	198	115	151	97	166	149	197	1,503		14·8												
Eye diseases	...	16	10	9	24	6	14	11	13	11	9	123		1·2												
Abscess and Ulcer	...	56	75	68	107	99	69	57	58	48	84	721		7·1												
Wounds and Accidents	...	81	84	69	123	98	98	80	100	78	94	905		8·9												
All other Causes	...	108	111	113	143	141	101	125	167	146	196	1,351	13·3													
											1,037	974	1,634	1,288	996	984	1,044	1,124	1,450	2,056	12,596					
Admitted per 1,000 of the Average Strength in each December.																										
														101·2	89·7	157·8	110·7	110·9	95·0	101·6	112·0	165·3	206·6	124·1		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCL.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of *INDIA* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *Year*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	569,507	55.0	1.30	1.29	.01	.01	.10	.01	.07	.02	.01	.12	.00	.19	.01	.21	.11	.14	.00	.00	.00	.13	.02	.14
February ...	572,582	54.4	1.00	.99	.01	.01	.10	.01	.04	.02	.00	.07	.00	.16	.00	.10	.09	.10	.00	.00	.01	.12	.01	.15
March ...	579,703	51.8	1.07	1.04	.03	.02	.08	.00	.06	.03	.01	.09	.00	.16	.00	.09	.11	.09	.00	.00	.01	.15	.02	.12
April ...	584,156	53.3	1.28	1.12	.16	.02	.18	.01	.10	.09	.02	.07	.00	.12	.00	.04	.08	.07	.00	.00	.01	.11	.01	.19
May ...	582,672	57.8	1.74	1.37	.37	.02	.26	.01	.12	.26	.02	.09	.01	.13	.00	.05	.09	.06	.00	.00	.00	.14	.01	.10
June ...	581,733	60.6	2.23	1.67	.56	.01	.24	.01	.13	.50	.03	.10	.01	.15	.00	.04	.07	.09	.00	.00	.01	.13	.02	.13
July ...	579,850	63.0	1.86	1.45	.41	.00	.19	.00	.11	.23	.03	.12	.02	.17	.00	.05	.10	.10	.00	.00	.00	.14	.01	.13
August ...	578,551	66.0	2.18	1.43	.75	.00	.23	.01	.14	.11	.01	.15	.01	.22	.01	.02	.10	.10	.00	.00	.01	.16	.01	.14
September...	576,654	69.3	2.10	1.53	.57	.00	.30	.02	.16	.09	.02	.18	.02	.23	.00	.03	.10	.08	.00	.00	.00	.17	.01	.12
October ...	570,239	69.0	1.75	1.51	.24	.00	.18	.02	.16	.04	.02	.19	.02	.23	.00	.06	.11	.10	.01	.01	.01	.17	.01	.17
November...	579,072	63.8	1.40	1.33	.07	.00	.09	.02	.12	.03	.01	.15	.02	.25	.00	.10	.10	.11	.00	.00	.01	.16	.01	.15
December ...	574,277	57.7	1.42	1.40	.02	.01	.09	.02	.06	.03	.01	.15	.01	.18	.00	.19	.13	.12	.00	.00	.01	.14	.03	.22
TOTAL ...	577,416	60.1	1.934	1.612	3.22	.10	2.03	1.42	1.52	.18	1.48	.12	2.19	.03	.97	1.19	1.18	.01	.02	.07	1.71	.14	1.76	

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	2	0	1	3	21.7	4.8	1	3	3.0	3.4	3.5	4	8.9	7	0	4.9	20.4	1.3	6.9	8.0	12.3	101.2
February	...	0	0	1	2	16.5	5.0	1	2	2.4	3.0	3.3	4	7.8	5	0	4.7	19.0	1.3	6.7	8.0	12.3	91.5
March	...	6	0	1	2	15.8	7.7	1	3	2.4	3.9	3.4	4	6.9	6	0	4.9	20.0	1.7	7.4	9.0	13.8	99.2
April	...	1.2	3	2	5	19.6	13.6	3	3	3.0	5.6	3.7	4	6.5	5	0	4.8	20.0	2.0	8.1	8.8	15.5	114.9
May	...	1.5	5	1	7	24.5	18.4	6	3	3.0	5.2	4.2	5	6.2	6	0	4.8	16.7	1.9	7.9	8.1	16.5	122.2
June	...	9	8	0	4	26.3	18.0	1.2	3	2.9	4.9	4.5	5	4.8	7	0	4.8	14.9	1.6	8.4	7.1	16.4	119.4
July	...	1.9	6	0	4	31.1	18.7	8	4	3.8	8.1	5.0	6	5.0	8	0	5.4	16.2	1.8	9.4	7.3	19.1	136.4
August	...	1.4	1.1	0	5	36.7	18.1	3	4	4.7	9.0	5.0	5	4.9	8	0	5.0	15.1	2.1	8.4	6.9	18.4	139.3
September	...	2.7	8	0	6	50.1	20.7	2	4	4.5	6.2	5.0	5	4.6	8	0	4.7	14.3	1.9	7.3	6.9	17.2	149.4
October	...	2.7	3	0	3	60.7	18.4	1	4	4.0	4.6	4.7	6	5.2	9	1	4.5	15.4	1.8	6.8	7.4	16.3	155.2
November	...	1.1	1	0	2	51.2	11.3	1	2	3.4	4.1	3.9	5	6.3	9	0	4.1	15.2	1.4	6.2	6.9	14.0	131.1
December	...	5	0	1	3	35.7	7.2	0	2	3.4	4.5	3.5	6	8.4	8	0	4.1	16.5	1.2	6.0	9.2	12.9	115.1
TOTAL	...	14.8	4.7	7	4.6	389.4	162.2	3.9	3.6	40.4	62.6	49.8	6.0	75.4	8.3	4	56.8	203.5	19.8	89.6	93.6	184.7	1,474.8

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLI.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of INDIA to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																				Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.		
								Intermittent.	Remittent and Continued.																
January ...	569,507	7.6	6.73	8.00	.31	10.00	4.90	7.14	5.51	1.33	5.26	8.11	0.00	8.68	50.00	21.43	9.25	12.07	0.00	0.00	0.00	7.56	11.77	7.95	
February ...	572,532	7.5	5.17	6.14	.31	10.00	4.90	7.14	3.15	1.33	0.00	4.73	0.00	7.31	0.00	10.21	7.56	8.62	0.00	0.00	12.50	6.98	5.88	8.52	
March ...	579,703	7.2	5.54	6.45	.94	20.00	3.92	0.00	4.72	2.00	5.26	6.08	0.00	7.31	0.00	9.18	9.25	7.76	0.00	0.00	12.50	8.72	11.77	6.82	
April ...	584,156	7.4	6.62	6.94	5.00	20.00	8.83	7.14	7.87	6.00	10.53	4.73	0.00	5.48	0.00	4.08	6.72	6.03	0.00	0.00	12.50	6.40	5.88	10.80	
May ...	582,672	8.0	9.00	8.49	11.56	20.00	12.75	7.14	9.45	17.33	10.53	6.08	8.33	5.93	0.00	5.10	7.56	5.17	0.00	0.00	0.00	8.14	5.88	5.68	
June ...	581,733	8.4	11.54	10.35	17.50	10.00	11.76	7.14	10.24	33.33	15.79	6.76	8.33	6.85	0.00	4.08	5.88	7.76	0.00	0.00	12.50	7.56	11.77	7.39	
July ...	579,850	8.7	9.62	8.99	12.81	0.00	9.31	0.00	8.66	18.67	15.79	8.11	16.67	7.76	0.00	5.10	8.40	8.62	0.00	0.00	0.00	8.14	5.88	7.39	
August ...	578,551	9.2	11.28	8.87	23.44	0.00	11.27	7.14	11.03	7.34	5.26	10.14	8.33	10.05	50.00	2.04	8.40	8.62	0.00	0.00	12.50	9.30	5.88	7.95	
September...	576,654	9.6	10.86	9.49	17.81	0.00	14.71	14.29	12.60	6.00	10.53	12.16	16.67	10.50	0.00	3.06	8.40	6.90	0.00	0.00	0.00	9.88	5.88	6.82	
October ...	570,239	9.6	9.05	9.36	7.50	0.00	8.83	14.29	12.60	2.67	10.53	12.84	16.67	10.50	0.00	6.12	9.25	8.62	100.00	100.00	12.50	9.88	5.88	9.66	
November...	579,072	8.8	7.24	8.24	2.19	0.00	4.41	14.29	9.45	2.00	5.26	10.14	16.67	11.41	0.00	10.21	8.40	9.48	0.00	0.00	12.50	9.30	5.88	8.52	
December ...	574,277	8.0	7.35	8.68	.63	10.00	4.41	14.29	4.72	2.00	5.26	10.14	8.33	8.24	0.00	19.39	10.93	10.35	0.00	0.00	12.50	8.14	17.65	12.50	
TOTAL ...	577,416	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	

MONTH.		ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																				All Causes.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	1.4	0.0	14.3	6.5	5.6	3.0	2.6	8.1	7.4	5.4	7.0	6.8	11.8	8.1	...	8.6	10.0	6.5	7.7	8.5	6.7	6.9
February	...	0.0	0.0	14.3	4.3	4.2	3.1	2.6	5.4	5.9	4.8	6.6	6.8	10.3	5.8	...	8.3	9.3	6.5	7.5	8.5	6.7	6.2
March	...	4.1	0.0	14.3	4.3	4.1	4.8	2.6	8.1	5.9	6.2	6.8	6.8	9.2	7.0	...	8.6	9.8	8.5	8.3	9.6	7.5	6.7
April	...	8.1	6.7	28.5	10.9	5.0	8.4	7.7	8.1	7.4	9.0	7.4	6.8	8.6	5.8	...	8.5	9.8	10.0	9.0	9.4	8.4	7.8
May	...	10.2	11.1	14.3	15.3	6.3	11.3	15.4	8.1	7.4	8.3	8.5	8.5	8.2	7.0	...	8.5	8.2	9.5	8.8	8.7	8.9	8.3
June	...	6.1	17.8	0.0	8.7	6.7	11.1	30.7	8.1	7.2	7.8	9.1	8.5	6.4	8.1	...	8.5	7.3	8.0	9.4	7.6	8.8	8.1
July	...	12.9	13.3	0.0	8.7	8.0	11.6	20.4	10.8	9.4	13.0	10.1	10.1	6.6	9.3	...	9.5	8.0	9.0	10.5	7.8	10.3	9.3
August	...	9.5	24.4	0.0	10.9	9.4	11.2	7.7	10.8	11.6	14.4	10.1	8.5	6.5	9.3	...	8.8	7.4	10.5	9.4	7.4	10.0	9.3
September	...	18.4	17.8	0.0	13.1	12.8	12.8	5.1	10.8	11.1	9.9	10.1	8.5	6.1	9.3	...	8.3	7.0	9.5	8.2	7.4	9.3	10.3
October	...	18.4	6.7	0.0	6.5	15.6	11.3	2.6	10.8	9.9	7.4	9.5	10.1	6.9	10.5	...	8.0	7.6	9.0	7.6	7.9	8.8	10.4
November	...	7.5	2.2	0.0	4.3	13.1	7.0	2.6	5.4	8.4	6.6	7.8	8.5	8.3	10.5	...	7.2	7.5	7.0	6.9	7.4	7.6	8.4
December	...	3.4	0.0	14.3	6.5	9.2	4.4	0.0	5.4	8.4	7.2	7.0	10.1	11.1	9.3	...	7.2	8.1	6.0	6.7	9.8	7.0	7.4
TOTAL	...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	...	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLII.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of the *BENGAL PRESIDENCY* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
					Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anaemia.	All other Causes.		Wounds and Accidents.
			Intermittent.	Remittent and Continued.																				
January ...	360,136	54·2	1·27	1·26	·01	·01	·09	·01	·06	·02	·01	·09	·00	·14	·01	·29	·11	·11	·00	·00	·01	·14	·02	·14
February ...	362,146	53·9	·93	·93	·00	·01	·09	·01	·03	·01	·01	·03	·00	·14	·00	·14	·07	·11	·00	·00	·01	·14	·01	·12
March ...	366,950	52·0	1·04	1·00	·04	·02	·09	·01	·08	·02	·00	·07	·00	·13	·00	·09	·10	·09	·00	·00	·01	·14	·02	·13
April ...	366,552	54·0	1·31	1·19	·12	·03	·20	·00	·11	·05	·01	·07	·00	·11	·01	·06	·08	·09	·00	·00	·01	·11	·02	·23
May ...	365,415	59·5	1·92	1·46	·46	·02	·34	·01	·17	·17	·01	·11	·01	·13	·00	·08	·10	·07	·00	·00	·01	·13	·01	·09
June ...	364,931	62·4	2·66	1·86	·80	·01	·31	·01	·18	·56	·04	·11	·01	·13	·00	·05	·08	·09	·00	·00	·01	·13	·02	·12
July ...	363,616	64·4	2·07	1·59	·48	·00	·23	·00	·14	·37	·02	·11	·01	·18	·00	·05	·10	·12	·00	·00	·00	·14	·00	·12
August ...	362,848	67·5	2·48	1·50	·98	·00	·28	·01	·17	·13	·02	·13	·01	·22	·01	·02	·10	·11	·00	·00	·02	·14	·00	·13
September...	361,856	70·9	2·36	1·52	·84	·00	·27	·03	·21	·11	·02	·15	·02	·21	·01	·04	·09	·08	·00	·00	·00	·16	·00	·12
October ...	353,599	69·9	1·93	1·57	·36	·00	·19	·02	·21	·04	·02	·18	·01	·24	·00	·07	·11	·10	·00	·00	·01	·19	·01	·17
November...	364,619	64·2	1·47	1·39	·08	·00	·10	·03	·15	·02	·01	·17	·02	·24	·00	·11	·09	·10	·00	·00	·01	·18	·01	·15
December...	363,509	57·8	1·55	1·53	·02	·01	·09	·03	·07	·03	·00	·14	·01	·16	·00	·25	·15	·14	·00	·00	·01	·15	·03	·26
TOTAL ...	363,431	60·9	21·00	16·82	4·18	·12	2·28	1·74		1·53	·17	1·37	·12	2·04	·04	1·25	1·14	1·20	·01	·01	·10	1·77	·15	1·78

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
					Intermittent.	Remittent and Con- tinued.																
January ...	·0	·0	·1	·3	23·3	4·2	·0	·2	2·2	3·1	2·8	·5	10·3	·6	·0	5·6	21·6	1·3	6·4	8·0	11·0	101·5
February ...	·0	·0	·1	·2	16·6	4·4	·0	·2	1·6	2·7	2·9	·5	8·8	·4	·0	5·2	20·3	1·3	6·0	7·8	11·4	90·4
March ...	·0	·0	·1	·3	15·8	7·0	·1	·2	1·9	3·8	3·1	·5	7·7	·5	·0	5·4	21·1	1·8	6·6	8·9	13·3	98·1
April ...	·5	·2	·2	·6	21·3	15·0	·2	·2	2·8	6·1	3·5	·5	7·1	·5	·0	5·3	21·0	2·2	7·1	8·7	14·6	117·8
May ...	·9	·6	·1	·9	27·3	22·2	·4	·3	2·8	5·5	4·1	·6	7·0	·5	·0	5·3	17·3	2·1	6·7	8·0	15·8	128·4
June ...	·3	1·1	·1	·6	27·9	21·1	1·3	·2	2·3	4·6	4·6	·6	5·2	·6	·0	5·2	14·9	1·6	7·2	6·8	16·0	122·2
July ...	·7	·7	·0	·5	32·6	22·5	1·1	·3	2·6	7·7	5·0	·7	5·3	·8	·0	5·7	16·3	1·7	9·4	6·8	18·9	139·3
August ...	1·3	1·5	·0	·5	39·3	21·7	·4	·3	3·7	9·4	5·0	·6	5·3	·8	·1	5·5	15·0	2·1	8·4	6·4	18·1	145·4
September ...	3·6	1·1	·0	·7	55·3	25·2	·3	·4	3·9	6·7	5·0	·6	4·9	·8	·0	5·0	13·7	1·9	7·0	6·6	17·3	160·0
October ...	3·8	·5	·0	·4	68·2	20·7	·1	·3	3·6	4·5	4·5	·8	5·6	·9	·0	4·8	15·2	1·7	5·9	7·1	15·4	164·0
November ...	1·5	·1	·0	·2	59·0	11·5	·1	·2	3·0	3·9	3·5	·6	7·0	1·0	·1	4·4	15·0	1·1	5·8	6·6	13·1	137·7
December ...	·5	·0	·1	·3	39·7	6·4	·0	·2	2·8	4·3	3·1	·7	9·9	·7	·0	4·6	17·1	1·2	5·4	9·1	11·7	117·8
TOTAL ...	13·1	5·9	·8	5·3	425·4	181·9	4·0	3·0	33·1	62·4	47·1	7·1	84·1	8·2	·5	62·0	208·6	20·1	81·9	90·8	176·7	1,522·0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLIV.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of the *MADRAS PRESIDENCY* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	
								Intermittent.	Remittent and Continued.															
January ...	108,075	59·4	1·47	1·42	·05	·00	·11	·00	·11	·04	·02	·20	·00	·34	·01	·05	·10	·16	·01	·00	·00	·10	·01	·16
February ...	108,865	59·8	1·36	1·30	·06	·00	·14	·00	·04	·02	·01	·20	·00	·27	·00	·02	·17	·10	·00	·00	·00	·09	·01	·23
March ...	111,254	53·0	1·19	1·14	·05	·03	·04	·00	·03	·07	·02	·15	·01	·23	·00	·06	·15	·08	·00	·00	·01	·15	·01	·10
April ...	112,176	54·1	1·49	1·15	·34	·02	·13	·01	·05	·24	·04	·11	·01	·13	·00	·00	·13	·04	·00	·00	·00	·13	·00	·11
May ...	111,929	56·7	1·80	1·48	·32	·03	·10	·01	·06	·52	·03	·14	·00	·18	·00	·01	·08	·04	·00	·00	·00	·15	·00	·13
June ...	111,598	56·9	1·47	1·28	·19	·00	·12	·00	·04	·21	·04	·13	·00	·27	·00	·03	·05	·12	·00	·00	·00	·13	·01	·13
July ...	111,252	62·7	1·59	1·26	·33	·01	·14	·00	·05	·11	·01	·16	·00	·24	·00	·05	·10	·08	·00	·00	·00	·14	·00	·17
August ...	111,129	65·2	1·60	1·46	·14	·00	·15	·00	·05	·05	·01	·21	·01	·32	·00	·01	·15	·11	·00	·00	·01	·16	·05	·17
September..	110,502	65·9	1·64	1·53	·11	·00	·24	·00	·04	·04	·01	·30	·01	·29	·00	·00	·15	·09	·00	·00	·00	·21	·01	·14
October ...	108,474	65·3	1·48	1·46	·02	·01	·12	·00	·04	·04	·04	·29	·00	·35	·00	·04	·14	·10	·02	·00	·00	·11	·01	·15
November..	110,253	62·0	1·20	1·15	·05	·00	·05	·00	·06	·04	·01	·16	·00	·31	·00	·01	·12	·12	·00	·00	·00	·11	·01	·15
December...	109,248	58·8	1·39	1·35	·04	·00	·09	·00	·02	·03	·01	·25	·01	·24	·00	·05	·20	·10	·00	·00	·02	·09	·01	·23
TOTAL ...	110,396	60·2	1·769	1·601	1·68	·09	1·42	·62		1·42	·24	2·32	·04	3·16	·01	·32	1·55	1·18	·03	·00	·04	1·59	·12	1·86

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	1·0	1	1	·4	7·8	7·2	1	·5	6·7	4·3	6·3	1	5·6	·9	·0	3·6	19·2	1·0	8·4	8·2	17·0	98·5
February	...	1	1	·0	·3	11·4	7·1	1	·3	5·5	4·2	5·3	·2	5·2	·7	·0	3·6	16·7	·9	8·7	8·9	15·7	95·0
March	...	·6	1	1	·2	8·9	9·5	·2	·4	4·4	4·7	4·6	·2	5·3	·7	·0	3·6	18·3	1·2	8·9	9·6	16·6	98·1
April	...	·5	·6	·1	·3	8·6	11·7	·4	·4	4·7	5·0	4·6	·3	5·0	·5	·0	3·6	18·6	1·1	10·7	8·8	19·0	104·5
May	...	1·8	·7	·1	·3	9·8	12·3	1·2	·3	5·1	5·2	5·1	·2	4·8	·6	·0	3·6	15·4	1·2	10·8	8·2	20·0	106·7
June	...	1·5	·3	·0	·2	12·1	12·3	·6	·4	6·2	6·2	5·1	·3	4·0	·7	·0	4·1	14·7	1·6	11·0	8·0	19·2	108·5
July	...	2·1	·6	·0	·4	13·3	12·6	·1	·5	8·4	9·6	6·2	·2	4·6	·8	·0	4·9	16·4	2·1	9·7	8·4	21·5	122·4
August	...	1·7	·2	·0	·4	13·5	11·0	·1	·4	8·8	7·8	6·1	·2	4·5	·9	·0	4·2	15·2	2·1	8·6	8·3	20·9	114·9
September	...	1·2	·2	·0	·6	15·2	11·5	·1	·4	8·1	5·1	6·4	·1	4·2	·7	·0	4·1	15·8	1·6	8·1	7·3	18·7	109·4
October	...	·6	1	·0	·2	15·8	12·2	·1	·4	7·0	4·2	6·4	·3	5·1	·9	·0	4·4	16·1	1·9	8·4	7·8	19·8	111·7
November	...	1	1	·0	·1	11·6	10·1	·1	·4	5·8	3·9	5·8	·1	4·6	·9	·0	3·6	15·9	1·6	7·1	7·6	17·4	96·8
December	...	1	1	·0	·3	12·0	8·7	·1	·3	6·3	4·6	5·4	·2	4·6	1·0	·0	3·2	15·9	1·3	7·2	9·9	16·4	97·6
TOTAL	...	11·5	2·9	·5	3·9	140·2	126·3	3·3	4·6	76·9	64·8	67·2	2·4	57·4	9·3	·2	46·4	198·1	17·4	107·7	101·1	222·3	1264·4

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLV.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of the MADRAS PRESIDENCY to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																			Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.		
								Intermittent.	Remittent and Continued.																
January ...	108,075	8.3	8.31	8.89	2.94	0.00	7.69	0.00	18.65	2.84	8.00	8.70	0.00	10.73	100.00	15.15	6.49	14.03	33.33	0.00	0.00	0.00	6.37	7.69	8.56
February ...	108,865	8.3	7.69	8.13	3.53	0.00	9.70	0.00	6.78	1.42	4.00	8.70	0.00	8.52	0.00	6.06	11.04	8.77	0.00	0.00	0.00	5.73	7.69	12.30	
March ...	111,254	7.4	6.73	7.13	2.94	30.00	2.80	0.00	5.09	4.96	8.00	6.52	20.00	7.25	0.00	18.19	9.74	7.02	0.00	0.00	25.00	9.55	7.69	5.35	
April ...	112,176	7.5	8.43	7.20	20.00	20.00	9.09	50.00	8.47	17.02	16.00	4.78	20.00	4.10	0.00	0.00	8.44	3.51	0.00	0.00	0.00	8.28	0.00	5.88	
May ...	111,929	7.9	10.18	9.26	18.82	30.00	6.99	50.00	10.17	36.88	12.00	6.09	0.00	5.68	0.00	3.03	5.20	3.51	0.00	0.00	0.00	9.55	0.00	6.95	
June ...	111,598	7.9	8.31	8.01	11.18	0.00	8.39	0.00	6.78	14.89	16.00	5.65	0.00	8.52	0.00	9.09	3.25	10.53	0.00	0.00	0.00	8.28	7.69	6.95	
July ...	111,252	8.7	9.00	7.88	19.41	10.00	9.79	0.00	8.47	7.80	4.00	6.95	0.00	7.57	0.00	15.15	6.49	7.02	0.00	0.00	0.00	8.92	0.00	9.09	
August ...	111,129	9.0	9.05	9.14	8.24	0.00	10.49	0.00	8.47	3.54	4.00	9.13	20.00	10.09	0.00	3.03	9.74	9.65	0.00	0.00	25.00	10.19	38.46	9.09	
September...	110,502	9.2	9.28	9.57	6.47	0.00	16.79	0.00	6.78	2.84	4.00	13.04	20.00	9.15	0.00	0.00	9.74	7.89	0.00	0.00	0.00	13.38	7.69	7.49	
October ...	108,474	9.0	8.37	9.14	1.18	10.00	8.39	0.00	6.78	2.84	16.00	12.61	0.00	11.04	0.00	12.12	9.09	8.77	66.67	0.00	0.00	7.01	7.69	8.02	
November ...	110,253	8.6	6.79	7.20	2.94	0.00	3.50	0.00	10.17	2.84	4.00	6.96	0.00	9.78	0.00	3.03	7.79	10.53	0.00	0.00	0.00	7.01	7.69	8.02	
December ...	109,248	8.2	7.86	8.45	2.35	0.00	6.20	0.00	3.39	2.13	4.00	10.87	20.00	7.57	0.00	15.15	12.99	8.77	0.00	0.00	50.00	5.73	7.69	12.30	
TOTAL ...	110,396	100.0	100.00	100.00	100.60	100.00	100.60	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	0.00	100.00	100.00	100.00	100.00	

MONTH		ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
						Intermittent.	Remittent and Continued.																
January	...	8.9	3.1	25.0	10.8	5.6	5.7	3.1	10.6	8.7	6.6	9.4	4.2	9.7	9.7	0.0	7.7	9.7	5.7	7.8	8.1	7.7	7.8
February	...	9	3.1	0.0	8.1	8.1	5.6	3.1	6.4	7.2	6.5	7.9	8.3	9.1	7.5	0.0	7.7	8.4	5.1	8.1	8.8	7.1	7.5
March	...	5.3	3.1	25.0	5.4	6.4	7.5	6.3	8.5	5.7	7.3	6.8	8.3	9.2	7.5	0.0	7.7	9.2	6.8	8.3	9.5	7.5	7.8
April	...	4.4	18.8	25.0	8.1	6.1	9.3	12.5	8.5	6.1	7.7	6.8	12.5	8.7	5.4	0.0	7.7	9.4	6.3	10.0	8.7	8.5	8.2
May	...	15.9	22.0	25.0	8.1	7.0	9.7	37.6	6.4	6.6	8.0	7.6	8.3	8.3	6.4	0.0	7.7	7.8	6.8	10.0	8.1	9.0	8.4
June	...	13.3	9.4	0.0	5.4	8.6	9.7	18.8	8.5	8.1	9.6	7.6	12.5	7.0	7.5	0.0	8.8	7.4	9.1	10.2	7.9	8.6	8.6
July	...	18.6	18.8	0.0	10.8	9.5	10.0	3.1	10.6	10.9	14.8	9.2	8.3	8.0	8.6	0.0	10.6	8.3	11.9	9.0	8.3	9.7	9.7
August	...	15.0	6.2	0.0	10.8	9.6	8.7	3.1	8.5	11.4	12.0	9.1	8.3	7.8	9.7	0.0	9.1	7.7	11.9	8.0	8.2	9.4	9.1
September	...	10.6	6.2	0.0	16.3	10.9	9.2	3.1	8.5	10.5	7.9	9.5	4.2	7.3	7.5	0.0	8.8	8.0	9.1	7.5	7.3	8.4	8.7
October	...	5.3	3.1	0.0	5.4	11.3	9.7	3.1	8.5	9.1	6.5	9.5	12.5	8.9	9.7	0.0	9.5	8.1	10.8	7.8	7.8	8.9	8.8
November	...	9	3.1	0.0	2.7	8.3	8.0	3.1	8.5	7.5	6.0	8.6	4.2	8.0	9.7	0.0	7.7	8.0	9.1	6.6	7.5	7.8	7.7
December	...	9	3.1	0.0	8.1	8.6	6.9	3.1	6.4	8.2	7.1	8.0	8.3	8.0	10.8	0.0	7.0	8.0	7.4	6.7	9.8	7.4	7.7
TOTAL	...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	100.0	99.9	100.0	100.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLVI.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of the *BOMBAY PRESIDENCY* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	101,278	52·8	1·18	1·18	·00	·00	·09	·01	·09	·04	·01	·10	·00	·18	·00	·13	·09	·21	·00	·00	·00	·10	·01	·12
February ...	101,571	50·2	·88	·88	·00	·00	·09	·00	·05	·02	·00	·06	·01	·12	·00	·03	·07	·11	·00	·01	·02	·11	·00	·18
March ...	101,499	49·9	1·06	1·06	·00	·01	·05	·00	·05	·03	·00	·11	·00	·20	·00	·09	·12	·12	·00	·00	·01	·15	·03	·09
April ...	105,428	50·3	·98	·89	·09	·03	·14	·02	·10	·09	·01	·05	·00	·14	·00	·02	·04	·06	·00	·00	·00	·09	·00	·11
May ...	105,328	53·0	1·04	·93	·11	·01	·15	·01	·02	·30	·02	·01	·00	·08	·00	·03	·08	·04	·00	·00	·00	·08	·00	·10
June ...	105,204	55·3	1·52	1·38	·14	·00	·12	·00	·08	·61	·02	·03	·00	·12	·00	·05	·03	·06	·00	·00	·00	·11	·03	·12
July ...	104,982	58·5	1·40	1·13	·27	·00	·07	·01	·06	·18	·05	·10	·05	·07	·00	·03	·12	·08	·00	·02	·00	·14	·03	·12
August ...	104,574	62·0	1·78	1·18	·60	·00	·13	·01	·14	·06	·01	·12	·02	·12	·01	·04	·06	·10	·00	·00	·00	·21	·01	·14
September...	104,296	66·9	1·66	1·53	·13	·00	·44	·04	·11	·08	·03	·14	·01	·20	·00	·03	·07	·07	·00	·00	·00	·14	·02	·15
October ...	103,166	69·4	1·39	1·31	·08	·00	·22	·04	·11	·05	·02	·09	·04	·08	·00	·05	·10	·09	·00	·02	·00	·17	·01	·22
November...	104,200	64·4	1·39	1·32	·07	·00	·12	·02	·11	·08	·02	·11	·05	·21	·00	·11	·08	·13	·01	·00	·00	·16	·00	·11
December...	101,520	55·7	·97	·95	·02	·00	·11	·01	·06	·02	·01	·07	·00	·16	·00	·11	·12	·04	·01	·00	·00	·13	·01	·09
TOTAL ...	103,587	57·4	15·27	13·74	1·53	·05	1·75	1·14		1·56	·19	·98	·17	1·71	·01	·70	·97	1·09	·02	·05	·03	1·61	·14	1·57

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																					Admission-rate of each Month from all Causes per 1,000 of Strength.
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
					Intermittent.	Remittent and Continued.																
January ...	2	·0	·1	·2	30·6	4·1	·1	·4	2·0	3·7	3·2	·3	7·7	·7	·0	3·8	17·2	1·4	7·2	7·7	12·1	102·7
February ...	·0	·0	·1	·2	21·7	4·6	·1	·2	1·7	3·0	2·8	·4	6·8	·7	·1	4·1	17·1	1·4	7·1	7·9	11·7	91·7
March ...	2·6	·0	·1	·2	23·2	8·4	·1	·3	1·8	3·6	3·3	·4	6·1	·6	·0	4·4	17·7	2·0	8·3	8·6	12·7	104·4
April ...	4·5	·1	·2	·3	25·3	11·0	·3	·4	1·8	4·7	3·3	·5	5·3	·3	·0	4·6	18·0	2·1	9·0	9·1	14·7	115·5
May ...	3·3	·2	·1	·2	30·7	12·0	·6	·4	1·4	4·2	3·5	·6	4·6	·6	·0	4·7	15·9	2·0	8·7	8·3	15·2	117·2
June ...	2·5	·2	·0	·1	35·7	13·3	1·6	·3	1·6	4·8	3·4	·5	4·5	·7	·0	4·3	14·8	1·7	9·6	7·1	14·7	121·4
July ...	5·7	·3	·0	·1	45·3	12·0	·4	·5	2·9	8·1	3·8	·7	4·4	·8	·0	4·9	15·6	1·6	9·3	7·8	16·8	141·0
August ...	1·4	·8	·0	·3	52·3	13·3	·1	·7	3·7	8·7	3·5	·5	4·1	·7	·0	4·5	15·1	1·9	8·3	7·1	17·0	144·0
September	·8	·2	·0	·6	68·9	15·2	·3	·5	3·0	5·5	3·8	·5	3·7	·7	·1	4·1	14·7	2·1	7·7	7·3	15·2	154·9
October ...	1·0	·1	·0	·4	82·0	16·7	·2	·5	2·6	5·0	3·7	·6	4·3	·8	·0	3·8	15·2	1·9	7·9	8·2	15·5	170·4
November	1·0	·1	·0	·2	65·5	12·0	·1	·3	2·3	4·7	3·5	·4	5·7	·6	·0	3·3	15·0	1·6	7·1	7·4	13·6	144·4
December	1·2	·0	·0	·2	46·8	8·3	·1	·3	2·6	4·7	3·1	·5	7·0	·7	·0	3·2	14·9	1·2	7·1	8·9	13·3	124·1
TOTAL ...	24·5	2·1	·6	3·1	528·5	131·4	4·2	4·7	27·6	60·8	40·9	6·0	63·9	7·7	·4	49·5	191·1	21·0	97·4	95·4	172·7	1533·5

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLVII.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of the BOMBAY PRESIDENCY to the CHIEF CAUSES of SICKNESS and MORTALITY.

[illegible][illegible]

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLVIII.

TABLE showing the RATIO in which the EUROPEAN ARMY of BENGAL PROPER has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	18,722	49.3	1.28	1.17	.11	.00	.00	.05	.05	.05	.00	.11	.00	.27	.00	.00	.11	.11	.00	.00	.05	.05	.11	.21
February ...	19,670	47.8	.81	.81	.00	.00	.05	.00	.05	.05	.00	.00	.00	.21	.00	.00	.10	.25	.00	.00	.05	.05	.00	.00
March ...	19,049	46.1	.84	.58	.26	.00	.10	.00	.00	.00	.00	.00	.00	.10	.00	.00	.05	.10	.00	.00	.00	.10	.00	.10
April ...	19,192	47.3	.78	.73	.05	.05	.05	.00	.05	.10	.00	.10	.00	.05	.00	.00	.10	.10	.00	.00	.00	.00	.00	.10
May ...	19,061	51.3	1.31	1.16	.15	.00	.00	.00	.00	.21	.00	.00	.05	.11	.05	.00	.11	.11	.00	.00	.05	.26	.00	.21
June ...	19,023	54.5	.95	.95	.00	.00	.00	.00	.05	.16	.05	.11	.00	.20	.00	.00	.11	.05	.00	.00	.00	.11	.00	.11
July ...	18,994	59.9	1.21	1.16	.05	.00	.05	.00	.11	.05	.00	.11	.00	.11	.00	.16	.05	.25	.00	.00	.00	.16	.00	.11
August ...	18,944	63.7	1.69	1.69	.00	.00	.16	.00	.11	.00	.00	.21	.05	.31	.00	.00	.16	.11	.00	.00	.00	.21	.00	.37
September..	18,936	63.3	1.27	1.22	.05	.00	.27	.00	.05	.00	.00	.05	.00	.21	.05	.00	.05	.11	.00	.00	.00	.11	.00	.32
October ...	18,816	60.6	1.81	1.76	.05	.00	.11	.00	.16	.05	.05	.27	.00	.48	.05	.11	.21	.00	.00	.00	.00	.16	.00	.11
November...	18,107	55.8	1.38	1.32	.06	.00	.00	.00	.32	.00	.06	.11	.00	.27	.06	.00	.11	.06	.00	.00	.00	.27	.00	.06
December...	18,449	52.1	1.14	1.08	.06	.00	.00	.00	.06	.00	.00	.20	.06	.32	.00	.06	.06	.06	.00	.00	.00	.06	.00	.20
TOTAL ...	18,914	54.3	14.43	13.58	.85	.05	.79	1.06		.69	.16	1.27	.16	2.46	.21	.32	1.22	1.32	.00	.00	.16	1.53	.10	1.90

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	1	1	0	1	19.6	7.9	1	4	4.0	3.7	4.4	3	3.7	9	0	3.2	18.2	6	7.5	8.5	11.9	95.2
February	...	0	0	0	3	9.7	7.7	0	2	2.9	2.2	3.6	4	4.8	4	0	2.6	17.0	1.3	6.1	8.7	13.2	81.1
March	...	4	3	1	3	7.7	10.6	3	2	2.7	2.3	3.9	2	4.4	6	0	3.1	20.5	1.5	7.5	9.5	15.9	92.0
April	...	10.2	1	0	1	9.6	15.3	5	2	3.3	2.8	3.2	3	3.0	5	0	3.3	16.0	1.2	6.2	7.9	16.1	99.8
May	...	16.2	2	0	2	9.4	18.8	3	2	3.7	3.2	4.8	4	3.9	8	0	4.7	15.8	1.3	6.7	8.2	17.4	116.2
June	...	3.7	1	0	1	9.8	27.4	5	4	3.1	2.9	6.0	4	3.5	8	0	4.2	12.8	8	7.5	7.4	17.2	108.6
July	...	3.2	1	0	2	12.2	31.4	1	1	4.9	6.4	5.6	2	4.5	1.4	0	5.1	14.6	7	8.5	7.4	22.8	129.4
August	...	1.9	0	0	2	14.5	33.2	0	5	6.0	6.8	6.2	3	5.0	1.1	0	4.2	16.0	9	9.2	7.8	23.6	137.4
September	...	1	1	0	4	12.6	22.8	2	4	5.0	5.1	5.4	6	3.2	1.3	0	3.6	13.0	7	7.7	6.5	24.6	113.3
October	...	0	0	0	1	13.7	22.5	2	3	4.8	4.7	5.8	4	3.5	9	0	3.8	16.4	9	6.0	7.3	23.0	114.3
November	...	0	1	0	1	26.3	23.6	1	3	3.6	3.8	4.4	2	4.7	1.3	0	3.4	15.2	1.1	5.9	6.3	17.1	117.5
December	...	0	2	0	1	30.6	12.1	0	0	4.1	3.7	4.2	2	4.8	9	0	3.2	15.5	1.3	4.8	7.9	13.8	107.4
TOTAL	...	36.0	1.2	1	2.1	173.9	232.9	2.5	3.1	48.0	47.5	57.6	3.9	48.8	10.8	1	44.4	191.3	12.5	83.8	93.6	216.6	1310.7

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLIX.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of BENGAL PROPER to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																			Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	
								Intermittent.	Remittent and Continued.															
January ...	18,722	7.6	8.85	8.59	13.09	.00	.00	100.00	4.95	7.46	.00	8.66	.00	10.23	.00	.00	9.02	8.40	.00	.00	33.33	3.25	100.00	11.05
February ...	19,670	7.3	5.60	5.94	.00	.00	6.33	.00	4.95	7.46	.00	.00	.00	7.95	.00	.00	8.19	19.08	.00	.00	33.33	3.25	.00	.00
March ...	19,049	7.1	5.80	4.26	30.95	.00	12.66	.00	.00	.00	.00	.00	.00	3.79	.00	.00	4.10	7.63	.00	.00	.00	6.49	.00	5.26
April ...	19,192	7.3	5.39	5.36	5.95	100.00	6.33	.00	4.95	14.93	.00	7.87	.00	1.89	.00	.00	8.19	7.63	.00	.00	.00	.00	.10	5.26
May ...	19,061	7.9	9.05	8.51	17.86	.00	.00	.00	.00	31.34	.00	.00	31.25	4.17	23.81	.00	9.02	8.40	.00	.00	33.33	16.88	.00	11.05
June ...	19,023	8.3	6.57	6.97	.00	.00	.00	.00	4.95	23.89	31.25	8.66	.00	7.58	.00	.00	9.02	3.82	.00	.00	.00	7.14	.00	5.79
July ...	18,994	9.2	8.36	8.51	5.95	.00	6.33	.00	10.89	7.46	.00	8.66	.00	4.17	.00	48.49	4.10	19.08	.00	.00	.00	10.39	.00	5.79
August ...	18,944	9.8	11.68	12.40	.00	.00	20.25	.00	10.89	.00	.00	16.54	31.25	11.74	.00	.00	13.11	8.40	.00	.00	.00	13.64	.00	19.48
September...	18,936	9.7	8.78	8.95	5.95	.00	34.18	.00	4.95	.00	.00	3.94	.00	7.95	23.81	.00	4.10	8.40	.00	.00	.00	7.14	.00	16.84
October ...	18,816	9.3	12.51	12.91	5.95	.00	13.92	.00	15.84	7.46	31.25	21.26	.00	18.18	23.81	33.33	17.21	.00	.00	.00	.00	10.39	.00	5.79
November...	18,107	8.5	9.53	9.68	7.15	.00	.00	.00	31.69	.00	37.50	8.66	.00	10.23	28.57	.00	9.02	4.58	.00	.00	.00	17.53	.00	3.16
December...	18,449	8.0	7.88	7.92	7.15	.00	.00	.00	5.94	.00	.00	15.75	37.50	12.12	.00	18.18	4.92	4.58	.00	.00	.00	3.90	.00	10.53
TOTAL ...	18,914	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	.00	.00	99.99	100.00	100.00	100.00

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																			
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.
					Intermittent.	Remittent and Continued.														
January ...	3	7.7	.0	4.5	11.2	3.4	4.4	12.5	8.3	7.8	7.7	7.7	7.6	8.3	.0	7.2	9.5	4.9	9.0	9.1
February0	.0	.0	13.7	5.5	3.3	.0	6.2	6.0	4.6	6.2	10.3	9.8	3.7	.0	5.9	8.9	10.6	7.3	9.3
March ...	1.1	23.0	100.0	13.7	4.4	4.6	13.0	6.2	5.6	4.8	6.8	5.1	9.0	5.5	.0	7.0	10.7	12.2	9.0	10.2
April ...	28.5	7.7	.0	4.5	5.5	6.5	21.7	6.2	6.9	5.9	5.6	7.7	6.1	4.6	.0	7.4	8.4	9.7	7.4	8.5
May ...	45.3	15.4	.0	9.1	5.3	8.1	13.0	6.2	7.7	6.7	8.3	10.3	8.0	7.3	.0	10.6	8.3	10.6	8.0	8.8
June ...	10.3	7.7	.0	4.5	5.6	11.7	21.7	12.5	6.4	6.1	10.4	10.3	7.1	7.3	.0	9.4	6.7	6.5	9.0	7.9
July ...	8.9	7.7	.0	9.1	6.9	13.5	4.4	3.1	10.2	13.4	9.7	5.1	9.2	12.8	.0	11.5	7.7	5.7	10.2	7.9
August ...	5.3	.0	.0	9.1	8.2	14.2	.0	15.6	12.5	14.3	10.8	7.7	10.2	10.1	.0	9.4	8.4	7.3	11.0	8.3
September ...	3	7.7	.0	18.3	7.2	9.8	8.7	12.5	10.4	10.7	9.4	15.3	6.5	11.9	.0	8.1	6.8	5.7	9.2	7.0
October0	.0	.0	4.5	7.8	9.6	8.7	9.5	10.0	9.9	10.1	10.3	7.1	8.3	.0	8.6	8.6	7.3	7.2	7.8
November0	7.7	.0	4.5	15.0	10.1	4.4	9.5	7.5	8.0	7.7	5.1	9.6	11.9	.0	7.7	7.9	8.9	7.0	6.7
December0	15.4	.0	4.5	17.4	5.2	.0	.0	8.5	7.8	7.3	5.1	9.8	8.3	.0	7.2	8.1	10.6	5.7	8.5
TOTAL ...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLX.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of the *GANGETIC PROVINCES* and *OUDDH* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	73,046	60·4	·99	·99	·00	·00	·15	·01	·03	·01	·00	·07	·00	·17	·00	·08	·07	·14	·00	·00	·00	·14	·00	·12
February ...	76,447	63·3	·68	·68	·00	00	·10	·00	·00	·00	·01	·03	·00	·14	·00	·08	·08	·07	00	·00	·00	·09	·03	·05
March ...	80,480	61·6	·97	·92	·05	·04	·12	·00	·09	·02	·00	·04	·00	·12	·00	·04	·10	·05	·00	·00	·00	·09	·04	·17
April ...	78,624	63·5	1·41	1·11	·30	·08	·28	·00	·09	·03	·01	·11	·01	·19	·00	·00	·05	·08	·00	·00	·00	·09	·01	·08
May ...	78,255	65·3	2·22	1·86	·36	·05	·43	·01	·24	·40	·00	·12	·03	·18	·00	·01	·06	·09	·00	·00	·00	·10	·01	·13
June ...	77,983	67·3	1·99	1·76	·23	·04	·24	·00	·13	·72	·01	·05	·01	·11	·00	·03	·08	·05	·00	·00	·00	·08	·03	·18
July ...	77,770	68·7	1·61	1·35	·26	·01	·26	·00	·04	·29	·01	·09	·00	·22	·00	·01	·05	·09	·00	·00	·00	·10	·00	·18
August ...	77,552	72·0	2·69	1·66	1·03	·00	·34	·00	·20	·08	·00	·18	·00	·26	·01	·03	·10	·13	·00	·00	·03	·15	·00	·15
September...	77,113	74·6	3·11	1·65	1·46	·00	·31	·01	·20	·12	·01	·18	·01	·30	·00	·01	·10	·14	·00	·00	·00	·17	·00	·09
October ...	75,894	72·7	1·44	1·23	·16	·00	·12	·03	·04	·08	·01	·11	·01	·29	·00	·03	·09	·11	·00	·00	·01	·14	·03	·18
November...	69,033	67·2	1·48	1·15	·33	·00	·09	·02	·04	·02	·00	·16	·02	·20	·00	·04	·10	·13	·00	·00	·00	·14	·00	·19
December...	71,705	58·7	1·41	1·38	·03	·03	·15	·00	·06	·03	·00	·13	·00	·17	·00	·08	·09	·17	·00	·00	·00	·21	·04	·22
TOTAL ...	76,159	66·3	20·06	15·82	4·24	·25	2·63	1·25		1·81	·08	1·25	·09	2·35	·01	·43	·98	1·22	·00	·00	·04	1·50	·18	1·75

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	1	0	0	5	8.2	4.9	0	3	2.6	3.3	3.3	3	6.9	6	0	4.9	30.6	1.9	7.6	7.3	12.4	95.7
February	...	0	0	2	3	7.7	5.4	0	2	1.7	3.0	3.5	3	6.3	4	0	4.6	31.2	1.7	7.2	7.4	13.4	94.5
March	...	0	1	2	3	9.0	9.9	1	2	2.4	5.9	3.4	3	6.4	4	0	4.9	30.6	2.7	7.9	9.1	15.2	109.0
April	...	0	5	4	9	12.4	17.6	2	2	3.4	6.5	3.7	3	6.1	6	0	4.1	26.8	2.8	8.3	8.4	14.6	117.8
May	...	2	5	2	9	12.9	17.1	8	3	2.7	5.4	4.5	4	4.8	5	1	4.5	24.6	2.8	8.6	7.6	17.0	116.4
June	...	5	3	1	6	13.1	16.5	21	2	2.1	3.5	4.9	3	3.8	7	0	4.5	21.7	2.7	10.0	6.8	17.2	111.6
July	...	2.7	5	1	4	16.5	16.6	8	3	3.2	7.0	5.3	3	4.6	8	0	4.9	24.3	3.0	12.8	6.9	20.5	131.5
August	...	5.5	1.7	0	6	16.7	17.0	3	2	4.8	9.8	5.2	4	4.5	8	1	5.8	20.6	3.5	10.4	6.1	19.6	133.6
September	...	12.0	2.1	0	7	20.2	20.3	2	3	4.2	7.0	5.7	3	4.6	9	0	4.9	21.4	2.7	9.3	5.8	19.6	142.2
October	...	13.1	2	0	3	28.3	16.9	2	2	3.6	4.0	5.0	4	4.7	11	0	4.8	23.3	2.2	8.0	6.8	17.8	141.4
November	...	4.9	6	0	3	22.6	10.3	1	3	3.0	4.6	3.9	3	5.7	1.2	0	4.1	21.6	1.8	7.4	6.5	15.3	114.5
December	...	1.5	0	1	5	14.2	6.5	0	2	3.1	5.6	3.6	3	7.2	1.0	1	3.6	22.5	1.4	6.2	9.1	13.0	99.7
TOTAL	...	40.7	6.6	1.3	6.4	180.8	160.2	4.9	3.1	36.8	65.7	52.2	40	65.6	8.9	4	55.7	299.7	29.4	104.0	87.7	196.2	1410.3

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXI.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY in the GANGETIC PROVINCES and in OUDH to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.
								Intermittent.	Remittent and Continued.															
January ...	73,046	7.6	4.95	6.27	.00	.00	5.79	12.50	2.58	.56	.00	5.51	.00	7.23	.00	18.18	7.21	11.20	.00	.00	.00	9.33	0.00	6.90
February ...	76,447	8.0	3.40	4.31	.00	.00	3.86	.00	.00	.00	16.67	2.36	.00	5.96	.00	18.18	8.25	5.60	.00	.00	.00	6.00	15.79	2.88
March ...	80,480	7.7	4.85	5.83	1.19	16.00	4.63	.00	7.76	1.11	.00	3.15	.00	5.11	.00	9.09	10.31	4.00	.00	.00	.00	6.00	21.05	9.77
April ...	78,624	8.0	7.05	7.03	7.13	32.00	10.81	.00	7.76	1.67	16.67	8.66	11.11	8.09	.00	0.00	5.15	6.40	.00	.00	.00	6.00	5.26	4.60
May ...	78,255	8.2	11.10	11.78	8.55	20.00	16.60	12.50	20.69	22.22	.00	9.45	33.34	7.66	.00	2.27	6.19	7.20	.00	.00	.00	6.67	5.26	7.47
June ...	77,983	8.5	9.95	11.15	5.46	16.00	9.27	.00	11.21	40.00	16.67	3.94	11.11	4.68	.00	6.82	8.25	4.00	.00	.00	.00	5.34	15.79	10.34
July ...	77,770	8.6	8.05	8.55	6.18	4.00	10.04	.00	3.45	16.11	16.67	7.09	.00	9.36	.00	2.27	5.15	7.20	.00	.00	.00	6.67	0.00	10.34
August ...	77,552	9.1	13.45	10.51	24.46	.00	13.13	.00	17.24	4.44	.00	14.17	.00	11.06	100.00	6.82	10.31	10.40	.00	.00	75.00	10.00	0.00	8.62
September...	77,113	9.4	15.55	10.45	34.69	.00	11.97	12.50	17.24	6.67	16.67	14.17	11.11	12.77	.00	2.27	10.31	11.20	.00	.00	.00	11.33	0.00	5.17
October ...	75,894	9.1	7.20	8.10	3.80	.00	4.63	37.50	3.45	4.44	16.67	8.66	11.11	12.34	.00	6.82	9.28	8.80	.00	.00	25.00	9.33	15.79	10.34
November...	69,033	8.4	7.40	7.28	7.84	.00	3.48	25.00	3.45	1.11	.00	12.60	22.22	8.51	.00	9.09	10.31	10.40	.00	.00	.00	9.33	0.00	10.92
December...	71,705	7.4	7.05	8.74	.71	12.00	5.79	.00	5.17	1.67	.00	10.24	.00	7.23	.00	18.18	9.28	13.60	.00	.00	.00	14.00	21.05	12.65
TOTAL ...	76,159	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.02	100.00	100.00	100.00	100.00	99.99	100.00	100.00	.00	.00	100.00	100.00	99.99	100.00

[illegible]

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXII.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of *MEERUT* and *ROHILCUND* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	
								Intermittent.	Remittent and Continued.															
January ...	40,438	49·7	·89	·89	·00	·02	·13	·00	·02	·02	·02	·10	·02	·13	·00	·08	·13	·02	·00	·02	·00	·10	·00	·08
February ...	41,989	50·1	·86	·86	·00	·05	·05	·00	·00	·02	·02	·00	·00	·24	·00	·07	·00	·10	·00	·00	·00	·14	·00	·17
March ...	43,385	48·8	·99	·97	·02	·02	·12	·00	·00	·02	·00	·05	·00	·21	·02	·02	·14	·17	·00	·00	·00	·09	·02	·09
April ...	40,563	51·0	1·21	1·13	·08	·02	·30	·00	·05	·08	·02	·02	·00	·12	·00	·10	·10	·05	·00	·00	·00	·17	·02	·08
May ...	40,269	56·5	1·91	1·78	·13	·05	·62	·00	·10	·30	·02	·07	·00	·13	·00	·05	·15	·02	·00	·00	·00	·20	·02	·05
June ...	39,989	59·4	2·03	2·01	·02	·02	·35	·00	·13	·45	·02	·05	·00	·28	·00	·10	·10	·13	·00	·00	·00	·25	·00	·13
July ...	39,903	58·8	1·23	1·20	·03	·00	·15	·00	·05	·35	·00	·12	·00	·22	·03	·03	·05	·15	·00	·00	·00	·03	·00	·03
August ...	39,784	66·4	1·68	1·28	·40	·00	·15	·00	·10	·13	·03	·07	·07	·30	·00	·00	·00	·10	·00	·00	·00	·18	·00	·15
September...	39,631	73·4	2·98	1·64	1·34	·00	·33	·00	·18	·18	·10	·22	·02	·18	·00	·02	·08	·05	·00	·00	·00	·18	·00	·10
October ...	39,170	72·3	1·99	1·94	·05	·00	·28	·03	·25	·03	·00	·25	·03	·31	·00	·07	·10	·08	·00	·00	·03	·33	·03	·12
November...	35,687	65·0	1·46	1·46	·00	·00	·11	·03	·08	·03	·00	·22	·03	·48	·00	·06	·06	·11	·00	·00	·00	·14	·00	·11
December...	36,433	53·1	1·15	1·15	·00	·00	·11	·00	·03	·00	·00	·19	·05	·19	·00	·03	·11	·19	·00	·00	·00	·08	·00	·17
TOTAL ...	39,770	58·5	18·31	16·25	2·06	·20	2·69	1·03	1·61	·25	1·36	·23	2·74	·05	·63	1·01	1·16	·00	·02	·02	1·89	·10	1·26	

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	·1	·0	·2	·3	15·8	2·9	·1	·3	2·3	2·7	2·7	·5	7·4	·4	·0	5·3	24·1	1·7	6·0	7·9	10·8	91·5
February	...	·0	·0	·1	·2	13·7	3·1	·1	·2	1·1	2·6	3·1	·5	7·2	·3	·0	5·3	19·8	1·5	6·3	8·4	11·4	84·9
March	...	·0	·0	·1	·2	14·4	5·3	·1	·1	1·5	3·8	3·1	·4	7·7	·4	·0	5·0	20·3	1·5	7·2	8·5	13·4	93·0
April	...	·0	·1	·2	·7	20·0	12·1	·2	·2	2·4	7·2	3·6	·4	6·7	·4	·0	4·0	19·4	2·4	7·1	8·8	14·0	100·9
May	...	·0	·2	·3	1·8	26·7	13·9	·5	·4	2·7	5·2	4·7	·5	6·3	·3	·0	4·7	16·7	2·6	7·4	8·4	15·3	118·6
June	...	·0	·1	·1	·6	23·2	13·0	1·3	·3	2·0	4·0	4·8	·5	5·1	·5	·1	4·9	14·4	1·3	7·5	7·0	15·0	110·7
July	...	·0	·0	·0	·3	38·3	12·2	·8	·5	2·2	4·9	4·6	·8	6·0	·7	·0	5·9	14·7	1·6	9·9	7·0	17·9	128·3
August	...	·0	·7	·0	·3	61·8	15·2	·5	·5	4·0	9·7	5·6	·7	6·6	1·0	·1	5·3	14·4	2·1	8·7	6·5	18·6	162·3
September	...	5·2	1·8	·0	·9	72·7	17·8	·3	·6	5·4	9·5	5·5	·8	6·1	·8	·0	4·0	13·0	2·2	8·5	6·7	16·4	178·2
October	...	4·2	·1	·0	·4	73·8	14·4	·1	·3	4·6	6·0	5·2	1·1	5·2	·9	·1	5·3	12·9	1·5	6·8	7·2	15·7	165·8
November	...	1·2	·0	·1	·3	45·8	5·8	·2	·2	4·2	4·3	4·5	·7	6·9	1·0	·0	4·3	12·6	1·3	6·4	8·1	14·2	122·1
December	...	1·0	·0	·2	·4	26·7	2·4	·1	·3	3·9	3·3	3·3	·8	7·6	·9	·0	4·1	17·1	1·2	5·9	8·8	12·5	100·5
TOTAL	...	11·5	3·0	1·3	6·3	433·0	118·4	4·2	3·9	36·0	63·3	50·7	7·4	78·8	7·5	·4	58·1	200·6	20·8	87·7	93·2	175·1	1,461·2

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXIII.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of MEERUT and ROHILCUND to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																				Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.		
								Intermittent.	Remittent and Continued.																
January ...	40,438	7.1	4.84	5.46	.00	11.11	4.81	.00	2.02	1.24	8.70	7.35	9.09	4.66	.00	12.70	12.75	1.71	.00	100.00	.00	5.29	.00	6.25	
February ...	41,989	7.1	4.68	5.27	.00	27.78	1.85	.00	.00	1.24	8.70	.00	.00	8.60	.00	11.11	0.00	8.55	.00	.00	.00	7.41	.00	13.28	
March ...	43,385	6.9	5.39	5.95	.97	11.11	4.44	.00	.00	1.24	0.00	3.68	.00	7.53	40.00	3.18	13.73	14.53	.00	.00	.00	4.76	22.22	7.03	
April ...	40,563	7.3	6.58	6.93	3.86	11.11	11.11	.00	5.05	4.97	8.70	1.47	.00	4.30	0.00	15.87	9.80	4.27	.00	.00	.00	9.00	22.22	6.25	
May ...	40,269	8.0	10.39	10.91	6.28	27.78	22.96	.00	10.10	18.63	8.70	5.15	.00	4.66	0.00	7.94	14.71	1.71	.00	.00	.00	10.58	22.22	3.91	
June ...	39,989	8.4	11.05	12.32	.97	11.11	12.96	.00	13.13	27.96	8.70	3.68	.00	10.04	0.00	15.87	9.80	11.11	.00	.00	.00	13.23	.00	10.16	
July ...	39,903	8.4	6.69	7.36	1.45	.00	5.56	.00	5.05	21.74	0.00	8.82	.00	7.89	60.00	4.76	4.90	12.82	.00	.00	.00	1.59	.00	2.34	
August ...	39,784	9.4	9.14	7.85	19.32	.00	5.56	.00	10.10	8.08	13.04	5.15	31.81	10.75	.00	0.00	0.00	8.55	.00	.00	.00	9.52	.00	11.72	
September...	39,631	10.4	16.21	10.06	64.73	.00	12.22	.00	18.18	11.18	43.46	16.18	9.09	6.45	.00	3.18	7.84	4.27	.00	.00	.00	9.52	.00	7.81	
October ...	39,170	10.3	10.83	11.89	2.42	.00	10.37	50.00	25.26	1.86	0.00	18.38	13.64	11.11	.00	11.11	9.80	6.84	.00	.00	100.00	17.46	33.34	9.38	
November...	35,687	9.2	7.94	8.95	.00	.00	4.08	50.00	8.08	1.86	0.00	16.18	13.64	17.20	.00	9.52	5.88	9.40	.00	.00	.00	7.41	.00	8.59	
December...	36,433	7.5	6.26	7.05	.00	.00	4.08	.00	3.03	.00	0.00	13.96	22.73	6.81	.00	4.76	10.79	16.24	.00	.00	.00	4.23	.00	13.28	
TOTAL ...	39,770	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	0.00	100.00	100.00	100.00	100.00	100.00	

MONTH.		ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
						Intermittent.	Remittent and Con- tinued.																
January9	.0	15.4	4.7	3.6	2.5	2.3	7.7	6.3	4.3	5.3	6.5	9.4	5.3	.0	9.1	12.1	8.1	6.8	8.5	6.2	6.2
February0	.0	7.7	3.1	3.1	2.6	2.3	5.1	3.1	4.1	6.1	6.5	9.1	3.9	.0	9.1	9.9	7.2	7.2	9.0	6.5	5.8
March0	.0	7.7	3.1	3.3	4.5	2.3	2.6	4.1	6.0	6.1	5.2	9.8	5.3	.0	8.6	10.2	7.2	8.2	9.1	7.6	6.3
April0	3.3	15.4	10.9	4.6	10.3	4.7	5.1	6.6	11.4	7.1	5.2	8.5	5.3	.0	6.9	9.7	11.5	8.1	9.4	8.0	7.5
May0	6.7	23.0	28.1	6.1	11.8	11.6	10.3	7.4	8.2	9.3	6.5	8.0	3.9	.0	8.1	8.4	12.4	8.4	9.0	8.8	8.1
June0	3.3	7.7	9.4	6.4	11.0	30.3	7.7	5.5	6.3	9.5	6.5	6.5	6.6	33.3	8.4	7.2	6.2	8.6	7.5	8.6	7.6
July0	.0	.0	4.7	8.7	10.3	18.6	12.8	6.1	7.8	9.1	10.4	7.6	9.2	.0	10.2	7.4	7.7	11.3	7.5	10.2	8.8
August0	23.4	.0	4.7	14.1	12.8	11.6	12.8	11.0	15.4	11.0	9.1	8.4	13.2	33.3	9.1	7.2	10.1	9.9	7.0	10.6	11.1
September	...	44.4	60.0	.0	14.0	16.6	15.1	7.0	15.4	14.9	15.0	10.8	10.4	7.7	10.5	.0	6.9	6.5	10.5	9.7	7.2	9.3	12.1
October	...	35.9	3.3	.0	6.3	16.9	12.2	2.3	7.7	12.7	9.5	10.3	14.2	6.6	11.8	33.3	9.1	6.5	7.2	7.8	7.7	9.0	11.3
November	...	10.3	.0	7.7	4.7	10.5	4.9	4.7	5.1	11.6	6.8	8.9	9.1	8.8	13.2	.0	7.4	6.3	6.2	7.3	8.7	8.1	8.3
December	...	8.5	.0	15.4	6.3	6.1	2.0	2.3	7.7	10.7	5.2	6.5	10.4	9.6	11.8	.0	7.1	8.6	5.7	6.7	9.4	7.1	6.9
TOTAL	...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXIV.

TABLE showing the RATIO in which the EUROPEAN ARMY of AGRA and CENTRAL INDIA has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	40,379	547	1.16	1.16	.00	.00	.15	.00	.10	.00	.00	.05	.00	.17	.00	.25	.10	.10	.00	.00	.00	.05	.02	.17
February ...	41,535	558	1.16	1.14	.02	.02	.10	.02	.12	.00	.00	.00	.00	.15	.00	.10	.10	.10	.00	.00	.00	.17	.02	.24
March ...	42,364	541	.76	.76	.00	.02	.05	.00	.10	.02	.00	.02	.00	.12	.00	.07	.05	.02	.00	.00	.00	.12	.02	.15
April ...	41,457	525	.92	.92	.00	.05	.22	.00	.15	.05	.00	.00	.00	.05	.00	.02	.17	.02	.00	.00	.00	.12	.02	.05
May ...	41,175	570	1.65	.95	.70	.02	.12	.00	.15	.22	.00	.02	.00	.15	.00	.10	.05	.00	.00	.00	.00	.07	.00	.05
June ...	41,066	572	1.78	1.47	.31	.02	.05	.02	.07	.58	.00	.05	.00	.10	.00	.00	.12	.12	.00	.00	.00	.15	.02	.17
July ...	41,061	593	1.34	1.05	.29	.00	.05	.00	.07	.17	.05	.02	.02	.17	.00	.02	.05	.23	.00	.00	.00	.10	.00	.10
August ...	40,938	662	2.20	1.32	.88	.00	.17	.05	.15	.15	.00	.19	.00	.22	.00	.00	.17	.05	.00	.00	.00	.10	.00	.07
September...	40,862	747	2.35	1.62	.73	.00	.46	.07	.24	.07	.03	.20	.03	.20	.00	.03	.05	.05	.00	.00	.00	.07	.00	.12
October ...	40,423	761	2.08	1.86	.22	.00	.40	.00	.22	.05	.05	.33	.00	.27	.00	.00	.10	.05	.00	.00	.02	.17	.00	.20
November...	37,990	715	1.92	1.92	.00	.00	.23	.05	.18	.03	.03	.31	.03	.29	.00	.11	.21	.13	.00	.03	.03	.18	.00	.08
December...	38,323	596	1.15	1.12	.03	.00	.05	.05	.03	.00	.00	.10	.00	.21	.00	.05	.23	.08	.00	.00	.03	.21	.00	.08
TOTAL ...	40,631	615	18.41	15.19	3.22	.15	2.04	1.85	1.35	.15	1.26	.07	2.07	.00	.74	1.38	.94	.00	.02	.07	1.50	.12	1.48	

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	0	0	1	2	29.5	4.4	0	1	1.3	2.5	2.4	2	7.0	5	0	5.2	21.1	1.5	5.4	7.7	9.5	98.6
February	...	0	0	0	2	22.5	4.8	0	2	1.3	2.2	2.9	4	7.2	4	0	5.2	21.3	1.2	6.0	7.7	11.8	95.3
March	...	0	0	1	2	21.0	8.8	1	2	1.7	3.5	2.8	6	6.7	4	0	5.0	21.3	2.1	6.8	8.3	12.3	101.9
April	...	0	0	4	5	21.2	13.9	2	1	1.4	3.4	3.4	3	6.5	4	1	4.3	20.0	2.0	6.9	7.9	12.7	108.6
May	...	0	1.1	2	3	28.5	14.1	5	2	1.5	2.8	4.1	5	7.8	6	0	4.4	18.0	1.4	7.6	7.3	14.4	115.3
June	...	0	5	0	1	26.6	12.1	1.4	1	1.5	2.6	4.1	7	4.4	4	1	4.3	15.6	1.3	8.5	5.8	14.6	104.7
July	...	0	5	0	1	39.2	13.2	6	5	1.5	5.6	4.2	7	4.9	6	0	4.7	17.9	1.4	9.5	6.6	15.2	126.9
August	...	1	1.2	0	3	57.8	16.6	3	3	4.5	9.9	4.4	6	4.8	5	0	5.1	16.8	2.4	7.7	5.4	15.1	153.8
September	...	4.3	9	0	1.1	84.7	18.1	2	4	4.5	6.1	5.0	7	4.2	7	0	4.8	13.1	2.0	6.2	5.9	14.5	177.4
October	...	3.7	2	0	8	96.9	19.1	1	4	3.5	3.7	5.0	1.0	5.1	7	1	3.7	13.7	2.5	5.8	6.0	15.1	187.1
November	...	1.0	0	0	4	75.2	12.2	1	2	2.7	3.0	3.9	7	5.4	6	1	3.9	13.3	1.2	6.5	5.6	12.4	148.4
December	...	2	0	0	2	44.7	6.0	0	2	1.4	3.0	3.5	8	7.4	5	0	3.9	17.2	1.4	5.2	9.5	10.0	115.1
TOTAL	...	9.3	4.4	1.0	4.4	547.2	143.4	3.6	2.8	26.6	48.4	45.5	7.2	71.5	6.1	4	54.6	209.8	20.0	82.2	83.7	158.0	1530.1

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXV.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of the AGRA DISTRICT and of CENTRAL INDIA to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.		Daily Sick-rate of each month per cent. of the Total for the Year.		DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																		Suicidal Deaths and other Deaths out of Hospital.			
							All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.		Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.
												Intermittent.	Remittent and Continued.															
January ...	40,379	7.4	6.28	7.59	.00	.00	7.32	.00	6.33	.00	.00	3.88	.00	8.10	.00	33.33	7.14	10.53	.00	.00	.00	3.31	20.00	11.49				
February ...	41,535	7.6	6.28	7.46	.63	15.38	4.88	7.69	7.60	.00	.00	.00	.00	7.14	.00	13.33	7.14	10.53	.00	.00	.00	11.26	20.00	16.21				
March ...	42,364	7.3	4.12	4.97	.00	15.38	2.44	0.00	6.33	1.49	.00	1.55	.00	5.71	.00	9.33	3.57	2.11	.00	.00	.00	7.95	20.00	10.14				
April ...	41,457	7.1	4.98	6.02	.00	38.48	10.73	0.00	9.49	3.73	.00	.00	.00	2.38	.00	2.67	12.15	2.11	.00	.00	.00	7.95	20.00	3.38				
May ...	41,175	7.7	8.93	6.21	22.01	15.38	5.83	0.00	9.49	16.42	.00	1.55	.00	7.14	.00	13.33	3.57	.00	.00	.00	.00	4.64	.00	3.38				
June ...	41,066	7.7	9.61	9.61	9.75	15.38	2.44	7.69	4.43	43.29	.00	3.88	.00	4.76	.00	.00	8.57	12.63	.00	.00	.00	9.93	20.00	11.49				
July ...	41,061	8.0	7.26	6.87	9.12	.00	2.44	0.00	4.43	12.69	31.25	1.55	25.00	8.10	.00	2.67	3.57	24.21	.00	.00	.00	6.62	.00	6.76				
August ...	40,938	9.0	11.91	8.63	27.67	.00	8.29	19.23	9.49	11.19	.00	14.73	.00	10.48	.00	.00	12.15	5.26	.00	.00	.00	6.62	.00	4.73				
September...	40,862	10.1	12.72	10.60	22.96	.00	22.45	26.93	15.19	5.22	18.75	15.50	37.50	9.52	.00	4.00	3.57	5.26	.00	.00	.00	4.64	.00	8.11				
October ...	40,423	10.3	11.26	12.16	6.92	.00	19.52	.00	13.93	3.73	31.25	25.53	.00	12.86	.00	.00	7.14	5.26	.00	.00	25.00	11.26	.00	13.51				
November...	37,990	9.7	10.39	12.56	.00	.00	11.22	19.23	11.39	2.24	18.75	24.03	37.50	13.81	.00	14.67	15.00	13.68	.00	100.00	37.50	11.92	.00	5.40				
December...	38,323	8.1	6.23	7.32	.94	.00	2.44	19.23	1.90	.00	.00	7.75	.00	10.00	.00	6.67	16.13	8.42	.00	.00	37.50	13.90	.00	5.40				
TOTAL ...	40,631	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	100.00	100.00				

[illegible]

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXVI.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of the *PUNJAB* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
					Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
			All Causes.	Excluding Cholera.				Intermittent.	Remittent and Continued.															
January ...	131,914	570	1·21	1·21	·00	·02	·06	·01	·04	·01	·02	·08	·00	·11	·01	·35	·11	·11	·00	·00	·01	·16	·02	·09
February ...	128,128	546	·69	·69	·00	·02	·09	·02	·04	·02	·00	·02	·00	·08	·00	·11	·04	·08	·00	·00	·00	·08	·02	·08
March ...	125,315	510	·84	·84	·00	·01	·08	·00	·10	·02	·01	·05	·00	·09	·00	·09	·09	·05	·00	·00	·01	·12	·01	·11
April ...	113,375	500	·99	·88	·11	·00	·19	·01	·11	·04	·00	·04	·00	·05	·00	·06	·05	·07	·00	·00	·01	·10	·00	·15
May ...	101,320	565	1·84	1·28	·56	·00	·37	·01	·12	·04	·03	·10	·00	·09	·00	·06	·13	·09	·00	·00	·00	·13	·00	·11
June ...	99,800	617	2·80	2·24	·56	·00	·59	·00	·19	·81	·08	·12	·00	·07	·01	·02	·07	·07	·00	·00	·01	·10	·00	·10
July ...	99,754	644	2·48	2·18	·30	·00	·29	·01	·23	·87	·05	·11	·00	·11	·00	·06	·10	·07	·00	·00	·01	·14	·01	·12
August ...	99,291	676	2·82	1·56	1·26	·00	·26	·01	·23	·33	·04	·06	·00	·11	·01	·02	·13	·12	·00	·00	·00	·12	·00	·12
September...	99,272	773	2·53	1·76	·77	·01	·22	·04	·39	·19	·01	·13	·00	·16	·01	·08	·10	·08	·00	·00	·00	·21	·01	·10
October ...	100,424	810	2·52	1·68	·84	·00	·17	·04	·36	·04	·02	·17	·02	·18	·00	·08	·10	·14	·00	·00	·00	·21	·01	·14
November...	119,280	755	1·47	1·44	·03	·00	·07	·05	·21	·03	·01	·15	·01	·21	·00	·17	·08	·11	·00	·00	·00	·16	·01	·17
December...	129,585	649	1·47	1·47	·00	·01	·08	·06	·10	·03	·01	·15	·02	·11	·00	·36	·11	·14	·00	·01	·02	·15	·01	·10
TOTAL ...	112,288	629	2071	1676	3·95	·07	2·32	2·24	2·17	·25	1·17	·05	1·39	·04	1·59	1·11	1·13	·00	·01	·07	1·67	·10	1·38	

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	·0	·0	·1	·2	36·5	4·0	·0	·2	1·7	2·8	·27	·7	13·5	·6	·0	6·5	18·2	1·2	6·5	8·9	11·1	115·4
February	...	·0	·0	·1	·2	25·3	4·3	·0	·1	1·2	2·4	·27	·8	11·3	·4	·1	6·0	16·3	1·2	5·8	8·4	11·2	97·8
March	...	·0	·0	·1	·2	23·1	6·1	·1	·3	1·2	2·7	·30	·8	8·9	·4	·0	6·0	16·8	1·7	6·3	9·9	13·0	100·6
April	...	·0	·2	·1	·4	27·0	18·3	·1	·3	2·0	6·6	·29	·5	7·0	·4	·0	5·5	17·5	·21	6·5	10·6	14·5	122·5
May	...	·0	·7	·1	·8	36·1	41·7	·3	·4	2·4	6·7	·32	·5	7·1	·5	·0	5·3	13·9	·22	6·2	9·1	15·2	152·4
June	...	·0	·7	·0	·9	40·3	37·1	1·5	·4	1·8	4·6	·40	·6	5·8	·5	·0	4·9	12·2	1·5	7·0	7·4	17·0	148·2
July	...	·0	·4	·1	·6	45·0	40·5	2·6	·5	2·0	5·8	·46	·8	5·6	·8	·1	5·4	12·1	1·6	10·8	7·3	20·6	167·2
August	...	·0	2·0	·0	·4	56·4	39·4	·9	·5	2·7	8·9	·44	·8	5·8	·7	·1	5·3	10·7	·23	10·5	6·8	19·7	178·3
September	...	·0	1·0	·0	·5	101·2	49·4	·4	·4	4·0	7·0	·42	·7	4·8	·7	·1	5·0	9·8	·22	7·2	7·1	17·1	222·8
October	...	·1	1·1	·0	·4	134·4	38·1	·2	·4	4·0	5·3	·41	1·1	6·1	·8	·0	5·3	11·1	1·7	5·6	7·4	15·2	242·4
November	...	·9	·0	·0	·2	110·4	15·8	·1	·2	3·0	4·2	·35	1·1	8·6	1·1	·0	5·2	12·3	1·2	5·6	7·2	14·2	194·8
December	...	·1	·0	·0	·2	65·6	7·4	·0	·2	2·1	4·0	·30	1·1	12·5	·7	·1	5·6	14·9	1·0	5·5	9·9	11·9	145·8
TOTAL	...	1·2	5·5	·8	4·8	685·6	279·3	5·4	3·6	27·5	58·7	41·4	9·4	100·7	7·5	·5	66·5	169·0	19·6	82·3	100·9	177·0	1,847·2

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXVII.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of the PUNJAB to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																				Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.	Wounds and Accidents.		
								Intermittent.	Remittent and Continued.																
January ...	131,914	7.5	5.59	7.02	.00	28.57	2.43	3.85	1.88	.41	7.14	6.78	.00	7.91	25.00	23.97	9.91	9.73	.00	.00	14.29	9.53	20.00	6.47	
February ...	128,128	7.2	3.19	4.00	.00	28.57	3.64	7.69	1.88	.82	.00	1.70	.00	5.76	.00	7.53	3.60	7.08	.00	.00	.00	4.76	20.00	5.76	
March ...	125,315	6.7	3.88	4.88	.00	14.29	3.24	.00	4.72	.82	3.57	4.24	.00	6.47	.00	6.16	8.11	4.42	.00	.00	14.29	7.14	10.00	7.91	
April ...	113,375	6.6	4.57	5.11	2.48	.00	7.69	3.85	5.19	1.65	.00	3.39	.00	3.60	.00	4.11	4.50	6.20	.00	.00	14.29	5.95	.00	10.79	
May ...	101,320	7.4	8.50	7.43	12.64	.00	14.98	3.85	5.66	1.65	10.72	8.47	.00	6.47	.00	4.11	11.71	7.96	.00	.00	.00	7.74	.00	7.91	
June ...	99,800	8.1	12.93	13.00	12.64	.00	23.89	.00	8.96	33.33	28.57	10.17	.00	5.04	25.00	1.37	6.31	6.20	.00	.00	14.29	5.95	.00	7.20	
July ...	99,754	8.5	11.45	12.65	6.77	.00	11.74	3.85	10.85	35.81	17.86	9.32	.00	7.91	.00	4.11	9.01	6.20	.00	.00	14.29	8.33	10.00	8.63	
August ...	99,291	8.9	13.02	9.05	28.45	.00	10.53	3.85	10.85	13.58	14.29	5.08	.00	7.91	25.00	1.37	11.71	10.62	.00	.00	.00	7.14	.00	8.63	
September...	99,272	10.1	11.68	10.22	17.38	14.29	8.91	15.38	18.40	7.82	3.57	11.02	.00	12.95	25.00	5.48	9.01	7.08	.00	.00	.00	12.50	10.00	7.20	
October ...	100,424	10.6	11.63	9.75	18.96	.00	6.88	15.38	16.98	1.65	7.14	14.41	40.00	12.95	.00	5.48	9.01	12.39	.00	.00	.00	12.50	10.00	10.07	
November...	119,280	9.9	6.78	8.36	.68	.00	2.83	19.23	9.91	1.23	3.57	12.71	20.00	15.12	.00	11.65	7.21	9.73	.00	.00	.00	9.53	10.00	12.23	
December...	129,585	8.5	6.78	8.53	.00	14.29	3.24	23.07	4.72	1.23	3.57	12.71	40.00	7.91	.00	24.66	9.91	12.39	.00	100.00	28.57	8.93	10.00	7.20	
TOTAL ...	112,288	100.0	100.00	100.00	100.00	100.01	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.02	100.00	100.00	100.00	

MONTH.		ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																				All Causes.		
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.			All other Causes.
						Intermittent.	Remittent and Continued.																	
January	...	0	0	167	40	52	13	0	51	61	46	64	74	139	79	0	99	110	60	75	89	62	61	
February	..	0	0	167	40	36	14	0	25	43	39	64	84	116	53	200	91	98	60	70	84	62	51	
March	...	0	0	167	40	33	20	16	77	43	44	71	84	92	53	0	91	101	85	75	99	71	53	
April	...	0	33	167	80	39	61	16	77	71	108	69	53	72	53	0	83	105	106	78	106	80	65	
May	...	0	115	167	160	51	138	48	103	85	110	76	53	73	66	0	80	84	111	74	91	84	81	
June	...	0	115	0	180	57	123	242	103	64	75	95	62	60	66	0	74	74	75	84	74	94	79	
July	...	0	65	167	120	64	134	420	128	71	95	108	84	58	105	200	82	73	81	129	73	114	89	
August	...	0	328	0	80	81	131	145	128	96	146	104	84	60	92	200	80	65	116	126	68	109	95	
September	...	0	164	0	100	144	163	65	103	142	115	99	74	49	92	200	76	59	111	86	71	95	118	
October	...	91	180	0	80	192	126	32	103	142	87	97	116	63	105	0	80	67	85	67	74	84	128	
November	...	818	0	0	40	157	52	16	51	107	69	82	116	89	144	0	79	74	60	67	72	79	103	
December	...	91	0	0	40	94	25	0	51	75	66	71	116	129	92	200	85	90	50	66	99	66	77	
TOTAL	...	1000	1000	1002	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXVIII.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of *RAJPOOTANA, MALWA, SIND, and ADEN* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.
								Intermittent.	Remittent and Continued.															
January ...	52,506	51.0	1.33	1.33	.00	.00	.08	.00	.00	.06	.02	.15	.00	.15	.00	.19	.08	.28	.00	.00	.00	.10	.04	.09
February ...	53,667	49.6	.93	.93	.00	.00	.15	.00	.07	.02	.00	.06	.00	.06	.00	.04	.04	.07	.00	.00	.00	.13	.00	.29
March ...	54,333	48.3	.92	.92	.00	.00	.06	.00	.09	.02	.00	.13	.00	.20	.00	.09	.09	.02	.00	.00	.00	.11	.02	.09
April ...	55,032	48.7	.98	.91	.07	.02	.16	.00	.07	.09	.00	.05	.00	.11	.00	.02	.04	.07	.00	.00	.00	.13	.00	.15
May ...	54,871	50.9	1.17	.97	.20	.02	.17	.00	.02	.38	.00	.00	.00	.07	.00	.02	.05	.04	.00	.00	.00	.07	.00	.13
June ...	55,084	53.7	1.94	1.78	.16	.00	.11	.00	.09	1.09	.02	.02	.00	.09	.00	.07	.04	.07	.00	.00	.00	.05	.02	.11
July ...	55,653	55.6	1.29	1.15	.14	.00	.05	.02	.05	.31	.07	.07	.02	.09	.00	.04	.07	.07	.00	.00	.00	.09	.02	.18
August ...	55,373	60.2	2.04	1.19	.85	.00	.18	.02	.18	.03	.02	.05	.02	.09	.02	.02	.09	.11	.00	.00	.00	.23	.02	.11
September...	54,950	71.3	2.35	2.15	.20	.00	.73	.05	.20	.13	.05	.15	.02	.31	.00	.02	.05	.07	.00	.00	.00	.18	.02	.17
October ...	54,955	74.9	1.86	1.67	.13	.00	.35	.04	.13	.09	.02	.16	.05	.11	.00	.04	.09	.07	.00	.04	.00	.23	.02	.23
November...	52,487	70.1	1.43	1.30	.13	.00	.21	.04	.17	.08	.02	.06	.00	.15	.00	.04	.06	.13	.00	.00	.00	.21	.00	.13
December ...	51,085	58.7	1.17	1.15	.02	.00	.17	.00	.06	.02	.00	.08	.00	.17	.00	.12	.12	.04	.02	.00	.00	.19	.02	.14
TOTAL ...	54,166	57.7	1.74	1.54	1.94	.04	2.42	1.40	2.34	.22	.08	.11	1.61	.02	.68	.81	1.05	.02	.04	.00	1.74	.16	1.83	

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																						Admission-rate of each Month from all Causes per 1,000 of Strength.
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
						Intermittent.	Remittent and Continued.																	
January	...	'3	'0	'1	'2	30·5	3·2	'0	'5	2·1	4·3	2·5	'3	8·7	'6	'0	4·1	15·9	1·7	7·1	8·8	13·4	104·3	
February	...	'0	'0	'0	'3	22·6	4·2	'2	'3	1·6	3·7	2·7	'4	7·4	'4	'0	4·1	15·6	1·7	7·0	8·1	12·5	92·9	
March	...	'1	'0	'0	'3	22·4	7·6	'1	'2	1·9	4·0	3·3	'5	6·6	'5	'0	4·5	15·6	2·2	7·9	8·9	12·7	99·3	
April	...	'1	'1	'1	'3	25·0	10·3	'4	'4	1·7	5·3	3·1	'5	5·5	'2	'0	4·5	16·2	2·2	8·9	9·3	15·6	109·7	
May	...	3·7	'3	'1	'3	31·0	12·0	'9	'4	1·2	4·2	4·2	'8	4·6	'6	'0	4·9	14·4	1·9	9·4	8·4	16·3	119·6	
June	...	3·0	'2	'0	'1	32·2	13·9	2·9	'3	1·3	4·0	3·8	'6	4·7	'4	'0	4·2	13·1	1·6	10·5	7·4	17·2	121·4	
July	...	9·4	'2	'0	'1	38·8	11·6	'7	'5	2·3	6·0	4·2	'7	4·7	'8	'0	5·6	13·3	1·7	11·1	9·0	20·6	141·3	
August	...	1·9	1·1	'0	'3	56·7	12·1	'1	'7	3·9	9·6	4·1	'5	3·8	'6	'0	4·7	12·4	1·9	9·6	7·5	20·6	152·1	
September	...	'1	'4	'0	1·0	90·0	18·9	'5	'7	3·5	6·7	4·3	'7	3·6	'6	'0	4·0	12·3	2·4	8·2	7·6	17·7	183·2	
October	...	1·1	'1	'0	'5	104·9	18·6	'3	'5	3·1	5·7	4·4	'8	4·3	'6	'0	4·0	11·9	1·9	8·2	8·1	16·7	195·7	
November	...	1·8	'2	'0	'3	78·8	12·1	'1	'4	2·2	4·3	3·7	'5	5·9	'6	'0	3·8	11·6	1·7	7·1	6·5	14·8	156·4	
December	...	2·4	'0	'1	'3	56·6	8·4	'1	'3	2·0	4·4	2·7	'7	7·8	'7	'0	3·5	13·1	1·5	6·6	9·7	15·5	136·4	
TOTAL	...	24·0	2·6	'3	4·0	589·2	133·7	6·3	5·1	26·9	62·4	43·0	7·0	67·2	6·7	'4	52·0	165·3	22·4	102·0	99·4	194·1	1,614·0	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXIX.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of RAJPOOTANA, MALWA, SIND, and ADEN to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	52,506	7.4	7.67	8.61	.00	.00	3.31	.00	7.38	2.59	9.09	15.30	.00	9.37	.00	26.76	9.76	26.92	.00	.00	.00	5.81	22.23	4.95
February ...	53,667	7.2	5.36	6.02	.00	.00	6.20	.00	5.74	.86	.00	6.12	.00	3.75	.00	5.63	4.88	6.73	.00	.00	.00	7.56	.00	15.94
March ...	54,333	7.0	5.30	5.95	.00	.00	2.48	.00	7.38	.86	.00	13.26	.00	12.50	.00	12.68	10.97	1.92	.00	.00	.00	6.40	11.11	4.95
April ...	55,032	7.0	5.65	5.89	3.68	50.00	6.61	.00	5.74	3.88	.00	5.12	.00	6.88	.00	2.82	4.88	6.73	.00	.00	.00	7.56	.00	8.24
May ...	54,871	7.3	6.74	6.28	10.53	50.00	7.02	.00	1.64	16.38	.00	.00	.00	4.37	.00	2.82	6.10	3.85	.00	.00	.00	4.07	.00	7.14
June ...	55,084	7.7	11.18	11.52	8.42	.00	4.55	.00	7.38	46.98	9.09	2.04	.00	5.63	.00	9.86	4.88	6.73	.00	.00	.00	2.91	11.11	6.04
July ...	55,653	8.0	7.44	7.44	7.37	.00	2.07	11.76	4.10	13.36	31.82	7.14	18.18	5.63	.00	5.63	8.54	6.73	.00	.00	.00	5.23	11.11	9.89
August ...	55,373	8.7	11.76	7.70	44.74	.00	7.44	11.76	14.75	1.29	9.09	5.12	18.18	5.63	100.00	2.82	10.97	10.58	.00	.00	.00	13.37	11.11	6.04
September...	54,950	10.3	13.54	13.92	10.53	.00	30.16	29.42	16.39	5.61	22.73	15.30	18.18	19.37	.00	2.82	6.10	6.73	.00	.00	.00	10.47	11.11	9.34
October ...	54,955	10.8	10.38	10.81	6.84	.00	14.46	23.53	10.65	3.88	9.09	16.32	45.46	6.88	.00	5.63	10.97	6.73	.00	100.00	.00	13.37	11.11	12.64
November...	52,487	10.1	8.24	8.42	6.81	.00	8.68	23.53	13.93	3.45	9.09	6.12	.00	9.37	.00	5.63	7.32	12.50	.00	.00	.00	12.21	.00	7.14
December...	51,085	8.5	6.74	7.44	1.05	.00	7.02	.00	4.92	.86	.00	8.10	.00	10.62	.00	16.90	14.63	3.85	100.00	.00	.00	11.04	11.11	7.69
TOTAL ...	54,166	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.00	100.00

MONTH.		ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																				All Causes.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	1.3	.0	25.0	5.0	5.2	2.4	.0	9.6	7.8	6.9	5.8	4.3	12.9	9.1	.0	7.9	9.6	7.6	7.0	8.9	6.9	6.5
February0	.0	.0	7.5	3.8	3.2	3.2	5.8	6.0	5.9	6.3	5.7	10.9	6.1	.0	7.9	9.5	7.6	6.9	8.2	6.5	5.8
March4	.0	.0	7.5	3.8	5.7	1.6	3.7	7.1	6.4	7.7	7.1	9.8	7.6	.0	8.7	9.5	9.8	7.8	9.0	6.6	6.2
April4	3.8	25.0	7.5	4.2	7.8	6.3	7.7	6.3	8.5	7.2	7.1	8.1	3.0	.0	8.7	9.8	9.8	8.8	9.4	8.1	6.8
May	...	15.5	11.6	25.0	7.5	5.3	9.0	14.3	7.7	4.5	6.8	9.8	11.4	6.8	9.1	.0	9.4	8.7	8.5	9.2	8.4	8.4	7.4
June	...	12.6	7.7	.0	2.5	5.5	10.5	46.0	5.8	4.9	6.4	8.8	8.6	7.0	6.1	.0	8.1	7.9	7.1	10.3	7.4	8.9	7.5
July	...	39.3	7.7	.0	2.5	6.6	8.7	11.1	9.6	8.6	9.7	9.8	10.0	7.0	12.1	.0	10.8	8.0	7.6	10.9	9.1	10.6	8.8
August	...	8.0	42.3	.0	7.5	9.6	9.1	1.6	13.5	14.6	15.4	9.5	7.1	5.6	9.1	.0	9.1	7.5	8.5	9.4	7.5	10.6	9.4
September4	15.4	.0	25.0	15.2	14.2	7.9	13.5	13.0	10.8	10.0	10.0	5.3	9.1	.0	7.7	7.4	10.7	8.1	7.6	9.2	11.4
October	...	4.6	3.8	.0	12.5	17.8	14.0	4.8	9.6	11.6	9.2	10.2	11.4	6.4	9.1	.0	7.7	7.2	8.5	8.1	8.2	8.6	12.1
November	...	7.5	7.7	.0	7.5	13.4	9.1	1.6	7.7	8.2	6.9	8.6	7.1	8.7	9.1	.0	7.3	7.0	7.6	7.0	6.5	7.6	9.7
December	...	10.0	.0	25.0	7.5	9.6	6.3	1.6	5.8	7.4	7.1	6.3	10.0	11.5	10.5	.0	6.7	7.9	6.7	6.5	9.8	8.0	8.4
TOTAL	...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.8	100.0	100.0	.0	100.0	100.0	1000	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXX.

TABLE showing the RATIO in which the EUROPEAN ARMY of the DECCAN and NAGPORE has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.	Wounds and Accidents.		
								Intermittent.	Remittent and Continued.																
January ...	71,351	56.5	98	98	00	00	10	00	10	01	00	13	00	28	00	06	03	10	00	00	00	08	01	08	
February ...	72,489	55.2	79	75	04	00	06	00	00	04	00	15	01	20	00	00	07	03	00	01	00	08	00	10	
March ...	74,397	50.9	95	94	01	05	04	00	01	07	01	12	00	20	00	04	11	05	00	00	00	11	03	10	
April ...	78,438	50.3	89	88	01	05	13	01	08	15	03	08	00	11	00	01	05	04	00	00	00	09	00	05	
May ...	78,176	52.4	160	117	43	04	17	01	06	37	03	03	00	13	00	01	10	05	00	00	00	12	00	05	
June ...	78,984	53.9	120	107	13	00	11	00	04	20	01	05	00	20	00	03	01	07	00	00	00	16	03	16	
July ...	79,248	57.3	121	89	32	00	10	00	05	05	01	09	03	11	00	03	13	05	00	01	00	13	01	09	
August ...	78,925	61.4	162	132	30	00	15	00	10	05	00	16	01	27	00	04	09	12	00	00	00	19	00	14	
September...	78,758	62.3	140	132	08	00	33	01	05	01	00	27	00	15	00	03	10	05	00	00	00	15	03	14	
October ...	76,389	63.2	134	134	00	00	16	03	08	01	03	21	00	25	00	05	16	09	00	00	00	09	00	18	
November...	74,613	61.7	117	116	01	00	05	00	03	05	03	22	05	29	00	03	08	12	00	00	00	11	00	10	
December...	71,134	56.8	91	91	00	00	04	01	04	03	01	23	00	27	00	08	10	04	00	00	01	01	00	04	
TOTAL ...	76,075	56.8	1414	1277	139	14	146	72		108	16	171	11	244	00	38	102	80	00	03	01	134	11	124	

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																					Admission-rate of each Month from all Causes per 1,000 of Strength.
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
						Intermittent.	Remittent and Continued.																
January	...	0	0	1	2	206	61	1	5	45	39	44	2	69	5	0	39	206	12	84	83	137	1041
February	...	0	1	1	1	163	60	1	2	35	34	33	3	62	6	0	41	199	9	79	90	135	955
March	...	33	0	2	1	161	95	2	5	29	37	29	2	59	4	0	36	205	17	90	98	141	1046
April	...	58	0	2	3	169	119	4	3	25	42	31	3	47	2	0	34	201	15	94	89	142	1083
May	...	19	10	1	4	195	135	6	3	25	42	29	2	44	4	0	35	173	15	94	87	155	1078
June	...	13	1	0	2	251	130	6	3	26	52	28	3	36	6	0	36	158	15	91	71	140	1068
July	...	12	4	0	3	354	120	1	3	50	115	30	4	39	5	0	45	178	17	81	77	148	1286
August	...	9	5	0	5	372	116	1	5	64	96	31	3	43	6	0	37	174	23	69	73	146	1278
September	...	10	1	0	6	412	109	0	3	62	57	40	2	41	6	1	40	167	19	73	68	140	1257
October	...	8	0	0	4	467	140	1	5	56	50	45	4	45	8	0	36	190	21	73	81	157	1391
November	...	1	0	0	1	383	113	1	4	45	38	40	2	51	6	0	31	177	14	71	80	140	1198
December	...	1	0	0	2	286	81	1	3	51	52	38	3	56	7	0	31	178	11	76	95	142	1114
TOTAL	...	168	24	8	34	3134	1290	24	43	513	661	415	33	590	66	2	443	2200	191	975	990	1723	13827

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXI.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of the DECCAN and NAGPORE to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																				Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.		
								Intermittent.	Remittent and Continued.																
January ...	71,351	8.3	6.97	7.70	.00	.00	6.94	.00	15.63	.96	.00	7.47	.00	11.38	.00	14.63	2.91	12.35	.00	.00	.00	6.06	9.09	6.50	
February ...	72,489	8.1	5.62	5.89	3.01	.00	4.17	.00	.00	3.85	.00	8.62	10.00	8.13	.00	.00	6.80	3.70	.00	50.00	.00	6.06	.00	8.13	
March ...	74,397	7.5	6.76	7.38	.75	35.72	2.78	.00	1.56	6.73	6.25	6.90	.00	8.13	.00	9.76	10.68	6.17	.00	.00	.00	8.33	27.27	8.13	
April ...	78,438	7.4	6.33	6.91	.75	35.72	9.03	14.29	12.50	14.42	18.75	4.60	.00	4.47	.00	2.44	4.85	4.94	.00	.00	.00	6.82	.00	4.07	
May ...	78,176	7.7	11.38	9.19	32.33	28.56	11.80	14.29	9.37	35.58	18.75	1.72	.00	5.28	.00	2.44	9.71	6.17	.90	.00	.00	9.09	.00	4.07	
June ...	78,984	7.9	8.53	8.41	9.77	.00	7.64	.00	6.25	19.23	6.25	2.87	.00	8.13	.00	7.32	.97	8.64	.00	.00	.00	12.12	27.27	13.01	
July ...	79,248	8.4	8.61	6.99	24.06	.00	6.94	.00	7.81	4.81	6.25	5.17	30.00	4.47	.00	7.32	12.62	6.17	.00	50.00	.00	9.85	9.09	7.32	
August ...	78,925	9.0	11.52	10.37	22.56	.00	10.42	.00	15.63	4.81	.00	9.20	10.00	10.98	.00	9.76	8.74	14.82	.00	.00	.00	14.39	.00	11.38	
September...	78,758	9.1	9.96	10.37	6.02	.00	22.92	14.29	7.81	.96	.00	15.52	.00	6.10	.00	7.32	9.71	6.17	.00	.00	.00	11.37	27.27	11.38	
October ...	76,389	9.3	9.53	10.53	.00	.00	11.11	42.86	12.50	.96	18.75	12.07	.00	10.16	.00	12.19	15.53	11.11	.00	.00	.00	6.82	.00	14.63	
November...	74,613	9.0	8.32	9.11	.75	.00	3.47	.00	4.69	4.81	18.75	12.64	50.00	11.79	.00	7.32	7.77	14.82	.00	.00	.00	8.33	.00	8.13	
December...	71,134	8.3	6.47	7.15	.00	.00	2.78	14.29	6.25	2.88	6.25	13.22	.00	10.98	.00	19.50	9.71	4.94	.00	.00	100.00	.76	.00	3.25	
TOTAL ...	76,075	100.0	100.00	100.00	100.00	100.00	100.00	100.02	100.00	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	99.99	100.00	

MONTH.		ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																				All Causes.		
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.			All other Causes.
						Intermittent.	Remittent and Continued.																	
January	...	0	0	14.3	5.9	6.0	4.8	4.0	11.4	8.8	6.0	10.5	6.1	11.7	7.7	0	8.8	9.3	6.4	8.6	8.3	8.0	7.5	
February	...	0	4.5	14.3	2.9	4.8	4.7	4.0	4.5	6.8	5.2	7.9	9.1	10.5	9.2	0	9.3	9.0	4.8	8.1	9.1	7.8	6.9	
March	...	20.1	0	28.6	2.9	4.7	7.4	8.0	11.4	5.7	5.6	6.9	6.1	9.9	6.2	0	8.2	9.3	9.0	9.2	9.9	8.2	7.6	
April	...	35.4	0	28.6	8.8	4.9	9.3	16.0	6.8	4.9	6.4	7.4	9.1	7.9	3.1	0	7.7	9.1	8.0	9.7	9.0	8.2	7.9	
May	...	11.6	45.5	14.3	11.8	5.7	10.6	24.0	6.8	4.9	6.4	6.9	6.1	7.4	6.2	0	7.9	7.8	8.0	9.7	8.8	9.1	7.8	
June	...	7.9	4.5	0	5.9	7.3	10.2	24.0	6.8	5.0	8.0	6.7	9.1	6.1	9.2	0	8.2	7.2	8.0	9.3	7.1	8.1	7.7	
July	...	7.3	18.2	0	8.8	10.4	9.4	4.0	6.8	9.7	17.6	7.2	12.1	6.6	7.7	0	10.2	8.1	9.0	8.3	7.8	8.6	9.3	
August	...	5.5	22.8	0	14.7	10.9	9.1	4.0	11.4	12.5	14.7	7.4	9.1	7.3	9.2	0	8.4	7.9	12.2	7.0	7.4	8.5	9.3	
September	...	6.1	4.5	0	17.7	12.0	8.5	0	6.8	12.1	8.7	9.6	6.1	6.9	9.2	100.0	9.1	7.6	10.1	7.5	6.8	8.1	9.1	
October	...	4.9	0	0	11.8	13.7	10.9	4.0	11.4	10.9	7.6	10.8	12.1	7.6	12.3	0	8.2	8.6	11.2	7.5	8.1	9.1	10.1	
November	...	6	0	0	2.9	11.2	8.8	4.0	9.1	8.8	5.8	9.6	6.1	8.6	9.2	0	7.0	8.0	7.4	7.3	8.1	8.1	8.7	
December	...	6	0	0	5.9	8.4	6.3	4.0	6.8	9.9	8.0	9.1	9.1	9.5	10.8	0	7.0	8.1	5.9	7.8	9.6	8.2	8.1	
TOTAL	...	100.0	100.0	100.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXII.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of *SOUTHERN INDIA* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Suicidal Deaths and other Deaths out of Hospital.
					Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	
			All Causes.	Excluding Cholera.				Intermittent.	Remittent and Continued.															
January ...	45,061	62·3	1·38	1·31	·07	·00	·17	·00	·11	·00	·00	·07	·00	·40	·02	·00	·13	·17	·00	·00	·00	·13	·00	·11
February ...	45,534	64·1	1·27	1·20	·07	·00	·15	·00	·07	·00	·02	·18	·00	·18	·00	·04	·15	·10	·00	·00	·00	·07	·00	·24
March ...	48,475	55·4	·93	·83	·10	·00	·06	·00	·02	·06	·00	·06	·00	·15	·00	·06	·15	·06	·00	·00	·00	·17	·00	·04
April ...	48,461	55·9	·99	·93	·06	·00	·17	·00	·04	·21	·02	·06	·02	·10	·00	·00	·13	·02	·0	·00	·00	·10	·00	·06
May ...	47,514	58·5	1·30	1·28	·02	·00	·02	·02	·04	·44	·06	·15	·00	·13	·00	·00	·08	·04	·0	·00	·00	·15	·00	·15
June ...	47,390	60·1	1·24	1·11	·13	·00	·13	·00	·06	·15	·02	·13	·00	·21	·00	·02	·06	·10	·00	·00	·00	·10	·02	·10
July ...	47,430	63·2	1·29	1·14	·15	·02	·17	·00	·04	·11	·02	·04	·00	·30	·00	·06	·08	·02	·00	·00	·00	·15	·00	·13
August ...	47,560	63·8	1·07	1·05	·02	·00	·06	·00	·04	·04	·02	·15	·00	·21	·00	·00	·13	·04	·00	·00	·00	·09	·06	·21
September	47,297	64·2	·93	·91	·02	·00	·11	·00	·02	·00	·02	·06	·02	·19	·00	·00	·09	·06	·00	·00	·00	·21	·00	·13
October ...	46,528	64·1	1·10	1·08	·02	·00	·09	·00	·02	·04	·02	·20	·00	·22	·00	·04	·09	·11	·04	·00	·00	·04	·02	·15
November	46,283	64·6	·80	·76	·04	·00	·00	·00	·00	·02	·00	·11	·00	·22	·00	·00	·09	·11	·00	·00	·00	·06	·00	·06
December	44,635	62·1	1·41	1·34	·07	·00	·14	·00	·04	·02	·02	·09	·00	·20	·00	·04	·25	·09	·00	·00	·00	·16	·00	·29
TOTAL ...	46,847	61·5	1·370	1·293	·77	·02	1·26	·62		1·11	·23	1·28	·04	2·48	·02	·28	1·41	·94	·04	·00	·00	1·43	·11	1·66

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	23	1	1	7	62	77	1	5	48	38	56	1	34	9	0	32	187	8	88	79	176	933
February	...	2	1	0	4	156	72	1	3	42	37	48	2	44	7	0	29	164	9	97	88	153	954
March	...	7	2	1	3	121	107	2	3	33	49	45	3	48	6	0	36	179	10	86	94	171	1006
April	...	6	1	1	4	98	133	3	3	43	46	43	4	53	5	0	39	183	11	119	92	197	1084
May	...	16	1	0	3	105	117	13	4	45	38	43	3	49	6	0	37	164	13	123	80	201	1061
June	...	11	1	0	3	105	119	3	4	53	51	46	3	42	9	0	43	159	18	125	87	191	1073
July	...	26	2	0	4	102	135	2	5	71	60	51	3	47	9	0	39	185	28	109	84	214	1176
August	...	12	0	0	3	88	112	1	5	64	44	54	2	42	9	0	47	176	22	93	85	203	1062
September	...	15	1	0	4	73	113	1	3	49	33	52	2	37	7	0	37	197	19	88	74	176	981
October	...	8	0	0	1	72	120	1	4	49	30	53	2	44	11	0	40	180	20	98	85	197	1016
November	...	1	1	0	1	84	114	0	4	44	38	54	2	43	10	0	33	194	19	86	81	173	982
December	...	2	1	0	4	91	111	1	3	55	44	56	2	39	12	0	29	187	13	80	104	175	1009
TOTAL	...	129	12	4	40	1158	1333	27	46	597	508	601	29	523	98	1	443	2156	189	1197	1031	2231	12354

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXIII.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of SOUTHERN INDIA to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																				Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.		
								Intermittent.	Remittent and Continued.																
January ...	45,061	8·4	10·07	10·12	9·09	·00	13·39	·00	18·65	·00	·00	5·38	·00	15·94	100·00	·00	9·09	18·48	·00	·00	·00	9·09	·00	·00	6·59
February ...	45,534	8·7	9·26	9·27	9·09	·00	11·81	·00	11·86	·00	9·09	13·84	·00	7·17	·00	15·38	10·49	10·87	·00	·00	·00	4·90	·00	·00	14·37
March ...	48,475	7·5	6·78	6·41	12·99	·00	4·72	·00	3·39	5·51	·00	4·62	·00	5·98	·00	23·08	10·49	6·52	·00	·00	·00	11·89	·00	·00	2·40
April ...	48,461	7·6	7·22	7·19	7·79	·00	13·39	·00	6·78	19·27	9·09	4·62	50·00	3·98	·00	·00	9·09	2·17	·00	·00	·00	6·99	·00	·00	3·59
May ...	47,514	7·9	9·48	9·89	2·60	·00	1·57	100·00	6·78	40·37	27·28	11·54	·00	5·18	·00	·00	5·60	4·35	·00	·00	·00	10·49	·00	·00	8·98
June ...	47,390	8·1	9·05	8·58	16·88	·00	10·24	·00	10·17	13·76	9·09	10·00	·00	8·37	·00	7·70	4·20	10·87	·00	·00	·00	6·99	20·00	·00	5·99
July ...	47,430	8·6	9·41	8·81	19·48	100·00	13·39	·00	6·78	10·09	9·09	3·08	·00	11·95	·00	23·08	5·60	2·17	·00	·00	·00	10·49	·00	·00	7·78
August ...	47,560	8·6	7·81	8·12	2·60	·00	4·72	·00	6·78	3·67	9·09	11·54	·00	8·37	·00	·00	9·09	4·35	·00	·00	·00	6·29	60·00	·00	12·58
September...	47,297	8·7	6·78	7·03	2·60	·00	8·66	·00	3·39	·00	9·09	4·62	50·00	7·57	·00	·00	6·29	6·52	·00	·00	·00	14·69	·00	·00	7·78
October ...	46,528	8·7	8·02	8·35	2·60	·00	7·09	·00	3·39	3·67	9·09	15·38	·00	8·76	·00	15·38	6·29	11·96	100·00	·00	·00	2·80	20·00	·00	8·98
November...	46,283	8·8	5·84	5·87	5·19	·00	·00	·00	15·25	1·83	·00	8·46	·00	8·76	·00	·00	6·29	11·96	·00	·00	·00	4·19	·00	·00	3·59
December...	44,635	8·4	10·28	10·36	9·09	·00	11·02	·00	6·78	1·83	9·09	6·92	·00	7·97	·00	15·38	17·48	9·78	·00	·00	·00	11·19	·00	·00	17·37
TOTAL ...	46,847	100·0	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	00·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	·00	·00	100·00	100·00	·00	100·00

MONTH		ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																				All Causes.		
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.			All other Causes.
						Intermittent.	Remittent and Continued.																	
January	...	17·8	8·3	33·3	17·0	5·4	5·8	3·4	10·9	8·1	7·5	9·3	3·5	6·5	9·0	·0	7·3	8·7	4·2	7·4	7·6	7·9	7·6	
February	...	1·6	8·3	·0	9·8	13·5	5·4	3·4	6·5	7·1	7·3	8·0	6·9	8·4	7·0	·0	6·6	7·6	4·8	8·1	8·5	6·9	7·8	
March	...	5·4	16·8	33·3	7·3	10·5	8·0	7·0	6·5	5·5	9·6	7·5	10·3	9·2	6·0	·0	8·1	8·3	5·3	7·2	9·1	7·7	8·1	
April	...	4·7	8·3	33·3	9·8	8·5	10·0	10·4	6·5	7·2	9·0	7·1	13·9	10·2	5·0	·0	8·8	8·5	5·8	10·0	8·8	8·8	8·8	
May	...	12·4	8·3	·0	7·3	9·1	8·8	44·8	8·7	7·6	7·5	7·1	10·3	9·4	6·0	·0	8·4	7·6	6·8	10·3	7·8	9·0	8·6	
June	...	8·5	8·3	·0	7·3	9·1	9·0	10·4	8·7	8·9	10·0	7·7	10·3	8·0	9·0	·0	9·8	7·4	9·5	10·5	8·5	8·6	8·7	
July	...	20·1	16·8	·0	9·8	8·8	10·2	7·0	10·9	11·9	11·8	8·5	10·3	9·0	9·0	·0	8·8	8·6	14·7	9·1	8·2	9·6	9·5	
August	...	9·3	·0	·0	7·3	7·6	8·4	3·4	10·9	10·7	8·7	9·0	6·9	8·0	9·0	·0	10·6	8·1	11·6	7·8	8·2	9·1	8·6	
September	...	11·6	8·3	·0	9·8	6·3	8·5	3·4	6·5	8·2	6·5	8·7	6·9	7·1	7·0	·0	8·4	9·1	10·0	7·4	7·1	7·9	7·9	
October	...	6·2	·0	·0	2·4	6·2	9·0	3·4	8·7	8·2	5·9	8·8	6·9	8·4	11·0	·0	9·1	8·4	10·5	8·3	8·3	8·8	8·2	
November	...	·8	8·3	·0	2·4	7·2	8·6	·0	8·7	7·4	7·5	9·0	6·9	8·3	10·0	·0	7·5	9·0	10·0	7·2	7·9	7·8	8·0	
December	...	1·6	8·3	·0	9·8	7·8	8·3	3·4	6·5	9·2	8·7	9·3	6·9	7·5	12·0	·0	6·6	8·7	6·8	6·7	10·0	7·9	8·2	
TOTAL	...	100·0	100·0	99·9	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	·0	100·0	100·00	100·0	100·0	100·0	100·0	100·0	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXIV.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of *BURMAH* and *PEGU* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	19,347	39·6	·93	·93	·00	·00	·05	·00	·05	·10	·00	·31	·00	·16	·00	·00	·00	·00	·00	·00	·00	·10	·00	·16
February ...	18,873	41·7	·95	·95	·00	·00	·11	·00	·05	·00	·00	·11	·00	·16	·00	·00	·05	·00	·00	·00	·00	·16	·05	·26
March ...	20,353	39·7	·64	·64	·00	·00	·00	·00	·05	·05	·05	·05	·00	·05	·00	·05	·05	·05	·00	·00	·00	·00	·05	·19
April ...	21,114	41·3	2·46	1·09	1·37	·00	·00	·00	·00	·24	·14	·19	·00	·19	·00	·00	·14	·00	·00	·00	·00	·00	·00	·19
May ...	21,614	45·0	1·39	1·30	·09	·00	·05	·00	·05	·55	·00	·09	·00	·14	·00	·00	·05	·00	·00	·00	·00	·14	·00	·23
June ...	21,321	51·8	1·31	·89	·42	·00	·00	·00	·05	·05	·05	·18	·00	·28	·00	·00	·00	·05	·00	·00	·00	·14	·00	·09
July ...	21,139	54·9	2·70	1·66	1·04	·00	·19	·00	·09	·19	·00	·38	·00	·09	·00	·00	·24	·15	·00	·00	·00	·09	·00	·24
August ...	20,851	54·0	1·34	1·10	·24	·00	·10	·00	·00	·14	·00	·28	·00	·14	·00	·00	·10	·05	·00	·00	·00	·10	·00	·19
September...	20,553	50·8	1·90	1·56	·34	·00	·00	·00	·00	·19	·00	·44	·00	·34	·00	·00	·25	·10	·00	·00	·00	·05	·00	·19
October ...	20,415	48·4	1·32	1·27	·05	·05	·00	·00	·05	·00	·09	·20	·00	·34	·00	·00	·20	·05	·00	·00	·00	·20	·00	·09
November...	20,014	46·5	1·05	1·05	·00	·00	·00	·00	·00	·05	·00	·10	·00	·30	·00	·00	·10	·05	·00	·00	·00	·10	·05	·30
December...	20,359	42·1	1·18	1·18	·00	·00	·10	·00	·00	·00	·00	·29	·00	·00	·00	·05	·10	·05	·00	·00	·05	·05	·05	·44
TOTAL ...	20,406	46·4	17·32	13·66	3·66	·05	·58	·39		1·61	·34	2·63	·00	2·20	·00	·10	1·27	·54	·00	·00	·05	1·12	·19	2·59

MONTH.		ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
						Intermittent.	Remittent and Continued.																
January	...	·0	·0	·0	·2	3·6	5·8	·1	·2	8·5	3·4	6·5	·0	5·5	·4	·0	2·7	13·9	1·0	6·7	7·2	13·2	78·9
February	...	·0	·0	·0	·2	4·8	5·5	·1	·4	6·1	3·9	5·2	·2	3·7	·3	·0	3·5	11·6	·8	6·8	8·6	12·9	74·6
March	...	·0	·0	·1	·1	2·6	5·7	·1	·7	4·3	4·0	4·8	·1	4·0	·6	·1	3·4	12·8	·9	7·7	10·0	13·9	75·9
April	...	·9	2·0	·1	·0	2·8	7·3	·6	·7	4·0	4·2	4·6	·0	3·7	·5	·0	2·8	15·2	·6	8·7	9·0	18·5	86·2
May	...	5·8	·1	·0	·1	3·7	9·3	1·2	·6	6·8	7·2	6·3	·0	3·1	·3	·0	3·8	9·7	·6	9·0	8·2	21·4	97·2
June	...	5·5	·7	·0	·0	7·9	10·1	·2	·3	10·2	9·6	6·6	·0	3·6	·5	·0	4·0	10·7	1·1	8·8	8·3	22·1	110·2
July	...	3·8	1·9	·0	·5	7·1	10·5	·1	·5	13·3	13·0	8·2	·1	3·9	·6	·0	4·4	10·4	·9	9·6	7·9	22·6	119·3
August	...	3·9	·2	·0	·2	5·9	8·7	·3	·6	10·1	7·2	7·5	·0	3·6	·5	·0	2·8	8·2	·9	8·7	8·0	22·3	99·6
September	...	3·1	·5	·0	·1	5·1	8·1	·3	·3	8·7	4·9	8·2	·0	4·6	·4	·0	3·7	8·1	·7	7·0	8·3	21·4	93·5
October	...	·5	·1	·1	·0	5·0	9·4	·2	·4	6·0	4·1	6·5	·2	6·0	·6	·1	4·5	8·4	1·1	7·0	7·1	19·8	87·1
November	...	·4	·0	·0	·1	4·2	9·0	·1	·5	5·6	3·3	5·4	·1	4·4	·6	·1	3·7	10·0	1·0	5·4	8·2	18·5	80·6
December	...	·1	·0	·0	·1	13·9	6·5	·1	·4	6·3	4·3	4·3	·1	5·1	·4	·1	2·3	7·9	·8	6·2	11·1	14·0	84·0
TOTAL	...	24·8	5·8	·3	1·7	66·4	96·5	3·5	5·7	90·2	70·0	74·2	·8	51·0	5·6	·5	41·7	126·9	10·5	91·9	101·8	221·8	1,091·6

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXV.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of BURMAH and PEGU to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																	Suicidal Deaths and other Deaths out of Hospital.		
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.		All other Causes.	Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	19,347	7.1	5.42	6.83	.00	.00	8.33	.00	12.82	6.41	.00	11.83	.00	7.31	.00	.00	.00	.00	.00	.00	.00	8.85	.00	6.23
February ...	18,873	7.5	5.53	6.97	.00	.00	18.33	.00	12.82	.00	.00	4.20	.00	7.31	.00	.00	3.91	.00	.00	.00	.00	14.16	25.00	10.12
March ...	20,353	7.1	3.73	4.70	.00	.00	.00	.00	12.82	3.21	15.15	1.91	.00	2.28	.00	50.00	3.91	9.09	.00	.00	.00	.00	25.00	7.39
April ...	21,114	7.4	14.32	8.00	38.59	.00	.00	.00	.00	15.38	42.43	7.25	.00	8.68	.00	.00	10.94	.00	.00	.00	.00	.00	.00	7.39
May ...	21,614	8.1	8.10	9.55	2.54	.00	8.33	.00	12.82	35.25	.00	3.44	.00	6.39	.00	.00	3.91	.00	.00	.00	.00	12.39	.00	8.95
June ...	21,321	9.3	7.63	6.53	11.83	.00	.00	.00	12.82	3.21	15.15	6.87	.00	12.79	.00	.00	.00	9.09	.00	.00	.00	12.39	.00	3.50
July ...	21,139	9.9	15.72	12.19	29.29	.00	31.67	.00	23.08	12.18	.00	14.50	.00	4.11	.00	.00	18.75	27.28	.00	.00	.00	7.97	.00	9.34
August ...	20,851	9.7	7.80	8.08	6.76	.00	16.67	.00	.00	8.97	.00	10.69	.00	6.39	.00	.00	7.81	9.09	.00	.00	.00	8.85	.00	7.39
September...	20,553	9.2	11.07	11.45	9.58	.00	.00	.00	.00	12.18	.00	16.79	.00	15.52	.00	.00	19.53	18.18	.00	.00	.00	4.42	.00	7.39
October ...	20,415	8.7	7.69	9.33	1.41	100.00	.00	.00	12.82	.00	27.27	7.63	.00	15.52	.00	.00	15.62	9.09	.00	.00	.00	17.70	.00	3.50
November...	20,014	8.4	6.12	7.71	.00	.00	.00	.00	.00	3.21	.00	3.82	.00	13.70	.00	.00	7.81	9.09	.00	.00	.00	8.85	25.00	11.67
December...	20,359	7.6	6.87	8.66	.00	.00	16.67	.00	.00	.00	.00	11.07	.00	.00	.00	50.00	7.81	9.09	.00	.00	100.00	4.42	25.00	17.13
TOTAL ...	20,496	100.0	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	100.00	.00	100.00	.00	100.00	100.00	100.00	.00	.00	100.00	100.00	100.00	100.00

MONTH.		ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
						Intermittent.	Remittent and Continued.																
January	...	0	0	0	12.5	5.4	6.1	2.9	3.7	19.5	4.9	8.8	0	10.8	7.0	0	6.5	11.0	9.6	7.3	7.1	6.0	7.3
February	...	0	0	0	12.5	7.2	5.7	2.9	7.1	6.8	5.6	7.0	25.0	7.2	5.3	0	8.4	9.1	7.7	7.4	8.4	5.9	6.9
March	...	0	0	33.3	6.3	3.9	5.9	2.9	12.5	4.8	5.8	6.5	12.5	7.8	10.5	25.0	8.2	10.1	8.7	8.4	9.8	6.3	7.0
April	...	3.7	36.4	33.3	0	4.2	7.6	17.7	12.5	4.4	6.1	6.2	0	7.2	8.8	0	6.7	12.0	5.8	9.5	8.9	8.4	7.9
May	...	24.2	1.8	0	6.3	5.6	9.7	35.3	10.7	7.6	10.4	8.5	0	6.1	5.3	0	9.2	7.6	5.8	9.8	8.0	9.7	8.9
June	...	22.9	12.7	0	0	11.9	10.5	6.0	5.4	11.3	13.9	8.8	0	7.0	8.8	0	9.6	8.4	10.5	9.6	8.1	10.0	10.1
July	...	15.8	34.6	0	31.2	10.7	11.0	2.9	8.9	14.8	18.8	11.1	12.5	7.6	10.5	0	10.6	8.2	8.7	10.6	7.8	10.2	11.0
August	...	16.3	3.6	0	12.5	8.8	9.1	8.8	10.7	11.2	10.4	10.1	0	7.0	8.8	0	6.7	6.5	8.7	9.5	7.9	10.1	9.2
September	...	12.9	9.1	0	6.3	7.6	8.4	8.8	5.4	9.7	7.1	11.1	0	9.0	7.0	0	8.9	6.4	6.7	7.6	8.1	9.7	8.6
October	...	2.1	1.8	33.3	0	7.5	9.8	6.0	7.1	6.7	6.0	8.8	25.0	11.7	10.5	25.0	10.8	6.6	10.5	7.6	7.0	9.0	8.0
November	...	1.7	0	0	6.3	6.3	9.4	2.9	8.9	6.2	4.8	7.3	12.5	8.6	10.5	25.0	8.9	7.9	9.6	5.9	8.0	8.4	7.4
December4	0	0	6.3	20.9	6.8	2.9	7.1	7.0	6.2	5.8	12.5	10.0	7.0	25.0	5.5	6.2	7.7	6.8	10.9	6.3	7.7
TOTAL	...	100.0	100.0	99.9	100.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PRESIDENCIES the LIABILITY in each MONTH

A.—DAILY SICK RATE AND ADMISSION-RATES FOR THE CHIEF DISEASES.

DISEASES CONTRASTED IN THE DIFFERENT PRESIDENCIES.	PRESIDENCIES.	RATIO PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DAILY SICK-RATE (All Causes).	Army of Bengal	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	69.9	64.2	57.8	60.9
	Army of Madras	59.4	59.8	53.0	54.1	56.7	56.9	62.7	65.2	65.9	65.3	62.0	58.8	60.2
	Army of Bombay	52.8	50.2	49.9	50.3	53.0	55.3	58.5	62.0	66.9	69.4	64.4	55.7	57.4
	Army of India	55.0	54.4	51.8	53.3	57.8	60.6	63.0	66.0	69.3	69.0	63.8	57.7	60.1
ADMISSION-RATE (All Causes).	Army of Bengal	101.5	90.4	98.1	117.8	128.4	122.2	139.3	145.4	160.0	164.0	137.7	117.8	1,522.0
	Army of Madras	98.5	95.0	98.1	104.5	106.7	108.5	122.4	114.9	109.4	111.7	96.8	97.6	1,261.4
	Army of Bombay	102.7	91.7	104.4	115.5	117.2	121.4	141.4	144.0	151.9	170.4	144.4	124.1	1,533.5
	Army of India	101.2	91.5	99.2	114.9	122.2	119.4	136.4	139.3	149.3	155.2	131.1	115.1	1,474.8
CHOLERA	Army of Bengal	0	0	0	2	6	1.1	7	1.5	1.1	5	1	0	5.9
	Army of Madras	1	1	1	6	7	3	6	2	2	1	1	1	2.9
	Army of Bombay	0	0	0	1	2	2	3	8	2	1	1	0	2.1
	Army of India	0	0	0	3	5	8	6	1.1	8	3	1	0	4.7
SMALLPOX	Army of Bengal	1	1	1	2	1	1	0	0	0	0	0	1	8
	Army of Madras	1	0	1	1	1	0	0	0	0	0	0	0	5
	Army of Bombay	1	1	1	2	1	0	0	0	0	0	0	0	6
	Army of India	1	1	1	2	1	0	0	0	0	0	0	1	7
ENTERIC FEVER	Army of Bengal	3	2	3	6	9	6	5	5	7	4	2	3	5.3
	Army of Madras	4	3	2	3	3	2	4	4	6	2	1	3	3.9
	Army of Bombay	2	2	2	3	2	1	1	3	6	4	2	2	3.1
	Army of India	3	2	2	5	7	4	4	5	6	3	2	3	4.6
INTERMITTENT FEVER	Army of Bengal	23.3	16.6	15.8	21.3	27.3	27.9	32.6	39.3	55.3	66.2	59.0	39.7	425.4
	Army of Madras	7.8	11.4	8.9	8.6	9.8	12.1	13.3	13.5	15.2	15.8	11.6	12.0	140.2
	Army of Bombay	30.6	21.7	23.2	25.3	30.7	35.7	45.3	52.3	68.9	82.0	65.5	46.8	528.5
	Army of India	21.7	16.5	15.3	19.6	24.5	26.3	31.1	36.7	50.0	60.7	51.2	35.7	339.4
REMITTENT AND CONTINUED FEVERS.	Army of Bengal	4.2	4.4	7.0	15.0	22.2	21.1	22.5	21.7	25.2	20.7	11.5	6.4	181.9
	Army of Madras	7.2	7.1	9.5	11.7	12.3	12.3	12.6	11.0	11.5	12.2	10.1	8.7	126.3
	Army of Bombay	4.1	4.6	8.4	11.0	12.0	13.3	12.0	13.3	15.2	16.7	12.0	8.3	131.4
	Army of India	4.8	5.0	7.7	13.6	18.4	18.0	18.7	18.1	20.7	18.4	11.3	7.2	162.2
APOPLEXY	Army of Bengal	0	0	1	2	4	1.3	1.1	4	3	1	1	0	4.0
	Army of Madras	1	1	2	4	1.1	6	1	1	1	1	1	1	3.3
	Army of Bombay	1	1	1	3	6	1.6	4	1	3	2	1	1	4.2
	Army of India	1	1	1	3	6	1.2	8	3	2	1	1	0	3.9
DELIRIUM TREMENS	Army of Bengal	2	2	2	2	3	2	3	3	4	3	2	2	3.0
	Army of Madras	5	3	4	4	3	4	5	4	4	4	4	3	4.6
	Army of Bombay	4	2	3	4	4	3	5	7	5	5	3	3	4.7
	Army of India	3	2	3	3	3	3	4	4	4	4	2	2	3.6
DYSENTERY	Army of Bengal	2.2	1.6	1.9	2.8	2.8	2.3	2.6	3.7	3.9	3.6	3.0	2.8	33.1
	Army of Madras	6.7	5.5	4.4	4.7	5.1	6.2	8.4	8.8	8.1	7.0	5.8	6.3	76.9
	Army of Bombay	2.0	1.7	1.8	1.8	1.4	1.6	2.9	3.7	3.0	2.6	2.3	2.6	27.6
	Army of India	3.0	2.4	2.4	3.0	3.0	2.9	3.8	4.7	4.5	4.0	3.4	3.4	40.4
DIARRHŒA	Army of Bengal	3.1	2.7	3.8	6.1	5.5	4.6	7.7	9.4	6.7	4.5	3.9	4.3	62.4
	Army of Madras	4.3	4.2	4.7	5.0	5.2	6.2	9.6	7.8	5.1	4.2	3.9	4.6	64.8
	Army of Bombay	3.7	3.0	3.6	4.7	4.2	4.8	8.1	8.7	5.5	5.0	4.7	4.7	60.8
	Army of India	3.4	3.0	3.9	5.6	5.2	4.9	8.1	9.0	6.2	4.6	4.1	4.5	62.6
HEPATITIS	Army of Bengal	2.8	2.9	3.1	3.5	4.1	4.6	5.0	5.0	5.0	4.5	3.5	3.1	47.1
	Army of Madras	6.3	5.3	4.6	4.6	5.1	5.1	6.2	6.1	6.4	6.4	5.8	5.4	67.2
	Army of Bombay	3.2	2.8	3.3	3.3	3.5	3.4	3.8	3.5	3.8	3.7	3.5	3.1	49.9
	Army of India	3.5	3.3	3.4	3.7	4.2	4.5	5.0	5.0	5.0	4.7	3.9	3.5	49.8
RESPIRATORY DISEASES.	Army of Bengal	10.3	8.8	7.7	7.3	7.0	5.2	5.3	5.3	4.9	5.6	7.0	9.9	81.1
	Army of Madras	5.6	5.2	5.3	5.0	4.8	4.0	4.6	4.5	4.2	5.1	4.6	4.6	57.4
	Army of Bombay	7.7	6.8	6.1	5.3	4.6	4.5	4.4	4.1	3.7	4.3	5.7	7.0	63.9
	Army of India	8.9	7.8	6.9	6.5	6.2	4.8	5.0	4.9	4.6	5.2	6.3	8.4	75.4
PHTHISIS PULMONALIS.	Army of Bengal	6	4	5	5	5	6	8	8	8	9	1.0	7	8.2
	Army of Madras	9	7	7	5	6	7	8	9	7	9	9	1.0	9.3
	Army of Bombay	7	7	6	3	6	7	8	7	7	8	6	7	7.7
	Army of India	7	5	6	5	6	7	8	8	8	9	9	8	8.3
RHEUMATISM	Army of Bengal	5.6	5.2	5.4	5.3	5.3	5.2	5.7	5.5	5.0	4.8	4.4	4.6	62.0
	Army of Madras	3.6	3.6	3.6	3.6	3.6	4.1	4.9	4.2	4.1	4.4	3.6	3.2	46.4
	Army of Bombay	3.8	4.1	4.4	4.6	4.7	4.3	4.9	4.5	4.1	3.8	3.3	3.2	49.5
	Army of India	4.9	4.7	4.9	4.8	4.8	4.8	5.4	5.0	4.7	4.5	4.1	4.1	56.8
EYE DISEASES	Army of Bengal	1.3	1.3	1.8	2.2	2.1	1.6	1.7	2.1	1.9	1.7	1.1	1.2	20.1
	Army of Madras	1.0	9	1.2	1.1	1.2	1.6	2.1	2.1	1.6	1.9	1.6	1.3	17.4
	Army of Bombay	1.4	1.4	2.0	2.1	2.0	1.7	1.6	1.9	2.1	1.9	1.6	1.2	21.0
	Army of India	1.3	1.3	1.7	2.0	1.9	1.6	1.8	2.1	1.9	1.8	1.4	1.2	19.8
ALL OTHER CAUSES.	Army of Bengal	47.5	46.0	50.4	52.4	49.3	45.8	52.8	49.9	48.8	48.2	42.7	44.5	578.7
	Army of Madras	53.9	50.3	51.2	57.9	56.4	54.7	53.3	51.9	51.2	53.0	48.2	49.7	613.3
	Army of Bombay	44.7	44.3	50.3	55.8	52.0	49.2	55.9	49.1	46.3	48.4	44.5	45.9	587.5
	Army of India	48.2	46.4	51.2	54.0	51.2	48.2	51.5	50.7	48.9	49.3	43.9	45.7	592.6

CXVI.

the EUROPEAN ARMY to the CHIEF CAUSES of SICKNESS.

B.—MONTHLY PERCENTAGE OF THE ANNUAL SICK-RATE AND ADMISSION-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PRESIDENCIES.		MONTHLY PERCENTAGE OF TOTAL TREATED DURING THE YEAR.												TOTAL.
PRESIDENCIES.		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DAILY SICK-RATE (All Causes).	Army of Bengal	7.4	7.4	7.1	7.4	8.2	8.5	8.8	9.2	9.7	9.6	8.8	7.9	100.0
	Army of Madras	8.3	8.3	7.4	7.5	7.9	7.9	8.7	9.0	9.2	9.0	8.6	8.2	100.0
	Army of Bombay	7.7	7.3	7.2	7.3	7.7	8.0	8.5	9.0	9.7	10.1	9.4	8.1	100.0
	Army of India	7.6	7.5	7.2	7.4	8.0	8.4	8.7	9.2	9.6	9.6	8.8	8.0	100.0
ADMISSION-RATE (All Causes).	Army of Bengal	6.7	5.9	6.4	7.7	8.4	8.0	9.2	9.6	10.5	10.8	9.1	7.7	100.0
	Army of Madras	7.8	7.5	7.8	8.2	8.4	8.6	9.7	9.1	8.7	8.8	7.7	7.7	100.0
	Army of Bombay	6.7	6.0	6.8	7.6	7.7	7.9	9.2	9.4	10.1	11.1	9.4	8.1	100.0
	Army of India	6.9	6.2	6.7	7.8	8.3	8.1	9.3	9.4	10.1	10.5	8.9	7.8	100.0
CHOLERA	Army of Bengal	0	0	0	3.4	10.3	19.0	12.1	25.9	19.0	8.6	1.7	0	100.0
	Army of Madras	3.1	3.1	3.1	18.8	22.0	9.4	18.8	6.2	6.2	3.1	3.1	3.1	100.0
	Army of Bombay	0	0	0	5.0	10.0	10.0	15.0	40.0	10.0	5.0	5.0	0	100.0
	Army of India	0	0	0	6.7	11.1	17.8	13.3	21.4	17.8	6.7	2.2	0	100.0
SMALLPOX	Army of Bengal	12.5	12.5	12.5	25.0	12.5	12.5	0	0	0	0	0	12.5	100.0
	Army of Madras	25.0	0	25.0	25.0	25.0	0	0	0	0	0	0	0	100.0
	Army of Bombay	16.7	16.7	16.7	33.2	16.7	0	0	0	0	0	0	0	100.0
	Army of India	14.3	14.3	14.3	25.5	14.3	0	0	0	0	0	0	14.3	100.0
ENTERIC FEVER	Army of Bengal	5.5	3.6	5.5	10.9	16.3	10.9	9.1	9.1	12.7	7.3	3.6	5.5	100.0
	Army of Madras	10.8	8.1	5.1	8.1	8.1	5.4	10.8	10.8	10.3	5.4	2.7	8.1	100.0
	Army of Bombay	6.7	6.7	6.7	10.0	6.7	3.3	3.3	10.0	10.9	13.3	6.7	6.7	100.0
	Army of India	6.5	4.3	4.3	10.9	15.3	8.7	8.7	10.9	13.1	6.5	4.3	6.5	100.0
INTERMITTENT FEVER	Army of Bengal	5.5	3.9	3.7	5.0	6.4	6.5	7.6	9.2	13.0	16.0	13.9	9.3	100.0
	Army of Madras	5.6	8.1	6.4	6.1	7.0	8.6	9.5	9.6	10.9	11.3	8.3	8.6	100.0
	Army of Bombay	5.8	4.1	4.4	4.8	5.8	6.8	8.6	9.9	13.0	15.5	12.4	8.9	100.0
	Army of India	5.6	4.2	4.1	5.0	6.3	6.7	8.0	9.4	12.8	15.6	13.1	9.2	100.0
REMITTENT AND CONTINUED FEVERS.	Army of Bengal	2.3	2.4	3.8	8.3	12.2	11.6	12.4	11.9	13.9	11.4	6.3	3.5	100.0
	Army of Madras	5.7	5.6	7.5	9.3	9.7	9.7	10.0	8.7	9.2	9.7	8.0	6.9	100.0
	Army of Bombay	3.1	3.5	6.4	8.4	9.2	10.2	9.2	10.2	11.6	12.7	9.2	6.3	100.0
	Army of India	3.0	3.1	4.8	8.4	11.3	11.1	11.6	11.2	12.8	11.3	7.0	4.4	100.0

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PROVINCES the LIABILITY in each MONTH

A.—DAILY SICK-RATE AND ADMISSION-RATES FOR THE CHIEF DISEASES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	RATIO PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DAILY SICK-RATE (All Causes).	Bengal Proper	49.3	47.8	46.1	47.3	51.3	54.5	59.9	63.7	63.3	60.6	55.8	52.1	54.3
	Gangetic Provinces and Oudh	60.4	63.3	61.6	63.5	65.3	67.3	68.7	72.0	74.6	72.7	67.2	58.7	66.3
	Rohilcund and Meerut	49.7	50.1	48.8	51.0	56.5	59.4	58.8	66.4	73.4	72.3	65.0	53.1	58.5
	Agra and Central India	54.7	55.8	54.1	52.5	56.0	57.2	59.3	66.2	74.7	76.1	71.5	59.6	61.5
	Punjab	57.0	54.6	51.0	50.0	56.5	61.7	64.4	67.6	77.3	81.0	75.5	64.9	62.9
	Rajpootana, Malwa, Sind, and Aden	51.0	49.6	48.3	48.7	50.9	53.7	55.6	60.2	71.3	74.9	70.1	58.7	57.7
	Deccan and Nagpore	56.5	55.2	50.9	50.3	52.4	53.9	57.3	61.4	62.3	63.2	61.7	56.8	56.8
	Southern India	62.3	64.1	55.4	55.9	58.5	60.1	63.2	63.8	64.2	64.1	64.6	62.1	61.5
ADMISSION-RATE (All Causes).	British Burmah and Pegu	39.6	41.7	39.7	41.3	45.0	51.8	54.9	54.0	50.8	48.4	46.5	42.1	46.4
	Bengal Proper	95.2	81.1	92.0	99.8	116.2	108.6	129.4	137.4	113.3	114.3	117.5	107.4	1,310.7
	Gangetic Provinces and Oudh	95.7	94.5	103.0	117.8	116.4	111.6	131.5	133.6	142.2	141.4	144.5	99.7	1,110.3
	Rohilcund and Meerut	91.5	84.9	93.0	100.9	118.6	110.7	128.3	162.3	178.2	165.8	122.1	100.5	1,401.2
	Agra and Central India	98.6	95.3	101.9	108.6	115.3	104.7	126.9	153.8	177.4	187.1	148.4	115.1	1,530.1
	Punjab	115.4	97.8	100.6	122.5	152.4	148.2	167.2	178.3	222.8	242.4	194.8	145.8	1,847.2
	Rajpootana, Malwa, Sind, and Aden	104.3	92.8	99.3	109.7	119.6	121.4	141.3	152.1	183.2	195.7	156.4	136.4	1,614.0
	Deccan and Nagpore	104.1	95.5	104.6	108.3	107.8	106.8	128.6	127.8	125.7	139.1	119.8	111.4	1,382.7
CHOLERA	Southern India	93.3	95.9	10.16	108.4	106.1	107.3	117.6	106.2	98.1	101.6	98.2	100.9	1,235.3
	British Burmah and Pegu	78.9	74.6	75.9	86.2	97.2	110.2	119.3	99.6	93.5	87.1	80.6	84.0	1,091.6
	Bengal Proper	1	0	3	1	2	1	1	0	1	0	1	2	1.2
	Gangetic Provinces and Oudh	0	0	1	5	5	3	5	1.7	2.1	2	6	0	6.6
	Rohilcund and Meerut	0	0	0	1	2	1	0	7	1.8	1	0	0	3.0
	Agra and Central India	0	0	0	0	11	5	5	1.2	9	2	0	0	4.4
	Punjab	0	0	0	2	7	7	4	2.0	1.0	1.1	0	0	5.5
	Rajpootana, Malwa, Sind, and Aden	0	0	0	1	3	2	2	1.1	4	1	2	0	2.6
SMALLPOX	Deccan and Nagpore	0	1	0	0	1.0	1	4	5	1	0	0	0	2.4
	Southern India	1	1	2	1	1	1	2	0	1	0	1	1	1.2
	British Burmah and Pegu	0	0	0	2.0	1	7	1.9	2	5	1	0	0	5.8
	Bengal Proper	0	0	1	0	0	0	0	0	0	0	0	0	1
	Gangetic Provinces and Oudh	0	2	2	4	2	1	1	0	0	0	0	1	1.3
	Rohilcund and Meerut	2	1	1	2	3	1	0	0	0	0	1	2	1.3
	Agra and Central India	1	0	1	4	2	0	0	0	0	0	0	0	1.0
	Punjab	1	1	1	1	1	0	1	0	0	0	0	0	8
ENTERIC FEVER	Rajpootana, Malwa, Sind, and Aden	1	0	0	1	1	0	0	0	0	0	0	1	3
	Deccan and Nagpore	1	1	2	2	1	0	0	0	0	9	0	0	8
	Southern India	1	0	1	1	0	0	0	0	0	0	0	0	4
	British Burmah and Pegu	0	0	1	1	0	0	0	0	0	1	0	0	3
	Bengal Proper	1	3	3	1	2	1	2	2	4	1	1	1	2.1
	Gangetic Provinces and Oudh	5	3	3	9	9	6	4	6	7	3	3	5	6.4
	Rohilcund and Meerut	3	2	2	7	1.8	6	3	3	9	4	3	4	6.3
	Agra and Central India	2	2	2	5	3	1	1	3	1.1	8	4	2	4.4
INTERMITTENT FEVER	Punjab	2	2	2	4	8	9	6	4	5	4	2	2	4.8
	Rajpootana, Malwa, Sind, and Aden	2	3	3	3	3	1	1	3	1.0	5	3	3	4.0
	Deccan and Nagpore	2	1	1	3	4	2	3	5	6	4	1	2	3.4
	Southern India	7	4	3	4	3	3	4	3	4	1	1	4	4.0
	British Burmah and Pegu	2	2	1	0	1	0	5	2	1	0	1	1	1.7
	Bengal Proper	19.6	9.7	7.7	9.6	9.4	9.8	12.2	14.5	12.6	13.7	26.3	30.6	173.9
	Gangetic Provinces and Oudh	8.2	7.7	9.0	12.4	12.9	13.1	16.5	16.7	20.2	28.3	22.6	14.2	180.8
	Rohilcund and Meerut	15.8	13.7	14.4	20.0	26.7	28.2	38.3	61.8	72.7	73.8	45.8	26.7	433.0
REMITTENT AND CONTINUED FEVERS.	Agra and Central India	29.5	22.5	21.0	24.2	28.5	26.6	39.2	57.8	84.7	96.9	75.2	44.7	547.2
	Punjab	36.5	25.3	23.1	27.0	36.1	40.3	45.0	56.4	101.2	134.4	110.4	65.6	685.6
	Rajpootana, Malwa, Sind, and Aden	30.5	22.6	22.4	25.0	31.0	32.2	38.8	53.7	90.0	104.9	78.8	56.6	589.2
	Deccan and Nagpore	20.6	16.3	16.1	16.9	19.5	25.1	35.4	37.2	41.2	46.7	38.3	28.6	343.4
	Southern India	6.2	15.6	12.1	9.8	10.5	10.5	10.2	8.8	7.3	7.2	8.4	9.1	115.8
	British Burmah and Pegu	3.6	4.8	2.6	2.8	3.7	7.9	7.1	5.9	5.1	5.0	4.2	13.9	66.4
	Bengal Proper	7.9	7.7	10.6	15.3	18.8	27.4	31.4	33.2	22.8	22.5	23.6	12.1	232.9
	Gangetic Provinces and Oudh	4.9	5.4	9.9	17.6	17.1	16.5	16.6	17.0	20.3	16.9	10.3	6.5	160.2
APOPLEXY	Rohilcund and Meerut	2.9	3.1	5.3	12.1	13.9	13.0	12.2	15.2	17.8	14.4	5.8	2.4	118.4
	Agra and Central India	4.4	4.8	8.8	13.9	14.1	12.1	13.2	16.6	18.1	19.1	12.2	6.0	143.4
	Punjab	4.0	4.3	6.1	18.3	41.7	37.1	40.5	39.4	49.4	38.1	15.8	7.4	279.3
	Rajpootana, Malwa, Sind, and Aden	3.2	4.2	7.6	10.3	12.0	13.9	11.6	12.1	18.9	18.6	12.1	8.4	133.7
	Deccan and Nagpore	6.1	6.0	9.5	11.9	13.5	13.0	12.0	11.6	10.9	14.0	11.3	8.1	129.0
	Southern India	7.7	7.2	10.7	13.3	11.7	11.9	13.5	11.2	11.3	12.0	11.4	11.1	133.3
	British Burmah and Pegu	5.8	5.5	5.7	7.3	9.3	10.1	10.5	8.7	8.1	9.4	9.0	6.5	96.5
	Bengal Proper	1	0	3	5	3	5	1	0	2	2	1	0	2.5
DELIRIUM TREMENS	Gangetic Provinces and Oudh	0	0	1	2	8	2.1	8	3	2	2	1	0	4.9
	Rohilcund and Meerut	1	1	1	2	5	1.3	8	5	3	1	2	1	4.2
	Agra and Central India	0	0	1	2	5	1.4	6	3	2	1	1	0	3.6
	Punjab	0	0	1	1	3	1.5	2.6	9	4	2	1	0	5.4
	Rajpootana, Malwa, Sind, and Aden	0	2	1	4	9	2.9	7	1	5	3	1	1	6.3
	Deccan and Nagpore	1	1	2	4	6	3	1	1	0	1	1	1	2.4
	Southern India	1	1	2	3	1.3	3	2	1	1	1	0	1	2.7
	British Burmah and Pegu	1	1	1	6	1.2	2	1	3	3	2	1	1	3.5
	Bengal Proper	4	2	2	2	2	4	1	5	4	3	3	0	3.1
	Gangetic Provinces and Oudh	3	2	2	2	3	2	3	2	3	2	3	2	3.1
	Rohilcund and Meerut	3	2	1	2	4	3	5	5	6	3	2	3	3.9
	Agra and Central India	1	2	2	1	2	1	5	3	4	4	2	2	2.8
	Punjab	2	1	3	3	4	4	5	5	4	4	2	2	3.6
	Rajpootana, Malwa, Sind, and Aden	5	3	2	4	4	3	5	7	7	5	4	3	5.1
	Deccan and Nagpore	5	2	5	3	3	3	3	5	3	5	4	3	4.3
	Southern India	5	3	3	3	4	4	5	5	3	4	4	3	4.6
	British Burmah and Pegu	2	4	7	7	6	3	5	6	3	4	5	4	5.7

F DISEASE, 1870-79.

XVII.

the EUROPEAN ARMY to the CHIEF CAUSES of SICKNESS.

B.—MONTHLY PERCENTAGE OF THE ANNUAL SICK-RATE AND ADMISSION-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	MONTHLY PERCENTAGE OF TOTAL TREATED DURING THE YEAR.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DAILY SICK-RATE (All Causes).	Bengal Proper	7.6	7.3	7.1	7.3	7.9	8.3	9.2	9.8	9.7	9.3	8.5	8.0	100.0
	Gangetic Provinces and Oudh	7.6	8.0	7.7	8.0	8.2	8.5	8.6	9.1	9.4	9.1	8.4	7.4	100.0
	Rohileund and Meerut	7.1	7.1	6.9	7.3	8.0	8.4	8.4	9.4	10.4	10.3	9.2	7.5	100.0
	Agra and Central India	7.4	7.6	7.3	7.1	7.7	7.7	8.0	9.0	10.1	10.3	9.7	8.1	100.0
	Punjab	7.5	7.2	6.7	6.6	7.4	8.1	8.5	8.9	10.1	10.6	9.9	8.5	100.0
	Rajpootana, Malwa, Sind, and Aden	7.4	7.2	7.0	7.0	7.3	7.7	8.0	8.7	10.3	10.8	10.1	8.5	100.0
	Deccan and Nagpore	8.3	8.1	7.5	7.4	7.7	7.9	8.4	9.0	9.1	9.3	9.0	8.3	100.0
	Southern India	8.4	8.7	7.5	7.6	7.9	8.1	8.6	8.6	8.7	8.7	8.8	8.4	100.0
	British Burmah and Pegu	7.1	7.5	7.1	7.4	8.1	9.3	9.9	9.7	9.2	8.7	8.4	7.6	100.0
ADMISSION-RATE (All Causes).	Bengal Proper	7.3	6.2	7.0	7.6	8.8	8.3	9.9	10.4	8.6	8.7	9.0	8.2	100.0
	Gangetic Provinces and Oudh	6.8	6.7	7.7	8.4	8.3	7.9	9.4	9.5	10.1	10.0	8.1	7.1	100.0
	Rohileund and Meerut	6.2	5.8	6.3	7.5	8.1	7.6	8.8	11.1	12.1	11.3	8.3	6.9	100.0
	Agra and Central India	6.4	6.2	6.6	7.1	7.5	6.9	8.3	10.0	11.6	12.2	9.7	7.5	100.0
	Punjab	6.1	5.1	5.3	6.5	8.1	7.9	8.9	9.5	11.8	12.8	10.3	7.7	100.0
	Rajpootana, Malwa, Sind, and Aden	6.5	5.8	6.2	6.8	7.4	7.5	8.8	9.4	11.4	12.1	9.7	8.4	100.0
	Deccan and Nagpore	7.5	6.9	7.6	7.9	7.8	7.7	9.3	9.3	9.1	10.1	8.7	8.1	100.0
	Southern India	7.6	7.8	8.1	8.8	8.6	8.7	9.5	8.6	7.9	8.2	8.0	8.2	100.0
	British Burmah and Pegu	7.3	6.9	7.0	7.9	8.9	10.1	11.0	9.2	8.6	8.0	7.4	7.7	100.0
CHOLERA	Bengal Proper	7.7	0	23.0	7.7	15.4	7.7	7.7	0	7.7	0	7.7	15.4	100.0
	Gangetic Provinces and Oudh	0	0	1.5	7.7	7.7	4.6	7.7	26.2	32.3	3.1	9.2	0	100.0
	Rohileund and Meerut	0	0	0	3.3	6.7	3.3	0	23.4	60.0	3.3	0	0	100.0
	Agra and Central India	0	0	0	0	25.0	11.4	11.4	27.3	20.4	4.5	0	0	100.0
	Punjab	0	0	0	3.3	11.5	11.5	6.5	32.8	16.4	18.0	0	0	100.0
	Rajpootana, Malwa, Sind, and Aden	0	0	0	3.8	11.6	7.7	7.7	42.3	15.4	3.8	7.7	0	100.0
	Deccan and Nagpore	0	4.5	0	0	45.5	4.5	18.2	22.8	4.5	0	0	0	100.0
	Southern India	8.3	8.3	16.8	8.3	8.3	8.3	16.8	0	8.3	0	8.3	8.3	100.0
	British Burmah and Pegu	0	0	0	36.4	1.8	12.7	34.6	3.6	9.1	1.8	0	0	100.0
SMALLPOX	Bengal Proper	0	0	100.0	0	0	0	0	0	0	0	0	0	100.0
	Gangetic Provinces and Oudh	0	15.4	15.4	30.7	15.4	7.7	7.7	0	0	0	0	7.7	100.0
	Rohileund and Meerut	15.4	7.7	7.7	15.4	23.0	7.7	0	0	0	0	7.7	15.4	100.0
	Agra and Central India	12.5	0	12.5	50.0	25.0	0	0	0	0	0	0	0	100.0
	Punjab	16.7	16.7	16.7	16.7	16.7	0	16.7	0	0	0	0	0	100.0
	Rajpootana, Malwa, Sind, and Aden	25.0	0	0	25.0	25.0	0	0	0	0	0	0	25.0	100.0
	Deccan and Nagpore	14.3	14.3	28.6	28.6	14.3	0	0	0	0	0	0	0	100.0
	Southern India	33.3	0	33.3	33.3	0	0	0	0	0	0	0	0	99.9
	British Burmah and Pegu	0	0	33.3	33.3	0	0	0	0	0	33.3	0	0	99.9
ENTERIC FEVER	Bengal Proper	4.5	13.7	13.7	4.5	9.1	4.5	9.1	9.1	18.3	4.5	4.5	4.5	100.0
	Gangetic Provinces and Oudh	7.9	4.8	4.8	14.3	14.3	9.5	6.3	9.5	11.1	4.8	4.8	7.9	100.0
	Rohileund and Meerut	4.7	3.1	3.1	10.9	28.1	9.4	4.7	4.7	14.0	6.3	4.7	6.3	100.0
	Agra and Central India	4.5	4.5	4.5	11.4	6.8	2.3	2.3	6.8	25.0	18.3	9.1	4.5	100.0
	Punjab	4.0	4.0	4.0	8.0	16.0	18.0	12.0	8.0	10.0	8.0	4.0	4.0	100.0
	Rajpootana, Malwa, Sind, and Aden	5.0	7.5	7.5	7.5	7.5	2.5	2.5	7.5	25.0	12.5	7.5	7.5	100.0
	Deccan and Nagpore	5.9	2.9	2.9	8.8	11.8	5.9	8.8	14.7	17.7	11.8	2.9	5.9	100.0
	Southern India	17.0	9.8	7.3	9.8	7.3	7.3	9.8	7.3	9.8	2.4	2.4	9.8	100.0
	British Burmah and Pegu	12.5	12.5	6.3	0	6.3	0	31.2	12.5	6.3	0	6.3	6.3	100.2
INTERMITTENT FEVER	Bengal Proper	11.2	5.5	4.4	5.5	5.3	5.6	6.9	8.2	7.2	7.8	15.0	17.4	100.0
	Gangetic Provinces and Oudh	4.5	4.2	5.0	6.8	7.1	7.2	9.1	9.2	11.2	15.5	12.4	7.8	100.0
	Rohileund and Meerut	3.6	3.1	3.3	4.6	6.1	6.4	8.7	14.1	16.6	16.9	10.5	6.1	100.0
	Agra and Central India	5.4	4.1	3.8	4.4	5.2	4.8	7.1	10.5	15.4	17.6	13.6	8.1	100.0
	Punjab	5.2	3.6	3.3	3.9	5.1	5.7	6.4	8.1	14.4	19.2	15.7	9.4	100.0
	Rajpootana, Malwa, Sind, and Aden	5.2	3.8	3.8	4.2	5.3	5.5	6.6	9.6	15.2	17.8	13.4	9.6	100.0
	Deccan and Nagpore	6.0	4.8	4.7	4.9	5.7	7.3	10.4	10.9	12.0	13.7	11.2	8.4	100.0
	Southern India	5.4	13.5	10.5	8.5	9.1	9.1	8.8	7.6	6.3	6.2	7.2	7.8	100.0
	British Burmah and Pegu	5.4	7.2	3.9	4.2	5.6	11.9	10.7	8.8	7.6	7.5	6.3	20.9	100.0
REMITTENT AND CONTINUED FEVERS.	Bengal Proper	3.4	3.3	4.6	6.5	8.1	11.7	13.5	14.2	9.8	9.6	10.1	5.2	100.0
	Gangetic Provinces and Oudh	3.1	3.4	6.2	11.0	10.8	10.4	10.4	10.7	12.8	10.6	6.5	4.1	100.0
	Rohileund and Meerut	2.5	2.6	4.5	10.3	11.8	11.0	10.3	12.8	15.1	12.2	4.9	2.0	100.0
	Agra and Central India	3.1	3.3	6.2	9.7	9.9	8.4	9.2	11.6	12.6	13.3	8.5	4.2	100.0
	Punjab	1.3	1.4	2.0	6.1	13.8	12.3	13.4	13.1	16.3	12.6	5.2	2.5	100.0
	Rajpootana, Malwa, Sind, and Aden	2.4	3.2	5.7	7.8	9.0	10.5	8.7	9.1	14.2	14.0	9.1	6.3	100.0
	Deccan and Nagpore	4.8	4.7	7.4	9.3	10.6	10.2	9.4	9.1	8.5	10.9	8.8	6.3	100.0
	Southern India	5.8	5.4	8.0	10.0	8.8	9.0	10.2	8.4	8.5	9.0	8.6	8.3	100.0
	British Burmah and Pegu	6.1	5.7	5.9	7.6	9.7	10.5	11.0	9.1	8.4	9.8	9.4	6.8	100.0
APOPLEXY	Bengal Proper	4.4	0	13.0	21.7	13.0	21.7	4.4	0	8.7	8.7	4.4	0	100.0
	Gangetic Provinces and Oudh	0	0	2.1	4.2	16.7	43.6	16.7	6.2	4.2	4.2	2.1	0	100.0
	Rohileund and Meerut	2.3	2.3	2.3	4.7	11.6	30.3	18.6	11.6	7.0	2.3	4.7	2.3	100.0
	Agra and Central India	0	0	2.9	5.7	14.2	40.0	17.1	8.6	5.7	2.9	2.9	0	100.0
	Punjab	0	0	1.6	1.6	4.8	24.2	42.0	14.5	6.5	3.2	1.6	0	100.0
	Rajpootana, Malwa, Sind, and Aden	0	3.2	1.6	6.3	14.3	46.0	11.1	1.6	7.9	4.8	1.6	1.6	100.0
	Deccan and Nagpore	4.0	4.0	8.0	16.0	24.0	24.0	4.0	4.0	0	4.0	4.0	4.0	100.0
	Southern India	3.4	3.4	7.0	10.4	44.8	10.4	7.0	3.4	3.4	3.4	0	3.4	100.0
	British Burmah and Pegu	2.9	2.9	2.9	17.7	35.3	6.0	2.9	8.8	8.8	6.0	2.9	2.9	100.0
DELIRIUM TREMENS	Bengal Proper	12.5	6.2	6.2	6.2	6.2	12.5	3.1	15.6	12.5	9.5	9.5	0	100.0
	Gangetic Provinces and Oudh	10.3	6.9	6.9	6.9	10.3	6.9	10.3	6.9	10.3	6.9	10.3	6.9	99.8
	Rohileund and Meerut	7.7	5.1	2.6	5.1	10.3	7.7	12.8	12.8	15.4	7.7	5.1	7.7	100.0
	Agra and Central India	3.4	6.9	6.9	3.4	6.9	3.4	17.3	10.4	13.8	13.8	6.9	6.9	100.0
	Punjab	5.1	2.5	7.7	7.7	10.3	10.3	12.8	12.8	10.3	10.3	5.1	5.1	100.0
	Rajpootana, Malwa, Sind, and Aden	9.6	5.8	3.7	7.7	7.7	5.8	9.6	13.5	13.5	9.6	7.7	5.8	100.0
	Deccan and Nagpore	11.4	4.5	11.4	6.8	6.8	6.8	6.8	11.4	6.8	11.4	9.1	6.8	100.0
	Southern India	10.9	6.5	6.5	6.5	8.7	8.7	10.9	10.9	6.5	8.7	8.7	6.5	100.0
	British Burmah and Pegu	3.7	7.1	12.5	12.5	10.7	5.4	8.9	10.7	5.4	7.1	8.9	7.1	100.0

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PROVINCES the LIABILITY in each MONTH

A.—DAILY SICK-RATE AND ADMISSION-RATES FOR THE CHIEF DISEASES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	RATIO PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DYSENTERY ...	Bengal Proper ...	4.0	2.9	2.7	3.3	3.7	3.1	4.9	6.0	5.0	4.8	3.6	4.1	48.0
	Gangetic Provinces and Oudh ...	2.6	1.7	2.4	3.4	2.7	2.1	3.2	4.8	4.2	3.6	3.0	3.1	36.8
	Rohilcund and Meerut ...	2.3	1.1	1.5	2.4	2.7	2.0	2.2	4.0	5.4	4.6	4.2	3.9	36.0
	Agra and Central India ...	1.3	1.3	1.7	1.4	1.5	1.5	1.5	4.5	4.5	3.5	2.7	1.4	26.6
	Punjab ...	1.7	1.2	1.2	2.0	2.4	1.8	2.0	2.7	4.0	4.0	3.0	2.1	27.5
	Rajpootana, Malwa, Sind, and Aden ...	2.1	1.6	1.9	1.7	1.2	1.3	2.3	3.9	3.5	3.1	2.2	2.0	26.9
	Deccan and Nagpore ...	4.5	3.5	2.9	2.5	2.5	2.6	5.0	6.4	6.2	5.6	4.5	5.1	51.3
	Southern India ...	4.8	4.2	3.3	4.3	4.5	5.3	7.1	6.4	4.9	4.4	4.4	5.5	59.7
	British Burmah and Pegu ...	8.5	6.1	4.3	4.0	6.8	10.2	13.3	10.1	8.7	6.0	5.6	6.3	90.2
DIARRHOEA ...	Bengal Proper ...	3.7	2.2	2.3	2.8	3.2	2.9	6.4	6.8	5.1	4.7	3.8	3.7	47.5
	Gangetic Provinces and Oudh ...	3.3	3.0	5.9	6.5	5.4	3.5	7.0	9.8	7.0	4.0	4.6	5.6	65.7
	Rohilcund and Meerut ...	2.7	2.6	3.8	7.2	5.2	4.0	4.9	9.7	9.5	6.0	4.3	3.3	63.3
	Agra and Central India ...	2.5	2.2	3.5	3.4	2.8	2.6	5.6	9.9	6.1	3.7	3.0	3.0	48.4
	Punjab ...	2.8	2.4	2.7	6.6	6.7	4.6	5.8	8.9	7.0	5.3	4.2	4.0	58.7
	Rajpootana, Malwa, Sind, and Aden ...	4.3	3.7	4.0	5.3	4.2	4.0	6.0	9.6	6.7	5.7	4.3	4.4	62.4
	Deccan and Nagpore ...	3.9	3.4	3.7	4.2	4.2	5.2	11.5	9.6	5.7	5.0	3.8	5.2	66.1
	Southern India ...	3.8	3.7	4.9	4.6	3.8	5.1	6.0	4.4	3.3	3.0	3.8	4.4	50.8
	British Burmah and Pegu ...	3.4	3.9	4.0	4.2	7.2	9.6	13.0	7.2	4.9	4.1	3.3	4.3	70.0
HEPATITIS ...	Bengal Proper ...	4.4	3.6	3.9	3.2	4.8	6.0	5.6	6.2	5.4	5.8	4.4	4.2	57.6
	Gangetic Provinces and Oudh ...	3.3	3.5	3.4	3.7	4.5	4.9	5.3	5.2	5.7	5.0	3.9	3.6	52.2
	Rohilcund and Meerut ...	2.7	3.1	3.1	3.6	4.7	4.8	4.6	5.6	5.5	5.2	4.5	3.3	50.7
	Agra and Central India ...	2.4	2.9	2.8	3.4	4.1	4.1	4.2	4.4	5.0	5.0	3.9	3.5	45.5
	Punjab ...	2.7	2.7	3.0	2.9	3.2	4.0	4.6	4.4	4.2	4.1	3.5	3.0	41.4
	Rajpootana, Malwa, Sind, and Aden ...	2.5	2.7	3.3	3.1	4.2	3.8	4.2	4.1	4.3	4.4	3.7	2.7	43.0
	Deccan and Nagpore ...	4.4	3.3	2.9	3.1	2.9	2.8	3.0	3.1	4.0	4.5	4.0	3.8	41.5
	Southern India ...	5.6	4.8	4.5	4.3	4.3	4.6	5.1	5.4	5.2	5.3	5.4	5.6	60.1
	British Burmah and Pegu ...	6.5	5.2	4.8	4.6	6.3	6.6	8.2	7.5	8.2	6.5	5.4	4.3	74.2
RESPIRATORY DIS- EASES.	Bengal Proper ...	3.7	4.8	4.4	3.0	3.9	3.5	4.5	5.0	3.2	3.5	4.7	4.8	48.8
	Gangetic Provinces and Oudh ...	6.9	6.3	6.4	6.1	4.8	3.8	4.6	4.5	4.6	4.7	5.7	7.2	65.6
	Rohilcund and Meerut ...	7.4	7.2	7.7	6.7	6.3	5.1	6.0	6.6	6.1	5.2	6.9	7.6	78.8
	Agra and Central India ...	7.0	7.2	6.7	6.5	7.8	4.4	4.9	4.8	4.2	5.1	5.4	7.4	71.5
	Punjab ...	13.5	11.3	8.9	7.0	7.1	5.8	5.6	5.8	4.8	6.1	8.6	12.5	100.7
	Rajpootana, Malwa, Sind, and Aden ...	8.7	7.4	6.6	5.5	4.6	4.7	4.7	3.8	3.6	4.3	5.9	7.8	67.2
	Deccan and Nagpore ...	6.9	6.2	5.9	4.7	4.4	3.6	3.9	4.3	4.1	4.5	5.1	5.6	59.0
	Southern India ...	3.4	4.4	4.8	5.3	4.9	4.2	4.7	4.2	3.7	4.4	4.3	3.9	52.3
	British Burmah and Pegu ...	5.5	3.7	4.0	3.7	3.1	3.6	3.9	3.6	4.6	6.0	4.4	5.1	51.0
PHTHISIS PULMON- ALIS.	Bengal Proper9	.4	.6	.5	.8	.8	1.4	1.1	1.3	.9	1.3	.9	10.8
	Gangetic Provinces and Oudh6	.4	.4	.6	.5	.7	.8	.8	.9	1.1	1.2	1.0	8.9
	Rohilcund and Meerut4	.3	.4	.4	.3	.5	.7	1.0	.8	.9	1.0	.9	7.5
	Agra and Central India5	.4	.4	.4	.6	.4	.6	.5	.7	.7	.6	.5	6.1
	Punjab6	.4	.4	.4	.5	.5	.8	.7	.7	.8	1.1	.7	7.5
	Rajpootana, Malwa, Sind, and Aden6	.4	.5	.2	.6	.4	.8	.6	.6	.6	.6	.7	6.7
	Deccan and Nagpore5	.6	.4	.2	.4	.6	.5	.6	.6	.8	.6	.7	6.6
	Southern India9	.7	.6	.5	.6	.9	.9	.9	.7	1.1	1.0	1.2	9.8
	British Burmah and Pegu4	.3	.6	.5	.3	.5	.6	.5	.4	.6	.6	.4	5.6
RHEUMATISM ...	Bengal Proper ...	3.2	2.6	3.1	3.3	4.7	4.2	5.1	4.2	3.6	3.8	3.4	3.2	44.4
	Gangetic Provinces and Oudh ...	4.9	4.6	4.9	4.1	4.5	4.5	4.9	5.8	4.9	4.8	4.1	3.6	55.7
	Rohilcund and Meerut ...	5.3	5.3	5.0	4.0	4.7	4.9	5.9	5.3	4.0	5.3	4.3	4.1	58.1
	Agra and Central India ...	5.2	5.2	5.0	4.3	4.4	4.3	4.7	5.1	4.8	3.7	3.9	3.9	54.6
	Punjab ...	6.5	6.0	6.0	5.5	5.3	4.9	5.4	5.3	5.0	5.3	5.2	5.6	66.5
	Rajpootana, Malwa, Sind, and Aden ...	4.1	4.1	4.5	4.5	4.9	4.2	5.6	4.7	4.0	4.0	3.8	3.5	52.0
	Deccan and Nagpore ...	3.9	4.1	3.6	3.4	3.5	3.6	4.5	3.7	4.0	3.6	3.1	3.1	44.3
	Southern India ...	3.2	2.9	3.6	3.9	3.7	4.3	3.9	4.7	3.7	4.0	3.3	2.9	44.3
	British Burmah and Pegu ...	2.7	3.5	3.4	2.8	3.8	4.0	4.4	2.8	3.7	4.5	3.7	2.3	41.7
EYE DISEASES ...	Bengal Proper6	1.3	1.5	1.2	1.3	.8	.7	.9	.7	.9	1.1	1.3	12.5
	Gangetic Provinces and Oudh ...	1.9	1.7	2.7	2.8	2.8	2.7	3.0	3.5	2.7	2.2	1.8	1.4	29.4
	Rohilcund and Meerut ...	1.7	1.5	1.5	2.4	2.6	1.3	1.6	2.1	2.2	1.5	1.3	1.2	20.8
	Agra and Central India ...	1.5	1.2	2.1	2.0	1.4	1.3	1.4	2.4	2.0	2.5	1.2	1.4	20.0
	Punjab ...	1.2	1.2	1.7	2.1	2.2	1.5	1.6	2.3	2.2	1.7	1.2	1.0	19.6
	Rajpootana, Malwa, Sind, and Aden ...	1.7	1.7	2.2	2.2	1.9	1.6	1.7	1.9	2.4	1.9	1.7	1.5	22.4
	Deccan and Nagpore ...	1.2	.9	1.7	1.5	1.5	1.5	1.7	2.3	1.9	2.1	1.4	1.1	19.1
	Southern India8	.9	1.0	1.1	1.3	1.8	2.8	2.2	1.9	2.0	1.9	1.3	18.9
	British Burmah and Pegu ...	1.0	.8	.9	.6	.6	1.1	.9	.9	.7	1.1	1.0	.8	10.5
ALL OTHER CAUSES...	Bengal Proper ...	46.5	45.4	54.0	56.7	64.7	49.0	56.7	58.8	52.5	53.1	44.7	42.2	625.3
	Gangetic Provinces and Oudh ...	58.3	59.5	63.1	58.4	58.5	56.5	67.5	62.7	68.4	69.7	56.0	52.7	732.7
	Rohilcund and Meerut ...	49.4	46.4	49.8	49.7	48.3	41.5	50.3	49.0	50.6	48.0	43.2	46.1	575.9
	Agra and Central India ...	43.9	47.2	49.3	47.9	47.8	45.3	49.9	45.7	44.7	45.4	39.6	42.9	550.6
	Punjab ...	45.4	42.6	46.8	49.6	44.9	44.2	51.7	48.6	42.0	40.5	41.3	43.5	540.3
	Rajpootana, Malwa, Sind, and Aden ...	45.8	43.6	45.7	50.6	53.0	51.8	61.1	52.5	46.6	46.8	42.3	48.0	592.2
	Deccan and Nagpore ...	51.2	50.6	56.9	58.7	53.0	47.6	50.0	47.4	46.1	51.3	47.1	49.5	609.1
	Southern India ...	55.4	50.6	54.0	60.1	58.7	57.6	62.1	57.1	55.2	57.1	53.7	55.0	677.4
	British Burmah and Pegu ...	41.0	40.1	44.6	52.3	54.1	55.4	51.4	51.1	47.9	43.1	42.7	39.5	568.5

OF DISEASE, 1870-79.

XXVII—continued.

f the EUROPEAN ARMY to the CHIEF CAUSES of SICKNESS.

B.—MONTHLY PERCENTAGE OF THE ANNUAL SICK-RATE AND ADMISSION-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.		PROVINCES.	MONTHLY PERCENTAGE OF TOTAL TREATED DURING THE YEAR.												TOTAL.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
DYSENTERY	...	Bengal Proper	...	8.3	6.0	5.6	6.9	7.7	6.4	10.2	12.5	10.4	10.0	7.5	8.5	100.0
	...	Gangetic Provinces and Oudh	...	7.1	4.6	6.5	9.3	7.3	5.7	8.7	13.0	11.4	9.8	8.2	8.1	100.0
	...	Rohilcund and Meerut	...	6.3	3.1	4.1	6.6	7.4	5.5	6.1	11.0	14.9	12.7	11.6	10.7	100.0
	...	Agra and Central India	...	4.9	4.9	6.3	5.2	5.6	5.6	5.6	16.8	16.8	13.0	10.1	5.2	100.0
	...	Punjab	...	6.1	4.3	4.3	7.1	8.5	6.4	7.1	9.6	14.2	14.2	10.7	7.5	100.0
	...	Rajpootana, Malwa, Sind, and Aden	...	7.8	6.0	7.1	6.3	4.5	4.9	8.6	14.6	13.0	11.6	8.2	7.4	100.0
	...	Deccan and Nagpore	...	8.8	6.8	5.7	4.9	4.9	5.0	9.7	12.5	12.1	10.9	8.8	9.9	100.0
	...	Southern India	...	8.1	7.1	5.5	7.2	7.6	8.9	11.9	10.7	8.2	8.2	7.4	9.2	100.0
	...	British Burmah and Pegu	...	9.5	6.8	4.8	4.4	7.6	11.3	14.8	11.2	9.7	6.7	6.2	7.0	100.0
DIARRHŒA	...	Bengal Proper	...	7.8	4.6	4.8	5.9	6.7	6.1	13.4	14.3	10.7	9.9	8.0	7.8	100.0
	...	Gangetic Provinces and Oudh	...	5.0	4.6	9.0	9.9	8.2	5.4	10.7	14.9	10.7	6.1	7.0	8.5	100.0
	...	Rohilcund and Meerut	...	4.3	4.1	6.0	11.4	8.2	6.3	7.8	15.4	15.0	9.5	6.8	5.2	100.0
	...	Agra and Central India	...	5.2	4.6	7.2	7.0	5.8	5.4	11.6	20.5	12.6	7.7	6.2	6.2	100.0
	...	Punjab	...	4.6	3.9	4.4	10.8	11.0	7.5	9.5	14.6	11.5	8.7	6.9	6.6	100.0
	...	Rajpootana, Malwa, Sind, and Aden	...	6.9	5.9	6.4	8.5	6.8	6.4	9.7	15.4	10.8	9.2	6.9	7.1	100.0
	...	Deccan and Nagpore	...	6.0	5.2	5.6	6.4	6.4	8.0	17.6	14.7	8.7	7.6	5.8	8.0	100.0
	...	Southern India	...	7.5	7.3	9.6	9.0	7.5	10.0	11.8	8.7	6.5	5.9	7.5	8.7	100.0
	...	British Burmah and Pegu	...	4.9	5.6	5.8	6.1	10.4	13.9	18.8	10.4	7.1	6.0	4.8	6.2	100.0
HEPATITIS	...	Bengal Proper	...	7.7	6.2	6.8	5.6	8.3	10.4	9.7	10.8	9.4	10.1	7.7	7.3	100.0
	...	Gangetic Provinces and Oudh	...	6.4	6.7	6.5	7.1	8.7	9.4	10.2	10.0	11.0	9.6	7.5	6.9	100.0
	...	Rohilcund and Meerut	...	5.3	6.1	6.1	7.1	9.3	9.5	9.1	11.0	10.8	10.3	8.9	6.5	100.0
	...	Agra and Central India	...	5.3	6.3	6.1	7.5	9.0	9.0	9.2	9.6	10.9	10.9	8.5	7.7	100.0
	...	Punjab	...	6.4	6.4	7.1	6.9	7.6	9.5	10.8	10.4	9.9	9.7	8.2	7.1	100.0
	...	Rajpootana, Malwa, Sind, and Aden	...	5.8	6.3	7.7	7.2	9.8	8.8	9.8	9.5	10.0	10.2	8.6	6.3	100.0
	...	Deccan and Nagpore	...	10.5	7.9	6.9	7.4	6.9	6.7	7.2	7.4	9.6	10.8	9.6	9.1	100.0
	...	Southern India	...	9.3	8.0	7.5	7.1	7.1	7.7	8.5	9.0	8.7	8.8	9.0	9.3	100.0
	...	British Burmah and Pegu	...	8.8	7.0	6.5	6.2	8.5	8.8	11.1	10.1	11.1	8.8	7.3	5.8	100.0
RESPIRATORY DISEASES.	...	Bengal Proper	...	7.6	9.8	9.0	6.1	8.0	7.1	9.2	10.2	6.5	7.1	9.6	9.8	100.0
	...	Gangetic Provinces and Oudh	...	10.5	9.6	9.8	9.3	7.3	5.8	7.0	6.9	7.0	7.2	8.7	10.9	100.0
	...	Rohilcund and Meerut	...	9.4	9.1	9.8	8.5	8.0	6.5	7.6	8.4	7.7	6.6	8.8	9.6	100.0
	...	Agra and Central India	...	9.8	10.1	9.4	9.1	10.9	6.2	6.9	6.7	5.9	7.1	7.6	10.3	100.0
	...	Punjab	...	13.9	11.6	9.2	7.2	7.3	6.0	5.8	6.0	4.9	6.3	8.9	12.9	100.0
	...	Rajpootana, Malwa, Sind, and Aden	...	12.9	10.9	9.8	8.1	6.8	7.0	7.0	5.6	5.3	6.4	8.7	11.5	100.0
	...	Deccan and Nagpore	...	11.7	10.5	9.9	7.9	7.4	6.1	6.6	7.3	6.9	7.6	8.6	9.5	100.0
	...	Southern India	...	6.5	8.4	9.2	10.2	9.4	8.0	9.0	8.0	7.1	8.4	8.3	7.5	100.0
	...	British Burmah and Pegu	...	10.8	7.2	7.8	7.2	6.1	7.0	7.6	7.0	9.0	11.7	8.6	10.0	100.0
PTHRISIS PULMON- ALIS.	...	Bengal Proper	...	8.3	3.7	5.5	4.6	7.3	7.3	12.8	10.1	11.0	8.3	11.9	8.3	100.0
	...	Gangetic Provinces and Oudh	...	6.7	4.4	4.4	6.7	5.6	7.8	8.9	8.9	10.0	12.2	13.3	11.1	100.0
	...	Rohilcund and Meerut	...	5.3	3.9	5.3	5.3	3.9	6.6	9.2	13.2	10.5	11.8	13.2	11.8	100.0
	...	Agra and Central India	...	7.9	6.4	6.4	6.4	9.5	6.4	9.5	7.9	11.1	11.1	9.5	7.9	100.0
	...	Punjab	...	7.9	5.3	5.3	5.3	6.6	6.6	10.5	9.2	9.2	10.5	14.4	9.2	100.0
	...	Rajpootana, Malwa, Sind, and Aden	...	9.1	6.1	7.6	3.0	9.1	6.1	12.1	9.1	9.1	9.1	9.1	10.5	100.0
	...	Deccan and Nagpore	...	7.7	9.2	6.2	3.1	6.2	9.2	7.7	9.2	9.2	12.3	9.2	10.8	100.0
	...	Southern India	...	9.0	7.0	6.0	5.0	6.0	9.0	9.0	9.0	7.0	11.0	10.0	12.0	100.0
	...	British Burmah and Pegu	...	7.0	5.3	10.5	8.8	5.3	8.8	10.5	8.8	7.0	10.5	10.5	7.0	100.0
RHEUMATISM	...	Bengal Proper	...	7.2	5.9	7.0	7.4	10.6	9.4	11.5	9.4	8.1	8.6	7.7	7.2	100.0
	...	Gangetic Provinces and Oudh	...	8.8	8.3	8.8	7.4	8.1	8.1	8.8	10.4	8.8	8.6	7.4	6.5	100.0
	...	Rohilcund and Meerut	...	9.1	9.1	8.6	6.9	8.1	8.4	10.2	9.1	6.9	9.1	7.4	7.1	100.0
	...	Agra and Central India	...	9.5	9.5	9.1	7.9	8.1	7.9	8.6	9.4	8.8	6.8	7.2	7.2	100.0
	...	Punjab	...	9.9	9.1	9.1	8.3	8.0	7.4	8.2	8.0	7.6	8.0	7.9	8.5	100.0
	...	Rajpootana, Malwa, Sind, and Aden	...	7.9	7.9	8.7	8.7	9.4	8.1	10.8	9.1	7.7	7.7	7.3	6.7	100.0
	...	Deccan and Nagpore	...	8.8	9.3	8.2	7.7	7.9	8.2	10.2	8.4	9.1	8.2	7.0	7.0	100.0
	...	Southern India	...	7.3	6.6	8.1	8.8	8.4	9.8	8.8	10.6	8.4	9.1	7.5	6.6	100.0
	...	British Burmah and Pegu	...	6.5	8.4	8.2	6.7	9.2	9.6	10.6	6.7	8.9	10.8	8.9	5.5	100.0
EYE DISEASES	...	Bengal Proper	...	4.9	10.6	12.2	9.7	10.6	6.5	5.7	7.3	5.7	7.3	8.9	10.6	100.0
	...	Gangetic Provinces and Oudh	...	6.5	5.8	9.2	9.6	9.6	9.2	10.3	12.0	9.2	7.6	6.2	4.8	100.0
	...	Rohilcund and Meerut	...	8.1	7.2	7.2	11.5	12.4	6.2	7.7	10.1	10.5	7.2	6.2	5.7	100.0
	...	Agra and Central India	...	7.4	5.9	10.3	9.8	6.8	6.4	6.8	11.8	9.8	12.3	5.9	6.8	100.0
	...	Punjab	...	6.0	6.0	8.5	10.6	11.1	7.5	8.1	11.6	11.1	8.5	6.0	5.0	100.0
	...	Rajpootana, Malwa, Sind, and Aden	...	7.6	7.6	9.8	9.8	8.5	7.1	7.6	8.5	10.7	8.5	7.6	6.7	100.0
	...	Deccan and Nagpore	...	6.4	4.8	9.0	8.0	8.0	8.0	9.0	12.2	10.1	11.2	7.4	5.9	100.0
	...	Southern India	...	4.2	4.8	5.3	5.8	6.8	9.5	14.7	11.6	10.0	10.5	10.0	6.8	100.0
	...	British Burmah and Pegu	...	9.6	7.7	8.7	5.8	5.8	10.5	8.7	8.7	6.7	10.5	9.6	7.7	100.0
ALL OTHER CAUSES...	...	Bengal Proper	...	7.4	7.3	8.7	9.1	10.4	7.8	9.1	9.4	8.4	8.5	7.1	6.8	100.0
	...	Gangetic Provinces and Oudh	...	8.0	8.1	8.6	8.0	8.0	7.7	9.2	8.6	9.4	9.5	7.7	7.2	100.0
	...	Rohilcund and Meerut	...	8.6	8.1	8.7	8.6	8.4	7.7	8.8	8.5	8.8	8.3	7.5	8.0	100.0
	...	Agra and Central India	...	8.0	8.6	9.0	8.7	8.7	8.2	9.1	8.3	8.1	8.3	7.2	7.8	100.0
	...	Punjab	...	8.4	7.8	8.6	9.2	8.3	8.2	9.6	9.0	7.8	7.5	7.6	8.0	100.0
	...	Rajpootana, Malwa, Sind, and Aden	...	7.7	7.4	7.7	8.6	9.0	8.8	10.9	8.9	7.9	7.9	7.1	8.1	100.0
	...	Deccan and Nagpore	...	8.4	8.3	9.3	9.7	8.7	7.8	8.2	7.8	7.6	8.4	7.7	8.1	100.0
	...	Southern India	...	8.2	7.5	8.0	8.9	8.7	8.4	9.2	8.4	8.2	8.4	8.0	8.1	100.0
	...	British Burmah and Pegu	...	7.2	7.1	7.9	9.2	9.6	9.8	9.6	9.0	8.5	7.6	7.5	7.0	100.0

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PRESIDENCIES the LIABILITY in each MONTH

A.—GENERAL DEATH-RATE AND DEATH-RATES FOR THE CHIEF CAUSES OF MORTALITY.

DISEASES CONTRASTED IN THE DIFFERENT PRESIDENCIES.	PRESIDENCIES.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DEATH-RATE (All Causes).	Army of Bengal	1.27	.93	1.04	1.31	1.92	2.66	2.07	2.48	2.36	1.93	1.47	1.55	21.00
	Army of Madras	1.47	1.36	1.19	1.49	1.80	1.47	1.59	1.60	1.64	1.48	1.20	1.39	17.69
	Army of Bombay	1.18	.88	1.06	.98	1.04	1.52	1.40	1.78	1.66	1.39	1.39	.97	15.27
	Army of India	1.30	1.00	1.07	1.28	1.74	2.23	1.86	2.18	2.10	1.75	1.40	1.42	19.34
DEATH-RATE FOR ALL CAUSES, EXCLUD- ING CHOLERA.	Army of Bengal	1.26	.93	1.00	1.19	1.46	1.86	1.59	1.50	1.52	1.57	1.39	1.53	16.82
	Army of Madras	1.42	1.30	1.14	1.15	1.48	1.28	1.26	1.46	1.53	1.46	1.15	1.35	16.01
	Army of Bombay	1.18	.88	1.06	.89	.93	1.38	1.13	1.18	1.53	1.31	1.32	.95	13.74
	Army of India	1.29	.99	1.04	1.12	1.37	1.67	1.45	1.43	1.53	1.51	1.33	1.40	16.12
CHOLERA	Army of Bengal	.01	.00	.04	.12	.46	.80	.48	.98	.84	.36	.08	.02	4.18
	Army of Madras	.05	.06	.05	.34	.32	.19	.33	.14	.11	.02	.05	.04	1.68
	Army of Bombay	0.0	.00	.00	.09	.11	.14	.27	.60	.13	.08	.07	.02	1.53
	Army of India	.01	.01	.03	.16	.37	.56	.41	.75	.57	.24	.07	.02	3.22
SMALLPOX	Army of Bengal	.01	.01	.02	.03	.02	.01	.00	.00	.00	.00	.00	.01	.12
	Army of Madras	.00	.00	.03	.02	.03	.00	.01	.00	.00	.01	.00	.00	.09
	Army of Bombay	.00	.00	.01	.03	.01	.00	.00	.00	.00	.00	.00	.00	.05
	Army of India	.01	.01	.02	.02	.02	.01	.00	.00	.00	.00	.00	.01	.10
ENTERIC FEVER	Army of Bengal	.09	.09	.09	.20	.34	.31	.23	.28	.27	.19	.10	.09	2.28
	Army of Madras	.11	.14	.04	.13	.10	.12	.14	.15	.24	.12	.05	.09	1.42
	Army of Bombay	.09	.09	.05	.14	.15	.12	.07	.13	.44	.22	.12	.11	1.75
	Army of India	.10	.10	.08	.18	.26	.24	.19	.23	.30	.18	.09	.09	2.03
INTERMITTENT FEVER	Army of Bengal	.01	.01	.01	.00	.01	.01	.00	.01	.03	.02	.03	.03	.17
	Army of Madras	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.02
	Army of Bombay	.01	.00	.00	.02	.01	.00	.01	.01	.04	.04	.02	.01	.17
	Army of India	.01	.01	.00	.01	.01	.01	.00	.01	.02	.02	.02	.02	.14
FEVERS, REMITTENT AND CONTINUED.	Army of Bengal	.06	.03	.08	.11	.17	.18	.14	.17	.21	.21	.15	.07	1.57
	Army of Madras	.11	.04	.03	.05	.06	.04	.05	.05	.04	.04	.06	.02	.60
	Army of Bombay	.09	.05	.05	.10	.02	.08	.06	.14	.11	.11	.11	.06	.97
	Army of India	.07	.04	.06	.10	.12	.13	.11	.14	.16	.16	.12	.06	1.28
APOPLEXY	Army of Bengal	.02	.01	.02	.05	.17	.56	.37	.13	.11	.04	.02	.03	1.53
	Army of Madras	.04	.02	.07	.24	.52	.21	.11	.05	.04	.04	.04	.03	1.42
	Army of Bombay	.04	.02	.03	.09	.30	.61	.18	.06	.08	.05	.08	.02	1.56
	Army of India	.02	.02	.03	.09	.26	.50	.28	.11	.09	.04	.03	.03	1.52
DELIRIUM TREMENS	Army of Bengal	.01	.01	.00	.01	.01	.04	.02	.02	.02	.02	.01	.00	.17
	Army of Madras	.02	.01	.02	.04	.03	.04	.01	.01	.01	.04	.01	.01	.24
	Army of Bombay	.01	.00	.00	.01	.02	.02	.05	.01	.03	.02	.02	.01	.19
	Army of India	.01	.00	.01	.02	.02	.03	.03	.01	.02	.02	.01	.01	.18
DYSENTERY	Army of Bengal	.09	.03	.07	.07	.11	.11	.11	.13	.15	.18	.17	.14	1.37
	Army of Madras	.20	.20	.15	.11	.14	.13	.16	.21	.30	.29	.16	.25	2.32
	Army of Bombay	.10	.06	.11	.05	.01	.03	.10	.12	.14	.09	.11	.07	.98
	Army of India	.12	.07	.09	.07	.09	.10	.12	.15	.18	.19	.15	.15	1.48
DIABETES	Army of Bengal	.00	.00	.00	.00	.01	.01	.01	.01	.02	.01	.02	.01	.12
	Army of Madras	.00	.00	.01	.01	.00	.00	.00	.01	.01	.00	.00	.01	.04
	Army of Bombay	.00	.01	.00	.00	.00	.00	.05	.02	.01	.04	.05	.00	.17
	Army of India	.00	.00	.00	.00	.01	.01	.02	.01	.02	.02	.02	.01	.12
HEPATITIS	Army of Bengal	.14	.14	.13	.11	.13	.13	.18	.22	.21	.24	.24	.16	2.04
	Army of Madras	.34	.27	.23	.13	.18	.27	.24	.32	.29	.35	.31	.24	3.16
	Army of Bombay	.18	.12	.20	.14	.08	.12	.07	.12	.20	.08	.21	.16	1.71
	Army of India	.19	.16	.16	.12	.13	.15	.17	.22	.23	.23	.25	.18	2.19
RESPIRATORY DIS- EASES.	Army of Bengal	.29	.14	.03	.06	.08	.05	.05	.02	.04	.07	.11	.25	1.25
	Army of Madras	.05	.02	.06	.00	.01	.03	.05	.01	.00	.04	.01	.05	.32
	Army of Bombay	.13	.03	.09	.02	.03	.05	.03	.04	.03	.05	.11	.11	.70
	Army of India	.21	.10	.09	.04	.05	.04	.05	.02	.03	.06	.10	.19	.97
PHTHISIS PULMONA- LIS.	Army of Bengal	.11	.11	.09	.09	.07	.09	.12	.11	.08	.10	.10	.14	1.20
	Army of Madras	.16	.10	.08	.04	.04	.12	.08	.11	.09	.10	.12	.10	1.18
	Army of Bombay	.21	.11	.12	.06	.04	.06	.08	.10	.07	.09	.13	.04	1.09
	Army of India	.14	.10	.09	.07	.06	.09	.10	.10	.08	.10	.11	.12	1.28
HEART DISEASES	Army of Bengal	.11	.07	.10	.08	.10	.08	.10	.10	.09	.11	.09	.15	1.14
	Army of Madras	.10	.17	.15	.13	.08	.05	.10	.15	.15	.14	.12	.20	1.55
	Army of Bombay	.09	.07	.12	.04	.08	.03	.12	.06	.07	.10	.08	.12	.97
	Army of India	.11	.09	.11	.08	.09	.07	.10	.10	.10	.11	.10	.13	1.19
ALL OTHER CAUSES...	Army of Bengal	.32	.28	.30	.38	.24	.28	.26	.30	.20	.38	.35	.45	3.86
	Army of Madras	.29	.33	.27	.24	.28	.27	.31	.39	.36	.29	.27	.35	3.65
	Army of Bombay	.23	.32	.28	.20	.18	.26	.31	.37	.31	.42	.28	.24	3.43
	Army of India	.30	.29	.30	.32	.25	.29	.28	.33	.30	.38	.33	.40	3.74

F DISEASE, 1870-79.

XVIII.

the EUROPEAN ARMY to the CHIEF CAUSES of MORTALITY.

B.—MONTHLY PERCENTAGE OF THE ANNUAL DEATH-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PRESIDENCIES.	PRESIDENCIES.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DEATH-RATE (All Causes).	Army of Bengal	6.05	4.43	4.96	6.24	9.15	12.67	9.86	11.82	11.24	9.19	7.00	7.39	100.00
	Army of Madras	8.31	7.69	6.73	8.43	10.18	8.31	9.00	9.05	9.28	8.37	6.79	7.86	100.00
	Army of Bombay	7.74	5.77	6.95	6.43	6.82	9.97	9.18	11.67	10.89	9.11	9.11	6.36	100.00
	Army of India	6.73	5.17	5.54	6.62	9.00	11.54	9.62	11.28	10.86	9.05	7.24	7.35	100.00
DEATH-RATE FOR ALL CAUSES, EXCLUDING CHOLERA.	Army of Bengal	7.50	5.54	5.95	7.08	8.69	11.07	9.47	8.93	9.05	9.34	8.27	9.11	100.00
	Army of Madras	8.89	8.13	7.13	7.20	9.26	8.01	7.88	9.14	0.57	9.14	7.20	8.45	100.00
	Army of Bombay	8.59	6.40	7.71	6.48	6.77	10.04	8.22	8.59	11.14	9.53	9.61	6.92	100.00
	Army of India	8.00	6.14	6.45	6.94	8.49	10.35	8.99	8.87	9.49	9.36	8.24	8.68	100.00
CHOLERA	Army of Bengal	.24	.00	.95	2.86	10.98	19.09	11.46	23.39	20.05	8.59	1.91	.48	100.00
	Army of Madras	2.94	3.53	2.94	20.00	18.82	11.18	19.41	8.24	6.47	1.18	2.94	2.35	100.00
	Army of Bombay	.00	.00	.00	5.96	7.28	9.27	17.88	39.74	8.61	5.30	4.64	1.32	100.00
	Army of India	.31	.31	.94	5.00	11.56	17.50	12.81	23.44	17.81	7.50	2.19	.63	100.00
SMALLPOX	Army of Bengal	9.09	9.09	18.18	27.28	18.18	9.09	.00	.00	.00	.00	.00	9.09	100.00
	Army of Madras	.00	.00	30.00	20.00	30.00	.00	10.00	.00	.00	10.00	.00	.00	100.00
	Army of Bombay	.00	.00	20.00	60.00	20.00	.00	.00	.00	.00	.00	.00	.00	100.00
	Army of India	10.00	10.00	20.00	20.00	20.00	10.00	.00	.00	.00	.00	.00	10.00	100.00
ENTERIC FEVER	Army of Bengal	3.95	3.95	3.95	8.77	14.91	13.59	10.09	12.28	11.84	8.33	4.39	3.95	100.00
	Army of Madras	7.69	9.79	2.80	9.09	6.99	8.39	9.79	10.49	16.79	8.39	3.50	6.29	100.00
	Army of Bombay	5.20	5.20	2.89	8.09	8.67	6.94	4.05	7.51	25.43	12.72	6.94	6.36	100.00
	Army of India	4.90	4.90	3.92	8.83	12.75	11.76	9.31	11.27	14.71	8.83	4.41	4.41	100.00
INTERMITTENT FEVER	Army of Bengal	5.88	5.88	5.88	.00	5.88	5.88	.00	5.88	17.65	11.77	17.65	17.65	100.00
	Army of Madras	.00	.00	.00	50.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00
	Army of Bombay	5.88	.00	.00	11.77	5.88	.00	5.88	5.88	23.53	23.53	11.77	5.88	100.00
	Army of India	7.14	7.14	.00	7.14	7.14	7.14	.00	7.14	14.29	14.29	14.29	14.29	100.00
FEVERS, REMITTENT AND CONTINUED.	Army of Bengal	3.80	1.90	5.06	6.96	10.76	11.39	8.86	10.76	13.29	13.29	9.50	4.43	100.00
	Army of Madras	18.65	6.78	5.09	8.47	10.17	6.78	8.47	6.78	6.78	6.78	10.17	3.39	100.00
	Army of Bombay	9.19	5.10	5.10	10.21	2.04	8.17	6.12	14.29	11.22	11.22	11.22	6.12	100.00
	Army of India	5.51	3.15	4.72	7.87	9.45	10.24	8.66	11.03	12.60	12.60	9.45	4.72	100.00
APOPLEXY	Army of Bengal	1.31	.65	1.31	3.27	11.11	36.60	24.18	8.50	7.19	2.61	1.31	1.96	100.00
	Army of Madras	2.84	1.42	4.96	17.02	36.88	14.89	7.80	3.54	2.84	2.84	2.84	2.13	100.00
	Army of Bombay	2.56	1.28	1.92	5.77	19.23	39.10	11.54	3.85	5.13	3.21	5.13	1.28	100.00
	Army of India	1.33	1.33	2.00	6.00	17.33	33.33	18.67	7.34	6.00	2.67	2.00	2.00	100.00
DELIRIUM TREMENS	Army of Bengal	5.88	5.88	.00	5.88	5.88	23.53	11.76	11.76	11.76	11.76	5.88	.00	99.97
	Army of Madras	8.00	4.00	8.00	16.00	12.00	16.00	4.00	4.00	4.00	4.00	4.00	4.00	100.00
	Army of Bombay	5.00	.00	.00	5.00	10.00	10.00	25.00	5.00	15.00	10.00	10.00	5.00	100.00
	Army of India	5.26	.00	5.26	10.53	10.53	15.79	15.79	5.26	10.53	10.53	5.26	5.26	100.00
DYSENTERY	Army of Bengal	6.62	2.21	5.14	5.14	8.09	8.09	8.09	9.56	11.03	13.24	12.50	10.29	100.00
	Army of Madras	8.70	8.70	6.52	4.78	6.09	5.05	6.95	9.13	13.04	12.61	6.96	10.87	100.00
	Army of Bombay	10.10	6.06	11.11	5.05	1.01	3.03	10.10	12.12	14.15	9.09	11.11	7.07	100.00
	Army of India	8.11	4.73	6.08	4.73	6.08	6.76	8.11	10.14	12.16	12.84	10.13	10.13	100.00
DIARRHŒA	Army of Bengal	.00	.00	.00	.00	10.00	10.00	10.00	10.00	20.00	10.00	20.00	10.00	100.00
	Army of Madras	.00	.00	20.00	20.00	.00	.00	.00	20.00	20.00	.00	.00	20.00	100.00
	Army of Bombay	.00	5.56	.00	.00	.00	.00	27.78	11.10	5.56	22.22	27.78	.00	100.00
	Army of India	.00	.00	.00	.00	8.33	8.33	16.67	8.33	16.67	16.67	16.67	8.33	100.00
HEPATITIS	Army of Bengal	6.90	6.90	6.40	5.42	6.40	6.40	8.87	10.84	10.35	11.82	11.82	7.88	100.00
	Army of Madras	10.73	8.52	7.25	4.10	5.68	8.52	7.57	10.09	9.15	11.04	9.78	7.57	100.00
	Army of Bombay	10.72	7.14	11.91	8.33	4.76	7.14	4.17	7.14	11.91	4.76	12.50	9.52	100.00
	Army of India	8.68	7.31	7.31	5.48	5.93	6.85	7.76	10.05	10.50	10.50	11.41	8.82	100.00
RESPIRATORY DISEASES.	Army of Bengal	23.20	11.20	7.20	4.80	6.40	4.00	4.00	1.60	3.20	5.60	8.80	20.00	100.00
	Army of Madras	15.15	6.06	18.19	.00	3.03	9.09	15.15	3.03	.00	12.12	3.03	15.15	100.00
	Army of Bombay	18.05	4.17	12.50	2.78	4.17	6.94	4.17	5.55	4.17	6.94	15.28	15.28	100.00
	Army of India	21.43	10.21	9.18	4.08	5.10	4.08	5.10	2.04	3.06	6.12	10.21	19.39	100.00
PHTHISIS PULMONALIS.	Army of Bengal	9.09	9.09	7.44	7.44	5.79	7.44	9.92	9.09	6.61	8.26	8.26	11.57	100.00
	Army of Madras	14.03	8.77	7.02	3.51	3.51	10.53	7.02	9.65	7.89	8.77	10.53	8.77	100.00
	Army of Bombay	18.92	9.91	10.81	5.41	3.60	5.41	7.21	9.01	6.30	8.11	11.71	3.60	100.00
	Army of India	12.07	8.62	7.76	6.03	5.17	7.76	8.62	8.62	6.90	8.62	9.48	10.35	100.00
HEART DISEASES	Army of Bengal	9.32	5.93	8.47	6.79	8.47	6.79	8.47	8.47	7.63	9.32	7.63	12.71	100.00
	Army of Madras	6.49	11.04	9.74	8.44	5.20	3.25	6.49	9.74	9.74	9.09	7.79	12.99	100.00
	Army of Bombay	9.19	7.14	12.25	4.08	8.16	3.06	12.25	6.12	7.14	10.20	8.16	12.25	100.00
	Army of India	9.25	7.56	9.25	6.72	7.56	5.88	8.40	8.40	8.40	9.25	8.40	10.93	100.00
ALL OTHER CAUSES...	Army of Bengal	8.36	7.31	7.83	9.92	6.27	7.31	6.79	7.83	7.57	9.92	9.14	11.75	100.00
	Army of Madras	7.95	9.04	7.40	6.57	7.67	7.40	8.49	10.68	9.86	7.95	7.40	9.59	100.00
	Army of Bombay	6.76	9.41	8.24	5.88	5.29	7.65	9.12	10.88	9.12	12.35	8.24	7.06	100.00
	Army of India	7.96	7.69	7.96	8.49	6.63	7.69	7.43	8.75	7.96	10.08	8.75	10.61	100.00

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PROVINCES the LIABILITY in each MONTH

A.—GENERAL DEATH-RATE AND DEATH-RATES FOR THE CHIEF CAUSES OF MORTALITY.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DEATH-RATE (All Causes).	Bengal Proper	1.28	.81	.84	.78	1.31	.95	1.21	1.69	1.27	1.81	1.38	1.14	14.43
	Gangetic Provinces and Oudh	.99	.68	.97	1.41	2.22	1.99	1.61	2.49	3.11	1.44	1.48	1.41	20.06
	Rohileund and Meerut	.89	.86	.99	1.21	1.91	2.03	1.23	1.68	2.93	1.99	1.46	1.15	18.31
	Agra and Central India	1.16	1.16	.76	.92	1.65	1.78	1.34	2.20	2.35	2.08	1.92	1.15	18.41
	Punjab	1.21	.69	.84	.99	1.84	2.50	2.48	2.82	2.53	2.52	1.47	1.17	20.71
	Rajpootana, Malwa, Sind, and Aden	1.33	.93	.92	.98	1.17	1.94	1.29	2.04	2.35	1.80	1.43	1.17	17.41
	Deccan and Nagpore	.98	.79	.95	.89	1.60	1.20	1.21	1.62	1.40	1.34	1.17	.91	14.14
	Southern India	1.35	1.27	.93	.99	1.30	1.24	1.29	1.07	.93	1.10	.80	1.41	13.70
	British Burmah and Pegu	.93	.95	.64	2.46	1.39	1.31	2.70	1.34	1.90	1.32	1.05	1.18	17.32
DEATH-RATE FOR ALL CAUSES, EXCLUDING CHOLERA.	Bengal Proper	1.17	.81	.58	.73	1.16	.95	1.16	1.69	1.22	1.76	1.32	1.08	13.58
	Gangetic Provinces and Oudh	.99	.68	.92	1.11	1.86	1.76	1.35	1.66	1.65	1.28	1.15	1.38	15.82
	Rohileund and Meerut	.89	.86	.97	1.13	1.78	2.01	1.20	1.28	1.64	1.94	1.46	1.15	16.25
	Agra and Central India	1.16	1.14	.76	.92	.95	1.47	1.05	1.32	1.62	1.86	1.92	1.12	15.19
	Punjab	1.21	.69	.84	.88	1.28	2.24	2.18	1.56	1.76	1.68	1.44	1.47	16.76
	Rajpootana, Malwa, Sind, and Aden	1.33	.93	.92	.91	.97	1.78	1.15	1.19	2.15	1.67	1.30	1.15	15.47
	Deccan and Aden	.98	.75	.94	.88	1.17	1.07	.89	1.32	1.32	1.34	1.16	.91	12.75
	Southern India	1.31	1.20	.83	.93	1.28	1.11	1.14	1.05	.91	1.08	.76	1.34	12.93
	British Burmah and Pegu	.93	.95	.64	1.09	1.30	.89	1.66	1.10	1.56	1.27	1.05	1.18	13.66
CHOLERA	Bengal Proper	.11	.00	.26	.05	.15	.00	.05	.00	.05	.05	.06	.06	.85
	Gangetic Provinces and Oudh	.00	.00	.05	.30	.36	.23	.26	1.03	1.46	.16	.33	.03	4.24
	Rohileund and Meerut	.00	.00	.02	.08	.13	.02	.03	.40	1.34	.05	.00	.00	2.06
	Agra and Central India	.00	.02	.00	.00	.70	.31	.29	.83	.73	.22	.00	.03	3.22
	Punjab	.00	.00	.00	.11	.56	.56	.30	1.26	.77	.84	.03	.00	3.95
	Rajpootana, Malwa, Sind, and Aden	.00	.00	.00	.07	.20	.16	.14	.85	.20	.13	.13	.02	1.94
	Deccan and Nagpore	.00	.04	.01	.01	.43	.13	.32	.30	.08	.00	.01	.00	1.39
	Southern India	.07	.07	.10	.06	.02	.13	.15	.02	.02	.02	.04	.07	.77
	British Burmah and Pegu	.00	.00	.00	1.37	.09	.42	1.04	.24	.34	.05	.00	.00	3.66
SMALLPOX	Bengal Proper	.00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00	.05
	Gangetic Provinces and Oudh	.00	.00	.04	.08	.05	.04	.01	.00	.00	.00	.00	.03	.25
	Rohileund and Meerut	.02	.05	.02	.02	.05	.02	.00	.00	.00	.00	.00	.00	.20
	Agra and Central India	.00	.02	.02	.05	.02	.02	.00	.00	.00	.00	.00	.00	.15
	Punjab	.02	.02	.01	.00	.00	.00	.00	.00	.01	.00	.00	.01	.07
	Rajpootana, Malwa, Sind, and Aden	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	.04
	Deccan and Nagpore	.00	.00	.05	.05	.04	.00	.00	.00	.00	.00	.00	.00	.14
	Southern India	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
	British Burmah and Pegu	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.05
ENTERIC FEVER	Bengal Proper	.00	.05	.10	.05	.00	.00	.05	.16	.27	.11	.00	.00	.79
	Gangetic Provinces and Oudh	.15	.10	.12	.28	.43	.24	.26	.34	.31	.12	.09	.15	2.63
	Rohileund and Meerut	.13	.05	.12	.30	.62	.35	.15	.15	.33	.28	.11	.11	2.69
	Agra and Central India	.15	.10	.05	.22	.12	.05	.05	.17	.46	.40	.23	.05	2.04
	Punjab	.06	.09	.08	.19	.37	.59	.29	.26	.22	.17	.07	.08	2.32
	Rajpootana, Malwa, Sind, and Aden	.08	.15	.06	.16	.17	.11	.05	.18	.73	.35	.21	.17	2.42
	Deccan and Nagpore	.10	.06	.04	.13	.17	.11	.10	.15	.33	.16	.05	.04	1.46
	Southern India	.17	.15	.06	.17	.02	.13	.17	.06	.11	.09	.00	.14	1.26
	British Burmah and Pegu	.05	.11	.00	.00	.05	.00	.19	.10	.00	.00	.00	.10	.58
INTERMITTENT FEVER	Bengal Proper	.05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.05
	Gangetic Provinces and Oudh	.01	.00	.00	.00	.01	.00	.00	.00	.01	.03	.02	.00	.08
	Rohileund and Meerut	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.03	.00	.06
	Agra and Central India	.00	.02	.00	.00	.00	.02	.00	.05	.07	.00	.05	.05	.26
	Punjab	.01	.02	.00	.01	.01	.00	.01	.01	.04	.04	.05	.06	.26
	Rajpootana, Malwa, Sind, and Aden	.00	.00	.00	.00	.00	.02	.02	.05	.04	.04	.04	.00	.17
	Deccan and Nagpore	.00	.00	.00	.01	.01	.00	.00	.00	.01	.03	.00	.01	.07
	Southern India	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
	British Burmah and Pegu	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
REMITTENT AND CONTINUED FEVERS.	Bengal Proper	.05	.05	.00	.05	.00	.05	.11	.11	.05	.16	.32	.06	1.01
	Gangetic Provinces and Oudh	.03	.00	.09	.09	.24	.13	.04	.20	.20	.04	.04	.06	1.17
	Rohileund and Meerut	.02	.00	.00	.05	.10	.13	.05	.10	.18	.25	.08	.03	.97
	Agra and Central India	.10	.12	.10	.15	.15	.07	.07	.15	.24	.22	.18	.03	1.59
	Punjab	.04	.04	.10	.11	.12	.19	.23	.23	.39	.36	.21	.10	1.98
	Rajpootana, Malwa, Sind, and Aden	.09	.07	.09	.07	.02	.09	.05	.18	.20	.13	.17	.06	1.23
	Deccan and Nagpore	.10	.00	.01	.08	.06	.04	.05	.10	.05	.08	.03	.04	.65
	Southern India	.11	.07	.02	.04	.04	.06	.04	.04	.02	.02	.09	.04	.60
	British Burmah and Pegu	.05	.05	.05	.00	.05	.05	.09	.00	.00	.05	.00	.00	.39
APOPLEXY	Bengal Proper	.05	.05	.00	.10	.21	.16	.05	.00	.00	.05	.00	.00	.69
	Gangetic Provinces and Oudh	.01	.00	.02	.03	.40	.72	.29	.08	.12	.08	.02	.03	1.81
	Rohileund and Meerut	.02	.02	.02	.08	.30	.45	.35	.13	.18	.03	.03	.00	1.61
	Agra and Central India	.00	.00	.02	.05	.22	.58	.17	.15	.07	.05	.03	.00	1.35
	Punjab	.01	.02	.02	.04	.04	.81	.87	.33	.19	.04	.03	.03	2.17
	Rajpootana, Malwa, Sind, and Aden	.06	.02	.02	.09	.38	1.09	.31	.03	.13	.09	.08	.02	2.34
	Deccan and Nagpore	.01	.04	.07	.15	.37	.20	.05	.05	.01	.01	.05	.03	1.08
	Southern India	.00	.00	.06	.21	.44	.15	.11	.04	.00	.04	.02	.02	1.11
	British Burmah and Pegu	.10	.00	.05	.24	.55	.05	.19	.14	.19	.00	.05	.00	1.61

OF DISEASE, 1870-79.

XXIX.

of the EUROPEAN ARMY to the CHIEF CAUSES of MORTALITY.

B.—MONTHLY PERCENTAGE OF THE ANNUAL DEATH-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DEATH-RATE (All Causes).	Bengal Proper ...	8.85	5.69	5.80	5.39	9.05	6.57	8.36	11.68	8.78	12.51	9.53	7.88	100.00
	Gangetic Provinces and Oudh ...	4.95	3.40	4.85	7.05	11.10	9.95	8.05	13.45	15.55	7.20	7.40	7.05	100.00
	Rohilcund and Meerut ...	4.81	4.68	5.39	6.58	10.39	11.05	6.69	9.14	16.21	10.83	7.94	6.26	100.00
	Agra and Central India ...	6.28	6.28	4.12	4.98	8.93	9.64	7.26	11.91	12.72	11.26	10.39	6.23	100.00
	Punjab ...	5.59	3.19	3.88	4.57	8.50	12.93	11.45	13.02	11.68	11.63	6.78	6.78	100.00
	Rajpootana, Malwa, Sind, and Aden ...	7.67	5.36	5.30	5.65	6.74	11.18	7.44	11.76	13.54	10.38	8.24	6.74	100.00
	Deccan and Nagpore ...	6.97	5.62	6.76	6.33	11.38	8.53	8.61	11.52	9.96	9.53	8.32	6.47	100.00
	Southern India ...	10.07	9.26	6.78	7.22	9.48	9.05	9.41	7.81	6.78	8.02	5.84	10.28	100.00
	British Burmah and Pegu ...	5.42	5.53	3.73	14.32	8.10	7.63	15.72	7.80	11.07	7.69	6.12	6.87	100.00
DEATH-RATE FOR ALL CAUSES, EXCLUDING CHOLERA.	Bengal Proper ...	8.59	5.94	4.26	5.36	8.51	6.97	8.51	12.40	8.95	12.91	9.68	7.92	100.00
	Gangetic Provinces and Oudh ...	6.27	4.31	5.83	7.03	11.78	11.15	8.55	10.51	10.45	8.10	7.28	8.74	100.00
	Rohilcund and Meerut ...	5.46	5.27	5.95	6.93	10.91	12.32	7.36	7.85	10.06	11.89	8.95	7.05	100.00
	Agra and Central India ...	7.59	7.46	4.97	6.02	6.21	9.61	6.87	8.63	10.60	12.16	12.56	7.32	100.00
	Punjab ...	7.02	4.00	4.88	5.11	7.43	13.00	12.65	9.05	10.22	9.75	8.36	8.53	100.00
	Rajpootana, Malwa, Sind, and Aden ...	8.61	6.02	5.95	5.89	6.28	11.52	7.44	7.70	13.92	10.81	8.42	7.44	100.00
	Deccan and Nagpore ...	7.70	5.89	7.38	6.91	9.19	8.41	6.99	10.37	10.37	10.53	9.11	7.15	100.00
	Southern India ...	10.12	9.27	6.41	7.19	9.89	8.58	8.81	8.12	7.03	8.35	5.87	10.36	100.00
	British Burmah and Pegu ...	6.83	6.97	4.70	8.00	9.55	6.53	12.19	8.08	11.45	9.33	7.71	8.66	100.00
CHOLERA	Bengal Proper ...	13.09	.00	30.95	5.95	17.86	.00	5.95	.00	5.95	5.95	7.15	7.15	100.00
	Gangetic Provinces and Oudh00	.00	1.19	7.13	8.55	5.46	6.18	24.46	34.68	3.80	7.84	.71	100.00
	Rohilcund and Meerut00	.00	.97	3.86	6.28	.97	1.45	19.32	64.73	2.42	.00	.00	100.00
	Agra and Central India00	.63	.00	.00	22.01	9.75	9.12	27.67	22.96	6.92	.00	.94	100.00
	Punjab00	.00	.00	2.48	12.64	12.64	6.77	28.45	17.38	18.96	.68	.00	100.00
	Rajpootana, Malwa, Sind, and Aden00	.00	.00	3.68	10.53	8.42	7.37	44.74	10.53	6.84	6.84	1.05	100.00
	Deccan and Nagpore00	3.01	.75	.75	32.33	9.77	24.06	22.56	6.02	.00	.75	.00	100.00
	Southern India ...	9.09	9.09	12.99	7.79	2.60	16.88	19.48	2.60	2.60	2.60	5.19	9.09	100.00
	British Burmah and Pegu00	.00	.00	38.59	2.54	11.83	29.29	6.76	9.58	1.41	.00	.00	100.00
SMALLPOX	Bengal Proper00	.00	.00	100.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00
	Gangetic Provinces and Oudh00	.00	16.00	32.00	20.00	16.00	4.00	.00	.00	.00	.00	12.00	100.00
	Rohilcund and Meerut ...	11.11	27.78	11.11	11.11	27.78	11.11	.00	.00	.00	.00	.00	.00	100.00
	Agra and Central India00	15.38	15.38	38.48	15.38	15.38	.00	.00	.00	.00	.00	.00	100.00
	Punjab ...	28.57	28.57	14.29	.00	.00	.00	.00	.00	14.29	.00	.00	14.29	100.00
	Rajpootana, Malwa, Sind, and Aden00	.00	.00	50.00	50.00	.00	.00	.00	.00	.00	.00	.00	100.00
	Deccan and Nagpore00	.00	35.72	35.72	28.56	.00	.00	.00	.00	.00	.00	.00	100.00
	Southern India00	.00	.00	.00	.00	.00	100.00	.00	.00	.00	.00	.00	100.00
	British Burmah and Pegu00	.00	.00	.00	.00	.00	.00	.00	.00	100.00	.00	.00	100.00
ENTERIC FEVER	Bengal Proper00	6.33	12.66	6.33	.00	.00	6.33	20.25	34.18	13.92	.00	.00	100.00
	Gangetic Provinces and Oudh ...	5.79	3.86	4.63	10.81	16.60	9.27	10.04	13.13	11.97	4.63	3.48	5.79	100.00
	Rohilcund and Meerut ...	4.81	1.85	4.44	11.11	22.96	12.96	5.56	5.56	12.22	10.37	4.08	4.08	100.00
	Agra and Central India ...	7.32	4.88	2.44	10.73	5.83	2.44	2.44	8.29	22.45	19.52	11.22	2.44	100.00
	Punjab ...	2.43	3.64	3.24	7.69	14.98	23.89	11.74	10.53	8.91	6.88	2.83	3.24	100.00
	Rajpootana, Malwa, Sind, and Aden ...	3.31	6.20	2.48	6.61	7.02	4.55	2.07	7.44	30.16	14.46	8.68	7.02	100.00
	Deccan and Nagpore ...	6.94	4.17	2.78	9.03	11.80	7.64	6.94	10.42	22.92	11.11	3.47	2.78	100.00
	Southern India ...	13.39	11.81	4.72	13.39	1.57	10.24	13.39	4.72	8.66	7.09	.00	11.02	100.00
	British Burmah and Pegu ...	8.33	18.33	.00	.00	8.33	.00	31.67	16.67	.00	.00	.00	16.67	100.00
INTERMITTENT FEVER	Bengal Proper ...	100.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00
	Gangetic Provinces and Oudh ...	12.50	.00	.00	.00	12.50	.00	.00	.00	12.50	37.50	25.00	.00	100.00
	Rohilcund and Meerut00	.00	.00	.00	.00	.00	.00	.00	.00	50.00	50.00	.00	100.00
	Agra and Central India00	7.69	.00	.00	.00	7.69	.00	19.23	26.93	.00	19.23	19.23	100.00
	Punjab ...	3.85	7.69	.00	3.85	3.85	.00	3.85	15.38	15.38	15.38	19.23	23.07	100.00
	Rajpootana, Malwa, Sind, and Aden00	.00	.00	.00	.00	.00	11.76	11.76	29.42	23.53	23.53	.00	100.00
	Deccan and Nagpore00	.00	.00	14.29	14.29	.00	.00	.00	14.29	42.86	.00	14.29	100.00
	Southern India00	.00	.00	.00	.00	100.00	.00	.00	.00	.00	.00	.00	100.00
	British Burmah and Pegu00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	100.00
REMITTENT AND CONTINUED FEVERS.	Bengal Proper ...	4.95	4.95	.00	4.95	.00	4.95	10.89	10.89	4.95	15.84	31.69	5.94	100.00
	Gangetic Provinces and Oudh ...	2.58	.00	7.76	7.76	20.69	11.21	3.45	17.24	17.24	3.45	3.45	5.17	100.00
	Rohilcund and Meerut ...	2.02	.00	.00	5.05	10.10	13.13	5.05	10.10	18.18	25.26	8.08	3.03	100.00
	Agra and Central India ...	6.33	7.60	6.33	9.49	9.49	4.43	9.49	15.19	13.93	11.39	1.90	1.90	100.00
	Punjab ...	1.88	1.88	4.72	5.19	5.66	8.96	10.85	10.85	18.40	16.98	9.91	4.72	100.00
	Rajpootana, Malwa, Sind, and Aden ...	7.38	5.74	7.38	5.74	1.64	7.38	4.10	14.75	16.39	10.65	13.93	4.92	100.00
	Deccan and Nagpore ...	15.63	.00	1.56	12.50	9.37	6.25	7.81	15.63	7.81	12.50	4.69	6.25	100.00
	Southern India ...	18.65	11.86	3.39	6.78	6.78	10.17	6.78	6.78	3.39	3.39	15.25	6.78	100.00
	British Burmah and Pegu ...	12.82	12.82	12.82	.00	12.82	12.82	23.08	.00	.00	12.82	.00	.00	100.00
APOPLEXY	Bengal Proper ...	7.46	7.46	.00	14.93	31.34	23.89	7.46	.00	.00	7.46	.00	.00	100.00
	Gangetic Provinces and Oudh56	.00	1.11	1.67	22.22	40.00	16.11	4.44	6.67	4.44	1.11	1.67	100.00
	Rohilcund and Meerut ...	1.24	1.24	1.24	4.97	18.63	27.96	21.74	8.08	11.18	1.86	1.86	.00	100.00
	Agra and Central India00	.00	1.49	3.73	16.42	43.29	12.69	11.19	5.22	3.73	2.24	.00	100.00
	Punjab41	.82	.82	1.65	1.65	33.33	35.81	13.58	7.82	1.65	1.23	1.23	100.00
	Rajpootana, Malwa, Sind, and Aden ...	2.59	.86	.86	3.88	16.38	46.98	13.36	1.29	5.61	3.88	3.45	.86	100.00
	Deccan and Nagpore96	3.85	6.73	14.42	35.58	19.23	4.81	.96	.96	.96	4.81	2.88	100.00
	Southern India00	.00	5.51	19.27	40.37	13.76	10.09	3.67	.00	3.67	1.83	1.83	100.00
	British Burmah and Pegu ...	6.41	.00	3.21	15.38	35.25	3.21	12.18	8.97	12.18	.00	3.21	.00	100.00

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PROVINCES the LIABILITY in each MONTH

A.—GENERAL DEATH-RATE AND DEATH-RATES FOR THE CHIEF CAUSES OF MORTALITY.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DELIRIUM TREMENS...	Bengal Proper	00	00	00	00	00	05	00	00	00	05	06	00	16
	Gangetic Provinces and Oudh	00	01	00	01	00	01	01	00	01	01	00	00	08
	Rohileund and Meerut	02	02	00	02	02	02	00	03	10	00	00	00	25
	Agra and Central India	00	00	00	00	00	00	05	00	03	05	03	00	15
	Punjab	02	00	01	00	03	08	05	04	01	02	01	01	25
	Rajpootana, Malwa, Sind, and Aden	02	00	00	00	00	02	07	02	05	02	02	00	22
	Deccan and Nagpore	00	00	01	03	03	01	01	00	00	03	03	01	16
	Southern India	00	02	00	02	06	02	02	02	02	02	00	02	23
	British Burmah and Pegu	00	00	05	14	00	05	00	00	00	09	00	00	34
DYSENTERY	Bengal Proper	11	00	00	10	00	11	11	21	05	27	11	20	127
	Gangetic Provinces and Oudh	07	03	04	11	12	05	09	18	18	11	16	13	125
	Rohileund and Meerut	10	00	05	02	07	05	12	07	22	25	22	19	136
	Agra and Central India	05	00	02	00	02	05	02	19	20	33	31	10	126
	Punjab	08	02	05	04	10	12	11	06	13	17	15	15	117
	Rajpootana, Malwa, Sind, and Aden	15	06	13	05	00	02	07	05	15	16	06	08	98
	Deccan and Nagpore	13	15	12	08	03	05	09	16	27	21	22	23	171
	Southern India	07	18	06	06	15	13	04	15	06	20	11	09	128
	British Burmah and Pegu	31	11	05	19	09	18	38	28	44	20	10	29	263
DIARRHŒA	Bengal Proper	00	00	00	00	05	00	00	05	00	00	00	06	16
	Gangetic Provinces and Oudh	00	00	00	01	03	01	00	00	01	01	02	00	09
	Rohileund and Meerut	02	00	00	00	00	00	00	07	02	03	03	05	23
	Agra and Central India	00	00	00	00	00	00	02	00	03	00	03	00	07
	Punjab	00	00	00	00	00	00	00	00	00	02	01	02	05
	Rajpootana, Malwa, Sind, and Aden	00	00	00	00	00	00	02	02	02	05	00	00	11
	Deccan and Nagpore	00	01	00	00	00	00	03	01	00	00	05	00	11
	Southern India	00	00	00	02	00	00	00	00	02	00	00	00	04
	British Burmah and Pegu	00	00	00	00	00	00	00	00	00	00	00	00	00
HEPATITIS	Bengal Proper	27	21	10	05	11	20	11	31	21	48	27	32	246
	Gangetic Provinces and Oudh	17	14	12	19	18	11	22	26	30	29	20	17	235
	Rohileund and Meerut	13	24	21	12	13	28	22	30	18	31	48	19	274
	Agra and Central India	17	15	12	05	15	10	17	22	20	27	29	21	207
	Punjab	11	08	09	05	09	07	11	11	18	18	21	11	139
	Rajpootana, Malwa, Sind, and Aden	15	06	20	11	07	09	09	09	31	11	15	17	161
	Deccan and Nagpore	28	20	20	11	13	20	11	27	15	25	29	27	244
	Southern India	40	18	15	10	13	21	30	21	19	22	22	20	248
	British Burmah and Pegu	16	16	05	19	14	28	09	14	34	34	30	00	220
RESPIRATORY DISEASES.	Bengal Proper	00	00	00	00	00	00	16	00	00	11	00	06	32
	Gangetic Provinces and Oudh	08	08	04	00	01	03	01	03	01	03	04	08	43
	Rohileund and Meerut	08	07	02	10	05	10	03	00	02	07	06	03	63
	Agra and Central India	25	10	07	02	10	00	02	00	03	00	11	05	74
	Punjab	35	11	09	06	06	02	06	02	08	08	17	36	150
	Rajpootana, Malwa, Sind, and Aden	19	04	09	02	02	07	04	02	02	04	04	12	68
	Deccan and Nagpore	06	00	04	01	01	03	03	04	03	05	03	08	38
	Southern India	00	04	06	00	00	02	06	00	00	04	00	04	28
	British Burmah and Pegu	00	00	05	00	00	00	00	00	00	00	00	05	10
PHTHISIS PULMONALIS.	Bengal Proper	11	25	10	10	11	05	25	11	11	00	06	06	132
	Gangetic Provinces and Oudh	14	07	05	08	09	05	09	13	14	11	13	17	122
	Rohileund and Meerut	02	10	17	05	02	13	15	10	05	08	11	19	116
	Agra and Central India	10	10	02	02	00	12	23	05	05	05	13	08	94
	Punjab	11	08	05	07	09	07	07	12	08	14	11	14	113
	Rajpootana, Malwa, Sind, and Aden	28	07	02	07	04	07	07	11	07	07	13	04	105
	Deccan and Nagpore	10	03	05	04	05	07	05	12	05	09	12	04	80
	Southern India	17	10	06	02	04	10	02	04	06	11	11	09	94
	British Burmah and Pegu	00	00	05	00	00	05	15	05	10	05	05	05	64
HEART DISEASES	Bengal Proper	11	10	05	10	11	11	05	16	05	21	11	06	122
	Gangetic Provinces and Oudh	07	08	10	05	06	08	05	10	10	09	10	09	98
	Rohileund and Meerut	13	00	14	10	15	10	05	00	08	10	06	11	101
	Agra and Central India	10	10	05	17	05	12	05	17	05	10	21	23	138
	Punjab	11	04	09	05	13	07	10	13	10	10	08	11	111
	Rajpootana, Malwa, Sind, and Aden	08	04	09	04	05	04	07	09	05	09	06	12	81
	Deccan and Nagpore	03	07	11	05	10	01	13	09	10	16	08	10	102
	Southern India	13	15	15	13	08	06	08	13	09	09	09	25	141
	British Burmah and Pegu	00	05	05	14	05	00	24	10	25	20	10	10	127
ALL OTHER CAUSES...	Bengal Proper	42	10	20	10	57	22	27	58	48	32	39	26	390
	Gangetic Provinces and Oudh	26	17	30	18	24	29	28	34	26	36	33	47	348
	Rohileund and Meerut	20	31	22	27	27	38	09	33	28	51	25	25	334
	Agra and Central India	24	43	29	19	12	34	20	17	19	39	32	32	319
	Punjab	29	18	25	26	24	22	28	25	33	36	34	29	327
	Rajpootana, Malwa, Sind, and Aden	23	42	22	28	20	18	29	38	37	52	34	37	373
	Deccan and Nagpore	17	19	24	14	17	35	24	33	32	27	21	06	273
	Southern India	26	31	21	16	30	22	28	36	34	25	12	45	326
	British Burmah and Pegu	26	47	24	19	37	23	33	29	24	29	45	59	395

OF DISEASE, 1870-79.

XIX—continued.

the EUROPEAN ARMY to the CHIEF CAUSES of MORTALITY.

B—MONTHLY PERCENTAGE OF THE ANNUAL DEATH-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DELIRIUM TREMENS	Bengal Proper	00	00	00	00	00	31.25	00	00	00	31.25	37.50	00	100.00
	Gangetic Provinces and Oudh	00	16.67	00	16.67	00	16.67	16.67	00	16.67	16.67	00	00	100.00
	Rohileund and Meerut	8.70	8.70	00	8.70	8.70	8.70	00	13.04	43.46	00	00	00	100.00
	Agra and Central India	00	00	00	00	00	00	31.25	00	18.75	31.25	18.75	00	100.00
	Punjab	7.14	00	3.57	00	10.72	28.57	17.86	14.29	3.57	7.14	3.57	3.57	100.00
	Rajpootana, Malwa, Sind, and Aden	9.09	00	00	00	00	9.09	31.82	9.09	22.73	9.09	9.09	00	100.00
	Deccan and Nagpore	00	00	6.25	18.75	18.75	6.25	6.25	00	00	18.75	18.75	6.25	100.00
	Southern India	00	9.09	00	9.09	27.28	9.09	9.09	9.09	9.09	9.09	00	9.09	100.00
DYSENTERY	British Burmah and Pegu	00	00	15.15	42.43	00	15.15	00	00	00	27.27	00	00	100.00
	Bengal Proper	8.66	00	00	7.87	00	8.66	8.66	16.54	3.94	21.26	8.66	15.75	100.00
	Gangetic Provinces and Oudh	5.51	2.36	3.15	8.66	9.45	3.94	7.09	14.17	14.17	8.66	12.60	10.24	100.00
	Rohileund and Meerut	7.35	00	3.68	1.47	5.15	3.68	8.82	5.15	16.18	18.38	16.18	13.96	100.00
	Agra and Central India	3.88	00	1.55	00	1.55	3.88	1.55	14.73	15.50	25.50	24.03	7.75	100.00
	Punjab	6.78	1.70	4.24	3.39	8.47	10.17	9.32	5.08	11.02	14.41	12.71	12.71	100.00
	Rajpootana, Malwa, Sind, and Aden	15.30	6.12	13.26	5.12	00	2.04	7.14	5.12	15.30	16.32	6.12	8.16	100.00
	Deccan and Nagpore	7.47	8.62	6.90	4.60	1.72	2.87	5.17	9.20	15.52	12.07	12.64	13.22	100.00
DIARRHŒA	Southern India	5.38	13.84	4.62	4.62	11.54	10.00	3.08	11.54	4.62	15.38	8.46	6.92	100.00
	British Burmah and Pegu	11.83	4.20	1.91	7.25	3.44	6.87	14.50	10.69	16.79	7.63	3.82	11.07	100.00
	Bengal Proper	00	00	00	00	31.25	00	00	31.25	00	00	00	37.50	100.00
	Gangetic Provinces and Oudh	00	00	00	11.11	33.34	11.11	00	00	11.11	11.11	22.22	00	100.00
	Rohileund and Meerut	9.09	00	00	00	00	00	00	31.81	9.09	13.64	13.64	22.73	100.00
	Agra and Central India	00	00	00	00	00	00	25.00	00	37.50	00	37.50	00	100.00
	Punjab	00	00	00	00	00	00	00	00	00	40.00	20.00	40.00	100.00
	Rajpootana, Malwa, Sind, and Aden	00	00	00	00	00	00	18.18	18.18	18.18	45.46	00	00	100.00
HEPATITIS	Deccan and Nagpore	00	10.00	00	00	00	00	30.00	10.00	00	00	50.00	00	100.00
	Southern India	00	00	00	50.00	00	00	00	00	50.00	00	00	00	100.00
	British Burmah and Pegu	00	00	00	00	00	00	00	00	00	00	00	00	00
	Bengal Proper	10.23	7.95	3.79	1.89	4.17	7.58	4.17	11.74	7.95	18.18	10.23	12.12	100.00
	Gangetic Provinces and Oudh	7.23	5.96	5.11	8.09	7.66	4.68	9.36	11.06	12.77	12.34	8.51	7.23	100.00
	Rohileund and Meerut	4.66	8.60	7.53	4.30	4.66	10.04	7.89	10.75	6.45	11.11	17.20	6.81	100.00
	Agra and Central India	8.10	7.14	5.71	2.38	7.14	4.76	8.10	10.48	9.52	12.86	13.81	10.00	100.00
	Punjab	7.91	5.76	6.47	3.60	6.47	5.04	7.91	7.91	12.95	12.95	15.12	7.91	100.00
RESPIRATORY DISEASES.	Rajpootana, Malwa, Sind, and Aden	9.37	3.75	12.50	6.88	4.37	5.63	5.63	5.63	19.37	6.88	9.37	10.62	100.00
	Deccan and Nagpore	11.38	8.13	8.13	4.47	5.28	8.13	4.47	10.98	6.10	10.16	11.79	10.98	100.00
	Southern India	15.94	7.17	5.98	3.98	5.18	8.37	11.95	8.37	7.57	8.76	8.76	7.97	100.00
	British Burmah and Pegu	7.31	7.31	2.28	8.68	6.39	12.79	4.11	6.39	15.52	15.52	13.70	00	100.00
	Bengal Proper	00	00	00	00	00	00	48.49	00	00	33.33	00	18.18	100.00
	Gangetic Provinces and Oudh	18.18	18.18	9.09	00	2.27	6.82	2.27	6.82	2.27	6.82	9.09	18.18	99.99
	Rohileund and Meerut	12.70	11.11	3.18	15.87	7.94	15.87	4.76	00	3.18	11.11	9.52	4.76	100.00
	Agra and Central India	33.33	13.33	9.33	2.67	13.33	00	2.67	00	4.00	00	14.67	6.67	100.00
PHTHISIS PULMONALIS.	Punjab	23.97	7.53	6.16	4.11	4.11	1.37	4.11	1.37	5.48	5.48	11.65	24.66	100.00
	Rajpootana, Malwa, Sind, and Aden	26.76	5.63	12.68	2.82	2.82	9.86	5.63	2.82	5.63	5.63	16.00	16.00	100.00
	Deccan and Nagpore	14.63	00	9.76	2.44	2.44	7.32	7.32	9.76	7.32	12.19	7.32	19.50	100.00
	Southern India	00	15.38	23.08	00	00	7.70	23.08	00	00	15.38	00	15.38	100.00
	British Burmah and Pegu	00	00	50.00	00	00	00	00	00	00	00	00	50.00	100.00
	Bengal Proper	8.40	19.08	7.63	7.63	8.40	3.82	19.08	8.40	8.40	00	4.58	4.58	100.00
	Gangetic Provinces and Oudh	11.20	5.60	4.00	6.40	7.20	4.00	7.20	10.40	11.20	8.80	10.40	13.60	100.00
	Rohileund and Meerut	1.71	8.55	14.53	4.27	1.71	11.11	12.82	8.55	4.27	6.84	9.40	16.24	100.00
HEART DISEASES	Agra and Central India	10.53	10.53	2.11	2.11	00	12.63	24.21	5.26	5.26	13.68	8.42	100.00	100.00
	Punjab	9.73	7.08	4.42	6.20	7.06	6.20	6.20	10.62	7.08	12.39	9.73	12.39	100.00
	Rajpootana, Malwa, Sind, and Aden	26.02	6.73	1.92	6.73	3.85	6.73	6.73	10.58	6.73	12.50	3.85	100.00	100.00
	Deccan and Nagpore	12.35	3.70	6.17	4.94	6.17	8.64	6.17	14.82	6.17	11.11	14.82	4.94	100.00
	Southern India	18.48	10.87	6.52	2.17	4.35	10.87	2.17	4.35	6.52	11.96	11.96	9.78	100.00
	British Burmah and Pegu	00	00	9.09	00	00	9.09	27.28	9.09	18.18	9.09	9.09	9.09	100.00
	Bengal Proper	9.02	8.19	4.10	8.19	9.02	9.02	4.10	13.11	4.10	17.21	9.02	4.92	100.00
	Gangetic Provinces and Oudh	7.21	8.25	10.31	5.15	6.19	8.25	5.15	10.31	10.31	9.28	10.31	9.28	100.00
ALL OTHER CAUSES...	Rohileund and Meerut	12.75	00	13.73	9.80	14.71	9.80	4.90	00	7.84	9.80	5.88	10.79	100.00
	Agra and Central India	7.14	7.14	3.57	12.15	3.57	3.57	3.57	12.15	3.57	7.14	15.00	16.43	100.00
	Punjab	9.91	3.60	8.11	4.50	11.71	6.31	9.01	11.71	9.01	9.01	7.21	9.91	100.00
	Rajpootana, Malwa, Sind, and Aden	9.76	4.88	10.97	4.88	6.10	4.88	8.54	10.97	6.10	10.97	7.32	14.63	100.00
	Deccan and Nagpore	2.91	6.80	10.68	4.85	9.71	.97	12.62	8.74	9.71	15.53	7.77	9.71	100.00
	Southern India	9.09	10.49	10.49	9.09	5.60	4.20	5.60	9.09	6.29	6.29	6.29	17.48	100.00
	British Burmah and Pegu	00	3.91	3.91	10.94	3.91	00	18.75	7.81	19.53	15.62	7.81	7.81	100.00
	Bengal Proper	10.74	2.56	5.12	2.56	14.58	5.63	6.90	14.83	12.28	8.18	9.97	6.65	100.00
	Gangetic Provinces and Oudh	7.47	4.89	8.62	5.17	6.90	8.33	8.05	9.77	7.47	10.34	9.48	13.51	100.00
	Rohileund and Meerut	5.95	9.22	6.55	8.04	8.04	11.31	2.68	9.82	8.33	15.18	7.44	7.44	100.00
	Agra and Central India	7.50	13.44	9.06	5.94	3.75	10.62	6.25	5.31	5.94	12.19	10.00	10.00	100.00
	Punjab	8.82	5.47	7.60	7.90	7.29	6.69	7.61	7.60	10.03	10.94	10.33	8.82	100.00
	Rajpootana, Malwa, Sind, and Aden	6.05	11.05	5.79	7.37	5.26	4.74	8.53	10.00	9.74	13.68	8.95	9.74	100.00
	Deccan and Nagpore	6.32	7.06	8.92	5.21	6.32	13.01	8.92	12.27	11.90	10.04	7.80	2.23	100.00
	Southern India	7.98	9.51	6.44	4.91	9.20	6.75	8.59	11.04	10.43	7.67	3.68	13.80	100.00
	British Burmah and Pegu	6.58	11.90	6.08	4.81	9.37	5.82	8.35	7.34	6.08	7.34	11.39	14.94	100.00

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXX.

TABLE showing the NUMBER of DEATHS out of each HUNDRED CASES treated in each MONTH in the EUROPEAN ARMY of INDIA on the TOTALS for the PERIOD 1870-79.

DISEASES.	DIED OUT OF EACH HUNDRED CASES TREATED IN EACH MONTH.												Annual Average.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ...	63·64	43·75	76·00	61·33	69·13	71·77	66·76	66·92	72·69	76·67	61·19	72·22	69·11
Smallpox ...	10·64	10·87	15·38	15·84	16·92	23·81	12·50	...	25·00	50·00	...	14·29	14·71
Enteric Fever ...	34·59	45·08	31·39	37·82	38·86	57·55	45·38	49·62	46·09	51·76	45·69	35·29	43·83
Fever, Intermittent ...	·05	·04	·02	·04	·03	·02	·01	·02	·05	·03	·05	·05	·04
Fevers, Remittent and Continued...	1·51	·74	·81	·70	·67	·73	·56	·80	·78	·88	1·08	·85	·79
Apoplexy ...	41·18	24·32	28·36	35·33	44·54	42·05	36·69	34·44	42·06	29·63	41·67	57·69	39·29
Delirium Tremens ...	4·29	2·56	1·89	5·66	5·17	11·59	6·70	2·94	5·80	6·37	4·23	2·34	5·10
Dysentery ...	3·76	2·82	3·94	2·47	3·17	3·32	3·18	3·14	4·00	4·60	4·49	4·50	3·65
Diarrhœa ...	·05	·06	·04	·06	·10	·21	·19	·15	·22	·35	·51	·27	·19
Hepatitis ...	5·46	4·78	4·76	3·31	3·14	3·45	3·50	4·42	4·48	4·89	6·24	5·00	4·40
Respiratory diseases ...	20·97	20·89	16·61	15·60	11·18	13·25	12·79	13·36	10·38	11·46	12·48	15·02	14·12
Phthisis Pulmonalis ...	2·38	1·28	1·22	·66	·89	·92	·86	·42	·65	1·17	1·50	2·25	1·29
All other Causes ...	·48	·44	·50	·34	·42	·41	·41	·50	·50	·56	·56	·61	·47

ACTUALS UPON WHICH THE RATIOS ABOVE SHOWN ARE CALCULATED.

		NUMBER OF ADMISSIONS AND DEATHS FROM THE CHIEF DISEASES IN EACH MONTH.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera	{ Cases ...	11	16	25	150	311	457	358	650	454	180	67	18	2,697
	{ Deaths ...	7	7	19	92	215	328	239	435	330	138	41	13	1,864
Smallpox	{ Cases ...	47	46	65	101	65	21	16	1	4	2	12	28	408
	{ Deaths ...	5	5	10	16	11	5	2	...	1	1	...	4	60
Enteric Fever	{ Cases ...	159	122	137	275	386	245	238	264	371	199	116	153	2,665
	{ Deaths ...	55	55	43	104	150	141	108	131	171	103	53	54	1,168
Fever, Intermittent	{ Cases ...	12,379	9,447	9,150	11,427	14,298	15,291	18,035	21,219	28,852	34,616	29,628	20,481	224,823
	{ Deaths ...	6	4	2	4	4	3	2	4	14	11	14	11	79
Fevers, Remittent and Continued.	{ Cases ...	2,714	2,842	4,470	7,973	10,745	10,484	10,849	10,491	11,979	10,473	6,546	4,104	93,670
	{ Deaths ...	41	21	36	56	72	77	61	84	93	92	71	35	739
Apoplexy	{ Cases ...	34	37	67	150	339	692	447	180	126	81	48	26	2,227
	{ Deaths ...	14	9	19	53	151	291	164	62	53	24	20	15	875
Delirium Tremens	{ Cases ...	163	117	159	159	174	164	224	238	207	204	142	128	2,079
	{ Deaths ...	7	3	3	9	9	19	15	7	12	13	6	3	106
Dysentery	{ Cases ...	1,731	1,348	1,372	1,740	1,736	1,688	2,170	2,708	2,623	2,304	1,980	1,956	23,356
	{ Deaths ...	65	38	54	43	55	56	69	85	105	106	89	88	853
Diarrhœa	{ Cases ...	1,944	1,727	2,269	3,279	3,041	2,873	4,714	5,193	3,568	2,601	2,352	2,574	36,135
	{ Deaths ...	1	1	1	2	3	6	9	8	8	9	12	7	67
Hepatitis	{ Cases ...	2,016	1,905	1,994	2,145	2,454	2,611	2,887	2,875	2,900	2,698	2,277	2,018	28,780
	{ Deaths ...	110	91	95	71	77	90	101	127	130	132	142	101	1,267
Respiratory diseases	{ Cases ...	5,077	4,450	4,009	3,793	3,586	2,814	2,895	2,830	2,627	2,985	3,656	4,808	43,530
	{ Deaths ...	121	57	49	25	32	26	25	12	17	35	55	108	562
Phthisis Pulmonalis	{ Cases ...	372	292	319	282	322	385	469	449	453	506	513	446	4,808
	{ Deaths ...	78	61	53	44	36	51	60	60	47	58	64	67	679
All other Causes*	{ Cases ...	30,965	30,029	33,486	35,619	33,752	31,749	35,770	33,493	31,952	31,649	28,589	29,333	386,386
	{ Deaths ...	149	133	169	121	141	129	147	169	159	176	160	180	1,833

* Excluding Suicidal Deaths and other Deaths by Violence out of Hospital.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXXI.

TABLE showing the NUMBER of DEATHS out of each HUNDRED CASES treated in each MONTH in the EUROPEAN ARMY of the BENGAL PRESIDENCY on the TOTALS for the PERIOD 1870-79.

DISEASES.	DIED OUT OF EACH HUNDRED CASES TREATED IN EACH MONTH.												Annual Average.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ...	100·00	33·33	76·47	60·81	79·52	70·87	66·67	65·15	74·15	77·11	59·18	70·00	70·26
Smallpox ...	17·86	14·71	14·63	15·07	13·73	26·32	7·69	...	50·00	17·39	15·31
Enteric Fever ...	35·79	42·47	36·67	36·76	37·85	56·10	48·02	55·25	40·57	50·00	40·70	33·33	43·39
Fever, Intermittent ...	·06	·07	·03	·01	·02	·03	·01	·02	·05	·03	·06	·07	·04
Fevers, Remittent and Continued...	1·31	·75	1·09	·71	·78	·83	·60	·80	·84	1·02	1·27	1·17	·86
Apoplexy ...	46·15	50·00	23·53	23·61	43·88	44·35	34·46	33·11	46·51	30·43	28·57	76·92	38·66
Delirium Tremens ...	5·41	3·33	1·20	4·23	4·12	14·61	7·32	4·13	6·56	6·60	4·55	1·56	5·58
Dysentery ...	4·11	1·74	3·72	2·53	3·75	4·58	4·29	3·72	4·04	5·09	5·46	5·29	4·13
Diarrhœa ...	·09	·05	·15	·36	·14	·15	·25	·31	·49	·38	·19
Hepatitis ...	5·33	4·77	4·28	3·19	3·17	2·81	3·70	4·27	4·27	5·33	6·76	5·18	4·33
Respiratory diseases ...	2·78	1·63	1·17	·86	1·09	·95	·89	·37	·79	1·25	1·69	2·56	1·49
Phthisis Pulmonalis ...	18·01	25·50	17·30	16·75	14·14	13·56	14·38	13·77	9·90	11·80	10·43	19·25	14·64
All other Causes* ...	·53	·43	·48	·36	·47	·46	·40	·47	·47	·59	·61	·64	·49

ACTUALS UPON WHICH THE RATIOS ABOVE SHOWN ARE CALCULATED.

	NUMBER OF ADMISSIONS AND DEATHS FROM THE CHIEF DISEASES IN EACH MONTH.												TOTAL.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ... { Cases ...	2	3	17	74	210	412	261	548	410	166	49	10	2,162
... { Deaths ...	2	1	13	45	167	292	174	357	304	128	29	7	1,519
Smallpox ... { Cases ...	23	34	41	73	51	19	13	1	2	...	9	23	294
... { Deaths ...	5	5	6	11	7	5	1	...	1	4	45
Enteric Fever ... { Cases ...	95	73	90	204	325	205	177	181	244	134	86	99	1,913
... { Deaths ...	34	31	33	75	123	115	85	100	99	67	35	33	830
Fever, Intermittent ... { Cases ...	8,398	5,999	5,802	7,796	9,966	10,188	11,802	14,256	19,994	24,451	21,526	14,427	154,605
... { Deaths ...	5	4	2	1	2	3	1	3	10	7	12	10	60
Fevers, Remittent and Continued. { Cases ...	1,524	1,595	2,561	5,598	8,100	7,710	8,189	7,883	9,127	7,421	4,183	2,311	66,112
... { Deaths ...	20	12	28	39	63	64	49	63	77	76	53	27	571
Apoplexy ... { Cases ...	13	10	34	72	139	460	386	151	86	46	28	13	1,438
... { Deaths ...	6	5	8	17	61	204	133	50	40	14	8	10	556
Delirium Tremens ... { Cases ...	74	60	83	71	97	89	123	121	122	106	66	64	1,076
... { Deaths ...	4	2	1	3	4	13	9	5	8	7	3	1	60
Dysentery ... { Cases ...	802	576	698	1,027	1,014	829	932	1,343	1,411	1,277	1,099	1,001	12,009
... { Deaths ...	33	10	26	26	38	38	40	50	57	65	60	53	496
Diarrhœa ... { Cases ...	1,109	966	1,383	2,224	2,024	1,686	2,792	3,422	2,425	1,626	1,438	1,588	22,683
... { Deaths ...	1	1	3	6	4	5	6	5	7	6	44
Hepatitis ... { Cases ...	1,013	1,049	1,146	1,285	1,513	1,675	1,810	1,828	1,804	1,613	1,273	1,120	17,129
... { Deaths ...	54	50	49	41	48	47	67	78	77	86	86	58	741
Respiratory diseases ... { Cases ...	3,702	3,193	2,809	2,671	2,571	1,894	1,920	1,906	1,773	1,997	2,548	3,594	30,578
... { Deaths ...	103	52	33	23	28	18	17	7	14	25	43	92	455
Phthisis Pulmonalis ... { Cases ...	211	149	185	197	191	236	299	276	303	322	345	265	2,979
... { Deaths ...	38	38	32	33	27	32	43	38	30	38	36	51	436
All other Causes* ... { Cases ...	19,589	19,015	21,166	21,993	20,712	19,192	21,956	20,857	20,179	19,637	17,560	18,301	240,157
... { Deaths ...	104	82	101	79	98	89	87	98	94	115	107	118	1,172

* Excluding Suicidal Deaths and other Deaths by Violence out of Hospital.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXXII.

TABLE showing the NUMBER of DEATHS out of each HUNDRED CASES treated in each MONTH in the EUROPEAN ARMY of the MADRAS PRESIDENCY on the TOTALS for the PERIOD 1870-79.

DISEASES.	DIED OUT OF EACH HUNDRED CASES TREATED IN EACH MONTH.												Annual Average.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ...	62·50	50·00	75·00	58·46	45·00	75·00	57·14	88·24	63·16	40·00	71·43	66·67	58·49
Smallpox	18·75	18·18	42·86	...	100·00	50·00	18·18
Enteric Fever ...	25·53	45·45	18·52	37·84	30·56	52·00	32·00	34·69	41·94	50·00	50·00	34·48	36·43
Fever, Intermittent	·10	·09	·01
Fevers, Remittent and Continued...	1·55	·51	·29	·46	·51	·36	·43	·49	·39	·30	·63	·21	·48
Apoplexy ...	33·33	15·38	38·10	61·36	42·65	35·94	75·00	40·00	41·67	45·45	50·00	50·00	43·85
Delirium Tremens ...	3·85	3·12	4·44	12·20	7·69	9·76	1·89	2·04	2·63	9·09	2·38	2·86	5·09
Dysentery ...	3·05	3·70	3·48	2·29	2·80	2·17	1·93	2·36	3·68	4·22	2·79	4·07	3·02
Diarrhœa	·19	·18	·12	·18	·20	·07
Hepatitis ...	5·43	5·05	4·87	2·92	3·48	5·23	3·95	5·32	4·55	5·45	5·30	4·45	4·71
Respiratory diseases ...	·84	·35	1·22	...	·19	·67	·98	·20	...	·91	·19	·99	·55
Phthisis Pulmonalis ...	19·15	16·22	11·84	9·00	7·14	16·46	10·59	11·44	12·66	11·22	13·59	10·62	12·62
All other Causes* ...	·40	·50	·55	·41	·38	·33	·37	·60	·65	·47	·44	·59	·47

ACTUALS UPON WHICH THE RATIOS ABOVE SHOWN ARE CALCULATED.

		NUMBER OF ADMISSIONS AND DEATHS FROM THE CHIEF DISEASES IN EACH MONTH.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera	{ Cases ...	8	12	8	65	80	28	63	17	19	5	7	6	318
	{ Deaths ...	5	6	6	38	36	21	36	15	12	2	5	4	186
Smallpox	{ Cases ...	5	6	16	11	7	1	1	...	2	2	2	2	55
	{ Deaths	3	2	3	...	1	1	10
Enteric Fever	{ Cases ...	47	33	27	37	36	25	50	49	62	26	10	29	431
	{ Deaths ...	12	15	5	14	11	13	16	17	26	13	5	10	157
Fever, Intermittent ...	{ Cases ...	883	1,239	991	968	1,098	1,345	1,480	1,497	1,673	1,711	1,278	1,308	15,471
	{ Deaths	1	1	2
Fevers, Remittent and Continued.	{ Cases ...	774	780	1,052	1,309	1,376	1,377	1,397	1,222	1,271	1,328	1,109	947	13,942
	{ Deaths ...	12	4	3	6	7	5	6	6	5	4	7	2	67
Apoplexy	{ Cases ...	12	13	21	44	136	64	16	15	12	11	8	6	358
	{ Deaths ...	4	2	8	27	58	23	12	6	5	5	4	3	157
Delirium Tremens	{ Cases ...	52	32	45	41	39	41	53	49	38	44	42	35	511
	{ Deaths ...	2	1	2	5	3	4	1	1	1	4	1	1	26
Dysentery	{ Cases ...	722	595	489	523	571	690	933	976	896	758	645	688	8,486
	{ Deaths ...	22	22	17	12	16	15	18	23	33	32	18	28	256
Diarrhœa	{ Cases ...	453	453	525	561	589	687	1,073	864	565	456	428	508	7,153
	{ Deaths	1	1	1	1	1	5
Hepatitis	{ Cases ...	681	574	513	513	575	574	684	677	703	697	642	594	7,417
	{ Deaths ...	37	29	25	15	20	30	27	36	32	38	34	26	349
Respiratory diseases	{ Cases ...	598	569	576	562	534	446	511	501	463	551	520	507	6,338
	{ Deaths ...	5	2	7	...	1	3	5	1	...	5	1	5	35
Phthisis Pulmonalis	{ Cases ...	94	74	76	55	70	79	85	104	79	98	103	113	1,030
	{ Deaths ...	18	12	9	5	5	13	9	12	10	11	14	12	130
All other Causes*	{ Cases ...	6,316	5,961	6,570	7,028	6,846	6,747	7,267	6,793	6,301	6,434	5,875	5,928	78,066
	{ Deaths ..	25	30	36	29	26	22	27	41	41	30	26	35	368

* Excluding Suicidal Deaths and other Deaths by Violence out of Hospital.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXXIII.

TABLE showing the NUMBER of DEATHS out of each HUNDRED CASES treated in each MONTH in the EUROPEAN ARMY of the BOMBAY PRESIDENCY on the TOTALS for the PERIOD 1870-79.

DISEASES.	DIED OUT OF EACH HUNDRED CASES TREATED IN EACH MONTH.												Annual Average.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera	81·82	57·14	88·24	85·29	74·12	56·00	88·89	63·64	100·00	73·27
Smallpox	12·50	17·65	14·29	8·47
Enteric Fever	52·94	56·25	25·00	44·12	64·00	86·67	63·64	41·18	70·77	58·97	65·00	44·00	56·39
Fever, Intermittent	·03	·08	·03	...	·02	·02	·06	·05	·03	·02	·03
Fevers, Remittent and Continued...	2·16	1·07	·58	·95	·16	·57	·48	1·08	·70	·70	·88	·71	·74
Apoplexy	44·44	14·29	25·00	26·47	50·00	38·10	42·22	42·86	28·57	20·83	66·67	28·57	37·59
Delirium Tremens	2·70	2·13	5·26	5·88	10·42	1·47	6·38	3·70	5·88	3·45	4·07
Dysentery	4·83	3·39	5·95	2·63	·66	1·78	3·61	3·08	4·75	3·35	4·66	2·62	3·53
Diarrhœa	...	·32	·59	·22	·17	·77	1·03	...	·29
Hepatitis	5·90	4·26	6·27	4·32	2·46	3·59	1·78	3·51	5·34	2·06	6·08	5·41	4·18
Respiratory diseases	1·67	·44	1·44	·36	·62	1·05	·65	·95	·77	1·14	1·87	1·56	1·09
Phthisis Pulmonalis	32·84	15·94	20·69	20·00	6·56	8·57	9·41	14·49	9·86	10·47	21·54	5·88	14·14
All other Causes	·40	·42	·56	·20	·27	·31	·50	·51	·44	·56	·52	·53	·43

ACTUALS UPON WHICH THE RATIOS ABOVE SHOWN ARE CALCULATED.

		NUMBER OF ADMISSIONS AND DEATHS FROM THE CHIEF DISEASES IN EACH MONTH.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera	Cases	1	1	...	11	21	17	34	85	25	9	11	2	217
	Deaths	9	12	15	29	63	14	8	7	2	159
Smallpox	Cases	14	6	8	17	7	1	2	1	3	59
	Deaths	1	3	1	5
Enteric Fever	Cases	17	16	20	34	25	15	11	34	65	39	20	25	321
	Deaths	9	9	5	15	16	13	7	14	46	23	13	11	181
Fever, Intermittent	Cases	3,098	2,209	2,357	2,663	3,234	3,758	4,753	5,466	7,185	8,454	6,824	4,746	54,747
	Deaths	1	2	1	...	1	1	4	4	2	1	17
Fevers, Remittent and Continued.	Cases	416	467	857	1,156	1,269	1,397	1,265	1,386	1,531	1,724	1,254	846	13,616
	Deaths	9	5	5	11	2	8	6	15	11	12	11	6	101
Apoplexy	Cases	9	14	12	34	64	168	45	14	28	24	12	7	431
	Deaths	4	2	3	9	32	64	19	6	8	5	8	2	162
Delirium Tremens	Cases	37	25	31	47	38	34	48	68	47	54	34	29	492
	Deaths	1	1	2	2	5	1	3	2	2	1	20
Dysentery	Cases	207	177	185	190	151	169	305	389	316	269	236	267	2,861
	Deaths	10	6	11	5	1	3	11	12	15	9	11	7	101
Diarrhœa	Cases	377	308	361	494	437	500	849	907	578	519	486	478	6,294
	Deaths	...	1	5	2	1	4	5	...	18
Hepatitis	Cases	322	282	335	347	366	362	393	370	393	338	362	314	4,234
	Deaths	19	12	21	15	9	13	7	13	21	8	22	17	177
Respiratory diseases	Cases	777	688	624	560	481	474	464	423	391	437	588	707	6,614
	Deaths	13	3	9	2	3	5	3	4	3	5	11	11	72
Phthisis Pulmonalis	Cases	67	69	58	30	61	70	85	69	71	86	65	68	799
	Deaths	22	11	12	6	4	6	8	10	7	9	14	4	113
All other Causes*	Cases	5,060	5,053	5,750	6,598	6,194	5,810	6,547	5,843	5,472	5,578	5,154	5,104	68,163
	Deaths	20	21	32	13	17	18	33	30	24	31	27	27	293

* Excluding Suicidal Deaths and other Deaths by Violence out of Hospital.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXXIV.

STATEMENT showing the *RATIO* in which the *SUICIDAL DEATHS* of the *EUROPEAN ARMY* of *INDIA* have occurred in each *MONTH* and the *NUMBER* of *SUICIDES* in each *MONTH* of the *TEN-YEAR PERIOD* 1870-79.

MONTH.		NUMBER OF SUICIDES IN EACH MONTH OF EACH YEAR, TEN YEARS, 1870-79.										Total Suicidal Deaths of the Ten Years.	Suicidal Deaths in each Month per cent. of the Total.
		1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
January	...	1	1	...	2	1	2	2	2	2	1	14	4·67
February	...	1	2	2	3	1	1	3	2	2	4	21	7·00
March	4	1	1	4	2	2	...	2	1	17	5·67
April	...	3	4	3	4	2	2	2	3	1	3	27	9·00
May	1	4	4	2	4	2	1	4	1	23	7·67
June	...	4	...	3	2	1	1	2	3	3	1	20	6·66
July	...	2	4	7	3	3	5	4	2	5	1	36	12·00
August	...	5	5	4	2	1	4	6	5	5	2	39	13·00
September	...	1	3	3	2	3	3	3	5	23	7·67
October	...	2	2	5	3	1	1	1	3	7	5	30	10·00
November	...	2	6	3	3	3	3	1	4	4	1	30	10·00
December	...	1	3	1	2	1	1	2	6	3	...	20	6·66
TOTAL		22	35	33	29	23	28	30	34	41	25	300	100·00

Suicidal Deaths in the Cold Months, October to March, 132 = 44·00 per cent. of the Total.
Suicidal Deaths in the Hot Months, April to September, 168 = 56·00 per cent. of the Total.

V.—DISTRIBUTION BY PROVINCES OF SPECIAL DISEASES, 1870-79.

V.—DISTRIBUTION BY PROVINCES OF

CCL

TABLE showing the ADMISSIONS from CHOLERA in each MONTH of the TEN YEARS, 1870-79.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM CHOLERA IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
BENGAL PROPER.	1870	1,995	1	1	1	...	3	2	1.5	1.00	66.67
	1871	1,975	1	2	1	1.0	.51	50.00
	1872	1,974	1	...	1	...	1	...	3	2	1.5	1.01	66.67
	1873	1,900	1	1	1	3	1	1.6	.53	33.33
	1874	2,007	1	1	1	.5	.50	100.00
	1875	1,978
	1876	2,008	2	...	3	5	5	2.5	2.49	100.00
	1877	1,867	1	1	...	1	3	2	1.6	1.07	66.67
	1878	1,898	1	...	1	2	2	1.1	1.05	100.00
	1879	1,398	1	17
Ten Years		18,914	2	...	5	1	3	2	2	...	2	1	2	3	23	16	1.2	.85	69.57
GANGNETIC PROVINCES AND OUDH.	1870	7,185	...	1	...	7	3	3	19	2	...	4	39	17	5.4	2.37	43.00
	1871	8,126	3	1	2	2	2	38	23	4.7	2.83	60.53
	1872	8,251	5	23	8	10	56	39	2	2	1	146	92	17.7	11.15	63.01
	1873	8,049	1	1	3	1	10	8	1	14	...	39	26	4.9	3.23	66.67
	1874	8,549	1	...	1	2	2	6	6	.7	.70	100.00
	1875	7,790	7	10	42	5	66	44	8.5	5.65	66.67
	1876	7,399	1	9	2	6	...	13	4	35	23	4.7	3.11	65.71
	1877	7,326	...	1	1	1	3	2	7	5	1.0	.68	71.43
	1878	7,168	5	38	67	4	1	1	117	83	16.3	11.58	70.94
	1879	6,341	5	4	...	2	1	...	12	4	1.9	.63	33.33
Ten Years		76,159	...	2	7	38	39	24	41	133	161	16	41	3	505	323	6.6	4.24	63.96
ROHILKUND AND MEERUT.	1870	3,700	1	2	38
	1871	4,234
	1872	4,119	13	59	72	49	17.5	11.90	68.06
	1873	3,920	1	1	1	.2	.25	100.00
	1874	3,933
	1875	4,395	1	3	7	2	...	6	14	1	34	26	7.7	5.92	76.47
	1876	4,393	1	...	1	...	6	8	5	1.8	1.14	62.50
	1877	4,135
	1878	3,721	1	1	1	.3	.27	100.00
	1879	3,219
Ten Years		39,770	2	4	7	3	...	28	73	2	119	82	3.0	2.06	68.91
AGRA AND CENTRAL INDIA.	1870	4,274	...	1	1	2	2	.5	.47	100.00
	1871	4,120	1	1	1	.2	.24	100.00
	1872	4,213	5	16	5	...	2	33	20	7.9	4.75	60.60
	1873	4,133	1	...	4	6	4	1.4	.97	66.67
	1874	4,096
	1875	4,310	17	8	3	28	24	6.5	5.57	85.71
	1876	3,982	1	4	5	1	1.3	.25	20.00
	1877	3,831	5	5	5	1.3	1.31	100.00
	1878	4,156	39	1	9	15	17	1	...	1	83	62	20.0	14.92	74.70
	1879	3,517	2	1	13	2	18	12	5.1	3.41	66.67
Ten Years		40,631	...	1	44	20	20	50	35	10	...	1	181	131	4.4	3.22	72.38
PUNJAB.	1870	10,582	1	11
	1871	11,084
	1872	12,118	1	3	...	8	143	18	61	234	168	19.3	13.86	71.80
	1873	12,181	1	11	.09	100.00
	1874	11,587	1	47	27	4.0	2.27	57.45
	1875	11,888	30	7	6	3	...	47	50	6.4	4.43	69.44
	1876	11,295	6	22	44	72	50	6.4	4.43	69.44
	1877	11,522	1	11	.10	100.00
	1878	10,524	1	1	.1	.10	100.00
	1879	9,507	18	63	69	33	16	52	3	254	197	26.7	20.72	77.56
Ten Years		112,288	20	67	69	42	195	101	115	3	...	612	444	5.5	3.95	72.55
RAJPOOTANA, MALWA, SIND, AND ADEEN.	1870	4,900
	1871	5,620	1
	1872	5,587	3	3	...	6	10	...	12	36	27	6.1	4.83	75.00
	1873	5,275
	1874	5,464
	1875	5,587	9	7	53	37	9.5	6.62	69.81
	1876	5,368	...	1	1	...	31	4	1	4	2	.7	.37	50.00
	1877	5,549	1	2	2	.4	.36	50.00
	1878	5,591	2	1	5	...	10	...	42	34	7.5	6.08	80.95
	1879	5,226	2	17	2	2	.4	.38	100.00
Ten Years		54,166	...	1	...	5	16	10	10	59	21	7	10	1	140	105	2.6	1.94	75.00
DECCAN AND NAG-POR.	1870	7,611	1	1	1	.1	.13	100.00
	1871	7,783	71	75	36	9.6	4.63	48.00
	1872	8,307	1	...	2	7	...	1	13	10	1.6	1.20	76.92
	1873	8,082
	1874	8,022	1	...	2
	1875	7,352	2	3	2	.4	.25	66.67
	1876	7,384	...	3	...	1	2	1	24	15	3.3	2.04	62.50
	1877	7,368	1	1	1	8	3	1.1	.41	37.50
	1878	7,106	1	...	1	3	8	2	1	23	14	3.1	1.90	60.87
	1879	7,060	1	2	16	12	4	34	23	4.8	3.24	67.65
Ten Years		76,075	2	9	1	2	76	11	35	36	8	1	3	1	185	106	2.4	1.39	57.29

SPECIAL DISEASES, 1870-79.

XXXV.

in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM CHOLERA IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis-sions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	...	1	7	6	1	15	11	2.9	2.12	73.33
	1871	4,892	1	...	1	...	2	...	4
	1872	4,949
	1873	4,979
	1874	4,748
	1875	4,586	2	1	...	1	...	1	5	4	1.1	.87	80.00
	1876	4,703	7	...	2	1	12	7	2.5	1.49	58.33
	1877	4,726	4	2	1	3	1	12	6	2.5	1.27	50.00
	1878	4,598	1	2	2	...	2	2	9	8	2.0	1.74	88.89
	1879	3,490
BRITISH BURMAH AND PEGU.	Ten Years	46,847	5	3	7	7	3	7	9	2	3	2	3	4	55	36	1.2	.77	65.45
	1870	1,060	28	1	6	3	...	1	39	27	23.4	16.18	69.23
	1871	1,819
	1872	1,998
	1873	2,076	12	1	4	6	23	12	11.1	5.78	52.17
	1874	2,113	1	1	1	5	.47	100.00
	1875	2,095	1	1	...	5
	1876	2,024
	1877	1,910	8	2	10	6	5.2	3.14	60.00
	1878	1,923	2	6	1	9	6	4.7	3.12	66.67
	1879	2,871	4	26	3	2	35	23	12.2	8.01	65.71
ARMY OF BENGAL.	Ten Years	20,496	43	3	14	41	4	11	2	118	75	5.8	3.66	63.56
	1870	33,373	...	2	2	9	3	4	19	4	1	4	1	...	49	21	1.5	.63	42.86
	1871	35,122	3	3	1	3	2	2	2	...	23	2	41	25	1.2	.71	61.00
	1872	36,507	1	6	31	24	38	271	143	66	3	1	534	389	16.0	10.66	66.61
	1873	36,617	1	1	4	2	10	14	3	15	1	51	33	1.4	.90	64.70
	1874	37,278	2	1	1	2	2	...	1	8	8	2	.21	100.00
	1875	37,184	3	10	8	2	17	70	71	15	5	...	201	136	5.4	3.66	67.66
	1876	36,582	4	10	5	8	23	42	27	44	163	115	4.5	3.14	70.55
	1877	36,179	1	...	1	1	4	...	2	...	84	6	...	4	19	16	5	.44	84.21
	1878	35,836	1	1	1	...	39	1	54	1	2	204	149	5.7	4.16	73.04
ARMY OF MADRAS.	1879	38,755	34	117	364	144	93	67	22	1	...	842	627	21.7	16.18	74.47
	Ten Years	363,431	2	3	17	74	210	412	261	548	410	166	49	10	2,162	1,519	5.9	4.18	70.26
	1870	10,697	...	1	7	28	2	6	9	1	1	55	39	5.1	3.65	70.91
	1871	10,844	71	2	1	...	1	...	1	...	76	36	7.0	3.32	47.37
	1872	11,544	1	...	1	4	2	.4	.17	50.00
	1873	11,487	12	...	4	2	...	25	14	2.2	1.22	56.00
	1874	11,501	1	1	...	1	1	1	.00	100.00
	1875	11,041	2	7	4	.6	.36	57.14
	1876	11,034	2	3	3	2	...	1	2	1	34	17	3.1	1.54	50.00
	1877	10,989	5	7	1	20	1	6	...	8	3	...	1	...	36	19	3.3	1.73	52.78
ARMY OF BOMBAY.	1878	10,815	1	1	...	2	...	2	17	11	5	2	43	30	4.0	2.77	69.77
	1879	10,444	1	5	26	3	2	37	24	3.5	2.30	64.86
	Ten Years	110,396	8	12	8	65	80	28	63	17	19	5	7	6	318	186	2.9	1.68	58.49
	1870	10,509	1	1	1	.1	.10	100.00
	1871	10,840	1	1	2	1	.2	.09	50.00
	1872	10,819	3	...	3	...	11	12	46	36	4.3	3.33	78.26
	1873	10,665
	1874	10,529	1	...	2	3	219	66.67
	1875	10,184	11	10	2	50	5	1	80	54	7.9	5.30	67.50
	1876	10,242	...	1	1	...	1	2	1	...	5	2	.5	.19	40.00
ARMY OF INDIA.	1877	10,092	1	1	...	2	8	2	18	13	1.8	1.29	72.22
	1878	9,825	8	...	2	7	20	6	...	10	...	58	47	5.9	4.79	81.03
	1879	9,883	2	1	1	4	3	.4	.30	75.00
	Ten Years	103,587	1	1	...	11	21	17	34	85	25	9	11	2	217	159	2.1	1.53	73.27
	1870	54,578	...	3	9	37	5	10	28	5	2	4	1	1	105	61	1.9	1.12	58.10
	1871	56,806	3	3	72	6	3	2	4	...	24	2	119	62	2.1	1.09	52.10
	1872	58,870	1	10	34	28	51	282	155	67	5	1	634	427	10.7	7.25	67.35
	1873	58,769	13	2	8	8	10	14	3	16	2	76	47	1.3	.80	61.84
	1874	59,308	2	1	2	2	4	...	1	12	11	.2	.18	91.67
	1875	58,409	3	10	20	12	21	121	76	...	6	...	288	194	4.0	3.32	67.36
	1876	57,858	2	4	4	30	9	10	24	45	29	45	202	134	3.5	2.32	66.34
	1877	57,260	7	7	2	2	6	8	10	4	9	11	73	48	1.3	.84	65.75
	1878	56,475	2	2	1	10	41	3	38	85	95	11	13	4	305	226	5.4	4.00	74.10
	1879	59,082	34	120	370	171	96	69	22	1	...	883	654	14.9	11.07	74.07
	Ten Years	577,416	11	16	25	150	311	457	358	650	454	180	67	18	2,697	1,864	4.7	3.22	69.11

V.→DISTRIBUTION BY PROVINCES OF

CCL

TABLE showing the ADMISSIONS from SMALLPOX in each MONTH of the

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM SMALLPOX IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000.		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis-sions.	Deaths.	
BENGAL PROPER.	1870	1,995	1	1	1	5	50	100.00
	1871	1,975
	1872	1,974
	1873	1,900
	1874	2,007
	1875	1,978
	1876	2,008
	1877	1,867
	1878	1,898	...	1	1	...	5
	1879	1,308
GANGTIC PROV. INCES AND OUDH.	Ten Years	18,914	...	1	1	2	1	1	05	50.00
	1870	7,185	...	1	1	...	2	4	1	6	14	25.00
	1871	8,126	1	1	2	...	2
	1872	8,251	3	2	1	6	2	7	24	33.33
	1873	8,049	...	8	2	14	6	3	3	36	9	44	112	25.00
	1874	8,540	1	6	2	5	1	15	2	16	23	14.29
	1875	7,790
	1876	7,390
	1877	7,326	2	...	9	1	12	14	11.11
	1878	7,168	2	3	9	8	1	...	1	24	2	33	28	8.33
ROHILKUND AND MEERUT.	1879	6,341	1	1	1	3	2	5	31	66.67
	Ten Years	76,159	2	12	14	30	16	10	5	2	8	99	19	13	25	19.19
	1870	3,700	1	5	1	7	3	19	81	42.86
	1871	4,234	2	2	1	5	23	50.00
	1872	4,119	1	...	1	2	...	5
	1873	3,920	...	1	2	2	5	10	1	25	25	10.00
	1874	3,933	1	1	1	5	...	13
	1875	4,395	1	2	3	1	7	23	33.33
	1876	4,593	1	2	...	5
	1877	4,135	1	1	...	1	2	...	10	...	24
AGRA AND CENTRAL INDIA.	1878	3,721	5	2	1	3	11	2	29	54	18.18
	1879	3,219
	Ten Years	39,770	9	5	5	8	12	4	1	2	6	52	8	13	20	15.38
	1870	4,274
	1871	4,120
	1872	4,213
	1873	4,133	11	4	15	...	36
	1874	4,006	1	1	2	2	3	1	1	...	11	4	27	97	36.36
	1875	4,310	2	2	...	5
	1876	3,982
PUNJAB.	1877	3,831	1	...	1	2	...	5
	1878	4,156	1	...	1	5	1	6	2	19	48	25.00
	1879	3,517	1	1	...	3
	Ten Years	40,631	3	1	6	18	9	1	1	...	39	6	10	15	15.38
	1870	10,582	...	2	2	1	3	1	9	1	9	09	11.11
	1871	11,084	2	2	3	2	8	...	7
	1872	12,118	4	4	2	1	...	2	1	5	14	41	29.41
	1873	12,181	2	1	2	2	1	...	3	17	...	7
	1874	11,587	8
	1875	11,888	2	2	...	2
RAJPUTANA, MALWA, SIND, AND ADEN.	1876	11,295	1	4
	1877	11,522	2	1	4
	1878	10,524	2	...	2	1	...	1	10	...	10	10	10.00
	1879	9,507	4	6	5	6	4	1	1	...	1	28	1	29	10	3.57
	Ten Years	112,288	12	13	13	12	13	4	7	1	2	...	4	5	86	8	8	07	9.30
	1870	4,900	1	1	...	2
	1871	5,629
	1872	5,587	1	1	...	2
	1873	5,275	...	1	2
	1874	5,464	1	1	2	...	4
DECCAN AND NAGPORE.	1875	5,587
	1876	5,368	1	3	...	4	...	9	...
	1877	5,519	2	1	...	1	5
	1878	5,591	1	1	1	3	2	5	36	66.67
	1879	5,226	1	1	...	2
	Ten Years	54,166	4	1	1	4	4	1	3	18	2	3	04	11.11
	1870	7,611
	1871	7,783	1	...	1
	1872	8,397	3	1	4	6	4	...	1	1	19	4	23	48	21.05
	1873	8,082	4	3	2	10	1	12	12	10.00
	1874	8,022	1	...	1	2	...	3
	1875	7,352	1	...	1	...	100.00
	1876	7,384	...	2	2	...	2	1	1	14
	1877	7,368	3	2	2	3	2	10	...	12
	1878	7,106	...	4	4	3	9	...	15
	1879	7,060	11	5	...	70	45.45
	Ten Years	76,075	6	9	16	17	8	1	1	...	1	1	1	2	63	11	8	14	17.46

SPECIAL DISEASES, 1870-79.

XXXVI.

TEN YEARS, 1870-79, in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM SMALLPOX IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis-sions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	2
	1871	4,892	9
	1872	4,949	2	1	4	1	1	2	4
	1873	4,979	1	1
	1874	4,748	1	2	1	4	1	2	21	25.00
	1875	4,586
	1876	4,703
	1877	4,726	1	...	1	2	...	4
	1878	4,598
	1879	3,490
BRITISH BURMAH AND PEGU.	Ten Years	46,847	3	1	6	3	1	...	1	...	1	...	2	...	18	1	4	02	5.56
	1870	1,669
	1871	1,819
	1872	1,998
	1873	2,076
	1874	2,113
	1875	2,095	3	3	...	1.4
	1876	2,024	...	1	1	...	5
	1877	1,910	1	1	...	5
	1878	1,923	1	1	1	5	52	100.00
ARMY OF BENGAL.	1879	2,871	1	1	...	3
	Ten Years	20,496	...	1	1	3	1	1	7	1	3	05	14.29
	1870	33,373	1	3	4	1	10	1	1	21	6	6	18	28.57
	1871	35,122	2	3	4	2	12	1	3	03	8.33
	1872	36,507	4	4	2	2	3	5	4	1	1	25	7	7	19	28.00
	1873	36,617	2	10	6	30	16	3	3	70	10	19	27	14.29
	1874	37,278	1	1	5	13	7	7	1	1	36	7	10	19	19.44
	1875	37,184	2	2	2	2	2	8	1	2	03	12.50
	1876	36,582	3	2	...	1	6	...	2
	1877	36,179	1	...	1	1	1	4	13	21	...	6	03	4.76
ARMY OF MADRAS.	1878	35,836	10	6	14	16	2	...	2	...	1	3	57	7	16	20	12.28
	1879	38,755	5	8	7	7	6	1	1	...	1	2	38	5	10	13	13.16
	Ten Years	363,431	28	34	41	73	51	19	13	1	2	...	9	23	294	45	8	12	15.31
	1870	10,697
	1871	10,844	1	3
	1872	11,544	4	1	6	1	4	2	...	16	2	1.4	17	12.50
	1873	11,487	3	2	2	1	9	1	8	09	11.11
	1874	11,501	1	2	...	1	1	5	1	4	09	20.00
	1875	11,041	3	3	...	3
	1876	11,034	...	1	1	2	...	2
ARMY OF BOMBAY.	1877	10,989	1	1	1	...	1	1	5	...	5
	1878	10,815	...	3	4	3	1	11	6	10	56	54.55
	1879	10,444	1	1	...	1
	Ten Years	110,396	5	6	16	11	7	1	1	...	2	2	2	2	55	10	5	09	18.18
	1870	10,509	1	1	...	1
	1871	10,840
	1872	10,819	1	1	2	6	2	...	1	13	2	1.2	19	15.38
	1873	10,665	...	1	1	1	3	...	3
	1874	10,529	1	2	1	4	...	4
	1875	10,184	1	...	1	...	1	10	100.00
ARMY OF INDIA.	1876	10,242	...	2	3	3	2	...	1	3	14	...	1.4
	1877	10,092	11	1	2	2	1	1	18	...	18
	1878	9,825	1	1	...	1	1	4	2	4	20	50.00
	1879	9,883	1	1	...	1
	Ten Years	103,587	14	6	8	17	7	1	2	1	3	59	5	6	05	8.47
	1870	54,578	1	3	4	2	10	1	1	22	6	4	11	27.27
	1871	56,806	2	3	4	2	15	1	3	02	6.67
	1872	58,870	9	6	10	9	9	5	5	1	...	1	54	11	9	19	20.37
	1873	58,769	2	11	10	33	18	3	1	82	11	1.4	19	13.41
	1874	59,308	2	1	6	17	8	8	1	45	8	8	14	17.78
	1875	58,409	2	2	2	3	2	1	...	12	2	2	03	16.67
	1876	57,858	...	3	3	3	5	2	1	...	1	22	...	4
	1877	57,260	13	2	4	3	2	1	44	1	8	02	2.27
	1878	56,475	11	10	18	20	3	...	2	1	...	3	72	15	13	27	20.63
	1879	59,082	5	8	8	8	6	1	1	...	1	2	40	5	7	08	12.50
	Ten Years	577,416	47	46	65	101	65	21	16	1	4	2	12	28	408	60	7	10	14.71

V.—DISTRIBUTION BY PROVINCES OF

CCLX

TABLE showing the ADMISSIONS from ENTERIC FEVER in each MONTH of the

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM ENTERIC FEVER IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.		
BENGAL PROPER.	1870	1,995	2	...	1	1	4	...	20	
	1871	1,975	2	4	1	1	8	2	41	100	2500	
	1872	1,974	1	...	1	2	...	10	
	1873	1,900	...	1	1	1	5	53	10000	
	1874	2,007	1	1	...	2	...	4	10	6	50	299	6000	
	1875	1,978	1	2	...	1	...	1	1	1	7	2	35	101	2857	
	1876	2,008	1	1	3	5	2	25	100	4000	
	1877	1,867	
	1878	1,898	1	1	1	5	53	10000	
	1879	1,308	...	1	1	1	7	76	10000	
Ten Years			18,914	2	6	5	1	4	2	3	4	7	2	1	2	39	15	21	79	3846
GANGETIC PROVINCES AND OUDH.	1870	7,185	...	1	...	5	6	1	2	1	4	3	...	4	27	14	38	195	5185	
	1871	8,126	9	3	2	4	5	7	3	4	2	...	3	5	47	18	58	221	3830	
	1872	8,251	3	3	1	4	4	1	2	4	1	2	...	3	28	10	34	121	3572	
	1873	8,049	8	1	3	13	13	4	6	5	4	6	...	3	4	70	31	87	345	4129
	1874	8,540	6	2	4	10	6	6	11	11	18	5	...	4	82	39	96	457	4756	
	1875	7,790	4	4	2	6	3	4	...	7	1	...	4	1	36	15	46	193	4167	
	1876	7,390	...	1	1	5	17	11	2	2	4	1	4	5	53	21	72	284	3962	
	1877	7,326	1	...	1	...	2	1	...	3	5	13	7	18	95	5385	
	1878	7,168	1	1	1	13	12	7	4	8	4	1	2	2	56	23	78	321	4107	
	1879	6,341	6	9	7	12	6	2	3	8	8	7	3	3	74	22	117	347	2973	
Ten Years			76,159	38	25	22	72	74	44	33	43	55	26	19	35	486	200	64	263	4115
ROHILKUND AND MERRUT.	1870	3,700	...	3	5	2	...	1	11	6	30	162	5455	
	1871	4,234	3	2	5	1	...	2	...	5	20	8	47	189	4000	
	1872	4,119	1	2	...	1	1	3	...	1	...	12	7	29	170	5833	
	1873	3,920	2	4	1	1	2	10	...	1	...	23	7	59	179	3043	
	1874	3,933	2	...	1	2	2	1	2	...	4	8	22	4	56	102	1818	
	1875	4,365	1	1	1	2	1	1	...	1	1	...	9	7	20	159	7778	
	1876	4,393	2	1	1	...	1	2	2	2	1	1	13	8	30	182	6154	
	1877	4,135	1	13	1	...	1	...	2	2	1	22	9	53	218	4091	
	1878	3,721	1	...	5	11	36	17	5	...	3	2	2	1	83	33	223	887	3976	
	1879	3,219	2	...	1	9	2	1	14	2	3	2	36	18	112	559	5000	
Ten Years			39,770	12	6	9	28	71	22	11	12	36	17	12	15	251	107	63	269	4263
AGRA AND CENTRAL INDIA.	1870	4,274	1	3	1	1	6	2	14	147	3333	
	1871	4,120	...	1	1	...	1	1	1	8	8	19	194	10000	
	1872	4,213	1	1	1	3	1	7	24	3333	
	1873	4,133	2	1	3	
	1874	4,096	1	...	1	5	2	2	4	...	1	21	8	51	195	3810	
	1875	4,310	1	1	2	2	5	46	10000	
	1876	3,982	1	1	...	3	1	...	1	...	2	3	...	1	13	6	33	151	4615	
	1877	3,831	2	2	...	2	7	6	4	1	23	13	60	389	5652	
	1878	4,156	2	2	3	4	2	...	3	8	29	20	5	4	82	34	197	818	4146	
	1879	3,517	1	...	5	3	1	5	...	3	...	18	9	51	256	5000	
Ten Years			40,631	8	6	10	20	14	3	4	13	46	32	15	8	179	83	44	204	4637
PUNJAB.	1870	10,582	...	5	8	4	12	2	1	4	5	3	1	1	46	31	43	293	6739	
	1871	11,084	3	3	2	2	2	4	5	7	12	3	3	1	47	22	43	198	4681	
	1872	12,118	3	2	...	1	8	10	6	5	6	4	1	1	47	33	39	272	7021	
	1873	12,181	1	1	4	5	4	2	1	1	5	4	2	1	31	13	25	107	4194	
	1874	11,587	...	1	...	1	4	8	5	6	1	1	1	1	29	13	25	112	4183	
	1875	11,888	...	2	1	6	14	11	3	...	1	4	6	5	54	28	45	236	5185	
	1876	11,295	15	5	4	2	4	5	5	1	2	3	1	5	52	16	46	141	3077	
	1877	11,522	2	5	3	5	4	2	4	1	2	8	36	13	31	113	3611	
	1878	10,524	3	3	6	5	15	25	22	11	2	10	3	2	107	47	102	446	4393	
	1879	9,507	2	1	5	13	17	17	7	5	6	5	4	5	87	44	92	463	5058	
Ten Years			112,288	28	23	32	44	83	89	59	42	44	38	24	30	536	260	48	232	4851
RAJPOOTANA, MALWA, SIND, AND ADEN.	1870	4,900	1	1	1	1	1	3	1	1	10	8	20	163	8000	
	1871	5,620	2	1	1	2	1	...	1	1	6	5	...	3	24	15	43	267	6240	
	1872	5,587	2	2	...	1	2	2	12	...	1	1	23	16	41	286	6956	
	1873	5,275	1	2	1	2	1	1	1	1	2	12	10	23	190	8333	
	1874	5,164	1	...	5	1	1	1	1	6	5	2	2	...	25	13	46	238	5200	
	1875	5,587	2	2	2	2	3	2	14	11	25	197	7857	
	1876	5,368	...	1	1	3	5	2	...	2	10	4	3	1	32	14	60	261	4375	
	1877	5,549	3	4	1	6	2	1	...	1	1	1	20	9	36	162	4500	
	1878	5,591	1	1	2	1	1	...	11	11	4	...	36	21	64	376	5833	
	1879	5,226	1	1	1	1	1	2	3	3	3	4	20	14	38	268	7000	
Ten Years			54,168	12	13	15	19	15	6	5	18	54	29	14	16	216	131	40	242	6065
DECCAN AND NAGPORE.	1870	7,611	...	1	...	9	4	3	1	1	2	2	2	...	25	14	33	184	5600	
	1871	7,783	1	...	1	1	7	1	12	5	15	63	4167	
	1872	8,307	3	2	...	6	4	...	3	6	11	6	...	2	51	21	61	253	4118	
	1873	8,082	1	1	...	1	1	1	...	1	6	4	7	50	6667	
	1874	8,022	8	4	14	4	17	50	2857	
	1875	7,352	2	5	2	3	3	4	3	1	24	10	33	136	4167	
	1876	7,384	5	1	...	1	4	1	2	8	14	9	1	3	49	19	66	257	3877	
	1877	7,368	1	3	...	2	9	5	6	5	1	6	2	1	43	14	58	190	3256	
	1878	7,106	3	2	2	4	1	5	2	...	1	20	11	28	155	5500	
	1879	7,060	2	2	...	1	3	2	1	13	9	18	128	6923	
Ten Years			76,075	15	10	8	26	27	15	22	37	48	27	9	13	257	111	34	146	4319

SPECIAL DISEASES, 1870-79.

XXVII.

MONTH of the TEN YEARS 1870-79 in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH	NUMBER OF ADMISSIONS FROM ENTERIC FEVER IN EACH MONTH.												Total Admissions each of Year.	Total Deaths of each Year.	RATIO PER 1,000.		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis- sions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	...	1	1	3	3	1	7	5	1	1	...	1	24	6	46	116	2500
	1871	4,892	15	1	2	2	1	...	4	25	9	51	184	3600
	1872	4,949	2	3	6	3	3	2	5	5	13	40	12	81	243	3000
	1873	4,979	8	8	3	6	2	1	9	37	6	74	121	1622
	1874	4,748	...	3	4	4	2	...	4	...	3	1	1	...	22	6	46	127	2727
	1875	4,586	2	4	...	1	7	...	15
	1876	4,703	1	1	2	4	1	9	21	2500
	1877	4,726	1	3	...	1	1	5	2	3	2	2	20	9	42	191	4500
	1878	4,598	2	1	1	4	4	9	87	10000
	1879	3,490	...	2	1	2	1	6	6	17	172	10000
	Ten Years	46,847	30	20	14	20	13	12	20	14	17	6	3	20	180	59	40	126	3122
BRITISH BURMAH AND PEGU.	1870	1,669	1	1	...	6
	1871	1,819	...	2	...	1	...	1	5	...	2	11	2	60	110	1888
	1872	1,998	1	1	2	...	10
	1873	2,076	3	...	1	...	2	1	7	2	34	96	2857
	1874	2,113	2	1	1	4	2	19	95	5000
	1875	2,095	2	1	3	2	14	95	6667
	1876	2,024	1	1	1	5	49	10000
	1877	1,910	...	1	1	2	...	10
	1878	1,923	1	1	...	5
	1879	2,871	1	...	1	1	3	3	10	104	10000
	Ten Years	20,496	4	4	3	1	2	1	10	5	2	...	1	2	35	12	17	58	3429
ARMY OF BENGAL.	1870	33,373	...	9	10	9	25	3	3	12	9	8	2	7	97	55	29	165	5670
	1871	35,122	17	13	6	8	12	14	10	14	17	8	8	7	134	60	38	171	4478
	1872	36,507	7	5	3	7	16	11	11	11	12	11	5	4	103	59	29	162	5728
	1873	36,617	9	3	8	23	23	8	16	11	19	11	6	7	144	56	39	153	3889
	1874	37,278	9	6	6	20	18	18	22	20	27	11	6	14	177	75	47	201	4237
	1875	37,184	6	7	5	15	21	18	4	3	9	7	13	7	115	59	31	159	5130
	1876	36,582	20	9	9	11	30	17	15	15	14	12	7	12	171	64	47	175	3743
	1877	36,179	4	2	4	8	31	7	11	13	26	8	7	14	135	56	37	155	4148
	1878	35,836	8	7	16	45	73	63	44	39	49	41	14	14	413	168	115	469	4068
	1879	38,755	15	12	23	58	76	46	41	43	62	17	18	13	424	178	109	459	4198
	Ten Years	363,431	95	73	90	204	325	205	177	181	244	134	86	99	1,913	830	53	228	4339
ARMY OF MADRAS.	1870	10,697	...	2	1	12	4	1	7	7	3	3	2	1	43	14	40	131	3256
	1871	10,844	16	2	...	2	3	3	5	1	9	2	...	5	48	16	44	147	3125
	1872	11,544	5	6	9	5	7	4	8	8	10	3	...	13	78	27	68	234	3462
	1873	11,487	8	8	8	6	4	1	2	3	9	49	9	42	78	1837
	1874	11,501	...	3	4	4	2	1	6	4	5	...	2	...	31	12	30	104	3530
	1875	11,041	4	4	...	4	3	4	2	1	...	2	23	7	21	63	3043
	1876	11,034	5	1	1	...	4	...	4	11	14	...	6	1	49	22	44	199	4490
	1877	10,989	2	7	2	...	3	11	10	7	2	7	4	4	68	22	62	200	3235
	1878	10,815	6	2	2	1	1	...	6	3	21	13	19	120	6190
	1879	10,444	1	2	...	1	5	4	2	1	...	1	18	15	17	144	8333
	Ten Years	110,396	47	33	27	37	36	25	50	49	62	26	10	20	431	157	39	142	3643
ARMY OF BOMBAY.	1870	10,509	1	1	4	3	3	4	1	4	3	2	2	3	31	18	30	171	5806
	1871	10,840	2	1	2	2	1	1	1	1	6	5	...	3	25	16	23	148	6400
	1872	10,419	3	2	...	3	2	5	13	4	...	5	40	24	37	222	6000
	1873	10,665	2	3	1	3	2	2	1	1	2	17	14	16	131	8235
	1874	10,529	1	...	5	1	1	1	1	10	7	...	2	...	32	14	30	133	4375
	1875	10,184	2	...	2	7	4	2	1	4	4	1	28	18	27	177	6429
	1876	10,242	...	2	1	4	7	3	...	2	12	...	4	2	44	19	43	186	4318
	1877	10,092	3	5	1	6	2	1	2	4	2	4	30	14	30	139	4667
	1878	9,825	1	1	2	2	4	1	13	12	...	5	45	25	46	255	5556
	1879	9,883	2	1	2	3	3	1	...	2	3	3	5	4	29	19	29	193	6552
	Ten Years	103,587	17	16	20	34	25	15	11	34	65	30	20	25	321	181	31	175	5639
ARMY OF INDIA.	1870	54,578	1	12	15	24	32	8	11	23	15	13	6	11	171	87	31	159	5088
	1871	56,806	35	16	8	12	16	18	16	16	32	15	8	15	207	92	36	162	4396
	1872	58,870	15	13	12	15	25	15	19	24	35	18	8	22	221	110	38	187	4977
	1873	58,769	19	14	17	32	29	11	19	15	30	11	6	7	210	79	36	134	3762
	1874	59,308	10	9	15	25	21	20	29	34	39	14	10	17	243	101	41	170	4156
	1875	58,409	12	7	7	26	25	24	8	11	15	7	14	10	166	84	28	144	5060
	1876	57,858	25	12	11	15	41	20	19	28	40	25	12	16	264	105	46	182	3977
	1877	57,260	9	14	7	17	44	18	22	24	30	19	11	18	233	92	41	160	3940
	1878	56,475	15	10	20	47	73	61	49	40	68	56	18	19	479	206	85	364	4301
	1879	59,082	18	15	25	62	80	47	46	49	67	21	23	18	471	212	80	359	4501
	Ten Years	577,416	150	122	137	275	386	245	238	264	371	199	116	153	2,665	1,168	46	203	4383

V.—DISTRIBUTION BY PROVINCES OF

CCLX

TABLE showing the ADMISSIONS from INTERMITTENT FEVERS in each MONTH

PROVINCES.	YEARS.	STRENGTH.	NUMBER OF ADMISSIONS FROM INTERMITTENT FEVERS IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000.		Died out of each hundred cases treated.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.		
BENGAL PROPER.	1870	...	1,995	11	17	10	9	12	7	18	28	27	11	21	31	202	...	101.2
	1871	...	1,975	22	16	2	10	10	9	9	7	12	16	42	37	192	...	97.2
	1872	...	1,974	28	13	13	17	25	45	53	41	26	26	28	30	345	...	174.8
	1873	...	1,900	26	17	15	19	14	8	17	14	11	4	11	16	172	...	90.5
	1874	...	2,007	10	4	6	9	2	7	14	7	16	6	8	10	99	...	49.3
	1875	...	1,978	5	1	3	3	5	10	3	8	8	10	22	29	107	...	54.1
	1876	...	2,008	25	7	15	20	13	10	5	28	31	71	153	180	558	...	277.9
	1877	...	1,867	98	37	36	35	27	17	25	25	15	29	43	69	456	...	244.2
	1878	...	1,898	52	35	30	36	60	56	71	95	73	76	117	132	833	...	438.9
	1879	...	1,308	89	44	17	26	11	17	17	21	19	9	31	24	325	1	248.5	76	31
	Ten Years	18,914	366	191	147	184	179	186	232	274	238	258	476	558	3,289	1	173.9	05	03	
GANGTIC PROVINCES AND OUDH.	1870	...	7,185	54	56	77	69	101	104	125	156	151	209	203	90	1,395	...	194.1
	1871	...	8,126	88	108	72	83	114	148	190	202	198	255	123	78	1,659	...	204.2
	1872	...	8,251	41	35	68	121	112	114	144	119	118	189	92	58	1,211	...	146.8
	1873	...	8,049	68	45	70	110	91	88	160	119	94	87	42	60	1,034	...	128.5
	1874	...	8,540	42	61	139	181	148	139	140	102	141	114	113	100	1,420	...	166.3
	1875	...	7,790	79	59	76	65	64	88	83	103	85	98	74	46	919	...	118.0
	1876	...	7,390	39	61	74	104	120	97	113	167	184	171	102	73	1,245	1	168.5	13	08
	1877	...	7,326	84	86	67	103	166	135	152	191	117	70	63	65	1,299	...	177.3
	1878	...	7,168	40	47	46	81	45	48	104	87	76	171	79	70	894	...	124.7
	1879	...	6,341	64	33	36	61	47	60	74	105	390	782	665	377	2,694	5	424.9	79	19
	Ten Years	76,159	599	590	725	978	1,008	1,021	1,285	1,291	1,554	2,146	1,556	1,017	13,770	6	180.8	08	04	
ROHILKUND AND MEERUT.	1870	...	3,700	64	51	51	35	68	72	69	133	180	204	131	48	1,106	...	298.9
	1871	...	4,234	98	81	75	65	149	137	150	309	201	282	150	79	1,776	...	419.5
	1872	...	4,119	61	67	75	111	137	100	126	273	186	343	122	68	1,669	...	405.2
	1873	...	3,920	66	36	55	99	107	84	75	138	233	268	158	113	1,432	2	369.3	51	14
	1874	...	3,933	53	62	64	88	139	148	310	531	667	363	233	199	2,857	...	726.4
	1875	...	4,395	103	107	134	188	160	215	176	200	170	126	119	42	1,740	...	395.9
	1876	...	4,393	73	88	68	46	74	107	183	169	139	221	96	63	1,327	...	302.1
	1877	...	4,145	41	33	31	37	80	75	69	92	60	37	28	25	608	...	147.0
	1878	...	3,721	28	14	28	61	59	95	74	104	214	273	125	68	1,143	...	307.2
	1879	...	3,219	52	37	43	81	104	97	294	509	831	774	473	269	3,564	...	1,107.2
	Ten Years	39,770	639	576	624	811	1,077	1,130	1,526	2,458	2,881	2,891	1,635	974	17,222	2	433.0	05	01	
AGRA AND CENTRAL INDIA.	1870	...	4,274	220	231	300	256	361	306	442	552	546	531	383	258	4,386	1	1,026.2	23	02
	1871	...	4,120	193	111	106	162	187	163	254	464	447	759	437	328	3,611	...	876.5
	1872	...	4,213	211	146	115	128	134	119	154	157	315	367	253	152	2,251	2	534.3	47	09
	1873	...	4,133	102	77	71	102	97	104	81	149	365	213	128	80	1,569	1	379.6	24	07
	1874	...	4,096	64	60	66	62	47	51	146	270	489	445	286	174	2,160	1	527.3	25	05
	1875	...	4,310	87	70	53	70	64	108	96	151	212	276	212	111	1,510	...	350.3
	1876	...	3,982	85	88	39	48	109	94	86	202	299	454	239	48	1,811	...	454.8
	1877	...	3,831	57	42	57	68	82	47	51	77	58	58	57	29	683	...	178.3
	1878	...	4,156	32	27	20	38	37	46	42	78	111	278	335	248	1,322	3	318.1	72	23
	1879	...	3,517	140	87	63	71	57	61	260	271	591	537	509	283	2,930	3	833.1	85	10
	Ten Years	40,631	1,191	939	890	1,005	1,175	1,099	1,612	2,371	3,463	3,918	2,859	1,711	22,233	11	547.2	27	05	
PUNJAB.	1870	...	10,582	766	559	607	534	480	590	567	866	1,335	1,637	2,453	1,157	11,551	1	1,091.6	09	01
	1871	...	11,084	794	439	437	393	629	427	499	641	342	456	417	285	5,759	...	519.6
	1872	...	12,118	157	100	114	147	125	140	161	312	575	1,187	1,236	926	5,180	1	427.5	08	02
	1873	...	12,181	493	241	214	376	387	358	376	462	769	1,109	1,156	781	6,722	3	551.8	25	04
	1874	...	11,587	436	267	228	162	222	307	340	377	612	874	862	563	5,250	4	453.1	35	08
	1875	...	11,888	287	205	206	214	194	347	275	389	511	1,083	1,688	1,162	6,561	...	551.9
	1876	...	11,295	513	493	259	199	327	295	277	385	1,305	1,764	970	598	7,835	1	693.7	09	01
	1877	...	11,522	355	187	163	190	449	535	471	402	254	725	789	754	5,274	...	457.7
	1878	...	10,524	359	212	195	212	264	365	440	504	1,879	2,436	1,624	894	9,384	13	891.7	123	14
	1879	...	9,507	651	533	467	632	581	661	1,082	811	2,468	2,233	1,975	1,381	13,465	6	1,416.3	63	04
	Ten Years	112,288	4,811	3,236	2,890	3,059	3,658	4,025	4,488	5,599	10,050	13,494	13,170	8,501	76,981	29	685.6	26	04	
RAJPOOTANA, MALWA, SIND, AND ADEN.	1870	...	4,900	125	148	111	114	161	203	227	631	652	739	637	289	4,037	4	823.9	82	10
	1871	...	5,620	312	189	255	221	337	287	274	394	374	470	247	152	3,512	1	624.9	18	03
	1872	...	5,587	91	72	84	134	101	115	126	281	553	1,177	660	510	3,904	2	698.7	36	05
	1873	...	5,275	196	155	93	186	231	253	318	221	458	331	226	159	2,827	...	536.0
	1874	...	5,464	133	76	105	69	74	108	195	183	343	330	252	179	2,047	...	374.6
	1875	...	5,587	138	125	122	108	115	158	144	196	258	255	234	101	1,954	1	349.7	18	05
	1876	...	5,368	82	119	85	102	108	74	94	169	221	336	312	281	1,983	...	369.4
	1877	...	5,549	119	62	65	52	126	109	135	188	233	250	195	150	1,684	...	303.5
	1878	...	5,591	127	70	93	106	77	102	157	283	628	894	527	420	3,484	...	623.2
	1879	...	5,226	278	193	204	282	374	364	488	591	1,223	985	845	648	6,480	1	1,239.9	19	02
	Ten Years	54,166	1,601	1,214	1,217	1,374	1,704	1,773	2,158	3,137	4,943	5,767	4,135	2,889	31,912	9	589.2	16	03	
DECCAN AND NAG-PORE.																				

SPECIAL DISEASES, 1870-79.

XXVIII.

of the TEN YEARS 1870-79 in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM INTERMITTENT FEVERS IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000.		Did out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	39	487	370	299	336	349	255	222	120	81	76	41	2,675	...	516.6
	1871	4,892	27	46	22	20	28	20	10	17	19	19	13	16	257	...	52.5
	1872	4,919	26	19	22	14	13	7	15	6	10	11	16	30	189	...	38.2
	1873	4,979	18	16	15	12	13	18	17	20	14	11	13	8	175	...	35.2
	1874	4,748	7	1	20	10	1	8	10	6	11	5	14	17	110	...	23.2
	1875	4,586	13	24	29	21	19	21	17	13	13	9	11	10	200	...	43.6
	1876	4,703	11	14	9	7	8	11	23	18	4	12	20	11	148	...	31.5
	1877	4,726	9	8	7	4	11	5	14	11	4	21	47	51	202	...	42.7
	1878	4,598	30	20	20	24	15	15	59	68	55	77	85	138	696	...	131.8
	1879	3,490	101	74	73	63	53	43	65	39	86	86	96	86	865	1	247.9	29	12
	Ten Years	46,847	281	709	587	474	497	485	420	346	332	391	408	5,427	1	115.8	02	02	
BRITISH BURMAH AND PEGU.	1870	1,669	8	14	7	10	16	47	36	28	10	5	10	6	197	...	118.0
	1871	1,819	15	18	8	10	19	32	27	19	17	11	8	6	190	...	104.5
	1872	1,998	8	7	8	3	6	16	17	5	2	4	1	6	83	...	41.5
	1873	2,076	4	6	1	6	2	1	9	1	4	3	...	2	39	...	18.8
	1874	2,113	3	...	6	2	2	11	1	6	2	3	2	16	54	...	25.5
	1875	2,095	4	6	4	2	7	4	3	7	4	9	10	10	70	...	33.4
	1876	2,024	3	3	4	1	3	6	6	11	7	...	2	5	51	...	25.2
	1877	1,910	5	14	5	4	2	6	15	6	2	3	1	9	72	...	37.7
	1878	1,923	12	13	7	7	14	26	14	9	7	30	13	9	161	...	83.7
	1879	2,871	8	5	3	12	8	19	23	31	49	35	37	214	444	...	154.7
	Ten Years	20,496	70	86	53	57	79	168	151	123	104	103	84	283	1,361	...	66.4
ARMY OF BENGAL.	1870	33,373	1,208	935	1,091	1,081	1,438	1,371	1,513	2,057	2,418	2,701	3,335	1,689	20,837	4	624.4	12	02
	1871	35,122	1,251	809	752	878	1,401	1,151	1,304	1,867	1,340	1,853	1,213	839	14,658	...	417.3
	1872	36,507	537	395	430	619	656	631	741	969	1,272	2,159	1,777	1,298	11,514	4	315.4	11	03
	1873	36,617	775	416	476	952	912	907	1,042	1,147	1,723	1,797	1,603	1,104	12,914	7	352.7	19	05
	1874	37,278	656	485	537	639	814	926	1,210	1,459	2,088	1,886	1,570	1,100	13,370	5	358.7	13	04
	1875	37,184	592	470	534	785	797	1,066	841	1,046	1,125	1,662	2,178	1,430	12,526	...	336.9
	1876	36,582	763	763	483	504	930	937	945	1,585	2,122	2,829	1,627	1,034	14,572	2	398.3	06	01
	1877	36,179	708	407	385	524	1,023	1,026	978	974	602	981	1,011	983	9,602	...	265.4
	1878	35,836	536	345	333	510	607	752	884	983	2,472	3,675	3,141	2,338	16,576	18	462.6	50	11
	1879	38,755	1,372	944	781	1,274	1,308	1,421	2,344	2,169	4,832	4,908	4,071	2,612	28,036	20	723.4	52	07
	Ten Years	363,431	8,398	5,999	5,802	7,796	9,966	10,188	11,802	14,256	19,994	24,451	21,526	14,427	154,605	60	425.4	17	04
ARMY OF MADRAS.	1870	10,697	127	583	467	369	415	475	399	395	229	182	181	95	3,917	1	366.2	09	03
	1871	10,844	87	109	61	79	100	94	73	146	92	49	42	52	941	...	90.7
	1872	11,544	59	51	42	62	64	55	86	72	258	415	205	158	1,527	...	132.3
	1873	11,487	151	93	84	113	151	184	218	156	151	87	58	77	1,523	...	132.6
	1874	11,501	71	63	54	41	27	69	73	71	111	59	58	93	780	...	68.7
	1875	11,041	43	47	59	40	54	130	62	99	115	106	47	32	831	...	75.5
	1876	11,034	29	55	19	18	28	69	89	87	50	59	61	31	595	...	53.9
	1877	10,989	42	38	30	41	64	62	105	79	91	129	110	109	900	...	81.9
	1878	10,815	83	57	51	70	61	82	145	132	206	295	253	255	1,690	...	156.3
	1879	10,444	191	143	124	135	134	125	230	260	370	330	263	406	2,711	1	259.6	09	04
	Ten Years	110,396	883	1,239	991	968	1,098	1,345	1,480	1,497	1,673	1,711	1,278	1,308	15,471	2	140.2	02	01
ARMY OF BOMBAY.	1870	10,509	399	239	294	252	326	568	434	698	599	795	788	353	5,745	6	546.7	57	10
	1871	10,840	401	250	330	291	474	550	614	681	530	652	422	307	5,532	1	510.3	09	02
	1872	10,819	264	146	157	226	222	189	228	372	611	1,385	878	723	5,431	2	502.0	19	04
	1873	10,665	315	228	180	311	329	440	521	334	557	456	393	326	4,390	...	411.6
	1874	10,529	213	145	300	136	125	197	319	309	564	542	387	286	3,523	1	334.6	10	03
	1875	10,184	190	168	163	183	199	305	347	476	505	497	617	264	3,919	...	344.8	10	03
	1876	10,242	236	267	202	224	271	221	350	400	412	698	514	393	4,218	...	411.8
	1877	10,092	221	136	143	160	299	246	316	430	475	565	455	378	3,824	2	378.9	20	05
	1878	9,825	405	316	233	283	244	285	519	677	1,128	1,500	1,005	664	7,259	1	738.8	10	01
	1879	9,883	454	314	355	592	745	757	1,075	1,089	1,774	1,364	1,335	1,052	10,906	3	1,103.5	30	03
	Ten Years	103,587	3,098	2,209	2,357	2,663	3,234	3,758	4,753	5,466	7,185	8,454	6,824	4,746	54,747	17	528.5	16	03
ARMY OF INDIA.	1870	54,578	1,734	1,757	1,852	1,702	2,179	2,414	2,346	3,150	3,246	3,678	4,304	2,137	30,499	11	553.8	20	04
	1871	56,806	1,739	1,168	1,113	1,248	1,975	1,795	2,021	2,694	1,962	2,554	1,677	1,198	21,174	1	372.7	02	...
	1872	58,870	860	592	629	937	942	875	1,413	2,171	3,959	2,860	2,179	18,472	6	313.8	10	03	
	1873	58,769	1,211	767	740	1,376	1,422	1,531	1,781	1,637	2,311	2,340	2,054	1,507	18,827	7	320.4	11	04
	1874	59,308	940	693	891	816	966	1,192	1,692	1,839	2,763	2,487	2,015	1,479	17,638	6	293.2	10	03
	1875	58,499	825	685	756	1,013	1,050	1,591	1,250	1,621	1,745	2,265	2,342	1,726	17,279	1	295.8	03	01
	1876	57,853	1,028	1,085	704	746	1,279	1,227	1,384	2,782	2,584	3,536	2,232	1,458	19,385	2	335.0	03	01
	1877	57,260	971	531	558	725	1,336	1,334	1,399	1,183	1,168	1,675	1,576	1,470	14,326	2	250.2	04	01
	1878	56,475	1,024	718	617	863	912	1,119	1,548	1,792	3,806	5,470	4,399	3,257	25,525	19	452.0	34	08
	1879	59,082	2,017	1,401	1,260	2,001	2,187	2,303	3,619	3,518	6,976	6,602	5,669	4,070	41,653	24	705.0	41	06
	Ten Years	577,416	12,379	9,447	9,150	11,427	14,298	15,291	18,035	21,219	28,852	34,616	29,628	20,481	224,823	79	389.4	14	04

V—DISTRIBUTION BY PROVINCES OF

CCLX

TABLE showing the ADIMMISSIONS from REMITTENT and CONTINUED FEVERS in each

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM REMITTENT AND CONTINUED FEVERS IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.		
BENGAL PROPER.	1870	...	1,995	12	16	14	10	38	43	66	58	41	33	34	38	403	1	202.0	.50	.25
	1871	...	1,975	27	22	37	35	64	59	60	57	51	69	40	19	531	...	268.9
	1872	...	1,974	28	20	28	67	24	35	84	74	34	45	43	30	512	5	259.4	2.53	.08
	1873	...	1,900	11	15	21	26	29	45	73	43	50	24	37	17	391	5	205.8	2.63	1.28
	1874	...	2,007	11	11	32	25	33	205	118	69	73	19	19	21	636	...	316.8
	1875	...	1,978	17	9	19	16	26	36	42	92	54	37	70	18	436	2	220.4	1.01	.46
	1876	...	2,008	17	34	22	25	22	19	28	103	35	103	91	10	509	2	253.5	1.00	.39
	1877	...	1,867	7	6	11	25	57	46	43	77	36	38	45	35	426	1	228.2	.54	.23
	1878	...	1,898	12	6	4	23	9	24	31	13	7	7	17	16	169	2	89.0	1.05	1.18
	1879	...	1,308	5	13	14	42	56	19	62	43	50	48	31	19	392	1	299.7	.76	.20
Ten Years			18,914	147	152	202	294	358	522	597	620	431	423	427	223	4,405	19	232.9	1.01	.43
GANGOTRI PROVINCES AND OUDH.	1870	...	7,135	23	28	66	92	150	90	93	142	200	178	51	44	1,157	25	161.0	3.48	2.16
	1871	...	8,126	43	37	78	128	113	81	105	159	152	143	46	37	1,122	15	138.1	1.85	1.34
	1872	...	8,251	36	17	32	79	70	127	102	84	108	130	47	50	882	13	107.0	1.58	1.48
	1873	...	8,049	48	62	117	274	230	236	201	167	193	102	75	32	1,737	5	215.8	.62	.29
	1874	...	8,540	23	45	162	205	175	117	219	180	255	120	74	57	1,632	10	191.1	1.17	.61
	1875	...	7,790	44	48	65	81	60	75	83	73	117	75	41	59	821	2	105.4	.26	.24
	1876	...	7,390	27	53	44	104	238	186	124	74	66	76	85	42	1,119	3	151.4	.41	.27
	1877	...	7,326	27	30	57	62	90	70	81	207	77	73	50	55	879	6	120.0	.82	.68
	1878	...	7,168	31	36	75	177	94	156	151	68	151	215	174	67	1,395	2	194.6	.28	.14
	1879	...	6,341	51	53	97	180	121	150	132	162	245	173	71	25	1,460	8	230.2	1.26	.55
Ten Years			76,159	353	409	793	1,382	1,341	1,288	1,291	1,316	1,564	1,285	714	468	12,204	80	160.2	1.17	.73
ROHILKUND AND ALGER.	1870	...	3,700	11	7	30	47	58	38	41	64	56	47	29	6	434	2	117.3	.54	.46
	1871	...	4,234	18	34	33	32	63	33	59	136	135	74	17	5	644	5	152.1	1.18	.78
	1872	...	4,119	3	11	16	32	25	57	59	74	106	101	16	7	507	11	123.1	.67	2.17
	1873	...	3,920	12	7	27	53	30	36	32	27	37	15	7	8	291	2	74.2	.51	.70
	1874	...	3,933	12	6	26	40	54	60	47	88	123	61	33	8	558	2	141.9	.51	.36
	1875	...	4,395	15	9	25	37	31	40	19	18	20	14	8	5	241	2	54.8	.46	.83
	1876	...	4,393	10	15	16	26	25	72	57	36	39	49	30	15	390	3	88.8	.68	.77
	1877	...	4,135	19	8	13	32	33	27	56	84	20	25	17	8	342	...	82.7
	1878	...	3,721	10	9	20	108	140	125	91	49	73	121	36	14	796	1	213.9	.27	.13
	1879	...	3,219	7	25	23	85	97	34	24	29	98	57	14	11	504	11	156.6	3.42	2.18
Ten Years			39,770	117	131	229	492	561	522	485	605	707	564	207	87	4,707	39	118.4	.98	.83
AGRA AND CENTRAL INDIA.	1870	...	4,274	9	14	80	97	113	106	102	114	29	38	52	22	776	12	181.6	2.81	1.55
	1871	...	4,120	19	27	40	88	93	42	69	126	101	72	53	42	772	21	187.4	5.10	2.72
	1872	...	4,213	35	31	32	39	30	35	48	58	85	58	20	17	488	1	115.8	.24	.20
	1873	...	4,133	19	16	22	23	5	31	23	20	23	33	13	10	238	9	57.6	2.18	3.78
	1874	...	4,006	6	14	35	42	38	23	48	53	52	51	33	15	410	4	100.1	.97	.98
	1875	...	4,310	9	14	34	33	45	99	49	60	41	52	44	23	503	3	116.7	.70	.60
	1876	...	3,982	23	25	44	50	51	38	37	41	38	84	43	16	490	2	123.1	.50	.41
	1877	...	3,831	14	14	18	46	71	28	40	74	23	26	24	12	390	1	101.8	.26	.26
	1878	...	4,156	11	24	38	94	62	39	73	85	171	269	166	68	1,100	2	264.7	.48	.18
	1879	...	3,517	32	22	29	64	70	51	52	49	177	90	14	6	659	9	187.4	2.56	1.37
Ten Years			40,631	177	201	372	576	578	495	541	680	740	773	462	231	5,826	64	143.4	1.58	1.10
PUNJAB.	1870	...	10,582	45	61	83	238	934	459	493	427	481	363	136	30	3,750	96	354.4	3.40	.96
	1871	...	11,084	37	66	67	219	569	486	327	420	257	164	84	50	2,746	30	247.7	2.71	1.09
	1872	...	12,118	62	67	68	172	286	361	333	411	796	818	395	190	3,959	26	326.7	2.15	.66
	1873	...	12,181	50	63	121	347	276	273	425	381	672	278	112	47	3,045	19	250.0	1.56	.62
	1874	...	11,587	56	54	79	187	570	503	514	422	448	292	387	240	3,752	14	323.8	1.20	.37
	1875	...	11,888	80	41	115	457	462	429	436	316	453	492	220	100	3,601	27	3.29	2.27	.75
	1876	...	11,295	51	48	28	84	317	169	293	385	565	428	164	116	2,648	11	234.4	.97	.42
	1877	...	11,522	74	37	92	103	345	436	420	463	235	239	102	89	2,675	14	232.2	1.22	.52
	1878	...	10,524	37	53	71	165	222	321	467	423	630	650	233	58	3,330	25	316.4	2.39	.75
	1879	...	9,507	30	57	43	99	208	262	333	263	368	96	53	40	1,852	21	194.8	2.21	1.13
Ten Years			112,288	522	547	767	2,071	4,229	3,699	4,041	3,911	4,905	3,820	1,886	900	31,358	223	270.3	1.98	.71
RAJPOOTANA, MARWA, SIND, AND ADEN.	1870	...	4,900	16	32	62	79	92	105	52	100	100	67	57	30	792	23	161.6	4.69	2.90
	1871	...	5,620	27	24	95	101	87	42	47	56	57	106	44	25	711	5	126.5	.89	.70
	1872	...	5,587	12	15	20	38	27	109	78	57	105	102	42	30	635	4	113.7	.71	.63
	1873	...	5,275	13	17	29	41	51	63	67	51	75	46	8	8	469	2	88.9	.38	.43
	1874	...	5,464	24	9	14	19	24	39	40	47	87	92	16	18	429	4	78.5	.73	.93
	1875	...	5,587	14	21	53	54	47	74	42	91	132	68	58	50	704	9	126.0	1.61	1.28
	1876	...	5,368	5	15	23	62	119	57	41	81	127	103	70	83	786	2	146.4	.37	.25
	1877	...	5,549	15	35	41	67	70	103	66	60	95	88	71	33	744	2	134.1	.36	.27
	1878	...	5,591	14	28	39	41	79	124	146	94	1.1	292	175	123	1,336	7	239.0	1.25	.52
	1879	...	5,226	28	29	39	67	66	60	66	31	82	57	94	29	638	9	122.1	1.72	1.41
Ten Years			54,166	168	225	415	569	662	766	645	668	1,041	1,021	635	429	7,244	67	133.7	1.	

SPECIAL DISEASES, 1870-79.

XXIX.

MONTH of the TEN YEARS 1870-79 in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM REMITTENT AND CONTINUED FEVERS IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	18	20	16	26	41	45	24	30	27	26	34	58	365	4	70.5	.77	1.10
	1871	4,892	47	29	16	29	33	30	22	30	19	22	15	18	310	3	63.4	.61	.97
	1872	4,949	24	40	88	84	71	45	53	24	37	27	38	101	632	1	127.7	.29	.16
	1873	4,979	64	44	67	91	59	40	36	27	56	38	37	35	594	2	119.3	.40	.34
	1874	4,748	14	28	79	118	38	48	86	54	67	47	79	78	736	1	155.0	.21	.14
	1875	4,586	50	44	63	60	42	68	85	68	49	54	69	31	683	...	148.9
	1876	4,703	29	35	27	27	48	45	39	64	38	83	32	28	495	3	105.2	.64	.61
	1877	4,726	28	24	29	36	85	55	73	68	62	73	69	61	663	2	140.3	.42	.30
	1878	4,598	53	31	64	90	77	100	104	89	87	120	124	60	999	8	217.3	1.74	.80
	1879	3,490	22	33	71	83	60	86	119	77	92	69	29	26	767	4	219.8	1.14	.52
	Ten Years	46,847	349	328	520	644	554	562	611	531	534	559	526	496	6,244	28	133.3	.60	.45
BRITISH BURMAH AND PEGU.	1870	1,669	14	14	23	12	12	23	31	24	14	9	10	5	191	...	114.4
	1871	1,819	15	14	10	13	17	17	12	23	14	15	20	10	180	3	99.0	1.64	1.67
	1872	1,998	8	3	2	2	...	5	4	...	3	4	4	13	48	...	24.0
	1873	2,076	11	12	14	18	15	8	13	1	3	20	14	5	134	1	64.5	.48	.75
	1874	2,113	1	3	8	10	8	3	12	16	22	39	39	32	193	...	91.3
	1875	2,095	7	8	11	21	19	30	18	16	12	18	11	5	176	1	84.0	.48	.57
	1876	2,024	5	3	10	11	9	33	26	17	13	29	13	12	181	...	80.4
	1877	1,910	12	9	3	8	25	9	12	20	12	15	8	11	144	1	75.4	.52	.69
	1878	1,923	11	8	12	10	57	53	46	20	23	20	13	10	283	1	147.2	.52	.35
	1879	2,871	29	29	24	49	40	35	47	45	50	23	47	29	447	1	155.7	.35	.22
	Ten Years	20,496	113	103	117	154	202	216	221	182	166	192	179	132	1,977	8	96.5	.39	.40
ARMY OF BENGAL.	1870	33,373	110	134	289	516	1,367	792	840	851	834	679	347	156	6,915	89	207.2	2.67	1.29
	1871	35,122	158	189	263	530	938	727	652	928	726	558	253	162	6,084	79	173.2	2.25	1.28
	1872	36,507	172	150	179	416	479	636	668	823	1,156	1,169	532	309	6,589	61	180.5	1.67	.93
	1873	36,617	152	170	316	772	588	663	817	666	998	463	247	129	5,981	44	163.4	1.20	.73
	1874	37,278	117	139	347	543	894	938	972	834	980	557	560	356	7,237	36	194.1	.97	.50
	1875	37,184	185	136	278	695	688	764	674	609	722	639	405	211	6,056	44	162.9	1.18	.73
	1876	36,582	151	197	169	352	753	576	639	710	816	803	450	215	5,831	24	159.4	.65	.41
	1877	36,179	149	100	198	297	719	690	711	979	457	436	250	205	5,191	24	143.5	.66	.46
	1878	35,836	115	141	232	633	621	773	950	714	1,126	1,425	876	406	8,012	39	223.6	1.09	.49
	1879	38,755	215	239	290	754	1,053	1,151	1,266	769	1,312	642	263	162	8,216	131	212.0	3.38	1.59
	Ten Years	363,431	1,524	1,595	2,561	5,508	8,100	7,710	8,189	7,883	9,127	7,421	4,183	2,311	66,112	571	181.9	1.57	.86
ARMY OF MADRAS.	1870	10,697	45	49	57	58	76	83	63	79	68	48	69	77	772	9	72.3	.84	1.17
	1871	10,844	79	58	60	72	94	62	55	82	68	76	63	60	829	9	76.4	.83	1.09
	1872	11,544	61	100	151	181	204	192	128	104	111	91	86	154	1,563	8	135.4	.69	.51
	1873	11,487	127	96	148	159	109	64	86	50	89	94	98	77	1,197	8	104.2	.70	.67
	1874	11,501	75	71	124	159	84	92	142	91	117	123	151	133	1,362	2	118.4	.17	.15
	1875	11,041	79	81	98	114	111	150	138	145	113	112	115	78	1,334	4	120.8	.36	.30
	1876	11,034	63	88	86	108	190	200	142	167	175	211	107	76	1,613	5	146.2	.46	.31
	1877	10,989	62	69	70	99	190	147	195	141	126	157	123	122	1,501	3	136.6	.27	.20
	1878	10,815	93	78	150	189	191	249	244	191	223	287	207	107	2,209	12	204.2	1.11	.54
	1879	10,444	90	90	108	170	127	138	204	172	181	129	90	63	1,562	7	149.6	.67	.45
	Ten Years	110,396	774	780	1,052	1,309	1,376	1,377	1,397	1,222	1,271	1,328	1,109	947	13,942	67	126.3	.60	.48
ARMY OF BOMBAY.	1870	10,509	65	90	126	143	188	247	120	342	273	202	178	125	2,099	31	199.7	2.95	1.48
	1871	10,840	68	46	128	148	322	241	294	133	121	193	158	63	1,965	10	181.3	.92	.46
	1872	10,819	46	49	106	121	60	142	114	87	129	156	113	58	1,181	6	109.2	.55	.51
	1873	40,665	34	37	37	73	68	78	86	60	92	84	57	89	795	6	74.5	.56	.75
	1874	10,529	51	42	152	123	69	70	87	88	139	164	71	44	1,100	7	104.5	.66	.64
	1875	10,184	40	39	89	105	95	155	87	175	193	169	129	90	1,357	12	133.2	1.18	.88
	1876	10,212	10	30	45	87	143	97	47	92	129	114	79	104	1,077	3	95.4	.29	.30
	1877	10,092	42	53	48	100	109	118	109	105	139	130	119	69	1,141	3	113.1	.30	.26
	1878	9,825	24	40	54	62	108	148	178	125	213	349	201	140	1,642	10	167.1	1.02	.61
	1879	9,883	36	41	72	194	107	101	141	129	153	172	149	64	1,359	13	137.5	1.31	.96
	Ten Years	103,587	416	467	857	1,156	1,269	1,397	1,263	1,386	1,581	1,724	1,254	846	13,616	101	131.4	.98	.74
ARMY OF INDIA.	1870	54,578	220	273	472	717	1,631	1,122	1,023	1,272	1,175	929	594	358	9,786	129	179.3	2.36	1.32
	1871	56,806	305	293	451	750	1,354	1,030	1,001	1,193	915	827	474	285	8,878	98	156.3	1.72	1.08
	1872	58,870	279	299	436	718	743	970	910	914	1,396	1,416	731	521	9,333	75	158.5	1.28	.80
	1873	58,769	313	303	501	1,004	765	805	989	776	1,179	641	402	295	7,973	58	135.7	1.00	.81
	1874	59,308	243	252	623	825	1,047	1,100	1,201	1,013	1,236	844	782	533	9,699	45	163.5	.76	.46
	1875	58,409	304	256	465	914	894	1,069	899	929	1,028	961	649	379	8,747	60	149.8	1.02	.69
	1876	57,853	224	315	300	547	1,066	873	828	969	1,120	1,128	636	395	8,421	32	145.5	.56	.38
	1877	57,200	253	222	316	496	1,018	955	1,015	1,225	722	723	492	396	7,833	30	136.8	.52	.38
	1878	56,475	232	259	436	884	920	1,170	1,372	1,030	1,562	2,061	1,284	653	11,863	61	210.1	1.09	.51
	1879	59,082	341	370	470	1,118	1,287	1,390	1,611	1,170	1,646	943	502	289	11,137	151	188.5	2.55	1.36
	Ten Years	577,416	2,714	2,842	4,470	7,973	10,745	10,484	10,849	10,491	11,979	10,473	6,516	4,104	93,670	739	162.2	1.28	.79

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from FEVERS as a CLASS, excluding ENTERIC FEVER,

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM FEVERS AS A CLASS, EXCLUDING ENTERIC FEVER, IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.		
BENGAL PROPER.	1870	1,995	23	33	24	19	50	50	84	86	68	44	55	69	605	1	303.2	.50	.17	
	1871	1,975	49	38	39	45	74	59	69	64	63	85	82	56	723	...	366.1	
	1872	1,974	56	33	41	84	49	80	137	115	60	71	71	60	857	5	434.2	2.53	.58	
	1873	1,900	37	32	36	45	43	53	90	57	61	28	48	33	563	5	296.3	2.63	.89	
	1874	2,007	21	15	38	34	35	212	132	76	89	25	27	31	735	...	366.1	
	1875	1,978	22	10	22	19	31	46	45	100	62	47	92	47	543	2	274.5	1.01	.37	
	1876	2,008	42	41	37	45	35	29	33	131	66	174	244	190	1,067	2	531.4	1.00	.19	
	1877	1,867	105	43	47	60	84	63	68	102	51	67	88	104	882	1	472.4	.54	.11	
	1878	1,898	64	41	34	59	69	80	102	108	80	83	134	148	1,002	2	527.9	1.05	.20	
	1879	1,308	94	57	31	68	67	36	69	64	69	57	62	43	717	2	548.2	1.53	.28	
Ten Years			18,914	513	343	349	478	537	708	829	903	669	681	903	7,694	20	406.8	1.06	.26	
GANGATIC PROVINCES AND OUDH.	1870	7,185	77	84	143	161	251	194	218	298	351	387	254	134	2,552	25	355.1	3.48	.98	
	1871	8,126	131	145	150	211	227	229	295	361	350	398	169	115	2,781	15	342.3	1.85	.54	
	1872	8,251	77	52	100	200	182	241	246	203	226	319	139	108	2,093	13	253.8	1.58	.62	
	1873	8,049	116	107	187	384	331	324	361	286	287	189	117	92	2,771	5	344.3	.62	.18	
	1874	8,549	65	106	301	386	323	256	359	282	396	234	187	157	3,052	10	357.4	1.17	.33	
	1875	7,990	123	106	141	146	124	163	166	176	202	173	115	105	1,740	2	223.4	.26	.11	
	1876	7,390	66	114	118	208	358	283	237	181	250	247	187	115	2,364	4	319.9	.54	.17	
	1877	7,326	111	116	124	165	256	205	233	398	194	143	113	120	2,178	6	297.3	.82	.28	
	1878	7,168	71	83	121	258	139	204	255	155	227	386	253	137	2,289	2	319.3	.28	.09	
	1879	6,341	115	86	133	241	163	210	206	267	635	955	736	402	4,154	13	655.1	2.05	.31	
Ten Years			76,159	952	999	1,518	2,360	2,349	2,309	2,576	2,607	3,118	3,431	2,270	14,855	95	341.0	1.25	.37	
ROHILKUND AND MEERUT.	1870	3,700	75	58	81	62	126	110	110	197	236	251	160	54	1,540	2	416.2	.54	.13	
	1871	4,234	116	115	108	97	217	170	209	445	336	356	167	84	2,420	5	571.6	1.18	.21	
	1872	4,119	64	78	91	143	162	157	185	347	292	444	138	75	2,176	11	528.3	2.67	.51	
	1873	3,920	78	43	82	152	137	120	107	165	270	283	165	121	1,723	4	439.5	1.02	.23	
	1874	3,933	65	68	90	128	193	208	357	619	790	424	266	207	3,415	2	868.3	.51	.06	
	1875	4,395	118	116	159	225	191	255	195	218	190	140	127	47	1,981	2	450.7	.46	.10	
	1876	4,393	83	103	84	72	99	179	240	205	178	270	126	78	1,717	3	390.9	.68	.17	
	1877	4,135	60	41	44	69	113	102	125	176	80	62	45	33	950	...	229.7	
	1878	3,721	38	23	48	169	199	220	165	153	287	394	161	82	1,939	1	521.105	
	1879	3,219	59	62	66	166	201	131	318	538	929	831	487	280	4,068	11	1,263.8	3.42	.27	
Ten Years			39,770	756	707	853	1,303	1,638	1,652	2,011	3,063	3,588	3,455	1,842	1,061	21,929	41	551.4	1.03	.19
AGRA AND CENTRAL INDIA.	1870	4,274	229	245	380	353	474	412	544	666	575	569	435	280	5,162	13	1,207.8	3.04	.25	
	1871	4,120	212	138	146	250	280	205	323	590	548	831	490	370	4,383	21	1,063.9	5.10	.48	
	1872	4,213	246	177	147	167	164	154	202	215	400	425	273	169	2,739	3	650.1	.71	.11	
	1873	4,133	121	93	93	125	102	135	104	169	388	246	141	90	1,807	10	437.2	2.42	.55	
	1874	4,096	70	74	101	104	85	74	194	323	541	496	319	189	2,570	5	627.4	1.22	.19	
	1875	4,310	96	84	87	103	109	207	145	211	253	328	256	134	2,013	3	467.0	.70	.15	
	1876	3,982	108	113	83	98	160	132	123	243	337	538	302	64	2,301	2	577.9	.50	.09	
	1877	3,831	71	56	75	114	153	75	91	151	81	84	81	41	1,073	1	280.1	.26	.09	
	1878	4,156	43	51	58	132	99	85	115	163	312	547	501	316	2,422	5	582.8	1.20	.21	
	1879	3,517	172	109	92	135	127	115	312	320	768	627	523	289	3,589	12	1,020.5	3.41	.33	
Ten Years			40,631	1,368	1,140	1,262	1,581	1,753	1,594	2,153	3,051	4,203	4,691	3,321	1,942	28,059	75	690.6	1.85	.27
PUNJAB.	1870	10,582	811	620	690	772	1,414	1,049	1,060	1,293	1,816	2,000	2,589	1,187	15,301	37	1,446.0	3.49	.24	
	1871	11,084	831	505	504	612	1,198	913	826	1,061	599	620	501	335	8,505	30	767.3	2.71	.35	
	1872	12,118	219	167	182	319	411	501	494	723	1,371	2,005	1,631	1,116	9,139	27	754.2	2.23	.30	
	1873	12,181	543	304	335	723	663	631	801	843	1,441	1,387	1,298	828	9,767	22	801.8	1.81	.23	
	1874	11,587	492	321	307	349	792	810	854	799	1,060	1,166	1,249	803	9,002	18	776.9	1.54	.20	
	1875	11,888	367	246	321	671	656	776	711	705	964	1,575	1,908	1,262	10,162	27	854.8	2.27	.27	
	1876	11,295	564	541	287	283	644	464	570	1,220	1,870	2,192	1,134	714	10,483	12	928.1	1.06	.11	
	1877	11,522	429	224	255	293	834	971	891	865	489	964	891	843	8,548	14	669.9	1.22	.18	
	1878	10,524	396	265	266	377	486	686	907	927	2,509	3,086	1,857	952	12,714	38	1,208.1	3.61	.30	
	1879	9,507	681	590	510	731	789	923	1,415	1,074	2,836	2,319	2,028	1,421	15,317	27	1,611.1	2.84	.18	
Ten Years			112,288	5,333	3,783	3,657	5,130	7,887	7,724	8,529	9,510	14,955	17,314	15,056	9,461	108,339	252	964.9	2.24	.23
RAJPOOTANA, MALWA, SIND, AND ADELI.	1870	4,900	141	180	173	193	253	308	279	731	752	806	694	319	4,829	27	985.5	5.51	.56	
	1871	5,620	339	213	350	322	424	329	321	450	431	576	291	177	4,223	6	751.4	1.07	.14	
	1872	5,587	103	87	104	172	128	224	204	338	658	1,279	702	540	4,539	6	812.4	1.07	.13	
	1873	5,275	209	172	122	227	282	316	385	272	533	377	234	167	3,296	2	624.9	.88	.06	
	1874	5,464	157	85	119	88	98	147	235	230	430	422	268	197	2,476	4	453.1	.73	.16	
	1875	5,587	152	146	175	162	162	232	186	287	390	323	292	151	2,658	10	475.7	1.79	.38	
	1876	5,368	87	134	108	164	227	131	135	250	348	439	382	364	2,769	2	515.8	.87	.07	
	1877	5,549	134	97	106	119	196	212	201	248	328	338	266	183	2,428	2	437.6	.86	.08	
	1878	5,591	141	98	132	147	156	226	303	377	809	1,186	702	543	4,820	7				

SPECIAL DISEASES, 1870-79.

XC.

in each MONTH of the TEN YEARS 1870-79 in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM FEVERS AS A CLASS, EXCLUDING ENTERIC FEVER, IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis- sions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	57	507	386	325	377	394	279	252	147	107	110	99	3,040	4	587.1	.77	.13
	1871	4,892	74	75	38	49	61	50	32	47	38	41	28	34	567	3	115.9	.61	.53
	1872	4,949	50	59	110	98	84	52	68	30	47	38	54	131	821	1	165.9	.20	.12
	1873	4,979	82	60	82	103	72	58	53	47	70	49	50	43	769	2	154.5	.40	.26
	1874	4,748	21	29	99	128	39	56	96	60	78	52	93	95	846	1	178.2	.21	.12
	1875	4,586	63	68	92	81	61	89	102	81	62	63	80	41	883	...	192.5
	1876	4,703	40	49	36	34	56	56	62	82	42	95	52	39	643	3	136.7	.64	.47
	1877	4,726	37	32	36	40	96	60	87	79	76	94	116	112	865	2	183.0	.42	.23
	1878	4,598	83	51	84	114	92	115	163	157	142	197	209	198	1,606	8	349.1	1.74	.50
	1879	3,490	123	107	144	146	113	129	184	116	178	155	125	112	1,632	5	467.7	1.43	.31
Ten Years		46,847	630	1,037	1,107	1,118	1,051	1,059	1,126	951	880	891	917	904	11,671	29	249.1	.62	.25
BRITISH BURMAH AND PEGU.	1870	1,669	22	28	30	22	28	70	67	52	24	14	20	11	388	...	232.4
	1871	1,819	30	32	18	23	36	49	39	42	31	26	28	16	370	3	203.5	1.64	.81
	1872	1,998	16	10	10	5	6	21	21	5	5	8	5	19	131	...	65.5
	1873	2,076	15	18	15	24	17	9	22	2	7	23	14	7	173	1	83.3	.48	.58
	1874	2,113	4	3	14	12	10	14	13	22	24	42	41	48	247	...	116.8
	1875	2,095	11	14	15	23	26	34	21	23	16	27	21	15	246	1	117.4	.48	.41
	1876	2,024	8	6	14	12	12	39	32	28	20	29	15	17	232	...	114.6
	1877	1,910	17	23	8	12	27	15	27	26	14	18	9	20	216	1	113.1	.52	.46
	1878	1,923	23	21	19	17	71	79	60	29	30	50	26	19	444	1	230.9	.52	.23
	1879	2,871	37	34	27	61	48	54	70	76	99	58	84	243	891	1	310.4	.35	.11
Ten Years		20,496	183	189	170	211	281	384	372	305	270	295	263	415	3,338	8	162.9	.39	.24
ARMY OF BENGAL.	1870	33,373	1,318	1,069	1,380	1,597	2,805	2,163	2,353	2,908	3,252	3,380	3,682	1,845	27,752	93	831.6	2.79	.34
	1871	35,122	1,409	998	1,015	1,408	2,339	1,878	1,956	2,795	2,066	2,411	1,466	1,001	20,742	79	590.5	2.25	.38
	1872	36,507	709	545	609	1,065	1,135	2,167	1,409	1,792	2,428	3,328	2,309	1,607	18,103	65	495.9	1.78	.36
	1873	36,617	927	616	792	1,724	1,530	1,570	1,859	1,813	2,721	2,260	1,850	1,233	18,895	51	516.1	1.39	.27
	1874	37,278	773	624	884	1,182	1,708	1,864	2,182	2,293	3,068	2,443	2,130	1,456	20,607	41	552.8	1.10	.20
	1875	37,184	777	606	812	1,480	1,485	1,830	1,515	1,655	1,847	2,351	2,583	1,641	18,582	44	499.8	1.18	.24
	1876	36,582	914	960	652	856	1,733	1,513	1,584	2,295	2,938	3,632	2,077	1,249	20,403	26	557.7	.71	.13
	1877	36,179	857	507	583	821	1,742	1,716	1,689	1,953	1,059	1,417	1,261	1,188	14,793	24	408.9	.66	.16
	1878	35,836	651	486	565	1,143	1,228	1,525	1,834	1,697	3,598	5,100	4,017	2,744	24,588	57	686.2	1.59	.23
	1879	38,755	1,587	1,183	1,071	2,028	2,361	2,572	3,610	2,938	6,144	5,550	4,334	2,774	36,252	151	935.4	3.90	.42
Ten Years		363,431	9,922	7,594	8,363	13,304	18,066	17,898	19,991	22,139	29,121	31,872	25,709	16,738	220,717	631	607.3	1.74	.29
ARMY OF MADRAS.	1870	10,697	172	632	524	427	491	558	462	474	297	230	250	172	4,689	10	438.5	.93	.21
	1871	10,844	166	167	121	151	194	156	128	228	160	125	105	112	1,813	9	167.1	.83	.50
	1872	11,544	120	151	193	243	268	247	214	176	369	506	291	312	3,090	8	267.7	.69	.26
	1873	11,487	278	189	232	272	260	248	304	206	240	181	156	154	2,720	8	236.8	.70	.29
	1874	11,501	146	134	178	200	111	161	215	162	228	182	209	226	2,152	2	187.1	.17	.09
	1875	11,041	122	128	157	154	165	280	200	244	228	218	162	110	2,168	4	196.3	.36	.19
	1876	11,034	92	143	105	126	218	269	231	254	225	270	168	107	2,208	5	200.1	.46	.23
	1877	10,989	104	107	100	140	254	209	300	220	217	286	233	231	2,401	3	218.5	.27	.12
	1878	10,815	176	135	201	259	252	331	389	323	429	582	460	362	3,899	12	360.5	1.11	.31
	1879	10,444	281	233	232	305	261	263	434	432	551	459	353	469	4,273	8	409.2	.76	.19
Ten Years		110,396	1,657	2,019	2,043	2,277	2,474	2,722	2,877	2,719	2,944	3,039	2,387	2,255	29,413	69	266.5	.62	.23
ARMY OF BOMBAY.	1870	10,509	464	329	420	395	514	815	554	1,040	872	997	966	478	7,844	37	746.4	3.52	.47
	1871	10,840	469	296	458	439	796	791	938	864	651	845	589	370	7,497	11	691.6	1.01	.15
	1872	10,819	310	195	263	347	282	331	342	459	770	1,541	991	781	6,612	8	611.2	.74	.12
	1873	10,665	349	265	217	384	397	518	607	394	649	540	450	415	5,185	6	486.1	.56	.12
	1874	10,529	264	187	452	259	194	267	406	397	703	706	458	330	4,623	8	439.1	.76	.17
	1875	10,184	230	207	252	293	294	460	434	651	698	657	746	354	5,276	13	518.0	1.28	.25
	1876	10,242	246	297	247	311	414	318	397	492	541	812	623	497	5,195	3	507.2	.29	.06
	1877	10,092	263	189	191	260	408	364	425	535	614	695	574	447	4,965	5	492.0	.50	.10
	1878	9,825	429	356	287	345	352	433	697	802	1,341	1,849	1,206	804	8,901	11	905.9	1.12	.12
	1879	9,883	490	355	427	786	852	858	1,216	1,218	1,927	1,536	1,484	1,116	12,265	16	1,241.0	1.61	.13
Ten Years		103,587	3,514	2,676	3,214	3,819	4,503	5,155	6,016	6,852	8,766	10,178	8,078	5,592	68,363	118	659.9	1.14	.17
ARMY OF INDIA.	1870	54,578	1,954	2,030	2,324	2,419	3,810	3,536	3,369	4,422	4,421	4,607	4,898	2,495	40,285	140	738.1	2.56	.35
	1871	56,806	2,044	1,461	1,594	1,998	3,329	2,825	3,022	3,887	2,877	3,381	2,151	1,483	30,052	99	529.0	1.74	.33
	1872	58,870	1,139	891	1,065	1,655	1,685	1,845	1,965	2,327	3,567	5,375	3,591	2,700	27,805	81	472.3	1.38	.29
	1873	58,769	1,554	1,070	1,241	2,380	2,187	2,336	2,770	2,413	3,610	2,981	2,456	1,802	26,800	65	456.1	1.11	.24
	1874	59,308	1,183	945	1,514	1,641	2,013	2,292	2,803	2,852	3,999	3,331	2,797	2,012	27,382	51	461.7	.86	.19
	1875	58,409	1,129	941	1,221	1,927	1,944	2,570	2,149	2,550	2,773	3,226	3,491	2,105	26,026	61	445.6	1.04	.23
	1876	57,858	1,252	1,400	1,004	1,293	2,365	2,100	2,212	3,041	3,704	4,714	2,868	1,853	27,506	34	480.5	.59	.12
	1877	57,2																	

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from APOPLEXY in each MONTH

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM APOPLEXY IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis-sions.	Deaths.	
BENGAL PROPER.	1870	1,995	1	2	2	1	...	6	1	3.0	.50	16.67
	1871	1,975	...	2	...	1	1	4	1	2.0	.51	25.00
	1872	1,974	1	2	3	...	1	1	1	...	1	12	3	6.1	1.52	25.00
	1873	1,900	1	1	1	3	...	1.6	...	100.00
	1874	2,007	1	1	1	1	4	4	2.0	1.99	100.00
	1875	1,978	...	1	1	3	1	1.5	.51	33.33
	1876	2,008	2	1	4	1	2.0	.49	25.00
	1877	1,867	3	1	2	1	...	7	...	3.7
	1878	1,898	2	2	1	1.1	.53	50.00
	1879	1,308	1	1	1	.7	.76	100.00
Ten Years		18,914	2	1	5	10	7	9	1	1	3	4	2	1	46	13	2.5	.69	28.26
GANGTIC PROVINCES AND OUDH.	1870	7,185	1	3	5	9	...	1	3	1	2	...	25	8	3.5	1.11	32.00
	1871	8,126	1	...	2	1	1	1	11	8	1.4	.99	72.73
	1872	8,251	1	1	5	25	5	1	5	43	15	5.2	1.82	34.88
	1873	8,049	2	11	25	7	2	47	23	5.8	2.86	48.94
	1874	8,540	1	2	6	7	4	...	1	1	22	9	2.6	1.06	40.91
	1875	7,790	1	2	1	8	...	1	20	12	2.6	1.54	60.00
	1876	7,390	2	1	3	36	11	1	2	57	17	7.7	2.30	29.82
	1877	7,326	1	4	14	10	14	1	2	1	...	49	10	6.7	1.36	20.41
	1878	7,168	1	...	3	13	17	1	...	4	...	1	40	15	5.6	2.09	37.50
	1879	6,341	1	...	1	5	23	19	3	...	2	2	2	...	58	21	9.1	3.31	36.21
Ten Years		76,159	1	...	9	17	63	161	64	22	15	12	5	3	372	138	4.9	1.81	37.10
ROHILCUND AND MEERUT.	1870	3,700	1	...	2	...	1	4	4	1.1	1.08	100.00
	1871	4,234	2	1	3	...	6	1	1.4	.23	16.67
	1872	4,119	...	1	...	3	...	7	9	6	3	1	1	...	32	5	7.8	1.21	15.63
	1873	3,920	1	...	4	9	1	1	1	17	6	4.4	1.54	35.30
	1874	3,933	1	1	2	2	...	4	...	2	...	14	7	3.6	1.78	50.00
	1875	4,395	2	...	1	...	8	1	...	2	2	2	18	9	4.1	2.05	50.00
	1876	4,393	...	2	...	3	...	5	4	2	...	1	1	...	20	12	4.6	2.73	60.00
	1877	4,135	1	5	1	7	15	7	3.6	1.69	46.67
	1878	3,721	1	4	8	3	1	1	18	6	4.8	1.61	33.33
	1879	3,219	1	1	8	15	25	7	7.8	2.18	28.00
Ten Years		39,770	3	3	4	9	19	51	33	21	13	3	8	2	109	64	4.2	1.61	37.87
AGRA AND CENTRAL INDIA.	1870	4,274	5	3	1	1	1	2	1	...	14	7	3.3	1.64	50.00
	1871	4,120	2	1	1	5	1	1.2	.24	20.00
	1872	4,213	1	10	1	1	1	...	15	6	3.6	1.41	40.00
	1873	4,133	2	1	2	1	...	1	7	2	1.7	.49	28.57
	1874	4,096	1	...	4	1	4	...	1	11	2	2.7	.49	18.18
	1875	4,310	1	...	12	1	1	15	8	3.5	1.86	53.33
	1876	3,982	2	1	5	...	1	...	1	1	...	11	4	2.7	1.01	36.37
	1877	3,831	1	10	2	6	2	1	22	7	5.7	1.83	31.82
	1878	4,156	1	1	...	1	1	9	13	2	...	1	30	9	7.2	2.17	30.00
	1879	3,517	1	1	8	3	1	1	3	18	9	5.1	2.56	50.00
Ten Years		40,631	1	1	2	7	22	57	25	13	10	6	4	...	148	55	3.6	1.35	37.16
PUJAB.	1870	10,582	1	1	...	4	5	14	18	3	1	1	1	...	49	32	4.6	3.02	65.31
	1871	10,084	13	5	10	2	30	13	2.7	1.17	43.33
	1872	12,118	2	1	1	27	5	12	3	1	53	25	4.4	2.06	47.17
	1873	12,181	2	2	6	19	3	3	1	1	...	37	15	3.0	1.23	40.54
	1874	11,587	1	1	2	3	6	5	18	3	39	13	3.4	1.12	33.33
	1875	11,888	1	1	3	2	5	28	36	9	6	3	1	1	96	41	8.1	3.45	42.71
	1876	11,295	1	1	1	9	44	7	4	3	70	27	6.2	2.39	38.57
	1877	11,522	13	22	26	2	4	67	17	5.8	1.47	25.37
	1878	10,524	1	...	1	...	2	7	20	1	10	5	59	18	5.6	1.71	30.51
	1879	9,507	...	1	...	3	3	24	58	13	7	...	1	1	111	43	11.7	4.52	38.74
Ten Years		112,288	4	4	9	17	25	146	254	87	38	18	6	3	611	244	5.4	2.17	39.93
RAJPOOTANA, MALWA, SINDH, AND AGEN.	1870	4,900	...	1	1	...	1	25	1	...	5	...	1	...	35	13	7.1	2.65	37.14
	1871	5,620	...	1	2	12	4	...	2	30	11	5.3	1.96	36.67
	1872	5,587	4	25	5	2	2	3	42	22	7.5	3.94	52.38
	1873	5,275	3	6	8	4	...	2	2	26	13	4.9	2.46	50.00
	1874	5,464	...	1	...	1	...	10	2	1	3	2	20	8	3.7	1.46	40.00
	1875	5,587	3	...	6	...	12	7	...	1	55	17	9.8	3.04	30.91
	1876	5,368	...	1	...	1	3	7	9	4	5	26	6	4.8	1.12	23.08
	1877	5,549	1	3	18	3	2	31	12	5.6	2.17	38.71
	1878	5,591	5	5	21	8	...	3	...	1	1	47	15	8.4	2.68	31.91
	1879	5,226	...	2	...	1	6	9	4	...	4	1	29	10	5.6	1.91	34.48
Ten Years		54,166	1	7	6	21	49	157	41	9	26	16	5	3	341	127	6.3	2.34	37.24
DECCAN AND NAGPORE.	1870	7,611	...	1	1	...	4	7	1	1	11	8	1.4	1.05	72.73
	1871	7,783	...	1	1	...	5	2	1	1	11	5	1.4	.63	45.45
	1872	8,307	1	...	13	13	...	3	37	16	4.5	1.93	43.24
	1873	8,082	...	1	3	...	2	1	10	2	1.2	.25	20.00
	1874	8,022	...	1	2	...	2	1	7	5	.9	.62	71.43
	1875	7,352	1	...	1	1	1	4	2	...	13	6	1.8	.82	46.15
	1876	7,384	1	3	10	18	1	...	1	1	36	15	4.9	2.03	41.67
	1877	7,368	2	1	1	3	1	2	1	3	15	6	2.0	.81	40.00
	1878	7,106	...	1	...	3	6	11	1	1	...	24	13	3.4	1.83	54.17
	1879	7,060	2	...	1	4	3	1	1	2	...	1	2	...	17	6	2.4	.85	35.29
Ten Years		76,075	7	6	12	28	47	49	6	7	1	8	7	3	181	82	2.4	1.08	45.30

SPECIAL DISEASES, 1870-79.

CCL

of the TEN YEARS, 1870-79, in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM APOPLEXY IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000.		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis- sions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	1	...	2	1	27	1	1	1	34	10	6.6	1.93	29.41
	1871	4,892	2	...	1	1	3	1	1	9	1	1.8	.20	11.11
	1872	4,949	...	1	2	3	6	1	...	2	20	11	4.0	2.22	55.00
	1873	4,979	1	1	2	3	1	1	9	3	1.8	.60	33.33
	1874	4,748	1	2	2	1	2	...	2	10	4	2.1	.84	40.00
	1875	4,586	1	3	1	2	7	5	1.5	1.09	71.43
	1876	4,703	1	2	...	3	1	1	1	9	5	1.9	1.06	55.56
	1877	4,726	1	1	2	2	.4	.42	100.00
	1878	4,598	...	1	1	2	1	3	2	1	11	7	2.4	1.52	63.64
	1879	3,490	17	17	4	4.9	1.14	23.53
	Ten Years	46,847	4	4	8	14	63	13	9	3	4	3	...	3	128	52	2.7	1.11	40.63
BRITISH BUREAU AND P&G.	1870	1,669	...	1	4	1	6	5	3.6	3.00	83.33
	1871	1,819	...	1	...	5	6	1	3.3	.55	6.16
	1872	1,998	1	1	2	2	1.0	1.55	100.00
	1873	2,076	1	3	4	8	5	3.9	2.41	62.50
	1874	2,113	1	1	29
	1875	2,095	1	1	1	3	1	1.4	.48	33.33
	1876	2,024	1	1	2	1	1.0	.49	50.00
	1877	1,910	8	1	1	...	10	5	5.2	2.62	50.00
	1878	1,923	10	...	1	1	1	1	15	6	7.8	3.12	40.00
	1879	2,871	1	...	1	3	2	...	2	3	3	1	18	7	6.3	2.44	38.89
	Ten Years	20,496	2	2	3	12	25	5	3	6	6	4	3	1	72	33	3.5	1.61	45.83
ARMY OF BENGAL.	1870	33,373	1	1	1	8	18	28	21	5	8	4	5	...	100	54	3.0	1.62	54.00
	1871	35,122	3	...	3	7	2	20	7	11	5	2	3	...	64	28	1.8	.80	43.75
	1872	36,507	...	1	4	7	10	72	21	21	13	4	3	1	157	58	4.3	1.59	36.94
	1873	36,617	2	7	20	44	32	6	6	1	1	...	119	50	3.2	1.37	42.02
	1874	37,278	1	1	7	8	18	17	31	4	6	1	2	2	98	36	2.6	.97	36.73
	1875	37,184	3	2	7	6	7	56	45	13	8	3	2	1	153	71	4.1	1.91	46.41
	1876	36,582	...	2	5	9	8	57	59	12	6	6	3	...	167	65	4.6	1.77	38.92
	1877	36,179	...	1	...	5	7	41	39	56	8	10	3	2	172	41	4.8	1.13	23.84
	1878	35,836	2	1	3	2	7	36	67	7	11	12	3	4	155	52	4.3	1.45	33.55
	1879	33,755	3	1	2	13	42	89	64	16	15	3	3	2	253	101	6.5	2.61	39.92
	Ten Years	363,431	13	10	34	72	139	460	386	151	86	46	28	13	1,438	556	4.0	1.53	38.66
ARMY OF MADRAS.	1870	10,697	2	1	3	1	34	6	...	1	2	1	1	1	53	19	5.0	1.78	35.85
	1871	10,844	3	3	2	9	4	1	1	1	24	6	2.2	.55	25.00
	1872	11,544	1	1	3	9	18	13	4	2	2	56	28	4.8	2.43	50.00
	1873	11,487	1	1	4	7	6	1	25	11	2.2	.96	44.00
	1874	11,501	...	1	4	2	4	1	2	17	8	1.5	.70	47.06
	1875	11,041	1	1	1	1	5	3	3	5	1	1	1	...	23	8	2.1	.72	34.78
	1876	11,034	1	2	1	5	16	20	...	1	2	1	49	21	4.4	1.90	42.86
	1877	10,989	1	1	1	2	11	4	1	...	2	2	25	14	2.3	1.27	56.00
	1878	10,815	...	2	1	3	16	12	3	...	1	2	1	2	44	27	4.1	2.50	61.36
	1879	10,444	2	...	1	5	22	1	2	3	3	1	2	...	42	15	4.0	1.44	35.71
	Ten Years	110,396	12	13	21	44	136	64	16	15	12	11	8	6	358	157	3.3	1.42	43.85
ARMY OF BOMBAY.	1870	10,509	...	3	1	1	4	26	1	...	6	1	3	...	46	18	4.4	1.71	39.13
	1871	10,840	3	1	1	3	6	13	4	...	1	2	1	...	37	13	3.4	1.20	35.13
	1872	10,819	1	4	2	...	8	27	6	3	2	3	1	...	55	28	5.1	2.59	50.91
	1873	10,665	...	1	...	3	6	9	4	...	2	2	1	...	30	15	2.8	1.41	50.00
	1874	10,529	...	1	2	3	1	10	3	2	3	3	...	1	28	12	2.7	1.14	42.86
	1875	10,184	2	...	4	7	12	22	1	5	5	3	2	1	64	22	6.3	2.16	34.37
	1876	10,242	1	2	1	5	3	7	10	3	3	1	33	8	3.2	.78	24.24
	1877	10,092	1	2	9	18	3	...	1	2	1	1	38	15	3.8	1.48	39.47
	1878	9,825	7	7	24	8	...	1	3	5	...	56	19	5.7	1.94	33.93
	1879	9,883	1	2	1	3	8	12	5	2	4	2	4	...	44	12	4.5	1.21	27.27
	Ten Years	103,587	9	14	12	34	64	168	45	14	28	24	12	7	431	162	4.2	1.56	37.59
ARMY OF INDIA.	1870	54,578	3	5	5	10	56	60	22	6	16	6	9	1	199	91	3.6	1.67	45.73
	1871	56,806	9	4	6	19	12	33	11	13	8	3	3	4	125	47	2.2	.83	37.60
	1872	58,870	2	6	9	16	34	112	31	26	15	9	5	3	268	114	4.5	1.98	42.54
	1873	58,769	1	2	6	17	34	57	37	7	11	4	3	2	174	76	2.9	1.29	43.68
	1874	59,308	1	3	13	13	23	28	36	6	8	3	2	...	143	56	2.4	.95	30.16
	1875	58,409	6	3	12	14	24	81	40	23	14	7	5	2	240	101	4.1	1.73	42.08
	1876	57,858	2	6	7	19	27	84	69	13	8	10	3	1	249	94	4.3	1.63	37.75
	1877	57,260	2	2	1	9	27	63	43	56	9	14	6	3	235	70	4.1	1.22	29.79
	1878	56,475	2	3	4	12	30	72	78	9	15	19	4	7	255	98	4.5	1.73	38.43
	1879	59,082	6	3	4	21	72	102	71	21	22	6	9	2	339	128	5.7	2.17	37.76
	Ten Years	577,416	34	37	67	150	339	692	447	180	126	81	48	26	2,227	875	3.9	1.52	39.29

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from DYSENTERY in each MONTH

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM DYSENTERY IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
BENGAL PROPER.	1870	1,995	10	7	8	9	14	10	14	17	17	10	12	7	35	5	67.7	2.51	3.70
	1871	1,975	11	8	2	3	6	12	9	11	4	13	6	8	93	1	47.1	.51	1.08
	1872	1,974	7	5	10	9	8	6	15	18	15	11	8	11	123	2	62.3	1.01	1.63
	1873	1,900	8	10	7	11	9	11	9	10	5	10	5	7	102	3	53.7	1.58	2.94
	1874	2,007	3	7	8	8	6	3	16	14	24	13	7	11	120	6	59.8	2.99	5.00
	1875	1,978	8	2	5	4	5	2	10	6	7	2	7	11	69	1	34.9	.51	1.45
	1876	2,008	7	5	2	12	12	7	8	15	9	9	7	9	102	3	50.8	1.49	2.94
	1877	1,867	10	3	2	1	6	2	...	7	4	3	3	2	43	...	23.0
	1878	1,898	4	5	3	4	2	1	7	6	3	10	4	6	55	2	29.0	1.05	3.64
	1879	1,308	7	5	4	2	2	4	5	9	8	10	6	4	66	1	50.5	.76	1.52
Ten Years			18,914	75	57	51	63	70	58	93	113	96	91	65	908	24	48.0	1.27	2.64
GANGETIC PROVINCES AND OUDH.	1870	7,185	22	19	29	32	25	17	35	51	27	27	24	21	329	17	45.8	2.37	5.17
	1871	8,126	18	15	24	25	36	30	23	34	19	22	29	26	301	16	37.0	1.97	5.81
	1872	8,251	27	7	10	26	21	19	29	45	31	54	17	26	320	11	38.8	1.33	3.44
	1873	8,049	19	14	20	26	18	16	22	33	62	29	24	24	306	1	38.0	.12	.33
	1874	8,540	25	20	28	43	32	19	51	55	41	34	18	17	383	15	44.9	1.76	3.92
	1875	7,790	13	15	27	17	11	13	20	28	20	23	17	25	229	3	29.4	.39	1.31
	1876	7,390	12	11	12	20	19	14	13	43	35	28	34	18	259	11	35.0	1.49	4.25
	1877	7,326	21	10	8	17	26	10	14	15	11	12	11	20	175	4	23.9	.55	2.29
	1878	7,168	18	12	21	35	13	15	21	36	42	21	14	24	272	10	37.9	1.40	3.69
	1879	6,341	16	10	16	27	10	7	23	36	38	20	17	13	233	7	36.7	1.10	3.00
Ten Years			76,159	191	133	195	267	211	160	250	376	326	270	205	2,807	95	36.8	1.25	3.38
ROHILKUND AND MEERUT.	1870	3,700	12	6	13	11	21	8	10	24	17	17	11	14	164	8	44.3	2.16	4.88
	1871	4,234	16	9	11	11	21	15	18	27	20	22	22	32	233	6	55.0	1.42	2.58
	1872	4,119	27	2	5	8	12	10	9	26	35	27	20	11	202	10	49.0	2.43	4.95
	1873	3,920	3	2	5	9	6	4	6	21	27	18	13	20	134	5	34.2	1.27	3.73
	1874	3,933	9	2	7	2	1	1	6	5	22	15	12	9	91	10	23.1	2.54	10.99
	1875	4,395	5	6	11	9	9	8	8	24	25	24	24	10	163	5	37.1	1.14	3.07
	1876	4,393	11	3	3	6	9	5	7	16	23	17	17	12	129	4	29.3	.91	3.10
	1877	4,135	5	4	5	6	8	8	8	10	7	4	6	5	76	3	18.4	.73	3.95
	1878	3,721	3	4	...	29	20	18	8	2	13	19	16	9	141	1	37.9	.27	.71
	1879	3,219	2	9	3	5	1	1	6	11	14	15	9	21	97	2	30.1	.62	2.06
Ten Years			39,770	93	47	63	96	108	78	86	166	212	188	150	1,430	54	36.0	1.36	3.78
AGRA AND CENTRAL INDIA.	1870	4,274	7	8	14	8	6	7	2	23	27	15	21	6	144	11	33.7	2.57	7.64
	1871	4,120	7	8	8	5	6	10	9	31	8	10	4	2	108	4	26.2	.97	3.70
	1872	4,213	8	5	5	6	5	6	9	18	9	14	7	7	99	3	23.5	.71	3.01
	1873	4,133	3	...	6	6	2	3	2	8	12	7	4	10	63	3	15.2	.72	4.76
	1874	4,096	3	3	4	3	8	7	8	14	13	4	4	3	74	2	18.1	.49	2.70
	1875	4,310	3	3	5	5	6	12	6	27	25	14	10	1	117	3	27.1	.70	2.56
	1876	3,982	3	4	4	2	10	3	3	14	15	15	4	1	78	1	19.6	.25	1.28
	1877	3,831	4	1	4	6	5	2	1	6	7	11	4	2	53	1	13.9	.26	1.89
	1878	4,156	6	6	9	9	8	5	9	24	25	22	23	10	156	8	37.5	1.93	5.13
	1879	3,517	8	15	13	10	5	7	11	18	41	23	22	11	189	15	53.7	4.26	7.94
Ten Years			40,631	52	53	72	60	61	62	60	183	182	140	103	1,081	51	26.6	1.26	4.72
PUNJAB.	1870	10,582	28	22	35	15	24	17	15	37	36	28	28	24	309	16	29.2	1.51	5.18
	1871	11,084	26	19	12	16	33	21	17	29	33	41	29	33	308	7	27.8	.63	2.27
	1872	12,118	14	10	9	23	32	19	32	42	82	63	37	27	390	23	32.2	1.90	5.90
	1873	12,181	30	26	19	25	13	14	25	20	62	37	33	23	327	10	26.9	.82	3.06
	1874	11,587	12	13	11	18	21	16	15	22	23	19	10	12	192	10	16.6	.87	5.21
	1875	11,888	9	7	18	16	23	20	20	33	44	38	32	22	282	8	23.7	.67	2.84
	1876	11,295	31	14	13	23	13	10	8	26	22	26	23	17	226	6	20.0	.53	2.65
	1877	11,522	21	13	9	18	20	18	15	15	11	25	34	22	221	5	19.2	.43	2.26
	1878	10,524	18	10	8	37	26	18	18	17	42	89	82	46	411	24	39.1	2.28	5.84
	1879	9,507	41	24	19	43	35	29	38	30	46	34	47	41	427	22	44.9	2.32	5.15
Ten Years			112,288	230	158	153	234	240	182	203	270	401	400	355	3,093	181	27.5	1.17	4.24
RAJPUTANA, MALWA, SIND, AND ADEEN.	1870	4,900	3	1	9	8	3	12	18	17	9	10	11	8	109	1	22.2	.20	.92
	1871	5,620	16	8	22	9	7	12	17	24	14	12	13	12	166	6	29.5	1.07	3.61
	1872	5,587	10	8	2	10	4	7	17	38	22	23	14	16	171	5	30.6	.589	2.92
	1873	5,275	22	15	20	13	3	4	7	8	13	14	9	5	133	5	25.2	.95	3.76
	1874	5,464	9	10	7	4	8	4	3	11	22	16	8	12	114	4	20.9	.73	3.51
	1875	5,587	2	4	11	13	9	6	14	40	13	11	12	7	142	5	25.4	.89	3.52
	1876	5,368	4	7	2	7	3	3	14	16	21	13	9	7	106	5	19.7	.93	4.72
	1877	5,519	9	3	10	8	11	8	8	14	11	20	11	11	124	...	22.3
	1878	5,591	11	9	8	7	12	13	17	39	48	31	15	16	226	8	40.4	1.43	3.54
	1879	5,226	24	19	14	12	5	6	12	10	22	19	14	8	165	14	31.6	2.68	8.48
Ten Years			54,166	110	84	105	91	65	75	127	217	195	169	116	1,456	53	26.9	.98	3.64
DECCAN AND NAGPORE.	1870	7,611	14	26	53	28	25	22	35	47	41	45	35	24	395	17	51.9	2.23	4.30
	1871	7,783	17	8	10	8	11	11	26	46	37	52	23	31	280	10	36.0	1.28	3.57
	1872	8,307	36	21	11	22	31	35	64	93	96	85	62	74	633	27	76.2	3.25	4.27
	1873	8,082	53	39	29	37	18	19	24	34	63	44	43	41	449	23	55.6	2.85	5.12
	1874	8,022	23	17	15	13	10	19	36	39	45	23	29	43	312	4	38.9	.50	1.28
	1875	7,352	41	23	21	21	16	24	20	37	27	30	45	43	348	10	47.3	1.36	2.87
	1876																		

SPECIAL DISEASES, 1870-79.

XCII.

of the TEN YEARS, 1870-79, in the different PROVINCES of INDIA.

PROVINCES	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM DYSENTERY IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	16	19	14	18	18	27	12	27	18	11	15	14	209	8	40.4	1.55	3.83
	1871	4,892	12	14	6	9	22	35	29	48	21	32	20	34	282	9	57.6	1.84	3.19
	1872	4,949	33	16	11	22	22	15	34	33	25	30	13	41	295	6	59.6	1.21	2.03
	1873	4,979	36	27	23	41	27	41	60	47	41	26	47	36	452	6	90.8	1.21	1.33
	1874	4,748	29	29	32	26	21	31	49	27	30	32	22	20	348	9	73.3	1.90	2.59
	1875	4,586	17	20	21	10	17	29	17	23	12	17	17	13	213	4	46.4	.87	1.88
	1876	4,703	6	10	17	20	21	21	30	21	18	22	13	28	227	4	48.3	.85	1.76
	1877	4,726	17	19	16	16	23	23	37	23	21	24	23	24	266	5	56.3	1.06	1.88
	1878	4,598	29	25	13	23	19	15	39	36	27	19	12	15	272	5	59.2	1.09	1.84
	1879	3,490	23	13	7	23	24	15	30	17	26	15	21	20	234	4	67.0	1.14	1.71
	Ten Years	46,847	218	192	160	208	214	252	337	302	239	228	203	245	2,798	60	50.7	1.28	2.15
BRITISH BURMAH AND PEGU.	1870	1,669	16	4	5	8	14	27	17	14	5	3	13	7	133	2	79.7	1.20	1.50
	1871	1,819	15	14	4	10	20	23	24	11	12	6	12	5	156	1	85.8	.55	.64
	1872	1,998	10	8	9	4	11	17	23	17	8	14	9	5	135	2	67.6	1.00	1.48
	1873	2,076	9	7	7	6	17	10	43	35	26	19	8	15	202	9	97.3	4.34	4.45
	1874	2,113	24	24	14	15	18	21	37	26	36	12	10	12	249	6	117.9	2.84	2.41
	1875	2,095	20	7	14	10	14	29	16	18	25	13	16	18	200	2	95.5	.95	1.00
	1876	2,024	20	17	7	1	19	27	27	21	18	18	12	26	213	8	105.2	3.95	3.76
	1877	1,910	15	10	9	10	13	24	39	33	24	20	12	19	228	10	119.4	5.24	4.39
	1878	1,923	21	18	15	13	17	25	25	8	10	5	12	17	186	8	96.7	4.16	4.30
	1879	2,871	15	7	3	7	4	15	30	27	14	12	8	5	147	6	51.2	2.09	4.08
	Ten Years	20,496	165	116	87	84	147	218	281	210	178	122	112	129	1,849	54	90.2	2.63	2.92
ARMY OF BENGAL.	1870	33,373	89	70	116	100	104	78	84	172	132	110	117	83	1,255	74	37.6	2.22	5.50
	1871	35,122	89	67	61	84	130	109	83	146	108	115	102	108	1,202	41	34.2	1.17	3.41
	1872	36,507	91	35	48	84	97	87	108	158	181	193	96	103	1,276	64	35.0	1.75	5.02
	1873	36,617	69	54	68	97	65	59	74	105	181	112	90	89	1,063	29	29.1	.79	2.73
	1874	37,278	62	50	67	92	83	54	108	117	133	89	61	61	977	45	26.2	1.21	4.61
	1875	37,184	41	39	97	64	89	76	79	133	127	111	102	78	1,036	24	27.9	.65	2.32
	1876	36,582	75	45	48	83	87	63	55	139	120	112	88	60	975	38	26.7	1.04	3.90
	1877	36,179	67	34	35	69	93	67	64	78	59	69	68	61	734	19	20.3	.52	2.59
	1878	35,836	61	43	46	141	95	87	96	105	138	188	206	215	1,421	54	39.7	1.51	3.80
	1879	38,755	158	139	112	223	171	159	191	190	232	183	169	143	2,070	108	53.4	2.78	5.22
	Ten Years	363,431	802	576	698	1,027	1,014	829	932	1,343	1,411	1,277	1,099	1,001	12,009	496	33.1	1.37	4.13
ARMY OF MADRAS.	1870	10,697	50	50	68	55	56	70	57	91	75	57	63	45	737	26	68.9	2.43	3.53
	1871	10,844	69	55	31	34	61	77	74	105	68	89	60	69	792	25	73.0	2.31	3.16
	1872	11,544	81	71	40	51	58	60	96	112	111	125	84	94	983	32	85.1	2.77	3.26
	1873	11,487	100	61	54	76	63	70	117	113	128	88	94	91	1,055	42	91.8	3.65	3.98
	1874	11,501	79	82	64	56	54	71	125	86	114	69	69	76	945	22	82.2	1.91	2.33
	1875	11,041	78	56	71	41	44	85	59	80	64	60	63	57	758	16	68.7	1.45	2.11
	1876	11,034	47	48	34	34	57	63	79	82	62	75	53	71	705	19	63.2	1.72	2.70
	1877	10,989	44	44	35	37	66	60	98	106	90	87	56	73	805	23	73.2	2.09	2.86
	1878	10,815	100	77	65	83	69	80	125	121	112	62	57	65	1,016	33	93.9	3.05	3.25
	1879	10,444	74	51	27	56	43	45	103	80	72	46	46	47	690	18	66.1	1.72	2.61
	Ten Years	110,396	722	595	489	523	571	690	933	976	806	758	645	688	8,486	256	76.9	2.32	3.02
ARMY OF BOMBAY.	1870	10,509	12	11	19	10	8	33	34	34	16	17	19	18	231	10	22.0	.95	4.33
	1871	10,840	24	15	24	12	13	16	26	42	23	17	19	20	251	10	23.2	.92	3.59
	1872	10,819	23	10	7	19	19	20	47	72	44	32	31	50	374	13	34.6	1.20	3.48
	1873	10,665	38	34	38	37	9	8	21	14	23	18	23	26	289	6	27.1	.56	2.08
	1874	10,529	19	15	15	11	14	18	24	25	34	27	20	28	250	6	23.7	.57	2.40
	1875	10,184	11	13	21	27	20	20	22	49	19	18	43	32	295	9	29.0	.88	3.05
	1876	10,242	18	23	11	20	19	11	29	39	35	31	20	26	282	10	27.5	.98	3.55
	1877	10,092	19	11	19	24	24	18	44	43	23	29	10	16	289	5	28.6	.50	1.73
	1878	9,825	17	13	15	9	16	18	36	54	64	50	24	31	347	11	35.3	1.13	3.14
	1879	9,883	26	32	16	21	9	7	22	17	35	30	18	20	253	21	25.6	2.13	8.30
	Ten Years	108,587	207	177	185	190	151	169	305	389	316	269	236	267	2,861	101	27.6	.98	3.53
ARMY OF INDIA.	1870	54,578	151	131	203	165	168	181	175	297	223	184	190	146	2,223	110	40.7	2.02	4.95
	1871	56,806	182	137	116	130	204	202	183	293	199	221	181	197	2,245	76	39.5	1.24	3.34
	1872	58,870	195	116	95	154	174	167	251	342	336	315	211	247	2,633	109	44.7	1.85	4.14
	1873	58,769	207	149	160	210	137	137	212	232	332	218	207	206	2,407	77	40.9	1.31	3.20
	1874	59,308	160	147	146	159	151	143	257	228	281	185	150	165	2,172	73	36.6	1.23	3.36
	1875	58,409	130	108	189	132	153	181	160	262	210	189	208	167	2,080	49	35.8	.84	2.35
	1876	57,853	140	116	93	137	163	137	163	260	217	218	161	157	1,962	67	33.9	1.16	3.41
	1877	57,260	130	89	89	120	183	144	196	227	172	185	143	150	1,823	47	31.9	.82	2.57
	1878	56,475	178	133	126	233	180	185	257	280	314	300	287	311	2,784	98	49.3	1.73	3.52
	1879	59,082	258	222	155	300	223	211	316	287	339	259	233	210	3,013	147	51.0	2.49	4.88
	Ten Years	577,416	1,731	1,348	1,372	1,740	1,736	1,688	2,170	2,708	2,623	2,304	1,980	1,956	23,356	853	40.4	1.48	3.65

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from DIARRHŒA in each MONTH

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM DIARRHŒA IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.		
BENGAL PROPER.	1870	1,995	7	3	3	8	7	3	11	10	7	12	12	4	87	...	43·6	
	1871	1,975	3	3	2	5	2	9	19	20	15	26	11	9	124	...	62·8	
	1872	1,974	14	4	1	6	14	6	19	19	21	9	2	8	123	1	62·3	·51	·81	
	1873	1,900	7	1	7	8	5	5	14	13	7	3	6	7	83	...	43·7	
	1874	2,007	3	3	7	9	6	5	20	13	22	10	6	10	114	...	56·8	
	1875	1,978	6	5	6	1	8	5	12	18	9	5	3	11	89	...	45·0	
	1876	2,008	9	7	9	3	9	15	8	13	6	7	9	7	102	...	50·8	
	1877	1,867	5	4	1	3	4	2	4	10	4	6	2	2	47	...	25·2	
	1878	1,898	8	3	5	4	2	2	5	9	4	6	10	6	64	...	33·7	
	1879	1,308	8	11	3	6	4	3	10	3	2	4	7	5	66	2	50·5	1·53	3·03	
Ten Years			18,914	70	44	44	53	61	55	122	128	97	88	68	899	3	47·5	·16	·33	
GANGNETIC PROVINCES AND OUDH.	1870	7,185	17	25	63	58	48	11	38	75	38	28	36	36	473	...	65·8	
	1871	8,126	35	26	35	43	29	28	47	56	37	20	46	33	435	1	53·5	·12	·23	
	1872	8,251	14	16	29	44	66	43	82	116	73	49	33	93	658	2	79·8	·24	·30	
	1873	8,049	37	21	46	41	39	39	55	96	48	27	36	19	507	1	63·0	·12	·20	
	1874	8,540	13	16	70	48	55	33	141	94	68	36	21	18	613	...	71·8	
	1875	7,790	22	24	44	42	26	20	38	55	82	35	47	51	486	...	62·4	
	1876	7,890	19	26	41	46	26	22	29	92	54	33	22	33	443	1	59·9	·13	·23	
	1877	7,326	22	16	44	52	53	21	8	35	34	29	25	34	373	1	50·9	·14	·27	
	1878	7,168	26	39	60	80	49	23	41	86	66	36	27	58	591	...	82·5	
	1879	6,341	35	23	42	61	29	29	62	53	39	11	24	23	426	1	67·2	·16	·23	
Ten Years			76,159	240	232	474	508	420	269	541	763	539	304	317	398	5,005	7	65·7	·09	·14
ROHILKUND AND MEERUT.	1870	3,700	2	6	17	23	20	15	19	37	23	14	18	6	205	...	55·4	
	1871	4,234	21	31	29	43	30	29	21	39	20	33	21	15	332	1	78·4	·23	·30	
	1872	4,119	28	10	19	32	11	14	31	64	59	43	14	10	335	4	81·3	·97	1·19	
	1873	3,920	9	15	18	41	13	24	21	43	53	29	16	9	296	2	75·5	·51	·67	
	1874	3,933	11	12	13	25	11	11	24	31	43	27	23	10	241	2	61·2	·61	·83	
	1875	4,395	12	9	16	27	16	13	16	58	85	18	24	17	311	...	70·8	
	1876	4,393	9	9	8	14	13	13	11	48	27	28	14	8	202	...	46·0	
	1877	4,135	13	6	15	18	27	12	14	9	11	6	6	17	154	...	37·3	
	1878	3,721	4	4	18	55	57	21	27	25	29	19	8	9	276	...	74·2	
	1879	3,219	2	6	12	13	13	11	13	26	22	17	11	18	164	...	50·9	
Ten Years			39,770	111	108	165	291	211	163	197	385	377	234	155	119	2,516	9	63·3	·23	·36
AGRA AND CENTRAL INDIA.	1870	4,274	13	17	23	18	18	13	29	59	34	26	15	11	276	...	64·6	
	1871	4,120	16	23	27	20	12	6	23	23	19	4	9	9	191	...	46·4	
	1872	4,213	29	11	8	7	5	18	36	33	21	19	6	7	199	...	47·2	
	1873	4,133	5	2	4	8	12	7	12	34	27	5	7	12	135	...	32·7	
	1874	4,096	1	2	10	13	12	16	48	43	13	13	11	10	192	...	46·9	
	1875	4,310	5	6	21	18	8	12	17	86	33	12	12	1	231	1	53·6	·23	·43	
	1876	3,982	3	7	10	8	4	8	4	22	12	7	10	140	...	35·1		
	1877	3,831	10	5	12	15	17	7	6	10	6	18	8	12	126	1	32·9	·26	·79	
	1878	4,156	13	6	20	27	13	14	20	52	32	26	16	32	271	...	65·2	
	1879	3,517	7	12	15	7	15	6	32	24	40	14	23	11	206	1	58·6	·29	·48	
Ten Years			40,631	102	91	150	141	116	107	231	405	247	149	113	115	1,967	3	48·4	·07	·15
PUTJAB.	1870	10,582	25	54	52	84	77	52	47	107	74	51	52	47	722	...	68·2	
	1871	11,084	44	22	28	57	62	41	85	81	60	43	45	83	651	...	58·7	
	1872	12,118	43	28	25	79	65	50	89	212	113	112	51	52	919	1	75·8	·08	·11	
	1873	12,181	47	19	30	63	38	22	37	52	60	30	39	42	479	...	39·3	
	1874	11,587	27	25	34	57	49	42	61	66	55	24	29	26	495	...	42·7	
	1875	11,883	24	21	43	104	60	51	43	112	68	59	68	59	717	1	60·3	·08	·14	
	1876	11,295	35	31	22	30	57	13	22	87	64	54	66	38	519	1	46·0	·09	·19	
	1877	11,522	28	37	36	61	92	51	36	38	36	55	55	561	...	48·7		
	1878	10,524	50	44	40	82	50	48	49	55	38	66	42	50	614	1	58·3	·10	·16	
	1879	9,507	39	32	30	128	125	85	100	78	125	56	52	65	915	1	96·3	·10	·11	
Ten Years			112,288	362	313	340	745	675	455	574	886	695	531	499	517	6,592	5	58·7	·05	·08
RAJPOOTANA, MALWA, SIND, AND ADEER.	1870	4,900	22	24	10	63	71	40	53	56	32	16	20	17	424	1	86·5	·20	·24	
	1871	5,620	33	33	29	28	34	40	52	61	47	41	28	18	444	2	79·0	·36	·45	
	1872	5,587	31	21	23	33	23	22	39	80	37	38	12	27	386	...	69·1	
	1873	5,275	18	19	21	25	12	25	24	31	40	23	22	11	271	...	51·4	
	1874	5,464	12	14	19	9	13	9	30	27	22	7	9	13	184	...	33·7	
	1875	5,587	17	12	35	35	18	17	27	87	40	14	12	13	327	...	58·5	
	1876	5,368	14	23	15	10	18	22	13	62	34	23	9	19	262	...	48·8	
	1877	5,549	11	11	12	18	10	12	20	23	17	32	19	21	206	1	37·1	·18	·49	
	1878	5,591	23	18	26	26	13	12	39	73	69	80	60	38	475	...	85·0	
	1879	5,226	44	24	27	47	21	20	39	29	29	36	34	48	398	2	76·2	·38	·50	
Ten Years			54,166	225	199	217	294	233	219	334	529	367	310	225	225	3,377	6	62·4	·11	·18
DECCAN AND NAGPORE.	1870	7,611	15	23	38	38	42	33	51	74	55	33	28	23	453	3	59·5	·39	·66	
	1871	7,783	18	9	22	18	34	38	34	89	47	36	30	26	401	1	51·5	·13	·25	
	1872	8,307	26	19	23	41	43	31	148	133	61	54	26	66	661	...	79·6	
	1873	8,082	31	24	32	44	22	37	64	55	44	20	56	39	468	...	57·9	
	1874	8,022	36	18	18	18	27	43	102	25	31	30	25	43	416	...	51·9	
	1875	7,352	43	33	33	34	35	75	110	107	38	33	28	46	615	2	83·7	·27	·33	
	1876	7,384	17	34	9	33	27	31	60	65	34	21								

SPECIAL DISEASES, 1870-79.

XCHL.

of the TEN YEARS, 1870-79, in the different PROVINCES of INDIA.

PROVINCES	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM DIARRHŒA IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.		
SOUTHERN INDIA.	1870 ...	5,178	17	30	31	30	17	61	50	47	27	20	26	25	381	...	73.6	
	1871 ...	4,892	17	13	22	16	19	22	26	21	12	19	8	16	211	...	43.1	
	1872 ...	4,919	32	23	25	26	33	22	38	26	18	12	47	41	343	...	69.3	
	1873 ...	4,979	27	21	29	39	30	31	26	24	18	21	24	20	310	...	62.3	
	1874 ...	4,748	5	8	22	11	7	18	29	11	13	11	14	9	158	...	33.3	
	1875 ...	4,586	15	9	23	13	9	19	22	16	15	14	8	12	175	1	38.2	22	57	
	1876 ...	4,703	7	16	22	27	24	15	24	15	16	7	16	24	213	...	45.3	
	1877 ...	4,726	18	20	27	10	14	25	30	12	12	19	16	28	231	...	48.9	
	1878 ...	4,598	21	17	27	21	12	11	21	16	13	8	4	14	185	1	40.2	22	54	
	1879 ...	3,490	11	12	8	23	14	18	18	23	11	7	14	7	171	...	49.0	
Ten Years			46,847	170	169	236	221	179	242	284	211	155	138	177	196	2,378	2	50.8	04	08
BRITISH BURMAH AND PEGU.	1870 ...	1,669	1	12	5	7	15	24	10	4	3	4	6	3	94	...	56.3	
	1871 ...	1,819	6	1	11	11	18	19	15	12	6	12	8	8	127	...	69.8	
	1872 ...	1,998	1	3	...	2	6	8	9	10	5	4	3	16	67	...	33.5	
	1873 ...	2,076	13	19	21	12	14	13	28	12	12	8	9	7	168	...	80.9	
	1874 ...	2,113	8	7	12	6	7	13	18	15	9	5	4	6	110	...	52.1	
	1875 ...	2,095	2	3	6	8	29	32	14	14	7	3	4	1	123	...	58.7	
	1876 ...	2,024	4	...	4	6	12	21	21	27	18	14	12	10	149	...	73.6	
	1877 ...	1,910	3	11	10	4	13	10	23	18	8	9	5	16	130	...	68.1	
	1878 ...	1,923	20	15	8	20	14	12	19	11	14	14	9	11	167	...	86.8	
	1879 ...	2,871	7	3	5	13	28	53	118	27	18	11	7	10	300	...	104.5	
Ten Years			20,496	65	74	82	89	156	205	275	150	100	84	67	88	1,435	...	70.0
ARMY OF BENGAL.	1870 ...	33,373	82	111	169	223	210	124	215	381	222	149	166	124	2,176	...	65.2	
	1871 ...	35,122	135	117	112	210	192	187	318	276	199	165	166	164	2,271	4	64.7	12	18	
	1872 ...	36,507	153	86	108	207	190	181	447	555	337	264	119	184	2,831	10	77.5	27	35	
	1873 ...	36,617	117	68	110	188	123	136	218	295	235	114	116	105	1,825	5	49.9	14	27	
	1874 ...	37,278	62	65	144	168	162	137	346	281	238	121	102	89	1,915	2	51.4	05	10	
	1875 ...	37,184	78	85	145	228	150	172	277	414	302	148	167	159	2,325	3	62.5	08	13	
	1876 ...	36,582	102	89	100	131	152	117	130	337	203	164	136	112	1,773	3	48.5	08	17	
	1877 ...	36,179	84	72	114	174	232	130	141	162	121	112	113	129	1,584	2	43.8	06	13	
	1878 ...	35,836	111	102	149	297	233	137	200	311	215	199	166	340	2,460	1	68.6	03	04	
	1879 ...	38,755	185	171	202	398	380	365	500	410	353	190	187	182	3,523	14	90.9	36	40	
Ten Years			363,431	1,109	966	1,333	2,224	2,024	1,686	2,792	3,422	2,425	1,626	1,438	1,588	22,683	44	62.4	12	19
ARMY OF MADRAS.	1870 ...	10,697	31	61	62	60	45	101	83	97	75	44	48	41	748	...	69.9	
	1871 ...	10,844	38	23	54	40	66	72	65	102	56	53	31	52	655	...	60.4	
	1872 ...	11,544	60	45	49	45	56	51	158	136	75	58	71	84	888	...	76.9	
	1873 ...	11,457	64	64	76	91	72	77	99	89	66	48	77	66	879	...	76.5	
	1874 ...	11,501	50	32	48	33	32	51	90	40	41	32	32	43	524	...	45.6	
	1875 ...	11,041	53	41	42	38	59	72	94	78	37	28	27	41	610	1	55.2	09	16	
	1876 ...	11,034	19	39	35	87	74	60	78	87	62	37	41	49	668	...	60.5	
	1877 ...	10,989	32	62	68	51	73	72	106	63	46	75	39	65	752	1	68.4	09	13	
	1878 ...	10,815	66	54	64	71	55	42	126	105	67	53	26	48	782	2	72.3	19	26	
	1879 ...	10,444	45	32	27	45	48	89	174	67	40	23	33	29	652	1	62.4	09	15	
Ten Years			110,396	458	453	525	561	580	687	1,073	864	565	456	428	508	7,158	5	64.8	04	07
ARMY OF BOMBAY.	1870 ...	10,509	43	32	29	93	107	85	97	123	72	44	63	31	824	...	78.4	48	61	
	1871 ...	10,840	46	42	33	44	46	52	69	98	62	65	45	40	642	5	59.2	28	47	
	1872 ...	10,819	47	28	35	58	58	43	92	123	52	56	26	73	691	...	63.9	
	1873 ...	10,665	28	25	39	37	18	39	55	39	49	28	54	56	467	1	43.8	09	21	
	1874 ...	10,529	25	22	33	21	30	38	99	45	39	26	71	31	480	...	45.6	
	1875 ...	10,184	29	23	57	59	38	81	88	162	69	39	37	38	720	4	70.7	39	56	
	1876 ...	10,242	28	43	20	20	34	42	51	93	45	37	26	40	479	...	46.8	
	1877 ...	10,092	20	16	36	44	36	51	134	53	39	59	30	33	551	1	54.6	10	18	
	1878 ...	9,825	39	42	37	42	31	23	78	99	100	103	77	59	730	1	74.3	10	14	
	1879 ...	9,883	72	35	42	76	39	46	86	72	51	62	52	77	710	3	71.8	30	42	
Ten Years			103,587	377	308	361	494	437	500	849	907	578	519	486	478	6,294	18	60.8	17	29
ARMY OF INDIA.	1870 ...	54,578	156	204	260	376	362	310	395	601	369	237	282	196	3,748	...	68.7	09	13	
	1871 ...	56,806	219	182	229	294	304	311	452	476	317	283	245	256	3,568	7	62.8	12	20	
	1872 ...	58,870	269	159	192	310	304	275	697	814	464	378	216	341	4,410	10	74.9	17	23	
	1873 ...	58,769	209	157	225	316	213	252	372	423	350	190	247	217	3,171	6	53.9	10	19	
	1874 ...	59,308	137	119	225	222	224	226	535	366	318	179	205	163	2,919	2	49.2	03	07	
	1875 ...	58,409	160	149	244	325	217	325	459	654	408	215	231	238	3,655	8	62.6	14	22	
	1876 ...	57,858	149	171	155	238	260	219	259	517	310	238	203	201	2,920	3	50.5	05	10	
	1877 ...	57,260	136	150	218	269	341	253	381	278	206	246	182	227	2,887	4	50.4	07	14	
	1878 ...	56,475	216	198	250	410	319	202	404	515	382	360	269	447	3,972	4	70.3	07	10	
	1879 ...	59,082	302	238	271	519	467	500	760	549	444	275	272	288	4,885	18	82.7	30	37	
Ten Years			577,416	1,944	1,727	2,269	3,279	3,041	2,873	4,714	5,193	3,568	2,601	2,352	2,574	36,135	67	62.6	12	19

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from HEPATITIS in each MONTH

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM HEPATITIS IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.		
BENGAL PROPR.	1870	1,995	9	4	14	9	17	13	8	16	9	23	10	10	142	9	71.2	4.51	6.34	
	1871	1,975	13	15	7	6	13	28	27	31	19	15	8	18	200	16	101.3	8.10	8.00	
	1872	1,974	17	8	13	9	9	18	20	26	25	30	16	15	206	5	104.4	2.53	2.43	
	1873	1,900	22	13	14	14	19	16	20	15	11	6	4	9	163	6	58.8	3.15	3.68	
	1874	2,007	1	4	3	3	2	4	9	4	6	7	6	2	51	3	25.4	1.50	5.88	
	1875	1,978	5	8	4	2	6	10	7	6	2	7	13	5	75	5	37.9	2.53	6.67	
	1876	2,008	5	4	8	5	8	11	7	10	9	6	13	12	98	2	48.8	1.00	2.04	
	1877	1,867	6	7	4	4	10	4	1	3	9	5	4	5	64	2	34.3	1.07	3.12	
	1878	1,898	2	8	5	4	4	2	4	3	4	4	4	...	44	2	23.2	1.05	4.55	
	1879	1,308	3	...	3	4	3	9	4	3	8	7	1	2	47	...	35.9	
Ten Years			18,914	83	71	75	62	91	115	107	117	102	110	79	78	1,090	50	57.6	2.64	4.59
GAUGHIC PROVINCES AND OUDH.	1870	7,185	32	29	42	40	50	39	41	52	56	33	40	28	487	35	67.8	4.87	7.19	
	1871	8,126	23	33	31	32	45	45	53	40	41	51	29	29	461	23	56.7	2.83	5.00	
	1872	8,251	32	23	24	33	40	52	43	39	51	65	30	35	472	22	57.2	2.67	4.66	
	1873	8,049	23	29	20	33	34	40	53	33	71	30	18	20	404	15	50.2	1.86	3.71	
	1874	8,540	14	20	27	29	35	35	45	47	49	46	33	32	412	22	48.2	2.58	5.34	
	1875	7,790	28	26	29	24	22	35	32	41	29	37	21	11	335	17	43.0	2.18	5.07	
	1876	7,390	13	30	34	28	42	36	44	53	41	42	37	40	440	9	59.5	1.22	2.05	
	1877	7,326	44	38	32	19	31	47	26	34	26	21	14	27	359	12	49.0	1.64	3.90	
	1878	7,168	23	20	15	31	29	29	51	35	38	30	18	17	336	14	46.9	1.95	4.17	
	1879	6,341	9	16	19	21	22	26	21	23	41	21	30	19	268	10	42.3	1.58	3.73	
Ten Years			76,159	441	269	273	290	350	384	409	406	443	381	270	258	3,974	179	52.2	2.35	4.50
ROHILKUND AND MEERUT.	1870	3,700	6	12	26	20	24	32	18	31	29	20	17	9	244	18	65.9	4.87	7.38	
	1871	4,234	21	42	27	26	33	18	22	32	30	24	25	15	315	15	74.4	3.55	4.76	
	1872	4,119	17	12	19	26	22	22	17	22	14	23	11	23	223	11	55.3	2.67	4.83	
	1873	3,920	11	14	15	12	17	17	20	15	18	23	14	18	194	10	49.5	2.55	5.16	
	1874	3,933	10	11	13	14	26	16	22	27	24	27	18	18	226	16	57.5	4.07	7.08	
	1875	4,395	7	5	7	11	16	14	9	18	19	15	13	8	142	7	32.3	1.59	4.93	
	1876	4,393	8	15	7	12	14	17	8	35	21	24	16	7	184	11	41.9	2.51	5.98	
	1877	4,135	15	5	3	11	13	16	25	18	16	20	14	7	163	10	39.4	2.42	6.13	
	1878	3,721	7	6	12	9	19	22	30	14	25	20	25	6	195	5	52.4	1.34	2.56	
	1879	3,219	7	9	6	7	7	17	13	11	23	9	6	11	126	6	39.1	1.86	4.76	
Ten Years			39,770	109	131	135	148	191	191	184	223	219	205	169	122	2,017	109	50.7	2.74	5.40
AGRA AND CENTRAL INDIA.	1870	4,274	9	13	16	16	16	19	20	26	19	19	17	13	203	16	47.5	3.74	7.88	
	1871	4,120	8	12	10	9	18	18	15	21	21	19	9	12	172	11	41.7	2.67	6.40	
	1872	4,213	8	11	5	15	12	11	16	15	21	21	12	8	155	10	36.8	2.38	6.45	
	1873	4,133	17	11	18	14	20	13	24	17	23	14	8	11	190	5	46.0	1.21	2.63	
	1874	4,036	14	11	12	14	19	15	22	21	41	19	21	19	228	7	55.7	1.70	3.07	
	1875	4,310	8	15	19	18	25	21	21	27	20	27	22	9	232	3	53.8	.70	1.29	
	1876	3,982	10	14	8	15	18	22	17	15	24	28	12	8	191	5	48.0	1.26	2.62	
	1877	3,831	8	10	7	13	19	15	9	14	15	20	13	10	153	7	39.9	1.83	4.58	
	1878	4,156	6	11	9	13	13	18	12	13	7	24	20	19	165	13	39.7	3.13	7.88	
	1879	3,517	7	13	14	12	10	15	15	11	14	11	13	25	160	7	45.5	1.99	4.37	
Ten Years			40,631	95	121	118	139	170	167	171	180	205	202	147	134	1,849	84	45.5	2.07	4.54
PUNJAB.	1870	10,582	48	32	44	34	37	39	37	42	31	36	45	33	458	24	43.3	2.27	5.24	
	1871	11,084	38	47	47	34	50	59	55	77	55	60	47	23	592	17	53.4	1.54	2.87	
	1872	12,118	36	42	36	45	37	67	73	56	65	71	71	57	650	22	53.6	1.82	3.38	
	1873	12,181	37	44	52	67	34	39	62	53	64	52	46	52	602	18	49.4	1.48	2.99	
	1874	11,587	45	42	39	24	38	39	47	37	47	34	40	56	488	13	42.1	1.12	2.66	
	1875	11,888	30	24	43	26	34	27	30	42	35	22	47	38	408	10	34.3	.84	2.45	
	1876	11,295	28	44	35	28	33	27	41	37	26	51	40	42	432	14	38.2	1.24	3.24	
	1877	11,522	39	23	28	25	30	33	34	42	31	32	29	37	383	13	33.2	1.13	3.39	
	1878	10,524	30	24	24	25	18	23	41	29	37	37	23	25	336	12	31.9	1.14	3.57	
	1879	9,507	28	16	22	21	13	32	34	30	24	16	31	30	297	13	31.2	1.37	4.38	
Ten Years			112,288	359	338	370	329	324	395	454	439	415	411	419	393	4,646	156	41.4	1.39	3.36
RAJPUTANA, MALWA, SIND, AND ADEEN.	1870	4,900	4	9	7	9	11	14	14	18	26	23	22	6	163	9	33.3	1.84	5.52	
	1871	5,620	25	18	28	15	24	20	24	33	30	32	31	16	296	8	52.7	1.42	2.70	
	1872	5,587	16	9	3	17	20	14	24	19	20	25	16	27	210	12	37.6	2.15	5.71	
	1873	5,275	15	20	22	29	28	27	24	22	35	21	15	20	278	12	52.7	2.28	4.32	
	1874	5,464	10	15	33	25	30	29	33	27	33	18	31	18	302	6	55.3	1.10	1.99	
	1875	5,577	13	18	23	15	10	22	22	23	23	21	14	8	212	10	37.9	1.79	4.72	
	1876	5,363	13	14	12	22	47	32	24	21	15	22	19	10	251	7	46.8	1.30	2.79	
	1877	5,549	10	17	16	9	24	16	21	12	15	28	17	9	194	5	34.9	.90	2.58	
	1878	5,591	15	15	17	17	19	24	23	31	18	36	16	8	239	14	42.8	2.50	5.86	
	1879	5,226	11	11	15	13	15	13	21	19	24	13	11	17	183	4	35.0	.77	2.19	
Ten Years			54,166	132	146	176	171	228	211	230	225	239	239	192	139	2,328	87	43.0	1.61	3.74
DECCAN AND NAGPORE.	1870	7,611	13	6	21	16	15	13	8	20	25	12	20	6	175	11	23.0	1.45	6.29	
	1871	7,783	23	10	24	18	30	22	20	23	31	32	34	21	293	27	37.6	3.47	9.22	
	1872	8,307	24	15	16	15	10	17	16	30	33	50	29	43	298	22	35.9	2.65	7.38	
	1873	8,082	48	47	35	46	27	23	46	26	38	48</								

SPECIAL DISEASES, 1870-79.

XCIV.

of the TEN YEARS, 1870-79, in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM HEPATITIS IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	27	29	32	20	20	26	22	35	21	17	27	24	300	15	57.9	2.90	5.00
	1871	4,892	27	14	11	12	17	26	27	28	23	22	27	22	256	8	52.3	1.64	3.13
	1872	4,949	25	24	20	31	25	27	23	23	27	32	11	30	298	10	60.2	2.02	3.36
	1873	4,979	23	24	29	30	32	31	40	28	37	33	36	36	379	14	76.1	3.81	3.69
	1874	4,748	31	33	26	20	17	22	38	46	37	35	30	36	371	14	78.1	2.95	3.77
	1875	4,586	25	29	25	27	29	26	27	34	16	19	25	11	293	10	63.9	2.18	3.41
	1876	4,703	18	20	17	15	23	16	19	22	28	20	31	24	253	14	53.8	2.98	5.53
	1877	4,726	37	14	24	14	18	14	24	16	22	18	29	32	262	10	55.4	2.12	3.82
	1878	4,598	19	22	21	24	16	14	13	11	17	22	16	20	215	12	46.7	2.61	5.58
	1879	3,490	20	11	13	15	10	14	10	15	17	30	20	13	188	9	53.9	2.58	4.79
	Ten Years	46,847	252	220	218	208	207	216	243	258	245	248	252	248	2,815	116	60.1	2.48	4.12
BRITISH BURMAH AND PEGU.	1870	1,669	9	7	9	12	15	15	11	12	5	10	6	3	114	2	68.3	1.20	1.75
	1871	1,819	11	5	5	7	18	11	19	15	17	11	11	5	135	2	74.2	1.10	1.48
	1872	1,998	14	8	10	5	5	8	17	15	17	12	13	10	134	4	67.1	2.00	3.00
	1873	2,076	12	9	7	14	10	17	23	26	24	13	6	9	170	6	81.9	2.89	3.53
	1874	2,113	19	21	23	13	14	13	15	11	27	13	17	11	197	4	93.2	1.89	2.03
	1875	2,095	12	7	11	11	20	14	15	17	14	14	9	6	150	5	71.6	2.39	3.33
	1876	2,024	11	13	6	11	14	14	18	14	14	5	10	5	135	...	66.7
	1877	1,910	14	8	7	4	12	11	12	9	15	19	11	6	128	4	67.0	2.09	3.12
	1878	1,923	13	6	15	9	15	18	13	11	10	19	13	7	149	9	77.5	4.68	6.04
	1879	2,871	10	14	5	12	12	19	30	26	26	16	12	26	208	9	72.4	3.14	4.33
	Ten Years	20,496	125	98	98	98	135	140	173	156	169	132	108	88	1,520	45	74.2	2.20	2.96
ARMY OF BENGAL.	1870	33,373	119	100	165	156	204	180	173	216	175	164	145	106	1,903	130	57.0	3.89	6.52
	1871	35,122	121	163	136	146	201	218	220	245	198	199	143	107	2,097	96	59.7	2.73	4.58
	1872	36,577	122	112	113	176	153	206	211	188	210	245	159	148	2,043	86	56.0	2.36	4.21
	1873	36,617	121	120	129	162	160	158	220	175	224	148	110	121	1,848	66	50.5	1.80	3.57
	1874	37,278	98	101	113	105	137	140	189	177	212	147	129	138	1,686	72	45.2	1.93	4.27
	1875	37,184	86	89	137	114	130	165	139	185	138	126	133	76	1,518	55	40.8	1.48	3.62
	1876	36,582	71	122	110	109	155	158	152	193	174	194	138	119	1,695	62	46.3	1.42	3.07
	1877	36,179	118	90	85	105	152	153	145	174	129	128	94	100	1,473	55	40.7	1.52	3.73
	1878	35,836	70	73	73	112	125	129	195	128	158	145	118	96	1,428	67	39.8	1.87	4.69
	1879	38,755	81	79	85	100	96	168	166	147	186	117	104	109	1,438	62	37.1	1.60	4.31
	Ten Years	363,431	1,013	1,049	1,146	1,285	1,513	1,675	1,810	1,828	1,804	1,613	1,273	1,120	17,129	741	47.1	2.04	4.33
ARMY OF MADRAS.	1870	10,679	63	49	62	55	58	56	51	81	59	40	61	46	681	37	63.6	3.46	5.43
	1871	10,844	79	55	52	38	57	60	63	70	57	74	66	50	721	39	66.5	3.59	5.27
	1872	11,544	63	63	44	60	38	46	52	68	66	82	51	62	685	38	59.3	3.29	5.55
	1873	11,487	60	58	71	77	63	67	106	80	102	81	76	92	938	46	81.7	4.00	4.90
	1874	11,591	89	93	65	54	58	85	84	104	90	87	86	949	38	82.5	3.30	4.00	
	1875	11,941	74	67	60	68	67	78	67	83	68	62	65	36	785	35	71.1	3.17	4.46
	1876	11,034	52	53	38	39	65	66	71	61	69	66	74	54	698	22	63.3	2.00	3.15
	1877	10,989	84	45	37	33	68	49	79	56	55	65	55	61	677	28	61.6	2.55	4.14
	1878	10,815	61	50	53	65	70	55	55	40	56	72	49	42	668	37	61.8	3.42	5.54
	1879	10,444	56	41	31	44	40	49	55	54	67	65	58	55	615	29	58.9	2.78	4.72
	Ten Years	110,396	681	574	613	513	575	574	684	677	703	697	642	584	7,417	349	67.2	3.16	4.71
ARMY OF BOMBAY.	1870	10,509	27	21	31	36	31	45	37	44	42	34	60	27	435	12	41.4	1.14	2.76
	1871	10,840	55	28	44	31	41	33	43	44	50	43	45	25	482	20	44.5	1.85	4.15
	1872	10,819	31	17	17	29	28	28	39	29	36	44	26	54	378	20	34.9	1.85	5.29
	1873	10,665	43	50	46	70	49	43	49	32	47	43	38	45	555	25	52.0	2.35	4.50
	1874	10,529	23	36	57	36	49	44	55	44	51	29	50	32	506	18	48.0	1.71	3.56
	1875	10,184	29	28	36	28	23	44	38	37	34	34	36	44	411	18	40.4	1.77	4.38
	1876	10,242	38	36	34	41	60	44	31	39	32	41	36	20	452	23	44.1	2.24	5.09
	1877	10,492	27	27	25	17	38	26	37	25	29	43	27	19	340	10	33.7	.99	2.94
	1878	9,825	29	23	25	35	23	34	30	45	35	50	24	12	365	23	37.1	2.34	6.30
	1879	9,883	20	16	20	24	24	21	34	31	37	27	20	36	310	8	31.4	.81	2.58
	Ten Years	103,587	322	282	335	347	366	362	393	370	393	388	362	314	4,234	177	40.9	1.71	4.18
ARMY OF INDIA.	1870	54,578	209	170	258	247	293	281	261	341	276	238	266	179	3,019	179	55.3	3.28	5.93
	1871	55,866	255	246	232	215	299	311	326	359	305	316	254	182	3,300	165	58.1	2.73	4.67
	1872	58,870	216	192	174	255	219	280	302	285	312	371	236	264	3,106	144	52.8	2.45	4.64
	1873	58,769	224	228	216	309	277	263	375	287	373	272	224	258	3,341	137	56.8	2.33	4.10
	1874	59,308	210	230	235	195	240	242	329	305	367	266	266	256	3,141	128	53.0	2.16	4.08
	1875	58,409	189	184	233	200	220	287	244	305	240	222	234	156	2,714	108	46.5	1.85	3.98
	1876	57,858	161	211	182	189	280	258	254	293	275	301	248	153	2,845	97	49.1	1.68	3.44
	1877	57,260	229	162	147	155	248	228	261	255	213	236	176	180	2,490	93	43.5	1.62	3.73
	1878	56,475	166	146	151	212	218	218	280	213	249	267	191	150	2,461	127	43.6	2.25	5.16
	1879	59,082	157	136	136	168	160	238	255	232	290	209	182	200	2,363	99	40.0	1.68	4.19
	Ten Years	577,416	2,016	1,905	1,994	2,145	2,454	2,611	2,887	2,875	2,900	2,698	2,277	2,018	28,780	1,267	49.8	2.19	4.40

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from RESPIRATORY DISEASES in each

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM RESPIRATORY DISEASES IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
BENGAL PROPER.	1870	1,995	6	5	7	2	6	5	7	11	6	5	5	4	69	1	34.6	.50	1.45
	1871	1,975	5	4	6	8	12	4	7	10	4	3	4	10	77	...	39.0
	1872	1,974	7	9	7	9	10	11	19	12	7	18	18	16	143	3	72.4	1.52	2.10
	1873	1,900	5	14	10	6	7	11	11	7	11	3	10	4	99	...	52.1
	1874	2,007	1	6	19	4	8	5	9	9	5	8	7	9	90	...	44.9
	1875	1,978	5	5	9	6	7	9	5	5	6	8	16	8	89	...	45.0
	1876	2,008	15	20	12	9	10	12	16	16	12	8	14	7	151	1	75.2	.40	.66
	1877	1,867	15	13	9	4	6	2	6	12	3	6	2	8	86	1	46.1	.54	1.16
	1878	1,898	6	7	3	7	4	7	4	11	2	1	2	5	59	...	31.1
	1879	1,308	4	11	2	2	4	...	2	2	4	5	7	17	60	...	45.9
Ten Years		18,914	69	94	84	57	74	66	86	95	60	65	85	88	923	6	48.8	.32	.65
GANGOTRI PROVINCES AND OUDH.	1870	7,185	28	29	40	34	35	30	16	35	31	29	29	30	366	4	51.0	.66	1.09
	1871	8,126	46	34	38	41	23	35	34	49	27	31	26	39	428	4	52.7	.49	.93
	1872	8,251	20	26	40	44	35	34	33	39	33	37	42	59	442	5	53.6	.60	1.13
	1873	8,049	69	64	69	75	33	24	35	39	46	36	32	60	582	7	72.3	.87	1.20
	1874	8,540	41	55	114	88	69	47	66	49	62	44	40	59	734	1	85.9	.12	.14
	1875	7,790	33	55	38	33	23	25	33	28	32	40	53	38	431	4	55.3	.51	.93
	1876	7,390	46	63	67	54	50	26	38	35	29	52	34	49	548	1	74.1	.13	.18
	1877	7,326	80	39	32	19	35	31	19	36	26	31	40	34	422	2	57.6	.27	.47
	1878	7,168	80	46	40	52	28	30	43	18	46	31	52	70	536	2	74.8	.28	.37
	1879	6,341	63	63	38	41	41	17	44	20	26	27	46	81	507	3	80.0	.48	.59
Ten Years		76,159	506	479	516	481	377	299	301	348	358	358	391	519	4,996	33	65.6	.43	.66
ROHILKUND AND MEERUT.	1870	3,700	8	19	24	11	18	18	13	20	13	5	22	18	189	3	51.1	.81	1.59
	1871	4,234	39	47	63	57	63	43	54	60	50	34	41	31	582	2	137.5	.47	.34
	1872	4,119	30	49	42	43	37	43	34	28	35	33	27	21	422	11	102.5	2.67	2.37
	1873	3,920	32	32	30	33	22	21	30	22	25	22	22	28	319	1	81.4	.26	.31
	1874	3,933	31	21	20	15	17	15	19	20	19	18	24	55	274	2	69.7	.61	.73
	1875	4,395	33	38	25	26	20	25	23	39	20	16	31	19	315	4	71.7	.91	1.27
	1876	4,393	36	36	32	12	9	14	16	22	15	13	16	28	249	1	56.7	.23	.40
	1877	4,135	37	12	40	23	35	8	19	23	27	32	22	20	298	...	72.1
	1878	3,721	29	15	21	25	17	11	22	16	23	16	14	17	226	...	60.7
	1879	3,219	26	33	35	26	15	7	10	12	13	13	29	41	260	1	80.8	.31	.38
Ten Years		39,770	301	302	332	271	253	205	240	262	240	202	248	278	3,134	25	78.8	.63	.80
AGRA AND CENTRAL INDIA.	1870	4,274	13	24	36	35	40	17	19	20	23	24	24	26	301	2	70.4	.47	.66
	1871	4,120	45	24	23	23	32	21	26	30	18	27	10	23	302	3	73.3	.73	.99
	1872	4,213	23	31	24	20	29	17	39	13	10	27	17	22	272	3	64.5	.71	1.10
	1873	4,133	20	19	24	35	15	16	18	11	12	21	14	20	225	...	54.5
	1874	4,096	26	26	50	50	43	24	29	32	31	18	28	41	398	2	97.1	.49	.50
	1875	4,310	30	37	28	16	33	26	16	14	8	12	15	16	251	4	58.2	.93	1.59
	1876	3,982	33	60	29	20	53	15	22	31	16	31	11	48	369	2	92.7	.50	.54
	1877	3,831	31	29	31	28	34	21	12	16	19	23	29	10	283	6	73.9	1.57	2.12
	1878	4,156	28	20	13	18	20	19	9	25	17	13	26	34	242	3	58.2	.72	1.24
	1879	3,517	35	29	23	23	23	4	12	7	18	11	33	44	262	5	74.5	1.42	1.98
Ten Years		40,631	284	299	281	268	322	180	202	199	172	207	207	284	2,905	30	71.5	.74	1.03
PUNJAB.	1870	10,582	179	137	130	78	104	46	36	46	37	41	112	165	1,111	30	105.0	2.84	2.79
	1871	11,084	187	110	104	76	70	31	40	56	41	64	69	145	993	26	89.6	2.35	2.62
	1872	12,118	156	100	79	73	58	47	73	69	43	81	111	126	1,016	17	83.8	1.40	1.67
	1873	12,181	126	142	144	146	76	65	76	90	60	48	89	157	1,219	23	100.1	1.89	1.89
	1874	11,587	152	138	151	75	72	84	74	43	67	68	116	235	1,275	9	110.0	.78	.71
	1875	11,888	253	196	106	50	85	93	86	70	78	72	151	125	1,365	20	114.8	1.68	1.47
	1876	11,295	175	130	86	87	76	49	50	59	29	71	85	143	1,040	12	92.1	1.06	1.15
	1877	11,522	193	183	121	65	65	69	35	61	36	87	70	113	1,098	9	95.3	.78	.82
	1878	10,524	148	146	112	83	48	45	53	49	42	46	97	136	1,005	10	95.5	.95	1.00
	1879	9,507	215	165	79	62	60	54	37	34	42	35	129	271	1,183	23	124.4	2.42	1.94
Ten Years		112,288	1,784	1,447	1,112	795	714	583	560	577	475	613	1,029	1,616	11,305	179	100.7	1.59	1.58
RAJPOOTANA, MALWA, SIND, AND ADEEN.	1870	4,900	23	40	28	25	33	31	31	20	23	15	29	26	324	1	66.1	.20	.31
	1871	5,620	53	47	51	44	29	31	22	21	17	31	30	23	399	2	71.0	.36	.50
	1872	5,587	40	17	13	22	16	14	25	7	15	22	14	34	239	5	42.8	.89	2.09
	1873	5,275	53	43	36	43	22	38	36	36	22	35	40	24	433	1	82.1	.19	.23
	1874	5,464	51	42	45	16	17	14	35	18	12	14	21	23	308	4	56.4	.73	1.30
	1875	5,587	32	53	63	34	19	27	36	30	16	21	23	20	364	6	65.1	1.07	1.65
	1876	5,368	37	37	23	22	25	25	18	15	17	25	19	32	295	2	55.0	.37	.68
	1877	5,549	58	28	35	43	47	33	13	29	23	32	38	39	418	4	75.3	.72	.96
	1878	5,591	50	44	33	22	21	29	26	19	22	22	46	63	397	...	71.0
	1879	5,226	61	38	39	32	23	18	21	15	32	18	51	117	465	12	89.0	2.30	2.58
Ten Years		54,166	458	394	356	303	252	260	263	210	199	235	311	401	3,642	37	67.2	.68	1.02
DECCAN AND NAG-POR.	1870	7,611	18	23	53	38	41	36	33	36	21	26	37	31	393	7	51.6	.92	1.78
	1871	7,783	29	22	46	37	27	27	31	41	29	25	34	43	391	3	50.3	.39	.77
	1872	8,307	74	62	52	45	34	31	37	28	32	46	32	35	508	2	61.1	.24	.39
	1873	8,082	48	48	42	46	40	33	34	42	42	4							

SPECIAL DISEASES, 1870-79.

XCV.

MONTH of the TEN YEARS, 1870-79, in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM RESPIRATORY DISEASES IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis- sions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	17	10	23	35	41	30	25	22	15	30	34	27	300	3	50.7	.58	.97
	1871	4,892	27	34	40	27	33	28	14	31	25	18	17	21	315	2	64.4	.41	.63
	1872	4,949	21	45	50	49	16	32	30	27	17	32	18	23	360	...	72.7
	1873	4,979	19	16	19	30	30	18	20	17	18	20	20	9	236	...	47.4	.40	.85
	1874	4,748	10	12	19	13	18	16	26	13	34	31	31	20	243	1	51.2	.21	.41
	1875	4,586	13	17	14	14	13	12	13	7	8	13	10	26	160	2	34.9	.44	1.25
	1876	4,703	19	25	12	10	13	12	28	27	10	13	18	14	201	...	42.7
	1877	4,726	11	12	23	15	27	20	20	16	9	16	11	15	195	1	41.351
	1878	4,598	13	12	16	34	25	21	30	22	15	24	19	12	243	1	52.9	.22	.41
	1879	3,490	4	15	17	28	19	11	16	16	23	10	21	9	189	1	54.1	.29	.53
BRITISH BURMAH AND PEGU.	Ten Years	46,847	154	198	233	255	235	200	222	198	174	207	199	176	2,451	13	52.3	.28	.53
	1870	1,009	5	7	18	9	11	2	4	10	6	14	4	7	97	...	58.1
	1871	1,819	6	3	9	14	7	11	9	14	11	8	5	15	112	1	61.6	.55	.90
	1872	1,998	10	4	5	5	4	6	3	3	5	6	4	15	70	...	35.0
	1873	2,076	25	16	11	9	4	4	4	3	12	19	7	5	119	...	67.3
	1874	2,113	3	4	6	8	4	7	11	12	13	13	13	6	100	...	47.3
	1875	2,095	10	4	8	8	9	8	8	8	7	7	7	6	90	...	43.0
	1876	2,024	9	12	7	5	6	6	6	6	5	9	5	7	87	...	43.0
	1877	1,910	14	6	3	7	6	9	6	6	12	29	10	12	110	...	57.6
	1878	1,923	13	5	8	6	5	8	14	6	6	12	14	16	112	1	58.2	.52	.89
ARMY OF BENGAL.	1879	2,871	12	9	7	9	10	15	17	5	18	14	19	14	149	...	61.9
	Ten Years	20,496	107	70	82	79	67	76	82	75	95	122	88	103	1,046	2	51.0	.10	.19
	1870	33,373	284	257	278	217	297	171	121	160	139	131	234	283	2,572	53	77.1	1.59	1.98
	1871	35,122	393	286	284	255	305	184	196	241	172	207	184	277	2,984	48	85.0	1.37	1.61
	1872	36,507	282	249	222	249	226	186	225	196	161	237	254	274	2,761	48	75.6	1.32	1.70
	1873	36,647	296	300	318	427	208	185	233	218	204	167	227	308	3,091	42	84.4	1.15	1.36
	1874	37,278	302	311	404	316	284	245	259	211	246	217	268	465	3,528	20	94.6	.54	.56
	1875	37,184	399	308	262	187	242	223	205	190	174	186	285	243	2,964	35	79.7	.94	1.18
	1876	36,582	355	355	259	261	308	176	191	216	145	229	184	297	2,976	29	81.3	.79	.97
	1877	36,179	394	304	256	184	249	195	128	191	141	227	198	209	2,673	21	73.9	.58	.79
ARMY OF MADRAS.	1878	35,836	317	268	214	257	188	169	194	149	193	178	324	547	2,998	36	83.7	1.00	1.20
	1879	38,735	683	485	312	318	264	160	168	134	198	218	390	601	4,031	123	104.0	3.18	3.05
	Ten Years	363,431	3,702	3,193	2,809	2,671	2,571	1,894	1,920	1,906	1,773	1,997	2,548	3,594	30,578	455	84.1	1.25	1.49
	1870	10,697	36	30	70	63	78	55	51	60	39	56	67	54	659	6	61.6	.56	.91
	1871	10,844	56	57	76	61	56	48	40	65	55	46	49	68	677	5	62.4	.46	.74
	1872	11,544	94	94	92	78	40	58	57	52	34	52	43	54	748	1	64.8	.09	.13
	1873	11,487	70	66	63	72	72	47	42	41	67	75	51	38	684	4	59.6	.35	.59
	1874	11,501	60	50	74	41	42	39	66	51	71	59	83	58	694	5	60.3	.44	.72
	1875	11,041	48	54	44	34	36	35	38	41	31	47	27	55	487	2	44.1	.18	.41
	1876	11,034	68	80	46	66	57	39	64	64	33	62	45	42	666	1	60.4	.09	.15
	1877	10,989	69	54	45	43	65	45	42	40	33	50	44	40	551	2	50.1	.18	.36
ARMY OF BOMBAY.	1878	10,815	53	47	46	55	54	41	54	47	41	65	54	49	606	5	56.0	.46	.83
	1879	10,444	53	47	33	49	44	39	57	40	59	39	57	49	566	4	54.2	.38	.71
	Ten Years	110,396	598	569	576	562	534	446	511	501	463	551	520	507	6,338	35	57.4	.32	.55
	1870	10,509	46	66	67	68	64	63	57	46	39	44	64	67	681	8	64.8	.76	1.17
	1871	10,840	84	66	84	67	51	57	45	61	31	42	41	41	660	3	60.9	.28	.45
	1872	10,819	72	43	41	56	40	32	42	17	37	56	29	60	525	7	48.5	.65	1.34
	1873	10,665	82	75	60	66	30	56	63	64	37	52	65	96	746	4	70.0	.38	.54
	1874	10,529	134	97	80	32	29	37	61	41	40	31	45	51	678	6	64.4	.57	.88
	1875	10,184	48	75	82	70	44	47	60	65	47	44	83	38	703	8	69.0	.79	1.14
	1876	10,242	58	74	47	36	54	49	32	28	29	48	38	52	545	8	53.2	.78	1.47
	1877	10,092	81	48	55	61	85	58	25	42	42	41	58	59	655	5	64.9	.50	.76
ARMY OF INDIA.	1878	9,825	67	68	54	43	34	44	39	29	47	38	54	77	594	1	60.5	.10	.17
	1879	9,883	105	76	54	61	50	31	40	40	52	41	111	166	827	22	83.7	2.23	2.66
	Ten Years	103,587	777	688	624	560	481	474	464	423	391	437	588	707	6,614	72	63.9	.70	1.09
	1870	54,578	366	353	415	348	439	289	229	266	207	231	365	404	3,912	67	71.7	1.23	1.71
	1871	56,806	533	409	444	383	412	289	281	357	258	295	274	386	4,321	56	76.1	.90	1.30
	1872	58,870	448	386	355	383	306	276	324	265	232	345	326	388	4,034	56	68.5	.95	1.36
	1873	58,769	448	431	431	565	310	288	338	323	308	294	343	442	4,521	50	76.9	.85	1.11
	1874	59,308	496	458	558	389	355	321	386	303	357	307	396	574	4,900	31	82.6	.52	.63
	1875	58,409	495	497	385	291	322	305	303	296	252	277	395	336	4,154	45	71.1	.77	1.08
	1876	57,858	481	509	352	363	419	264	287	308	207	339	267	391	4,187	38	72.4	.66	.91
	1877	57,260	532	406	356	288	389	298	195	273	216	318	300	308	3,879	28	67.7	.49	.72
ARMY OF INDIA.	1878	58,475	437	383	314	355	276	254	287	225	281	281	432	673	4,198	42	74.3	.74	1.00
	1879	59,082	541	618	399	428	358	230	265	214	309	298	558	906	5,424	149	91.8	2.52	2.75
ARMY OF INDIA.	Ten Years	577,416	5,077	4,450	4,009	3,793	3,586	2,814	2,895	2,830	2,627	2,985	3,656	4,808	43,530	562	75.4	.97	1.29

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from PHTHISIS PULMONALIS in each MONTH


PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM PHTHISIS PULMONALIS IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admis- sions.	Deaths.		
BENGAL PROPER.	1870	1,995	1	1	1	1	3	1	8	1	4.0	.50	12.50	
	1871	1,975	1	3	3	1	...	2	1	12	2	6.1	1.00	16.67	
	1872	1,974	1	...	1	4	5	2	3	...	7	...	6	2	48	3	24.3	1.52	6.25	
	1873	1,900	2	...	4	3	3	2	2	8	6	5	2	5	44	4	23.2	2.10	9.09	
	1874	2,007	1	...	1	2	...	2	2	4	1	4	2	3	22	5	12.0	2.19	20.83	
	1875	1,978	2	...	1	...	1	1	2	2	4	2	...	1	17	2	8.6	1.01	11.76	
	1876	2,008	4	...	2	2	2	...	2	2	2	20	5	10.0	2.49	25.00	
	1877	1,867	1	2	...	1	...	1	2	1	11	1	5.9	.54	9.09	
	1878	1,898	2	1	...	2	1	...	3	2	13	1	6.8	.53	7.69	
	1879	1,308	2	...	2	1	1	8	1	6.1	.76	12.50	
Ten Years			18,914	17	7	12	10	15	16	26	21	25	16	23	17	205	25	10.8	1.32	12.20
GANGTIC PROVINCES AND OUDH.	1870	7,185	3	5	8	2	8	6	7	4	2	8	5	58	9	8.1	1.25	15.52
	1871	8,126	3	...	3	1	6	5	3	2	7	6	11	13	7	67	9	8.2	1.11	13.43
	1872	8,251	3	3	4	1	5	4	6	10	9	3	18	9	10	81	6	9.8	.73	7.41
	1873	8,040	6	4	6	6	3	3	21	11	7	9	3	1	4	81	11	10.1	1.37	13.53
	1874	8,540	8	3	3	5	3	4	3	15	6	12	9	12	14	94	16	11.0	1.87	17.02
	1875	7,790	6	2	6	...	5	4	3	6	8	12	11	8	3	71	11	9.1	1.41	15.49
	1876	7,390	3	5	6	4	4	4	2	1	4	8	12	5	9	65	9	8.8	1.22	13.85
	1877	7,326	4	7	4	...	3	2	2	3	7	3	9	3	3	49	8	6.7	1.09	16.33
	1878	7,168	2	1	...	3	3	2	2	6	4	7	8	11	6	53	7	7.4	.97	13.21
	1879	6,311	5	4	2	5	4	5	2	2	2	8	3	13	6	59	7	9.3	1.10	11.86
Ten Years			76,159	43	32	36	44	36	56	62	61	72	86	83	67	678	93	8.9	1.22	13.72
ROHILKHAND AND MEERUT.	1870	3,700	3	4	3	2	2	3	2	1	2	7	7	8	44	7	11.9	1.89	15.91	
	1871	4,234	2	4	2	2	4	4	4	12	9	5	3	3	53	4	12.5	.95	7.55	
	1872	4,119	3	1	3	1	2	2	2	5	3	3	3	3	23	5	5.6	1.21	21.74	
	1873	3,920	1	2	1	1	2	...	1	3	...	1	...	3	1	18	5	4.6	1.27	27.78
	1874	3,933	3	...	1	...	1	1	1	5	2	...	3	2	20	3	5.1	.76	15.00	
	1875	4,395	...	1	1	1	2	3	2	...	4	1	20	4	4.6	.91	20.00	
	1876	4,393	...	1	...	3	3	1	1	2	7	7	3	7	5	40	6	9.1	1.36	15.00
	1877	4,135	4	...	4	3	2	4	3	7	2	3	1	33	4	8.0	.97	12.12
	1878	3,721	2	2	...	2	2	4	3	5	20	6	5.4	1.61	30.00	
	1879	3,219	...	1	1	3	4	...	3	2	3	4	26	2	8.1	.62	7.69
Ten Years			39,770	18	14	18	15	14	19	29	39	30	34	35	32	297	46	7.5	1.16	15.49
AGRA AND CENTRAL INDIA.	1870	4,274	3	4	5	4	6	8	6	4	5	5	4	2	56	7	13.1	1.64	12.50	
	1871	4,120	2	...	2	3	3	1	3	2	2	...	2	...	20	3	4.9	.73	15.00	
	1872	4,213	3	3	2	...	5	3	3	2	7	...	3	...	40	5	9.5	1.19	12.50	
	1873	4,133	1	3	1	...	1	1	1	...	1	...	12	2	2.9	.49	16.67	
	1874	4,096	3	1	1	...	2	2	1	2	...	2	3	17	3	4.1	.74	17.65
	1875	4,310	2	...	1	...	1	1	2	2	1	3	...	3	2	23	5	5.3	1.16	21.74
	1876	3,982	2	1	3	...	1	3	2	...	1	1	19	1	4.8	.25	5.26	
	1877	3,831	3	3	...	1	2	2	1	3	3	4	3	22	1	5.7	.26	4.55
	1878	4,156	2	1	...	1	3	...	1	4	3	5	3	1	1	26	5	6.3	1.20	19.23
	1879	3,517	2	1	...	3	1	2	1	2	1	13	6	3.7	1.71	46.15
Ten Years			40,631	20	15	15	15	23	17	25	19	30	27	22	20	248	38	6.1	.94	15.32
PUNJAB.	1870	10,582	5	6	9	6	10	8	17	10	6	8	13	5	103	19	9.8	1.80	18.45	
	1871	11,084	9	2	3	3	3	4	7	9	8	11	10	10	79	24	7.2	2.17	30.38	
	1872	12,118	9	5	3	7	5	9	7	6	10	13	12	17	103	12	8.5	1.00	11.65	
	1873	12,181	7	8	7	1	1	5	15	7	17	5	23	5	101	14	8.3	1.15	13.86	
	1874	11,587	7	4	6	6	2	3	6	8	5	9	10	12	78	4	6.8	.35	5.13	
	1875	11,888	14	5	4	3	9	8	7	10	8	8	21	12	109	15	9.2	1.26	13.76	
	1876	11,295	6	7	3	4	6	5	6	5	1	8	11	7	69	8	6.1	.71	11.59	
	1877	11,522	8	7	6	5	7	4	2	5	7	5	11	11	78	7	6.8	.61	8.97	
	1878	10,524	7	6	1	3	6	4	6	5	3	5	9	5	60	14	5.7	1.33	23.33	
	1879	9,507	4	4	5	6	2	2	5	4	4	8	9	8	61	10	6.4	1.05	16.39	
Ten Years			112,288	76	54	47	44	51	52	78	69	69	80	129	92	811	127	7.5	1.13	15.10
RAJPOOTANA, MALWA, SIND, AND ADELPHI.	1870	4,900	1	3	1	2	4	3	6	6	3	4	3	2	38	4	7.8	.82	10.53	
	1871	5,620	...	3	2	2	5	2	2	4	3	3	1	6	33	7	5.9	1.24	21.21	
	1872	5,587	3	1	7	...	2	5	7	5	2	4	5	7	48	12	8.6	2.15	25.00	
	1873	5,275	8	2	6	1	4	4	8	2	6	9	2	1	53	8	10.0	1.51	15.10	
	1874	5,164	4	4	3	1	3	2	4	3	3	1	5	2	35	2	6.4	.37	5.71	
	1875	5,587	5	3	3	1	1	1	3	5	3	1	5	2	35	5	6.3	.80	14.29	
	1876	5,368	1	2	1	1	8	...	1	4	5	5	4	1	33	4	6.1	.75	12.12	
	1877	5,549	3	1	1	...	7	1	2	3	1	3	22	6	4.0	1.08	27.27	
	1878	5,591	2	3	1	...	4	3	4	3	...	3	25	3	4.5	.54	12.00	
	1879	5,226	4	1	2	...	1	4	2	3	2	4	...	7	42	6	8.0	1.15	14.29	
Ten Years			54,166	28	22	28	10	33	25	47	36	34	35	32	34	364	57	6.7	1.05	15.66
DECCAN AND NAGPORE.	1870	7,611	2	6	6	...	2	3	8	6	6	5	5	2	51	9	6.7	1.18	17.65	
	1871	7,783	6	2	3	...	4	4	7	9	5	6	4	4	54	6	6.9	.78	11.11	
	1872	8,307	4	3	3	3	6	9	6	7	6	18	2	6	73	7	8.8	.84	9.59	
	1873	8,082	6	6	2	1	4	2	5	4	4	3	9	5	51	3	6.3	.37	5.88	
	1874	8,022	2	6	3	3	3	3	3	5	2	7	9	2	54	5	6.7	.62	9.26	
	1875	7,352	10	5	2	1	6	9	2	6	3	3	8	3	58	11	7.9	1.50	18.97	
	1876	7,384	2	5	4	4	2	4	4	3	4	3	5	5	45	5	6.1	.68	11.11	
	1877	7,368	...	4	3	1	1	3	3	2	4	1	2	3	31	6	4.6	.81	17.65	
	1878	7,106	2	4	1	3	3	2	6	5	4	2	35	4	4.9	.57	11.43	
	1879	7,060	2	5	2	2	...	2	7	1	4	6	2	7	46	5	6.5	.71	10.87	
Ten Years			76,075	36	46	27	18	32	47	42	51	47	60	44	51	501	61	6.6	.80	12.18

SPECIAL DISEASES, 1870-79.

XCVI.

of the TEN YEARS, 1870-79, in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM PHTHISIS PULMONALIS IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	2	2	2	2	2	4	8	2	1	1	5	3	34	4	6.6	.77	11.76
	1871	4,892	3	2	2	3	8	5	12	4	5	7	3	8	62	5	12.7	1.02	8.96
	1872	4,949	12	7	6	4	3	5	3	3	2	6	6	13	70	6	14.1	1.21	8.57
	1873	4,979	4	4	3	3	4	7	3	6	6	7	16	2	65	4	13.1	.80	6.15
	1874	4,748	4	4	4	2	2	1	5	3	4	8	5	6	50	4	10.5	.84	8.00
	1875	4,586	5	3	2	2	...	3	5	4	3	3	3	1	34	4	7.4	.87	11.76
	1876	4,703	1	4	1	2	...	3	1	4	1	6	...	6	29	3	6.2	.64	10.35
	1877	4,726	3	2	1	2	...	1	2	4	7	1	7	4	49	6	8.5	1.27	15.00
	1878	4,598	1	1	4	2	...	5	3	2	3	6	6	4	41	6	8.9	1.30	14.63
	1879	3,490	4	1	2	4	4	2	5	1	4	1	5	33	2	9.4	.58
	Ten Years	46,847	39	30	27	22	28	41	43	42	34	52	43	52	458	44	9.8	.94	9.61
BRITISH BURMAH AND PEGU.	1870	1,669	3	1	2	1	2	1	...	10	...	6.0
	1871	1,819	2	2	...	1	3	3	1	...	15	2	8.2	1.10	13.33
	1872	1,998	...	1	...	1	...	2	...	2	...	2	1	...	6	...	3.0
	1873	2,076	...	1	...	2	2	...	2	...	2	...	14	1	6.7	.48	7.11
	1874	2,113	2	3	1	3	9	1	4.3	.47	11.11
	1875	2,095	1	...	1	3	1	1	2	...	2	...	16	...	7.6
	1876	2,024	2	...	2	...	3	3	2	3	1	2	1	...	22	1	10.9	.49	4.55
	1877	1,910	1	...	1	1	1	...	1	1	...	6	1	3.1	.52	16.67
	1878	1,923	...	1	...	1	1	1	...	4	1	2.1	.52	25.00
	1879	2,871	1	...	2	1	...	1	...	1	...	3	3	...	12	4	4.2	1.39	33.33
	Ten Years	20,496	7	6	11	10	7	10	12	11	8	12	12	8	114	11	5.6	.54	9.65
ARMY OF BENGAL.	1870	33,373	19	16	26	32	26	33	38	29	27	28	40	21	338	53	10.1	1.59	14.50
	1871	35,122	30	21	18	24	21	23	22	35	30	32	40	22	318	58	9.0	1.65	17.92
	1872	36,597	22	15	14	25	21	26	38	30	34	46	35	41	347	36	9.5	.98	10.37
	1873	36,617	19	19	22	23	13	37	44	29	39	24	34	20	323	44	8.8	1.20	13.62
	1874	37,278	24	11	20	14	14	16	39	26	41	25	34	37	301	44	8.1	1.18	14.62
	1875	37,184	26	12	42	9	18	30	30	34	32	37	39	23	332	46	8.9	1.24	13.86
	1876	36,582	16	18	13	21	25	19	25	30	27	46	35	28	303	41	8.3	1.12	13.53
	1877	36,179	22	15	17	19	24	16	19	29	26	31	24	24	266	32	7.3	.88	12.03
	1878	35,836	15	8	2	11	17	18	24	15	23	31	31	25	220	42	6.1	1.17	19.09
	1879	38,755	18	14	11	19	12	18	20	19	24	22	33	21	231	49	6.0	1.03	17.32
	Ten Years	363,431	211	149	185	197	191	236	209	276	303	322	345	265	2,979	436	8.2	1.20	14.64
ARMY OF MADRAS.	1870	10,697	7	5	9	3	3	5	10	3	5	3	10	4	67	10	6.3	.93	14.93
	1871	10,844	8	3	10	9	15	11	17	14	8	15	9	13	132	13	12.2	1.20	9.85
	1872	11,544	20	16	9	8	7	8	8	6	10	10	20	20	139	19	11.3	1.65	14.62
	1873	11,487	8	7	9	4	10	12	7	11	12	10	25	9	124	13	10.8	1.13	10.48
	1874	11,501	6	10	11	5	7	6	8	15	19	10	11	15	123	13	10.7	1.13	10.57
	1875	11,041	17	13	10	5	3	10	7	13	9	9	12	10	118	14	10.7	1.27	11.86
	1876	11,034	6	9	4	9	4	10	9	14	4	10	6	16	101	11	9.2	1.00	10.89
	1877	10,989	9	5	5	7	6	4	14	14	4	12	8	16	104	12	9.4	1.09	11.54
	1878	10,815	6	4	4	3	8	5	3	6	8	9	7	5	68	13	6.3	1.20	19.12
	1879	10,444	7	2	5	2	7	8	2	6	4	10	5	5	63	12	6.0	1.15	19.05
	Ten Years	110,396	94	74	76	55	70	79	85	104	79	98	103	113	1,030	130	9.3	1.18	12.62
ARMY OF BOMBAY.	1870	10,509	6	10	5	4	8	12	12	13	10	13	12	7	112	17	10.6	1.62	15.18
	1871	10,840	12	12	8	5	9	5	10	9	9	7	2	12	100	16	9.2	1.48	16.60
	1872	10,819	6	3	10	3	6	13	13	10	4	19	6	10	103	18	9.5	1.66	17.18
	1873	10,665	14	9	11	1	7	4	12	4	7	12	7	4	92	11	8.6	1.03	11.96
	1874	10,529	5	8	5	3	6	6	9	5	6	6	6	6	71	4	6.8	.37	5.63
	1875	10,181	8	6	3	3	5	11	5	6	5	3	11	3	69	13	6.8	1.23	18.84
	1876	10,242	4	6	5	3	11	3	3	4	9	7	7	2	64	10	6.2	.98	15.62
	1877	10,092	2	3	5	3	3	3	8	4	5	5	4	5	50	9	5.0	.89	18.00
	1878	9,825	3	6	1	2	1	7	5	8	6	6	2	5	52	5	5.3	.51	9.62
	1879	9,883	7	6	5	3	5	6	8	6	10	8	8	14	86	10	8.7	1.01	11.63
	Ten Years	103,587	67	69	58	30	61	70	85	69	71	86	65	68	799	113	7.7	1.09	14.14
ARMY OF INDIA.	1870	54,578	32	31	40	39	37	50	60	45	42	44	62	35	517	80	9.5	1.47	15.47
	1871	56,806	50	36	36	38	45	39	49	58	47	51	51	47	559	87	9.7	1.53	15.64
	1872	58,870	48	34	33	36	34	47	59	48	44	75	51	71	580	73	9.9	1.24	12.59
	1873	58,769	41	35	42	28	30	53	63	41	53	46	66	33	539	68	9.2	1.16	12.62
	1874	59,308	35	29	36	22	27	28	56	46	66	41	51	58	495	61	8.3	1.03	12.32
	1875	58,409	51	31	55	17	26	51	42	53	46	49	62	36	519	73	8.9	1.25	14.07
	1876	57,858	26	33	22	33	40	32	37	48	40	63	48	46	468	62	8.1	1.07	13.25
	1877	57,260	33	23	27	29	33	23	41	47	35	48	36	45	420	53	7.3	.93	12.62
	1878	56,475	24	18	7	16	26	30	32	29	37	46	40	35	340	60	6.0	1.06	17.65
	1879	59,082	32	22	21	24	24	32	30	31	38	40	46	40	380	62	6.4	1.05	16.32
	Ten Years	577,416	372	292	319	282	322	385	469	449	453	506	513	446	4,808	679	8.3	1.18	14.12



VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCVII.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS of the principal MILITARY STATIONS from 1870 to 1879, CHOLERA DEATHS being EXCLUDED.

STATIONS.	Aggregate Strength of the Ten Years.	TOTAL DEATHS OF EACH MONTH, EXCLUDING CHOLERA DEATHS.												Total Deaths of the Ten Years, excluding Cholera.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Fort William	8,719	4	4	4	6	8	8	7	13	7	11	5	6	83
Dum-Dum	6,068	10	7	6	1	8	4	8	10	8	12	9	7	90
Barrackpore	4,056	7	5	1	7	6	6	7	9	8	10	10	7	83
BENGAL PROPER	18,914	22	16	11	14	22	18	22	32	23	33	24	20	257
Hazaribagh	4,697	5	2	3	5	7	3	9	13	7	4	4	7	69
Dinapore	8,503	11	8	16	8	17	12	16	17	16	12	11	9	153
Benares	4,988	4	1	5	8	8	9	12	10	9	7	5	10	88
Fyzabad	8,810	7	8	6	12	16	17	7	9	12	9	14	10	127
Lucknow	23,062	23	19	22	28	57	33	32	30	44	29	18	30	365
Sitapur	5,530	6	...	3	1	5	14	10	12	7	10	3	...	73
Fatehgarh	2,258	...	3	1	...	4	3	1	5	2	4	1	2	26
Cawnpore	8,423	6	8	10	9	13	21	9	20	13	14	10	14	147
Allahabad	9,163	10	3	6	15	14	23	7	11	15	8	12	16	140
GANGETIC PROVINCES AND OUDH	76,159	72	52	74	87	146	137	105	129	128	97	79	99	1,205
Shahjahanpur	3,351	4	3	4	2	6	3	3	6	2	6	4	5	48
Bareilly	7,788	2	3	9	9	15	18	11	6	6	6	6	1	92
Moradahad	2,079	2	2	...	1	1	4	1	4	5	5	1	1	27
Roorkee	3,989	4	6	7	2	7	11	3	4	2	6	2	5	59
Meerut	14,222	15	18	11	16	23	23	20	20	33	38	27	18	262
Delhi	4,495	7	2	9	2	6	14	6	9	9	8	9	9	90
Muttra	3,846	2	2	2	14	14	7	4	2	8	7	3	3	68
ROHILCUND AND MEERUT	39,770	36	36	42	46	72	80	48	51	65	76	52	42	646
Agra	9,896	7	9	11	8	15	15	17	10	13	18	5	9	137
Morar	10,708	10	15	4	17	11	17	13	16	28	21	34	13	199
Gwalior Fortress	3,416	3	8	3	5	2	8	4	4	6	6	4	4	57
Jhansi	4,136	5	2	3	3	1	3	...	5	5	6	5	4	42
Nowgong	2,825	5	4	3	3	4	8	1	6	4	4	5	4	51
Saugor	4,590	7	3	4	1	4	2	6	6	4	11	14	2	64
Jubbulpore	4,974	10	6	4	...	2	7	2	7	6	9	6	7	66
AGRA AND CENTRAL INDIA	40,631	47	47	32	38	39	60	43	54	66	75	73	43	617
Umhalla	13,298	10	4	9	10	10	32	10	18	21	21	14	12	171
Jullundur	7,075	9	4	9	3	6	14	11	9	18	19	13	12	127
Ferozepore	10,400	17	9	3	5	9	19	30	14	21	20	9	14	170
Mooltan	8,109	13	6	8	5	6	11	12	16	9	10	18	5	119
Dera Ismail Khan	993	1	...	1	...	1	1	4	3	...	2	1	2	16
Meean Meer	9,291	13	8	13	12	14	25	18	25	14	23	20	21	206
Fort Lahore	1,130	1	...	1	1	4	3	6	2	4	4	3	4	33
Amritsar and Govindgarh	2,532	3	2	1	1	5	5	3	6	5	1	3	5	40
Sialkot	10,161	13	6	8	9	10	18	35	13	21	11	15	13	172
Rawalpindi	16,145	31	16	17	24	16	20	10	11	19	16	22	25	227
Attock	1,697	3	1	...	2	2	5	8	4	5	4	1	3	38
Nowshera	5,744	7	6	3	11	6	15	14	5	4	5	11	8	95
Peshawar	15,274	16	5	12	11	27	44	45	20	17	21	25	21	264
PUNJAB	112,288	160	88	105	100	129	223	217	155	175	168	172	190	1,882
Darjeeling	630	...	1	2	...	12	9	1	1	5
Raunkhet	7,845	6	5	2	3	13	8	10	11	...	7	92
Chakrata	7,153	7	1	2	8	11	5	7	3	5	6	4	4	63
Dagshai	8,317	6	3	6	5	5	2	13	18	7	7	2	3	77
Subathu	6,645	4	3	5	3	4	12	7	12	8	8	6	5	77
Jutogh	858	1	1	1	1	1	1	...	4	10
Dharmasala (9 Years)	651	1	...	1	2
Dalhousie (6 Years)	400	2
Murree Hills	5,733	...	1	...	2	9	13	8	9	13	5	2	1	63
Cherat (9 Years)	3,392	5	6	15	19	10	8	1	...	64
HILL STATIONS	41,787	24	15	18	22	45	49	65	69	48	43	21	25	444
Darjeeling Depôt	1,807	1	...	3	4	3	3	6	3	3	5	4	2	37
Naini Tal	3,213	2	5	5	3	8	...	4	2	2	...	33
Lendour	2,177	1	1	...	2	5	2	3	3	3	3	2	1	26
Kasauli	5,678	3	4	1	9	13	6	15	9	8	15	4	4	91
Dalhousie	3,975	1	6	8	6	2	2	2	2	4	...	33
Murree	4,678	1	2	7	14	11	8	6	2	6	...	57
CONVALESCENT DEPÔTS	21,528	9	7	4	28	41	34	45	25	26	29	22	7	277
BENGAL PRESIDENCY	363,431	457	335	368	434	536	679	580	543	551	565	506	558	6,112

The Tables in this Section are designed to show Deaths in relation to particular Stations only : hence the Provincial General Totals are not the aggregate of the figures of the Tables.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCVII—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS of the principal MILITARY STATIONS from 1870 to 1879, CHOLERA DEATHS being EXCLUDED.

STATIONS.	Aggregate Strength of the Ten Years.	TOTAL DEATHS OF EACH MONTH, EXCLUDING CHOLERA DEATHS.												Total Deaths of the Ten Years, excluding Cholera.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Nusseerabad	6,363	17	10	4	8	8	5	4	13	29	16	14	10	138
Neemuch	4,209	6	1	5	4	1	3	...	4	17	12	8	8	69
Indore	937	1	...	2	...	1	2	...	2	2	1	11
Mhow	13,270	9	7	10	...	8	15	7	10	29	17	145
Deesa	7,065	8	6	8	6	9	16	15	9	16	9	14	5	121
Ahmedabad	2,735	6	9	4	6	13	2	4	5	6	3	3	7	67
Kurrachee and Ghizree	7,698	11	6	9	8	6	15	13	10	9	19	8	7	12½
Hyderabad	3,764	2	2	2	3	2	9	7	2	3	5	4	5	46
Aden	7,277	10	8	5	3	7	17	16	9	7	7	4	10	103
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	70	50	50	50	53	98	64	66	118	92	68	59	838
Bombay	4,764	7	6	8	3	5	6	9	9	2	7	6	6	74
Asirgarh	812	3	1	1	3	1	9
Ahmednagar	4,642	1	...	2	1	6	2	3	5	5	3	7	1	36
Poona and Kirkee	20,984	13	9	14	15	21	19	26	19	19	19	18	15	210
Satara	1,708	2	2	2	1	1	...	2	3	2	2	2	1	20
Belgaum	9,660	2	3	7	9	6	8	8	4	4	6	8	6	74
Secunderabad	23,411	30	26	30	30	31	23	19	41	62	52	36	31	411
Kamptee	10,034	12	7	7	10	21	23	10	13	10	13	6	4	136
DECCAN AND NAGPORE	76,075	70	54	70	69	91	85	70	104	104	102	86	65	970
Bellary	8,609	5	12	2	5	10	4	8	9	6	8	6	7	82
Bangalore	16,678	18	16	18	14	15	15	19	15	10	14	13	22	189
Cannanore	6,579	8	5	4	6	5	9	9	9	6	12	7	16	96
Mallapoorum	921	2	1	1	1	2	...	2	2	2	...	13
Calicut	909	2	2	2	1	1	3	...	1	1	2	...	1	16
Trichinopoly	2,688	2	6	4	5	11	7	4	6	6	8	2	1	60
St. Thomas' Mount	3,639	14	5	4	9	11	7	6	4	6	4	3	6	79
Madras	6,825	9	8	5	4	6	8	6	6	8	2	2	7	71
SOUTHERN INDIA	46,847	60	55	40	45	61	53	54	50	43	50	35	60	606
Rangoon	8,145	11	13	5	5	6	7	11	8	15	12	10	13	116
Toungoo	4,299	4	2	3	10	11	5	10	4	7	6	5	4	71
Thayetmyo	6,853	3	1	2	7	11	6	12	10	10	7	6	6	81
Port Blair	1,199	...	2	3	1	...	1	2	1	1	1	12
BUERMAH AND PEGU	20,496	18	18	13	23	28	19	35	23	32	26	21	24	280
Mount Aboe	1,069	...	3	2	6	1	2	2	3	1	1	21
Purandhar	825	2	1	1	1	2	...	7
Wellington	4,390	5	4	3	4	5	10	7	12	3	5	7	5	70
HILL STATIONS AND DEPÔTS	8,178	5	7	5	10	13	17	13	17	8	9	12	6	122
ARMY OF BENGAL	363,431	457	335	368	434	536	679	580	543	551	565	506	558	6,112
ARMY OF MADRAS	110,396	154	142	127	129	165	143	141	163	169	159	127	148	1,767
ARMY OF BOMBAY	103,587	120	89	108	94	98	145	118	123	159	135	138	96	1,423
ARMY OF INDIA	577,416	731	566	603	657	799	967	839	829	879	859	771	802	9,302

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCVIII.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from CHOLERA which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM CHOLERA IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Cholera per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719	2	...	5	1	1	...	1	...	1	11	1.26
Dum-Dum	6,968	1	1	...	1	3	.50
Barrackpore	4,056	1	1	...	2	.49
BENGAL PROPER	18,914	2	...	5	1	3	...	1	...	1	1	1	1	16	.85
Hazaribagh	4,697	6	6	1.28
Dinapore	8,503	3	...	3	3	3	5	1	18	2.12
Benares	4,988	1	...	3	...	1	4	2	13	2.61
Fyzabad	8,810	3	12	70	2	93	10.56
Lucknow	23,062	1	2	6	7	24	31	7	18	1	97	4.21
Sitapur	5,530	1	.18
Fatehgarh	2,258
Cawnpore	8,423	9	13	6	...	5	3	36	4.27
Allahabad	9,163	2	5	3	2	1	33	6	52	5.67
GANGETIC PROVINCES AND OUDH	76,159	4	24	28	18	20	80	112	12	23	2	323	4.24
Shahjahanpur	3,351	1	1	.30
Bareilly	7,788	1	3	4	.51
Moradabad	2,079	1	.48
Roorkee	3,989	4	1	2	7	1.76
Meerut	14,222	8	49	2	59	4.15
Delhi	4,495	1	1	3	1	6	1.34
Muttra	3,846	2	1	1	4	1.04
ROHILCUND AND MEERUT	39,770	1	3	5	1	1	16	53	2	82	2.06
Agra	9,896	2	13	3	5	2	2	27	2.73
Morar	10,708	27	...	2	16	16	6	67	6.26
Gwalior Fortress	3,416	6	5	1	12	3.51
Jhansi	4,136	2	2	.48
Nowgung	2,825	7	7	2.48
Saugor	4,590	1	3	6	1	11	2.40
Jubbulpore	4,974	...	1	3	1	5	1.01
AGRA AND CENTRAL INDIA	40,631	...	1	29	13	12	36	30	9	...	1	131	3.22
Umballa	13,298	1	5	16	1	23	1.73
Jullundur	7,075	3	3	3	9	1.27
Ferozepore	10,400	3	2	1	3	1	...	10	.96
Mooltan	8,109	2	2	.25
Dera Ismail Khan	993	1	1.01
Meeran Meer	9,291	1	24	3	1	81	6	2	118	12.70
Fort Lahore	1,130	7	3	10	8.85
Amritsar and Govindgarh	2,532	2	2	.79
Sialkot	10,161	1	4	...	1	...	3	1	10	.98
Rawalpindi	16,145	3	...	2	3	15	2	25	1.55
Attock	1,697	3	3	1.77
Nowshera	5,744	1	3	1	5	.87
Peshawar	15,274	4	44	19	10	23	70	2	...	172	11.26
PUNJAB	112,288	12	57	56	30	125	76	85	3	...	444	3.95
Darjeeling	630
Ranikhet	7,845
Chakrata	7,153	1	1	.14
Dagshai	8,317	1	16	...	2	20	2.41
Subathu	6,645	9	9	1.36
Jutogh	858
Dharmasala (9 Years)	651	4	4	6.14
Dalhousie (6 Years)	400
Murree Hills	5,733	3	4	5	19	31	5.41
Cherat (9 Years)	3,302	1	1	.29
HILL STATIONS	41,787	3	4	6	41	11	2	67	1.60
Darjeeling Depot	1,807
Naini Tal	3,213
Landour	2,177
Kasauli	5,678	14	8	1	23	4.05
Dalhousie	3,975
Murree	4,678	1	1	1	20	8	15	46	9.83
CONVALESCENT DEPÔTS	21,528	1	1	1	34	16	16	69	3.20
BENGAL PRESIDENCY	363,431	2	1	13	45	167	292	174	357	304	128	29	7	1,519	4.18

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCVIII—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from CHOLERA which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM CHOLERA IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Cholera per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad	6,363	10	2	1	13	2.04
Neemuch	4,260	1	2	6	25	9	5	7	...	55	12.91
Indore	937	2	2	4	8	8.54
Mhow	13,270	2	1	1	...	6	10	.75
Deesa	7,065	1	2	3	.42
Ahmedabad	2,735	4	6	2	12	4.39
Kurrachee and Ghizree	7,698	2	2	.26
Hyderabad	3,764	1
Aden	7,277	1	.14
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	4	11	9	8	47	11	7	7	1*	105	1.94
Bombay	4,764
Asirgarh	812	1	1	...	1	4	.86
Ahmednagar	4,642	19	15	2	40	1.91
Poona and Kirkee	20,984	1	3
Satara	1,708
Belgaum	9,660	1	1	.10
Secunderabad	23,411	...	3	1	1	33	3	5	8	1	...	1	...	56	2.39
Kamptee	10,031	2	1	...	2	5	.50
DECCAN AND NAGPORE	76,075	...	3	1	1	34	10	26	24	6	...	1	...	106	1.39
Bellary	8,609	1	...	2	3	.35
Bangalore	16,678	...	2	1	5	8	.48
Cannanore	6,579	2	2	.30
Malliaipoorum	921	2	...	2	2.17
Calicut	909
Trichinopoly	2,688	1	2	...	1	4	1.49
St. Thomas' Mount	3,639	1	1	.28
Madras	6,825	2	1	5	2	1	3	...	1	1	16	2.34
SOUTHERN INDIA	46,847	3	3	5	3	1	6	7	1	1	1	2	3	36	.77
Rangoon	8,145	1	3	3	.37
Toungoo	4,299	1	.23
Thayetmyo	6,853	29	2	9	21	2	7	1	71	10.36
Port Blair	1,199
BURMAH AND PEGU	20,496	29	2	9	22	5	7	1	75	3.66
Mount Aboo	1,069
Purandhar	825
Wellington	4,390	1	1	.23
HILL STATIONS AND DEPÔTS	8,178	1	1†	2	.25
ARMY OF BENGAL	363,431	2	1	13	45	167	292	174	357	304	128	29	7	1,519	4.18
ARMY OF MADRAS	110,396	5	6	6	38	36	21	36	15	12	2	5	4	186	1.68
ARMY OF BOMBAY	103,587	9	12	15	29	63	14	8	7	2	159	1.53
ARMY OF INDIA	577,416	7	7	19	92	215	328	239	435	330	138	41	13	1,864	3.22

* Occurred at Baroda in 1877.

† At Taragarh, in Ajmere, in 1872.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCIX.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from ENTERIC FEVER which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM ENTERIC FEVER IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Enteric Fever per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719
Dum-Dum	6,068	...	1	2	2	5	82
Barrackpore	4,056	1	1	3	3	2	10	246
BENGAL PROPEB	18,914	...	1	2	1	1	3	5	2	15	79
Hazaribagh	4,697	1	1	1	3	1	2	7	6	4	2	28	596
Dinapore	8,503	...	1	2	2	5	3	...	1	2	16	188
Benares	4,988	1	2	2	1	...	1	7	140
Fyzabad	8,810	4	3	8	7	3	2	2	...	3	2	36	408
Lucknow	23,062	4	4	6	10	15	6	3	8	7	3	2	3	71	308
Sitapur	5,530	1	3	3	2	9	163
Fatehgarh	2,258
Cawnpore	8,423	...	1	...	2	2	...	2	4	3	2	1	...	17	202
Allahabad	9,163	2	1	1	2	3	...	1	...	2	1	...	2	15	164
GANGETIC PROVINCES AND OUDH...	76,159	11	8	10	22	34	19	20	26	24	9	6	11	200	263
Shahjahanpur	3,351	2	1	1	1	...	1	1	...	7	209
Barcilly	7,788	1	3	9	8	2	1	...	2	...	1	27	347
Moradabad	2,079	1	2	3	144
Roorkee	3,989	5	1	6	151
Meerut	14,222	3	1	2	4	8	3	4	2	6	3	...	2	38	267
Delhi	4,495	2	...	1	1	...	1	...	1	2	...	8	178
Muttra	3,846	5	1	1	5	4	1	1	18	468
ROHILCUND AND MEERUT	39,770	5	2	5	12	25	14	6	6	13	11	4	4	107	269
Agra	9,896	1	...	1	2	3	...	1	2	7	7	3	...	27	273
Morar	10,708	1	2	1	4	1	...	1	3	10	2	2	2	29	271
Gwalior Fortress	3,416	1	1	1	3	88
Jhansi	4,136	1	...	1	2	48
Nowgong	2,825	...	1	...	1	...	1	...	1	1	5	177
Saugor	4,590	1	1	1	1	5	4	...	13	283
Jubbulpore	4,974	2	1	1	4	80
AGRA AND CENTRAL INDIA	40,631	6	4	2	9	5	2	2	7	19	16	9	2	83	204
Umballa	13,298	...	1	2	3	1	6	2	5	5	4	29	218
Jullundur	7,075	2	4	1	3	3	1	2	...	16	226
Ferozepore	10,490	4	3	2	1	2	2	...	4	19	183
Mooltan	8,109	1	...	1	3	...	1	6	74
Dera Ismail Khan	993	1	1	101
Meeran Meer	9,291	...	3	2	5	4	7	2	1	1	2	26	280
Fort Lahore	1,130	2	1	4	354
Amritsar and Govindgarh	2,532	...	1	1	1	4	158
Sialkot	10,161	1	...	1	1	2	6	7	3	4	3	2	...	30	295
Rawalpindi	16,145	1	1	2	4	5	9	2	4	5	2	...	2	37	229
Attock	1,697	1	1	2	2	6	353
Nowshera	5,744	2	3	1	...	1	7	122
Peshawar	15,274	1	4	12	17	6	2	1	...	1	...	44	288
PUNJAB	112,288	8	12	10	21	38	58	29	26	22	17	8	11	260	232
Darjeeling	630	1	1	3	3	3	...	2	13	166
Ranikhet	7,845	1	2	28
Chakrata	7,153	1	1	17	205
Dagshai	8,317	1	1	...	4	6	3	2	24	361
Subathu	6,645	1	1	1	3	4	4	3	4	2	1
Jutogh	858
Dharmasala (9 Years)	651
Dalhousie (6 Years)	400
Murree Hills	5,733	4	1	1	1	1	1	9	157
Cherat (9 Years)	3,392	1	5	9	6	1	1	23	678
HILL STATIONS	41,787	1	...	1	3	7	8	17	18	7	9	2	1	74	177
Darjeeling Depôt	1,807
Naini Tal	3,213	1	1	31
Landour	2,177	1	...	1	46
Kasauli	5,678	2	3	2	7	123
Dalhousie	3,975
Murree	4,678	1	1	...	1	2	...	5	107
CONVALESCENT DEPÔTS	21,528	2	2	1	3	3	3	...	14	65
BENGAL PRESIDENCY	363,431	34	31	33	75	123	115	85	100	99	67	35	33	830	228

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCIX—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from ENTERIC FEVER which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM ENTERIC FEVER IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Enteric Fever per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad	6,363	1	2	1	3	10	2	6	2	27	4.24
Neemuch	4,260	...	1	...	1	1	6	3	2	2	16	3.75
Indore	937	1	1	1.07
Mhow	13,270	1	1	...	2	1	2	...	1	7	8	1	2	26	1.96
Deesa	7,065	...	1	2	5	...	1	1	10	1.42
Ahmedabad	2,735	2	1	1	1	2	2	1	1	11	4.02
Kurrachee and Ghizree	7,698	...	3	...	2	4	3	3	3	6	4	28	3.63
Hyderabad	3,764	...	1	1	...	1	3	1	7	1.86
Aden	7,277	...	1	1	2	.27
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	4	8	3	9	9	6	3	10	40	19	11	9	131	2.42
Bombay	4,764	1	1	1	3	.63
Asirgarh	812	1	1	1.23
Ahmednagar	4,642	2	1	...	3	.65
Poona and Kirkee	20,984	2	2	3	6	1	2	4	2	22	1.05
Satara	1,708	1	1	1	3	1	3	1.76
Belgaum	9,660	2	3	...	2	8	.83
Secunderabad	23,411	3	3	2	6	7	2	2	8	20	7	3	1	64	2.74
Kamptee	10,034	1	2	2	...	2	7	.70
DECCAN AND NAGPORE	76,075	7	4	3	10	13	9	8	12	26	12	4	3	111	1.46
Bellary	8,609	...	1	1	1	3	.35
Bangalore	16,678	2	4	2	4	1	5	6	3	3	1	...	1	32	1.92
Cannanore	6,579	3	2	1	2	2	...	1	1	...	3	15	2.28
Mallipoorum	921	2	2	2.17
Calicut	909	1	1	1.10
Trichinopoly	2,688
St. Thomas' Mount	3,639	2	1	1	...	1	5	1.37
Madras	6,825	1	1	.15
SOUTHERN INDIA	46,847	8	7	3	8	1	6	8	3	5	4	...	6	59	1.26
Rangoon	8,145	...	1	1	...	2	3	.37
Toungoo	4,299	1	2	.47
Thayetmyo	6,853	1	2	2	1	6	.88
Port Blair	1,199	...	1	1	.83
BURMAH AND PEGU	20,496	1	2	1	...	4	2	2	12	.58
Mount Abou	1,069	2	2	1.87
Purandhar	825	1	1	...	2	2.42
Wellington	4,390	...	1	2	4	...	2	1	...	10	2.28
HILL STATIONS AND DEPÔTS	8,178	...	1	...	2	3	5	...	3	...	*1	3	...	18	2.20
ARMY OF BENGAL	363,431	34	31	33	75	123	115	85	100	99	67	35	33	830	2.28
ARMY OF MADRAS	110,396	12	15	5	14	11	13	16	17	26	13	5	10	157	1.42
ARMY OF BOMBAY	103,587	9	9	5	15	16	13	7	14	46	23	13	11	181	1.75
ARMY OF INDIA	577,416	55	55	43	104	150	141	108	131	171	103	53	54	1,168	2.03

* Occurred at Pachmarhi in 1878.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCC.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from FEVERS, excluding ENTERIC FEVER, which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM FEVERS IN EACH MONTH 1870-79, EXCLUDING ENTERIC FEVER.												Total Deaths of the Ten Years.	Death-rate from Fevers, excluding Enteric Fever, per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719
Dum-Dum	6,068	...	1	1	1	1	2	3	...	9	1.48
Barrackpore	4,056	2	1	...	1	1	1	...	1	3	1	11	2.71
BENGAL PROPER	18,914	2	1	...	1	...	1	2	2	1	3	6	1	20	1.06
Hazaribagh	4,697	1	1	1	...	2	...	2	7	1.49
Dinapore	8,503	2	1	...	1	1	5	.59
Benares	4,988	2	1	1	...	3	4	1	12	2.41
Fyzabad	8,810	1	...	2	1	1	5	.57
Lucknow	23,062	2	2	10	2	3	4	6	...	1	...	30	1.30
Sitapur	5,530	2	...	1	...	1	2	...	1	2	...	9	1.63
Fatehgarh	2,258	1	1	.44
Cawnpore	8,423	1	...	1	3	2	2	1	...	10	1.19
Allabad	9,163	1	2	3	2	...	2	3	2	15	1.64
GANGETIC PROVINCES AND OUDH	76,159	3	...	7	7	20	10	3	16	16	5	4	4	95	1.25
Shahjahanpur	3,351	1	2	...	1	4	1.19
Bareilly	7,788	1	1	2	.26
Moradabad	2,079	1	...	1	4	1.93
Roorkee	3,989	2	2	.50
Meerut	14,222	2	2	3	5	1	...	14	.98
Delhi	4,495	2	2	...	1	2	1	3	...	11	2.45
Muttra	3,846	1	1	...	1	1	4	1.04
ROHILCUND AND MEERUT	39,770	1	2	4	5	2	4	7	11	4	1	41	1.03
Agra	9,896	...	1	1	3	4	2	1	1	2	2	...	1	18	1.62
Morar	10,708	...	2	...	2	2	2	1	3	2	1	5	1	21	1.96
Gwalior Fortress	3,416	4	4	1.17
Jhansi	4,136	1	1	...	1	2	3	8	1.94
Nowgong	2,825	1	...	1	...	1	...	4	1.42
Saugor	4,590	...	1	2	1	1	1	3	...	9	1.96
Jubbulpore	4,974	3	1	3	1	2	...	1	11	2.21
AGRA AND CENTRAL INDIA	40,631	4	6	4	6	6	4	3	8	13	9	9	3	75	1.85
Umballa	13,298	...	1	2	...	2	1	1	...	1	8	.60
Jullundur	7,075	1	...	2	3	...	2	4	8	4	1	25	3.54
Ferozepore	10,400	1	1	...	1	6	3	4	4	1	1	22	2.11
Mooltan	8,109	1	...	2	1	1	1	7	4	7	...	24	2.96
Dera Ismail Khan	993	1	1	1.01
Meean Meer	9,291	1	1	1	1	...	4	...	4	4	3	24	2.58
Fort Lahore	1,130	1	1	2	1.77
Amritsar and Govindgarh	2,532	...	1	...	1	2	2	1	1	1	...	1	1	11	4.35
Sialkot	10,161	1	2	2	10	3	5	2	1	5	33	3.25
Rawal Pindi	16,145	2	2	3	5	...	2	2	5	4	...	25	1.55
Attock	1,697	1	1	.59
Nowshera	5,744	2	1	1	1	...	1	3	2	2	13	2.26
Peshawar	15,274	...	1	1	1	6	5	5	6	7	6	5	2	45	2.94
PUNJAB	112,288	6	7	12	13	13	19	24	24	42	40	31	21	252	2.24
Darjeeling	630	2	...	1	...	1	4	.51
Ranikhet	7,845	1	.14
Chakrata	7,153	1	...	6	.72
Dagshai	8,317	1	...	1	1	2
Subathu	6,645	1	1	1	3	.45
Jutogh	858
Dharmasala (9 Years)	651
Dalhousie (6 Years)	400	1	1	2.50
Murree Hills	5,733	2	1	1	1	1	6	1.05
Cherat (9 Years)	3,392	1	...	2	2	...	2	7	2.07
HILL STATIONS	41,787	2	...	1	...	4	5	5	4	4	6	31	.74
Darjeeling Depot	1,807	1	1	2	1.11
Naini Tal	3,213
Landour	2,177
Kasauli	5,678	1	...	1	1	2	5	.88
Dalhousie	3,975	1	1	4	1.01
Murree	4,678	1	...	1	1	3	.64
CONVALESCENT DEPOTS	21,523	3	3	3	2	1	...	2	14	.65
BENGAL PRESIDENCY	363,431	25	16	30	40	65	67	50	66	87	83	65	37	631	1.74

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCC—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from FEVERS, excluding ENTERIC FEVER, which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM FEVERS IN EACH MONTH 1870-79, EXCLUDING ENTERIC FEVER.												Total Deaths of the Ten Years.	Death-rate from Fevers, excluding Enteric Fever, per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad	6,363	5	...	1	1	...	1	1	1	4	2	1	...	17	2·67
Neemuch	4,260	1	1	2	1	3	1	9	2·11
Indore	937	2	1	3	3·20
Mhow	13,270	...	1	...	2	...	1	...	3	6	1	1	...	15	1·13
Deesa	7,065	1	...	1	1	...	1	...	3	2	...	9	1·27
Ahmedabad	2,735	...	3	1	1	2	1	2	...	8	2·93
Kurrachee and Ghizree	7,698	2	2	1	...	2	1	1	9	1·17
Hyderabad	3,764	1	1	1	3	·80
Aden	7,277	1	1	2	·27
RAJPOOTANA, MALWA, SIND, AND AGEN.	54,166	5	4	5	4	1	5	4	11	14	9	11	3	76	1·40
Bombay	4,764	2	1	3	...	2	8	1·68
Asirgarh	812	1	1	...	2	2·47
Ahmednagar	4,642	1	1	...	1	3	·65
Poona and Kirkee	20,984	2	2	2	1	4	...	1	...	2	14	·67
Satara	1,708	1	1	·59
Belgaum	9,660	1	1	1	3	·31
Secunderabad	23,411	2	...	1	2	1	...	1	1	2	10	·43
Kamptee	10,034	2	3	1	1	2	2	2	...	1	14	1·39
DECCAN AND NAGPORE	76,075	7	...	1	7	6	3	4	8	5	8	2	4	55	·72
Bellary	8,609	1	1	...	1	2	1	1	2	2	2	13	1·51
Bangalore	16,678	1	...	1	1	1	2	...	6	·36
Cannanore	6,579	1	1	2	·30
Malliapoorum	921	1	1	1·09
Calicut	900	...	1	1	1·10
Trichinopoly	2,688	2	1	3	1·12
St. Thomas' Mount	3,639	1	1	·28
Madras	6,825	1	1	2	·29
SOUTHERN INDIA	46,847	5	3	1	2	3	3	2	2	1	1	4	2	29	·62
Rangoon	8,145	1	1	·12
Toungoo	4,299	...	1	...	1	...	1	1	4	·93
Thayetmyo	6,853	1	...	1	2	·29
Port Blair	1,199	...	1	1	·83
BURMAH AND PEGU	20,496	1	1	1	...	1	1	2	1	8	·39
Mount Abo	1,069	1	1	·94
Purandhar	825	1	1	1·21
Wellington	4,390	1	1	...	2	·46
HILL STATIONS AND DEPOTS	8,178	1	1	...	1	1	...	4	·49
ARMY OF BENGAL	363,431	25	16	30	40	65	67	50	66	87	83	65	37	631	1·74
ARMY OF MADRAS	110,396	12	4	3	7	8	5	6	6	5	4	7	2	69	·62
ARMY OF BOMBAY	103,537	10	5	5	13	3	8	7	16	15	16	13	7	118	1·14
ARMY OF INDIA	577,416	47	25	38	60	76	80	63	88	107	103	85	46	818	1·42

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCL.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from APOPLEXY which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM APOPLEXY IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Apoplexy per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719	1	...	1	1	1	4	·46
Dum-Dum	6,068	1	1	2	·33
Barrackpore	4,056	...	1	...	1	3	2	7	1·72
BENGAL PROPER	18,914	1	1	...	2	4	3	1	1	13	·69
Hazaribagh	4,697	1	1	2	·43
Dinapore	8,503	1	...	3	4	2	1	2	1	14	1·65
Benares	4,988	1	7	3	3	1	...	1	15	3·01
Fyzabad	8,810	2	3	1	1	1	...	8	·91
Lucknow	23,062	1	10	11	10	1	5	1	40	1·73
Sitapur	5,530	3	1	1	...	1	6	1·08
Fatehgarh	2,258	2	1	3	1·33
Cawnpore	8,423	7	15	1	23	2·73
Allahabad	9,163	1	...	2	13	4	...	1	2	23	2·51
GANGETIC PROVINCES AND OUDH...	76,159	1	...	2	2	31	56	22	6	9	6	1	2	138	1·81
Shahjahanpur	3,351	1	...	1	2	·60
Bareilly	7,788	1	1	1	3	·33
Moradabad	2,079	1	1	2	·96
Roorkee	3,989	1	3	1	5	1·25
Meerut	14,222	...	1	...	1	2	4	7	2	4	...	1	...	22	1·55
Delhi	4,495	1	2	5	3	1	3	15	3·34
Muttra	3,846	2	8	3	2	15	3·90
ROHILCUND AND MEERUT	39,770	1	1	1	3	12	18	14	5	7	1	1	...	64	1·61
Agra	9,896	3	8	3	1	15	1·52
Morar	10,708	1	2	8	4	2	2	1	1	...	21	1·96
Gwalior Fortress	3,416	1	1	1	...	1	4	1·17
Jhansi	4,136	1	1	...	1	3	·73
Nowgong	2,825	2	3	...	1	6	2·12
Saugor	4,590	1	1	·21
Jubbulpore	4,974	3	1	1	5	1·01
AGRA AND CENTRAL INDIA	40,631	1	2	9	24	7	6	3	2	1	...	55	1·35
Umhalia	13,298	1	1	14	1	3	1	...	1	...	32	1·66
Jullundur	7,075	5	3	...	2	2	11	1·56
Ferozepore	10,400	1	11	10	1	2	...	1	...	26	2·50
Mooltan	8,109	5	5	4	14	1·73
Dera Ismail Khan	993	1	2	3	3·02
Meeran Meer	9,291	...	1	1	1	...	9	11	11	34	3·66
Fort Lahore	1,139	2	5	1	8	7·08
Amritsar and Govindgarh	2,532	1	1	2	2	...	2	8	3·16
Sialkot	10,161	2	1	4	7	1	3	18	1·77
Rawalpindi	16,145	1	1	...	3	5	...	2	1	1	2	16	·99
Attock	1,697	3	5	3	2	1	14	8·25
Nowshera	5,744	11	7	3	1	22	3·83
Peshawar	15,274	10	23	3	3	1	40	2·62
PUNJAB	112,288	1	2	3	5	4	81	86	32	19	4	3	4	244	2·17
Darjeeling	630
Ranikhet	7,845
Chakrata	7,153
Dagshai	8,317
Subathu	6,645	1	1	2	·30
Jutogh	858
Dharnasala (9 Years)	651
Dalhousie (6 Years)	400
Murree Hills	5,733	1	1	·17
Cherat (9 Years)	3,392
HILL STATIONS	41,787	1	1	...	1	3	·07
Darjeeling Depôt	1,807
Naini Tal	3,213	1	1	·31
Landour	2,177	1	1	·46
Kasauli	5,678	1	1	...	1	3	·53
Dalhousie	3,975
Murree	4,678
CONVALESCENT DEPÔTS	21,528	1	1	2	...	1	5	·23
BENGAL PRESIDENCY	363,431	6	5	8	17	61	204	133	50	40	14	8	10	556	1·53

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCCI—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from APOPLEXY which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM APOPLEXY IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Apoplexy per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad	6,363	1	1	...	1	4	3	2	...	1	1	14	2.20
Neemuch	4,260	1	1	3	2	2	1	...	10	2.35
Indore	937	1	1	1.07
Mhow	12,270	1	1	...	5	1	1	...	9	.68
Deesa	7,065	1	4	11	5	...	2	1	24	3.40
Ahmedabad	2,735	1	...	5	10	1	17	6.22
Kurrachee and Ghizreo	7,698	1	3	5	1	1	1	1	13	1.69
Hyderabad	3,764	1	7	3	11	2.92
Aden	7,277	3	13	5	1	2	...	1	...	25	3.43
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	3	1	1	5	21	60	17	2	7	5	4	1	127	2.34
Bombay	4,764	2	1	...	2	5	1.07
Asirgarh	812	1	1	1.23
Ahmednagar	4,642	2	1	1	1	...	6	1.08
Poona and Kirkee	20,984	2	3	4	...	1	1	11	.52
Satara	1,708	...	1	1	.59
Belgaum	9,660	1	1	...	2	.21
Secunderabad	23,411	1	1	3	5	12	3	1	1	1	...	2	2	32	1.37
Kamptee	10,034	...	1	...	4	8	10	1	1	25	2.40
DECCAN AND NAGPORE	76,075	1	3	5	12	29	16	4	4	1	1	4	2	82	1.08
Bellary	8,609	4	4	.47
Bagalore	16,678	2	1	1	1	1	6	.36
Cannanore	6,579	1	1	3	.46
Mallapoorum	921	2	1	2	2.17
Calicut	909	1	1	1.10
Trichinopoly	2,688	1	5	4	2	1	1	14	5.21
St. Thomas' Mount	3,639	2	7	1	1	11	3.02
Madras	6,825	1	2	4	3	1	11	1.61
SOUTHERN INDIA	46,847	3	10	21	7	5	2	...	2	1	1	52	1.11
Rangoon	8,145	2	1	1	1	5	.61
Toungoo	4,299	1	2	4	...	2	...	2	1	12	2.79
Thayetmyo	6,853	2	7	...	2	...	2	15	2.19
Port Blair	1,199	1	1	.83
BURMAH AND PEGU	20,496	2	...	1	5	12	1	4	3	4	...	1	...	33	1.61
Mount Aboo	1,069	1	1	2	1.87
Purandhar	825
Wellington	4,390	1	1	1	3	.68
HILL STATIONS AND DEPÔTS	8,178	1	3	1	1	1	7	.85
ARMY OF BENGAL	363,431	6	5	8	17	61	204	133	50	40	14	8	10	556	1.53
ARMY OF MADRAS	110,396	4	2	8	27	58	23	12	6	5	5	4	3	157	1.42
ARMY OF BOMBAY	103,587	4	2	3	9	32	64	19	6	8	5	8	2	162	1.56
ARMY OF INDIA	577,416	14	9	19	53	151	291	164	62	53	24	20	15	975	1.52

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCII.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from DYSENTERY which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM DYSENTERY IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Dysentery per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719	1	1	1	1	1	2	7	80
Dum-Dum	6,068	1	1	2	4	8	132
Barrackpore	4,056	2	4	1	2	9	222
BENGAL PROPER	18,914	2	2	...	2	2	4	1	5	2	4	24	127
Hazaribagh	4,697	1	2	3	64
Dinapore	8,503	1	...	2	2	1	2	3	4	3	1	2	...	21	247
Benares	4,988	1	1	...	2	1	1	...	6	120
Fyzabad	8,810	1	1	1	...	1	1	2	1	4	1	13	147
Lucknow	23,062	1	1	1	2	3	2	1	1	3	2	1	6	24	104
Sitapur	5,530	2	1	1	4	72
Fatehgarh	2,258
Cawnpore	8,423	1	1	1	3	2	1	1	2	12	142
Allahabad	9,163	1	1	4	2	1	2	...	11	120
GANGETIC PROVINCES AND OUDH...	76,159	5	2	3	9	9	4	7	14	14	8	11	9	95	125
Shahjahanpur	3,351	1	...	1	1	3	89
Bareilly	7,788	1	...	4	...	2	7	90
Moradabad	2,079	2	1	3	144
Roorkee	3,989	1	1	1	1	1	1	5	125
Meerut	14,222	1	...	1	1	1	2	1	1	4	6	6	5	29	204
Delhi	4,495	2	1	...	2	1	1	7	156
Muttra	3,846
ROHILCUND AND MEERUT	39,770	4	...	2	1	3	2	5	3	9	10	8	7	54	136
Agra	9,896	1	1	...	2	1	2	...	2	9	91
Morar	10,708	1	1	3	3	6	9	...	23	215
Gwalior Fortress	3,416	1	1	...	2	59
Jhansi	4,136	1	2	1	1	...	5	121
Nowgong	2,825	1	1	2	71
Saugor	4,590	2	1	1	4	87
Jubbulpore	4,974	1	1	1	1	2	6	121
AGRA AND CENTRAL INDIA	40,631	2	...	1	...	1	1	1	8	8	13	12	4	51	126
Umballa	13,298	1	1	1	4	2	9	68
Jullundur	7,075	1	...	3	6	2	4	16	226
Ferozepore	10,400	1	1	1	1	4	1	1	10	96
Mooltan	8,109	1	1	1	...	1	...	1	1	2	8	90
Dera Ismail Khan	993	1	1	101
Meeran Meer	9,291	3	...	2	...	2	1	1	...	2	3	3	2	20	215
Fort Lahore	1,130	1	1	...	1	...	2	177
Amritsar and Govindgarh	2,532	1	...	1	...	1	39
Sialkot	10,161	2	1	1	1	2	...	2	...	2	1	12	118
Rawalpindi	16,145	2	...	2	2	1	1	1	1	2	4	16	99
Attock	1,697
Nowshera	5,744	1	...	1	1	...	3	...	6	105
Peshawar	15,274	1	...	1	...	2	5	3	2	2	4	20	131
PUNJAB	112,288	11	*2	7	5	10	12	11	6	13	17	18	19	131	117
Darjeeling	630	4	1	5	2	2	1	1	2	19	242
Ranikhet	7,845	1	4	56
Chakrata	7,153	...	1	1	2	3	36
Dagshai	8,317	1	1	1	6	90
Subathu	6,645	1	1	...	2	1	...	1
Jutogh	858
Dharmasala (9 Years)	651
Dalhousie (6 Years)	490	1	250
Murree Hills	5,733	2	1	1	1	1	...	6	105
Cherat (9 Years)	3,392	1	1	3	2	1	7	207
HILL STATIONS	41,787	2	1	1	...	7	5	8	9	8	2	3	2	48	115
Darjeeling Depôt	1,807	1	2	3	166
Naini Tal	3,213	1	1	1	1	4	124
Landour	2,177	1	1	46
Kasauli	5,678	1	2	3	...	1	7	123
Dalhousie	3,975	1	1	25
Murree	4,678	1	...	1	...	3	...	1	6	128
CONVALESCENT DEPÔTS	21,528	1	2	2	5	...	4	1	6	...	1	22	102
BENGAL PRESIDENCY	363,431	33	10	26	26	38	38	40	50	57	65	60	53	496	137

* One death occurred among the Troops stationed at Campbellpore in 1877 and the other among the Troops marching in the Punjab in 1879.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCII—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from DYSENTERY which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM DYSENTERY IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Dysentery per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad ...	6,363	1	1	1	2	3	2	...	10	1·56
Neemuch ...	4,260	2	...	1	2	3	8	1·88
Indore ...	937
Mhow ...	13,270	1	1	...	1	...	1	2	1	7	·53
Deesa ...	7,065	1	1	...	2	...	1	...	5	·71
Ahmedabad ...	2,735	1	1	·36
Kurrachee and Ghizree ...	7,698	...	1	4	1	2	...	2	10	1·30
Hyderabad ...	3,764
Aden ...	7,277	3	1	1	3	1	...	1	...	1	11	1·51
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	8	3	7	3	...	1	4	3	8	9	3	4	53	·98
Bombay ...	4,764	1	2	1	1	...	2	...	7	1·47
Asirgarh ...	812
Ahmednagar ...	4,642	1	2	...	3	·65
Poona and Kirkee ...	20,984	1	...	1	1	1	1	3	4	4	...	1	3	20	·95
Satara ...	1,708	1	1	·59
Belgaum ...	9,660	2	1	...	3	·31
Secunderabad ...	23,411	7	9	8	5	1	2	3	5	14	14	8	12	88	3·76
Kamptee ...	10,034	1	2	2	2	1	8	·80
DECCAN AND NAGPORE ...	76,075	9	11	9	6	2	4	7	13	21	16	16	16	130	1·71
Bellary ...	8,609	...	1	2	3	·35
Bangalore ...	16,678	...	1	3	2	...	3	2	...	1	...	12	·72
Cannanore ...	6,579	...	1	...	1	1	2	2	1	1	4	2	2	17	2·59
Malliapoorum ...	921	1	1	1	...	3	3·26
Calicut ...	909	...	1	1	1	2	5	5·50
Trichinopoly ...	2,688	1	1	2	·74
St. Thomas' Mount ...	3,639	2	2	1	2	1	1	...	2	1	2	14	3·85
Madras ...	6,825	...	2	1	...	1	4	·59
SOUTHERN INDIA ...	46,847	3	8	3	3	7	6	2	7	3	9	5	4	60	1·28
Rangoon ...	8,145	5	2	1	2	...	1	4	3	6	3	1	5	33	4·05
Toungoo ...	4,299	1	2	2	1	4	3	1	1	1	1	17	3·96
Thayetinyo ...	6,853	2	2	4	·58
Port Blair ...	1,199
BURMAH AND PEGU ...	20,496	6	2	1	4	2	4	8	6	9	4	2	6	54	2·63
Mount Aboo ...	1,069	2	1	1	4	3·74
Purandhar ...	825	1	1	1·21
Wellington ...	4,390	1	...	1	1	1	4	·91
HILL STATIONS AND DEPÔTS ...	8,178	2	1	3	3	2	...	1	...	12	1·46
ARMY OF BENGAL ...	363,431	33	10	26	26	38	38	40	50	57	65	60	53	496	1·37
ARMY OF MADRAS ...	110,396	22	22	17	12	16	15	18	23	33	32	18	23	256	2·32
ARMY OF BOMBAY ...	103,537	10	6	11	5	1	3	11	12	15	9	11	7	101	·98
ARMY OF INDIA ...	577,416	65	38	54	43	55	56	69	85	105	106	89	88	853	1·43

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCLIII.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from HEPATITIS which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM HEPATITIS IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Hepatitis per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719	1	1	2	1	2	1	...	3	1	4	...	1	17	1·95
Dum-Dum	6,068	2	1	1	1	1	2	1	4	13	2·14
Barrackpore	4,056	2	3	2	1	2	2	3	4	1	20	4·93
BENGAL PROPER	18,914	5	4	2	1	2	4	2	6	4	9	5	6	50	2·64
Hazaribagh	4,697	1	1	1	...	1	...	2	6	1·28
Dinapore	8,503	6	2	3	1	...	1	4	3	3	5	4	3	37	4·35
Benares	4,988	1	2	4	1	2	4	1	1	...	3	19	3·81
Fyzabad	8,810	...	3	2	1	1	1	...	1	2	4	1	...	16	1·82
Lucknow	23,062	2	3	2	6	3	...	5	4	4	6	3	3	41	1·78
Sitapur	5,530	1	2	...	3	2	1	1	...	10	1·81
Fatehgarh	2,258	...	1	1	1	1	...	1	1	...	1	7	3·10
Cawnpore	8,423	2	2	1	2	1	1	4	2	2	...	17	2·02
Allahabad	9,163	1	...	1	5	2	...	2	2	4	1	2	...	20	2·18
GANGETIC PROVINCES AND OUDH	76,159	12	11	10	15	14	9	17	20	23	22	14	12	179	2·35
Shahjahanpur	3,351	1	1	1	...	1	...	2	1	1	8	2·39
Bareilly	7,788	2	...	1	2	3	...	8	1·03
Moradabad	2,079	...	1	...	1	...	1	...	1	...	2	1	...	7	3·37
Roorkee	3,939	...	2	1	...	2	1	1	2	...	1	10	2·51
Meerut	14,222	3	5	5	2	...	5	6	5	5	7	10	6	59	4·15
Delhi	4,495	1	...	1	2	1	1	1	...	1	...	8	1·78
Muttra	3,846	1	1	...	2	1	1	1	...	1	...	1	...	9	2·34
ROHILCUND AND MEERUT	39,770	5	10	9	5	5	11	9	12	7	12	17	7	109	2·74
Agra	9,896	1	1	1	...	1	...	4	4	1	2	1	1	17	1·72
Morar	10,708	2	4	1	2	2	2	1	1	3	5	6	1	30	2·80
Gwalior Fortress	3,416	1	1	...	1	1	1	5	1·46
Jhansi	4,136	...	1	1	...	2	4	·97
Nowong	2,825	1	1	1	1	1	1	1	7	2·48
Saugor	4,590	2	1	...	1	1	1	1	7	1·53
Jubbulpore	4,974	1	...	2	...	1	1	1	1	2	1	2	2	14	2·81
AGRA AND CENTRAL INDIA	40,631	7	6	5	2	6	4	7	9	8	11	11	8	84	2·07
Umballa	13,298	3	1	3	1	1	...	1	3	4	1	18	1·35
Jullundur	7,075	1	2	3	...	1	2	1	...	9	1·27
Ferozepore	10,400	...	3	1	...	3	2	2	...	14	1·35
Mooltan	8,109	1	1	...	1	1	1	1	1	2	2	9	1·11
Dera Ismail Khan	933	1	2	2·01
Meeran Meer	9,291	2	...	1	1	2	2	1	2	2	3	3	2	21	2·26
Fort Lahore	1,130	2	1·77
Amritsar and Govindgarh	2,532	1	1	...	1	1	1	4	1·58
Sialkot	10,161	2	1	1	3	2	2	...	2	3	...	17	1·67
Rawalpindi	16,145	5	1	2	2	4	4	5	2	25	1·55
Attock	1,697	1	1	2	1·18
Nowshera	5,744	1	2	1	1	...	2	2	9	1·57
Peshawar	15,274	1	1	1	1	1	1	1	7	·46
PUNJAB	112,288	15	10	11	6	9	7	11	11	18	18	26	14	156	1·39
Darjeeling	630	1	1	2	3·17
Ranikhet	7,845	2	2	2	...	1	1	...	8	1·02
Chakrata	7,153	2	...	1	1	...	1	1	...	1	7	·98
Dagshai	8,317	1	...	1	5	...	1	...	2	10	1·20
Subathu	6,645	1	2	1	1	1	1	...	7	1·05
Jutogh	858	1	1	1·17
Dharnasala (9 Years)	651	1	1	1·54
Dalhousie (6 Years)	400
Murree Hills	5,733	1	1	1	2	3	8	1·40
Cherat (9 Years)	3,302	1	...	4	2	8	2·36
HILL STATIONS	41,787	2	2	3	5	9	13	6	4	3	5	52	1·25
Darjeeling Depôt	1,807	1	1	1	1	1	2	1	1	9	4·98
Naini Tal	3,213	1	1	...	2	...	1	3	...	2	1	13	4·05
Landour	2,177	...	1	...	1	1	1	1	1	1	...	8	3·67
Kasauli	5,678	1	3	2	2	5	1	4	4	1	2	25	4·40
Dalhousie	3,975	1	2	1	2	...	2	...	8	2·01
Murree	4,678	2	1	1	2	1	1	1	...	9	1·92
CONVALESCENT DEPÔTS	21,528	2	2	1	7	8	5	11	6	11	10	6	3	72	3·34
BENGAL PRESIDENCY	363,431	54	50	40	41	48	47	67	78	77	86	86	58	741	2·04

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCCIII—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from HEPATITIS which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM HEPATITIS IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Hepatitis per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad	6,363	2	1	1	1	1	1	...	1	4	2	...	1	15	2·36
Nemuch	4,260	2	...	1	1	1	1	2	8	1·88
Indore	937
Mhow	13,270	5	1	2	1	1	1	6	...	3	1	21	1·58
Deesa	7,065	1	2	1	...	1	3	...	3	1	12	1·70
Ahmedabad	2,735	2	...	1	1	...	2	1	5	1·83
Kurrachee and Ghizree	7,698	2	...	1	...	1	...	3	9	1·17
Hyderabad	3,764	1	...	1	·27
Aden	7,277	3	...	1	2	...	1	3	2	1	3	16	2·20
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	8	3	11	6	4	5	5	5	17	6	8	9	87	1·61
Bombay	4,764	2	3	2	1	1	1	1	4	1	2	18	3·77
Asirgarh	812	1	1	...	2	2·47
Ahmednagar	4,642	1	1	1	3	·65
Poona and Kirkee	20,984	4	3	...	3	1	3	1	3	...	2	5	4	30	1·43
Satara	1,708	1	1	·59
Belgaum	9,660	1	...	2	4	2	1	...	1	2	1	14	1·45
Secunderabad	23,411	10	5	9	1	5	7	5	10	10	16	11	11	100	4·27
Kamptee	10,034	2	3	4	2	3	1	1	2	...	18	1·79
DECCAN AND NAGPORE	76,075	20	14	15	9	10	16	9	21	12	19	22	19	186	2·44
Bellary	8,609	3	4	...	2	3	2	1	1	2	1	1	...	11	1·28
Bangalore	16,678	5	...	4	...	3	2	5	1	...	5	2	5	36	2·15
Cannanore	6,579	2	1	1	1	...	3	3	5	3	2	4	2	27	4·11
Malliapoorum	921	1	1	2	2·17
Calicut	909	1	...	1	...	1	1	4	4·40
Trichinopoly	2,688	...	1	1	...	2	2	...	2	2	2	2	1	13	4·84
St. Thomas' Mount	3,639	7	1	1	2	3	1	1	...	1	...	17	4·67
Madras	6,825	1	1	1	...	1	1	1	6	·88
SOUTHERN INDIA	46,847	18	8	7	5	6	10	14	10	9	10	10	9	116	2·48
Rangoon	8,145	1	2	1	1	...	3	...	1	3	2	3	...	17	2·09
Toungoo	4,299	1	1	...	3	2	2	2	...	2	2	13	3·03
Thayetmyo	6,853	1	1	1	...	2	4	3	2	...	14	2·04
Port Blair	1,199	1	...	1	·83
BURMAH AND PEGU	20,496	3	3	1	4	3	6	2	3	7	7	6	...	45	2·20
Mount Aho	1,069	1	1	·94
Purandhar	825	1	2	2·42
Wellington	4,390	1	2	1	...	1	...	1	2	1	9	2·05
HILL STATIONS AND DEPÔTS	8,178	1	2	1	...	1	2	...	1	2	1	3	1	15	1·83
ARMY OF BENGAL	363,431	54	50	49	41	48	47	67	78	77	86	86	58	741	2·04
ARMY OF MADRAS	111,396	37	29	25	15	20	30	27	36	32	38	34	26	349	3·16
ARMY OF BOMBAY	193,587	19	12	21	15	9	13	7	13	21	8	22	17	177	1·71
ARMY OF INDIA	577,416	110	91	95	71	77	90	101	127	130	132	142	101	1,267	2·19



VII.—INVALIDING OF THE EUROPEAN ARMY OF INDIA, 1870-79.

CCIV.

INVALIDING RATIOS of the EUROPEAN ARMY of INDIA for the TEN YEARS, 1870-79.

CAUSES OF INVALIDING.		INVALIDED PER 1,000 OF STRENGTH.										Average of the Ten Years, 1870-79.	Invalided from the different causes per cent. of the Total Invaliding.
		1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Fevers	...	2·81	2·27	1·23	1·07	1·11	1·78	1·98	1·09	2·03	2·98	1·82	4·23
Dysentery and Diarrhoea	...	3·61	2·51	3·03	2·89	2·68	2·46	2·41	2·57	2·74	2·87	2·77	6·43
Hepatitis	...	8·54	6·96	5·74	6·78	6·48	5·91	6·10	5·55	5·63	5·46	6·30	1·464
Phthisis Pulmonalis	...	4·03	3·33	4·26	3·96	3·82	2·78	3·20	3·14	3·13	2·65	3·43	7·97
Heart diseases	...	3·10	2·20	2·20	2·58	2·75	4·81	1·85	1·65	1·84	1·38	2·53	5·88
Respiratory diseases	...	1·65	1·19	1·38	1·41	1·38	1·38	1·32	1·22	1·32	1·09	1·33	3·09
Mental Affections	...	·85	1·36	1·11	1·17	1·47	1·71	1·15	1·19	1·39	1·26	1·14	2·65
Epilepsy	...	1·24	1·13	1·19	·87	·74	·90	·90	·96	1·02	1·25	1·10	2·56
Rheumatism and Neuralgia	...	3·25	2·50	2·37	2·69	2·80	2·51	2·06	2·43	2·69	2·58	2·59	6·02
Syphilis	...	3·51	2·92	1·82	1·33	1·69	2·11	1·78	1·93	1·46	1·44	1·99	4·62
Palpitation	...	1·13	1·47	1·67	2·45	2·40	2·31	2·02	1·98	1·55	1·35	1·90	4·41
Anæmia and General Debility	...	10·63	7·81	9·05	8·57	7·73	9·76	8·92	12·63	13·40	16·23	10·46	21·30
All other Causes	...	6·67	5·37	6·10	5·56	5·56	1·04	5·14	5·91	7·03	7·56	5·68	13·20
ALL CAUSES	...	51·02	42·12	41·15	41·33	40·61	40·24	38·90	42·25	44·83	48·70	43·04	100·0

NUMBERS UPON WHICH THE ABOVE RATIOS ARE CALCULATED.

CAUSES OF INVALIDING.		NUMBER INVALIDED IN EACH YEAR, 1870-79.										1879. Strength 57,810.	Total of the Ten Years, 1870-79.
		1870. Strength 54,965.	1871. Strength 56,484.	1872. Strength 58,694.	1873. Strength 58,816.	1874. Strength 59,253.	1875. Strength 58,905.	1876. Strength 58,506.	1877. Strength 58,032.	1878. Strength 56,664.			
Fevers	...	152	128	72	63	66	105	116	63	115	172	1,052	
Dysentery and Diarrhoea	...	195	142	178	170	150	145	141	149	155	166	1,600	
Hepatitis	...	482	393	337	369	384	348	357	322	319	316	3,637	
Phthisis Pulmonalis	...	218	188	250	233	226	164	187	182	177	153	1,978	
Heart diseases	...	168	175	129	162	163	283	108	96	104	80	1,458	
Respiratory diseases	...	89	67	81	83	82	81	77	71	75	63	769	
Mental Affections	...	46	77	46	69	87	46	69	69	56	73	655	
Epilepsy	...	67	64	70	51	66	101	53	56	58	72	630	
Rheumatism and Neuralgia	...	176	141	158	151	166	121	149	141	153	149	1,492	
Syphilis	...	190	165	107	78	142	124	104	112	83	83	1,146	
Palpitation	...	61	83	98	144	142	136	118	115	88	113	1,098	
Anæmia and Debility	...	575	441	531	504	458	575	526	733	759	938	6,040	
All other Causes	...	361	315	358	327	329	114	301	313	398	437	3,293	
ALL CAUSES	...	2,760	2,379	2,415	2,431	2,406	2,370	2,276	2,452	2,540	2,815	24,844	

INVALIDING RATIOS of the EUROPEAN ARMY of BENGAL for the TEN YEARS, 1870-79.

CAUSES OF INVALIDING.		INVALIDED PER 1,000 OF STRENGTH.										Average of the Ten Years, 1870-79.	Invalided from the different causes per cent. of the Total Invaliding.
1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
3.61	2.85	1.15	.65	.94	1.95	1.84	.52	1.57	2.17	1.63	3.94		
2.48	1.97	2.30	1.95	1.72	1.41	1.51	1.23	1.65	2.22	1.84	4.44		
7.37	7.18	6.45	5.73	5.62	5.92	6.00	5.53	5.28	4.76	5.97	14.32		
3.58	3.51	4.40	4.13	3.85	2.91	3.21	3.27	3.04	2.53	3.42	8.26		
3.23	3.42	2.54	2.63	3.12	2.52	2.16	1.47	1.57	1.10	2.67	6.45		
1.43	1.20	1.59	1.85	1.53	1.31	1.85	1.06	1.38	1.07	1.38	3.33		
.66	1.74	1.15	1.30	1.16	.99	1.11	1.20	1.12	1.36	1.18	2.85		
1.34	1.17	1.12	.90	.59	1.98	.73	.82	.75	1.18	1.06	2.56		
3.73	2.82	2.92	2.25	3.09	2.56	2.35	2.61	2.65	2.32	2.74	6.62		
3.19	3.17	1.83	.95	1.40	1.41	1.00	1.52	1.16	1.18	1.66	4.01		
1.31	1.71	2.10	2.99	2.69	2.51	2.32	2.18	1.40	1.33	2.12	5.12		
12.00	8.41	9.24	7.50	6.94	10.06	7.37	11.65	12.43	16.79	10.23	24.71		
6.48	5.39	6.34	4.92	5.59	.88	4.78	6.02	6.64	8.09	5.50	13.29		
ALL CAUSES	50.41	44.54	37.75	38.24	38.71	35.89	38.08	40.54	46.70	41.40	100.00		

NUMBERS UPON WHICH THE ABOVE RATIOS ARE CALCULATED.

CAUSES OF INVALIDING.		NUMBER INVALIDED IN EACH YEAR, 1870-79.										1879. Strength 37,337.	Total of the Ten Years, 1870-79.
1870. Strength 33,502.	1871. Strength 35,071.	1872. Strength 36,591.	1873. Strength 36,817.	1874. Strength 37,190.	1875. Strength 37,485.	1876. Strength 37,028.	1877. Strength 36,729.	1878. Strength 35,817.	1879. Strength 37,337.				
121	100	42	24	35	47	68	19	56	81	593			
83	69	81	72	64	53	56	45	69	83	668			
247	252	236	211	209	222	222	203	189	178	2,169			
120	123	161	152	143	109	119	120	109	87	1,213			
108	130	93	97	116	207	80	54	56	41	972			
48	42	58	48	57	49	56	39	46	40	503			
22	61	42	43	43	37	41	44	40	51	429			
45	41	41	83	22	74	27	30	27	44	384			
125	99	107	83	115	96	87	96	95	94	997			
107	111	52	35	52	53	37	56	42	44	604			
44	60	77	110	106	94	86	80	50	72	773			
402	295	338	276	258	377	273	428	415	627	3,719			
217	189	232	181	208	53	177	221	238	302	1,998			
ALL CAUSES	1,089	1,562	1,578	1,390	1,422	1,451	1,435	1,452	1,744	15,052			

VII.—INVALIDING OF THE EUROPEAN ARMY OF MADRAS.

CCCVI.

INVALIDING RATIOS of the EUROPEAN ARMY of MADRAS for the TEN YEARS, 1870-79.

CAUSES OF INVALIDING.	INVALIDED PER 1,000 OF STRENGTH.										Average of the Ten Years 1870-79.	Invalided from the different per cent. of the Total Invaliding.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Fevers	1'69	'66	'53	'79	'26	'99	'81	'90	'09	'76	'73	1'50
Dysentery and Diarrhoea	10'58	6'18	6'24	7'27	7'27	6'90	5'20	6'27	5'94	4'82	6'62	13'59
Hepatitis	17'88	8'15	3'87	10'34	10'82	7'97	6'72	6'37	7'13	8'86	8'67	17'90
Phthisis Pulmonalis	5'40	4'12	3'52	4'82	4'59	3'22	3'77	3'85	3'38	2'27	3'67	5'63
Heart diseases	4'44	2'81	2'11	3'42	3'03	3'94	1'34	2'15	2'47	1'80	2'74	2'63
Respiratory diseases	2'65	'47	'97	'53	1'38	1'52	'99	1'79	1'46	1'33	1'59	2'65
Mental Affections	1'90	'75	1'05	'70	1'99	'36	1'34	1'25	1'37	1'15	1'32	2'36
Epilepsy	1'38	1'59	1'23	'96	1'21	'99	1'44	1'16	1'37	1'89	1'82	2'71
Rheumatism and Neuralgia	3'07	2'25	1'41	4'03	2'42	2'77	'99	2'15	2'37	2'33	2'33	4'78
Syphilis	7'09	3'66	1'94	2'45	3'03	4'12	2'78	3'14	1'74	1'61	3'10	6'36
Palpitation	1'16	'94	'88	2'37	2'68	1'34	1'34	1'52	1'92	2'55	1'73	3'55
Anæmia and Debility	13'12	8'15	6'51	9'11	7'53	8'24	9'77	11'73	13'16	11'16	9'78	20'08
All other Causes	8'57	6'09	5'01	5'78	6'32	2'15	5'02	5'29	5'49	4'45	5'37	11'02
ALL CAUSES	78'93	45'82	35'27	52'57	52'53	45'05	41'51	47'47	47'24	45'02	48'71	100'00

NUMBERS UPON WHICH THE ABOVE RATIOS ARE CALCULATED.

CAUSES OF INVALIDING.	NUMBER INVALIDED IN EACH YEAR, 1870-79.										Total of the Ten Years, 1870-79.
	1870. Strength 9,451.*	1871. Strength 10,673.	1872. Strength 11,369.	1873. Strength 11,413.	1874. Strength 11,556.	1875. Strength 11,165.	1876. Strength 11,155.	1877. Strength 11,165.	1878. Strength 10,943.	1879. Strength 10,574.	
Fevers	16	7	6	9	3	11	9	10	1	8	80
Dysentery and Diarrhoea	100	66	71	83	84	77	58	70	65	51	725
Hepatitis	169	87	44	118	125	80	75	70	70	91	949
Phthisis Pulmonalis	51	30	40	55	43	36	42	43	37	24	425
Heart Diseases	25	30	24	39	35	44	15	24	27	23	300
Respiratory Diseases	25	5	11	6	16	17	11	20	16	14	141
Mental Affections	18	8	12	8	23	4	15	14	19	16	126
Epilepsy	13	17	14	11	14	11	16	13	15	20	144
Rheumatism and Neuralgia	29	24	16	46	28	31	11	24	23	20	235
Syphilis	67	39	22	28	35	46	31	35	19	17	339
Palpitation	11	10	10	27	31	21	15	21	21	27	180
Anæmia and Debility	124	87	74	104	87	92	109	131	144	118	1,070
All other Causes	81	65	57	66	73	24	56	69	60	47	588
ALL CAUSES	746*	489	401	600	607	503	463	530	517	476	5,332

* Excluding the 1-21st Regiment, which Invalided 171 men during 1870. This Regiment was sent for change from Kurrachee to Bangalore, and the extent of the Invaliding was due to Sickness contracted at Kurrachee in the unhealthy year 1869.

CCCVII.

INVALIDING RATIOS of the EUROPEAN ARMY of BOMBAY for the TEN YEARS, 1870-79.

CAUSES OF INVALIDING.	INVALIDED PER 1,000 OF STRENGTH.										Average of the Ten Years, 1870-79.	Invalided from the different causes per cent. of the Total Invaliding.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Fevers	135	196	224	283	268	458	378	335	596	838	364	851
Dysentery and Diarrhoea	108	63	214	142	105	146	262	335	313	323	199	465
Hepatitis	413	503	531	661	476	361	581	483	525	445	498	1164
Phthisis Pulmonalis	422	196	456	246	285	185	252	188	313	424	297	694
Heart diseases	162	233	112	151	114	312	126	178	212	192	178	416
Respiratory diseases	143	196	112	85	86	146	97	106	131	91	120	280
Mental affections	64	74	102	123	200	49	106	109	90	61	96	224
Epilepsy	81	66	140	66	76	156	97	123	104	81	104	243
Rheumatism and Neuralgia	197	167	149	274	219	205	223	207	323	354	230	538
Syphilis	143	140	168	142	124	244	349	207	222	222	195	456
Palpitation	54	121	102	66	105	205	165	178	172	141	130	304
Anæmia and Debility	440	549	1109	1171	1075	1033	1395	1716	1716	1950	1200	2804
All other Causes	565	503	643	756	457	556	658	622	1010	889	668	1561
ALL CAUSES	2917	3054	4062	4166	3588	4056	4689	4804	5765	6911	4279	10000

NUMBERS UPON WHICH THE ABOVE RATIOS ARE CALCULATED.

CAUSES OF INVALIDING.	NUMBER INVALIDED IN EACH YEAR, 1870-79.										Total of the Ten Years, 1870-79.
	1870. Strength 11,142.	1871. Strength 10,740.	1872. Strength 10,734.	1873. Strength 10,586.	1874. Strength 10,507.	1875. Strength 10,255.	1876. Strength 10,323.	1877. Strength 10,138.	1878. Strength 9,904.	1879. Strength 9,889.	
Fevers	15	21	24	30	28	47	39	34	58	83	379
Dysentery and Diarrhoea	12	7	23	15	11	15	27	34	31	32	207
Hepatitis	46	54	57	70	50	37	60	49	62	44	519
Phthisis Pulmonalis	47	21	49	26	30	39	31	19	42	310	186
Heart diseases	16	25	12	16	12	32	13	18	21	19	125
Respiratory diseases	16	20	12	9	12	15	10	12	13	9	100
Mental affections	6	8	11	13	21	15	11	11	8	6	108
Epilepsy	9	7	15	7	8	16	10	13	16	8	240
Rheumatism and Neuralgia	22	18	16	20	23	21	23	21	32	35	203
Syphilis	16	15	18	15	13	25	36	21	22	22	135
Palpitation	6	13	11	7	11	21	18	17	17	14	183
Anæmia and Debility	49	59	119	124	113	106	144	174	170	183	1,251
All other Causes	63	61	69	80	48	57	68	63	100	88	697
ALL CAUSES	325	328	436	441	377	416	454	487	571	595	4,460



VIII.—FLUCTUATION IN STRENGTH OF THE ARMY OF INDIA.

VIII.—FLUCTUATION IN STRENGTH OF THE ARMY OF INDIA.

CCCVIII.

STATEMENT showing the CAUSES of the FLUCTUATION in STRENGTH of the REGIMENTS composing the ARMY of INDIA during the NINE YEARS from 1871 to 1879.

	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Aggregate of Nine Years.	Proportion of Gain and Loss from different causes in percentages.
<i>Strength at the beginning of the Year.</i>											
At Head-Quarters and on Detachment at the beginning of each Year	53,582	55,943	56,789	56,590	56,442	54,788	53,328	54,078	50,756	492,296	
Recruits from England in India on march to join	833	143	27	41	302	471	310	862	91	3,080	
On Staff employment	89	91	84	64	84	122	129	95	87	843	
In Military and other Prisons	312	328	342	321	361	412	394	433	508	3,411	
Elsewhere, sick in other Hospitals, and men remaining at Convalescent Depôts	1,196	1,541	1,475	1,653	2,368	2,219	2,414	1,715	2,340	16,911	
TOTAL STRENGTH IN INDIA AT THE BEGINNING OF EACH YEAR	56,012	58,037	58,724	58,669	59,547	58,012	56,575	57,183	53,782	516,541	
<i>Additions during the Year.</i>											
Transfers received from other Regiments	1,146	1,069	901	944	2,077	2,249	1,880	1,839	1,768	17,819	31.36
Transferred from Regiments leaving India by Volunteering	1,107	592	1,207	1,090	1,276	1,77	145	148	136	1,233	2.17
Recruited in India	12	12	112	109	65	68	96	148	51	472	.83
{ New Soldiers	12	12	18	2	65	2	96	148	51	472	
{ Time-expired men	3,506	3,940	3,317	3,340	2,457	3,466	4,882	3,629	7,757	37,113	65.31
Received from England, landed after 1st January	181	310	134	194	22	11	15	23	14	180	.33
{ Recruits	33	21	23	27	22	11	15	23	14	180	
{ Invalids returned											
Deserters rejoined											
TOTAL ADDITIONS OF THE YEAR	6,134	6,046	5,712	5,706	4,776	5,971	6,968	5,787	9,726	56,826	100.00
<i>Loss during the Year.</i>											
Transfers given to other Regiments, &c.	2,288	1,803	2,143	2,119	2,189	2,806	2,137	2,614	3,055	21,154	31.06
Time-expired men who have left the service	680	569	913	1,277	1,276	1,974	2,179	2,795	1,387	12,950	19.02
Men who have purchased their discharge	70	64	112	149	117	128	75	77	91	883	1.30
Men discharged otherwise	1	10	5	32	37	85	.12
{ For Discharge	688	701	596	615	584	535	603	660	660	5,601	8.23
{ For change of climate	1,691	1,719	1,841	1,795	1,837	1,738	1,837	1,878	1,983	16,329	23.98
Invalids	106	61	108	88	74	55	95	103	96	815	1.20
Dismissed by sentence of Court-Martial	64	92	81	64	162	55	82	54	78	732	1.07
Deserted	876	1,272	833	718	1,015	881	721	1,105	1,080	9,546	14.02
Died at Head-Quarters and on Detachment	50	72	30	32	
Died absent from the Regiment	48	52	26	45	
TOTAL LOSS OF THE YEAR	6,562	6,415	6,088	6,934	7,251	8,191	7,739	9,376	8,939	68,095	100.00
STRENGTH OF THE ARMY AT THE CLOSE OF EACH YEAR	55,584	57,668	57,748	57,441	57,072	55,792	55,804	53,594	54,569	506,272	..

Note.—This Statement is an aggregate of Regimental Returns, and is for Regiments present throughout the Year : hence the Strength remaining does not correspond with that carried forward to the next Year.

CCCLIX.

STATEMENT showing the CAUSES of the FLUCTUATION in STRENGTH of the REGIMENTS composing the ARMY of BENGAL during the TEN YEARS from 1870 to 1879.

	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Aggregate of Ten Years.	Proportion of Gain and Loss from different causes in percentages.
<i>Strength at the beginning of the Year.</i>												
At Head Quarters and on Detachment at the beginning of each Year	31,761	33,201	34,643	35,813	35,462	35,658	34,459	33,781	34,501	32,377	341,656	
Recruits from England in India on march to join	161	648	66	13	41	262	437	214	690	31	2,566	
On Staff employment	97	45	63	59	38	61	78	117	82	82	729	
In Military and other Prisons	193	179	175	179	155	197	193	167	183	188	1,809	
Elsewhere, sick in other Hospitals, and men remaining at Convalescent Depôts	688	684	881	954	1,059	1,299	1,275	1,302	801	1,398	10,841	
TOTAL STRENGTH IN INDIA AT THE BEGINNING OF EACH YEAR	32,900	34,757	35,828	37,018	36,755	37,477	36,453	35,581	36,253	34,079	357,101	
<i>Additions during the Year.</i>												
Transfers received from other Regiments	640	742	623	579	612	1,108	1,191	1,053	1,171	1,111	12,159	29.85
Transferred from Regiments leaving India	536	691	304	714	521	82	74	68	72	69	680	1.69
by Volunteering.	470	99	48	56	66	41	35	26	22	15	160	.39
New Soldiers	56	5	5	9	...	2,289	2,288	3,409	2,270	6,109	27,615	67.79
Recruited in India	2	5	5	9	...	1,767	2,289	3,409	2,270	6,109	27,615	67.79
Received from England, landed after 1st January.	3,100	1,945	2,801	1,767	...	1,778	2,288	3,409	2,270	6,109	27,615	67.79
Invalids returned	219	90	172	98	187	10	8	4	12	8	113	.28
Deserters rejoined	15	17	12	9	18	10	8	4	12	8	113	.28
TOTAL ADDITIONS OF THE YEAR	5,038	3,583	4,058	3,232	3,693	3,109	3,599	4,560	3,547	6,312	40,737	100.00
<i>Loss during the Year.</i>												
Transfers given to other Regiments, &c.	1,074	1,444	642	1,616	1,242	1,195	1,413	1,413	1,632	1,678	13,379	29.07
Time-expired men, who have left the service	825	421	374	567	839	759	1,297	1,341	1,707	652	8,812	19.14
Men who have purchased their discharge	38	39	38	74	88	86	86	46	46	62	601	1.31
Men discharged otherwise	8	...	10	...	32	35	85	.18
Invalids	270	449	492	414	389	377	376	360	508	562	4,137	8.99
Dismissed by sentence of Court-Martial	1,423	1,115	1,089	976	1,027	1,074	1,020	1,073	943	1,019	10,759	23.37
Deserted	70	66	39	53	57	47	58	55	55	48	544	1.18
Bled at Head Quarters and on Detachment	657	554	899	624	497	144	31	34	25	53	506	1.10
Died absent from the Regiment	41	31	63	18	23	638	583	415	760	1,370	7,209	15.66
TOTAL LOSS OF THE YEAR	4,520	4,183	3,728	4,317	4,247	4,355	4,787	4,740	5,676	6,479	46,032	100.00
STRENGTH OF THE ARMY AT THE CLOSE OF EACH YEAR	33,418	34,163	36,153	35,933	36,301	36,231	35,265	35,401	34,124	34,912	351,806	...

See Note to Table CCCVIII.

VIII.—FLUCTUATION IN STRENGTH OF THE ARMY OF MADRAS.

CCCX.

STATEMENT showing the CAUSES of the FLUCTUATION in STRENGTH of the REGIMENTS composing the ARMY of MADRAS during the NINE YEARS from 1871 to 1879.

Strength at the beginning of the Year.										Proportion of Gain and Loss from different causes in percentages.
1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Aggregate of Nine Years.	
At Head Quarters and on Detachment at the beginning of each Year Recruits from England in India on march to join On Staff In Military Prisons Elsewhere, sick in other Hospitals, and men remaining at Convalescent Depôts	9,998 59 14 15 71 346	10,776 ... 9 83 87 468	10,783 14 22 94 424	10,372 ... 14 785	10,361 17 27 113 659	10,061 18 4 165 847	10,055 61 7 133 638	9,044 35 5 202 703	92,232 204 123 1,041 5,315	
TOTAL STRENGTH IN INDIA AT THE BEGINNING OF EACH YEAR	10,489	11,336	11,320	11,264	11,177	11,065	10,894	9,994	98,915	
Additions during the Year.										
Transfers received from other Regiments Transfers from Regiments leaving India by Volunteering Recruited in India Received from England, landed after 1st January Deserters rejoined	244 176 37 1,150 90 7	188 124 30 484 129 6	165 203 38 798 30 9	418 ... 55 24 229 10	587 ... 74 30 546 1	423 ... 65 44 639 10	339 ... 52 103 782 6	339 ... 52 103 782 6	3,708 415 242 6,972 58	3254 364 213 6118 61
TOTAL ADDITIONS OF THE YEAR	1,711	968	1,002	736	1,238	1,176	1,282	1,948	11,395	10000
Loss during the Year.										
Transfers given to other Regiments, &c. Time-expired men, who have left the service Men who have purchased their discharge Men discharged otherwise Invalided Dismissed by sentence of Court-Martial Deserted Died at Head-Quarters and on Detachment Died absent from the Regiment	615 130 17 1 125 361 6 14 186 12 18	820 116 7 ... 112 290 3 14 179 3 29	159 132 11 ... 103 498 20 32 189 11 10	604 278 ... 103 41 ... 23 18 164	441 296 25 ... 122 341 15 20 173	445 601 16 ... 123 407 17 40 185	376 674 16 ... 100 416 11 20 234	653 327 12 ... 97 379 11 11 170	4,317 2,701 165 6 1,021 3,565 123 195 1,711	3142 1953 119 94 738 2577 180 141 1237
TOTAL LOSS OF THE YEAR	1,486	1,573	1,320	1,611	1,433	1,734	1,847	1,080	13,834	10000
STRENGTH OF THE ARMY AT THE CLOSE OF EACH YEAR	10,714	10,731	11,420	10,389	10,982	10,537	10,329	10,282	96,476	...

See Note to Table CCXVIII.

STATEMENT showing the CAUSES of the FLUCTUATION in STRENGTH of the REGIMENTS composing the ARMY of BOMBAY during the TEN YEARS from 1870 to 1879.

	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Aggregate of Ten Years.	Proportion of Gain and Loss from different causes in percentages.
<i>Strength at the beginning of the Year.</i>												
At Head Quarters and on Detachment at the beginning of each Year...	10,521	10,383	10,524	10,193	10,346	10,412	9,968	9,486	9,522	9,335	100,690	
Recruits from England in India on march to join	126	77	40	17	78	111	22	471	
On Staff employment	29	10	10	6	9	...	8	10	...	58	
In Military and other Prisons	62	70	76	72	71	106	62	117	118	754	
Elsewhere, sick in other Hospitals, and men remaining at Convalescent Depôts	166	192	81	170	274	285	265	276	234	1,943	
TOTAL STRENGTH IN INDIA AT THE BEGINNING OF EACH YEAR	10,521	10,766	10,873	10,360	10,594	10,806	10,352	9,899	10,036	9,709	103,946	
<i>Additions during the Year.</i>												
Transfers received from other Regiments	160	258	157	180	461	468	349	329	318	3,834	3474
Transferred from Regiments leaving ... { From Bengal Presidency	236	240	164	200	224	...	29	22	24	25	189	171
India by Volunteering ... { From other Presidencies	...	13	24	18	11	18	3	26	23	12	72	65
Recruited in India ... { Time-expired men	752	632	834	577	1,107	6,905	6256
Received from England, landed after { Recruits	1,080	411	562	...	502	450	2	1	5	4	37	34
1st January ... { Invalids returned	4	9	3	6	2	2	2
Deserters rejoined
TOTAL ADDITIONS OF THE YEAR	1,305	834	1,020	1,236	921	931	1,134	1,232	958	1,466	11,037	10000
<i>Loss during the Year.</i>												
Transfers given to other Regiments, &c.	229	341	338	643	390	952	279	606	724	7,517	5362
Time-expired men, who have left the service	129	79	214	191	239	381	337	414	278	169	121
Men who have purchased their discharge	14	19	27	20	11	17	13	15	17	2	41
Men discharged otherwise ... { For discharge	2	594
Invalided ... { For change of climate	...	113	97	79	81	51	107	120	52	10	832	23098
Dismissed by sentence of Court-Martial ...	203	215	340	307	296	362	377	367	619	585	3,631	23098
Deserted ...	1	34	19	35	14	14	8	20	37	37	219	156
Died at Head-Quarters and on Detachment ...	11	10	19	18	11	...	4	8	9	9	98	71
Died absent from the Regiment ... { At Convalescent Depôts	166	136	194	120	103	...	125	121	201	140	1,549	1105
... { In other Hospitals	...	7	6	1	7	213
TOTAL LOSS OF THE YEAR	1,269	893	1,114	1,201	1,367	1,285	1,971	1,265	1,853	1,800	14,018	10000
STRENGTH OF THE ARMY AT THE CLOSE OF EACH YEAR	10,557	10,707	10,779	10,395	10,148	10,452	9,545	9,866	9,141	9,375	100,965	...

See Note to Table CXXVIII.



IX.—DETAIL OF ADMISSIONS, DEATHS, AND INVALIDING IN THE
EUROPEAN ARMY OF INDIA, 1870-79.

IX.—DETAIL OF ADMISSIONS, DEATHS, AND INVALIDING IN THE EUROPEAN ARMY OF INDIA, 1870-79.

CCCXII.

STATEMENT showing the CAUSES of DEATHS returned in the GENERAL TABLES under the HEAD "ALL OTHER CAUSES," from 1870-79.

CAUSES OF DEATHS.	DEATHS RETURNED IN EACH YEAR UNDER THE HEAD "ALL OTHER CAUSES."										Total for the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Scarlet Fever	1	2	1	4
Measles	1
Hydrophobia	20
Pyæmia	2	5	2	1	2	2	2	3	1	...	17
Diphtheria	1	1	1	...	2	3	6	...	1	1	6
Erysipelas	2	4	7	3	5	7	1	3	2	3	37
Gangrene and Phagedæna	1	...	1	...	2	4
Rheumatism	...	2	1	1	2	5	1	4	16
Secondary Syphilis	9	3	6	3	5	8	6	1	1	3	48
Cancer	6	7	6	4	8	4	7	5	3	3	53
Scrofula and Tuberculosis	2	1	2	5	2	1	13
Psoas and Lumbar Abscess	2	1	...	2	1	3	2	2	13
Morbus Coxæ	...	1	1	1	1	...	4
Tabes Mesenterica	1	1
Cancrum Oris	1	1
Diabetes and Diuresis	1	...	3	1	...	1	1	...	7
Purpura	4	3	7
Tumour of Brain	1	1	2	...	3	7
Atrophy of Brain	1	1
Encephalitis	3	10	8	...	10	9	8	6	4	5	71
Hydatid of Brain	1	1
Meningitis	4	11	9	3	2	12	5	9	11	11	77
Myelitis	2	1	2	1	1	7
Spinal Hæmorrhage	1	2
Paralysis, Hemiplegia	2	...	3	5
Do. Paraplegia	2	...	1	3
Do. General	1	1
Do. Character not stated	2	1	1	2	1	4
Tetanus	2	2	4	4	...	4	...	2	2	...	21
Epilepsy	1	...	1	...	2	3	...	2	1	3	15
Mania	1	1
Caries of Mastoid Cells	...	2	1	2	1	3	...	9
Ozæna	...	1	1
Epistaxis	...	1	1
Syncope	1	1	2
Angina pectoris	1	1
Embolism	2	...	1	...	1	...	1	3	8
Thrombosis	1	...	1
Pericarditis	5	3	1	...	1	1	1	2	4	1	19
Tumour of Pericardium	1	1
Fibrinous Concretions in the Veins	1	1
Rupture of Vena Cava	1	1
Rupture of Jugular Vein	1	2	1	1	5
Addison's Disease	1	...	1	...	1	2
Abscess of Mediastinum	1	1	2
Stomatitis	1	...	2	14
Abscess of Tongue	...	2	...	2	1	2	1	1	1
Gastritis	3	1
Abscess of Omentum	1	...	1
Enteritis	7	5	...	2	1	3	1	4	5	6	41
Peritonitis	5	1	6	4	12	3	6	3	8	3	51
Iliac and Pericæcal Abscess	...	1	3	...	1	5
Ulcer of Stomach	1	1
Rupture of Stomach	1	1	1
Hæmatemesis	1
Melæna	3	3	9
Typhlitis	1	2	1
Ileus and Obstruction of Bowels	3	4	1	1	...	1	2	...	12
Perforation of Intestines	1	3	5	9
Hernia	1	2	1	...	1	2	5
Atrophy of Liver	1	3
Cirrhosis of Liver	6	7	17	14	12	10	9	5	5	8	93
Amyloid Liver	2	2	3	2	...	9
Jaundice	...	1	1	4	...	2	3	11
Rupture of Gall Bladder	1	1
Nephritis	13	12	8	9	9	11	8	3	8	19	100
Disease of Supra-renal Capsules	1	1
Abscess of Kidney	1	1
Calculus and Lithiasis	1	1	2
Extravasation of Urine	1	1	...	3	5
Stricture of Urethra	1	1	3	1	1	8
Sloughing of Scrotum	1	1	1
Urinary Fistula	1	1
Perineal Fistula	2	2
Caries	...	1	1	1	1	1	5
Neerosis	1	1
Synovitis and Enlargement of Bursæ	1	1	1	3
Abscess	4	2	1	...	3	4	14
Carbuncle	1	1	1	3
Tumour and Cysts	...	1	1
Foreign body in Oesophagus	...	1	1
Cause not ascertained	1	1	...	2	3	1	2	...	10
Not classified	*105	105
TOTAL	192	90	104	81	97	114	87	82	92	114	1,053

* No details received from the Madras and Bombay Commands.

IX.—DETAIL OF ADMISSIONS, DEATHS, AND INVALIDING IN THE EUROPEAN ARMY OF INDIA, 1870-79.

CCCXIII.

TABLE showing in DETAIL the CAUSES of ADMISSIONS into HOSPITAL in each YEAR, and the TOTAL NUMBER of ADMISSIONS and DEATHS and CASES INVALIDED during the TEN YEARS 1870-79.

DISEASES.	ADMISSIONS FROM DIFFERENT CAUSES IN EACH YEAR.										TOTAL ADMISSIONS AND DEATHS AND INVALIDING OF THE TEN YEARS, 1870-79.		
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Admis- sions.	Deaths.	Invalid- ing.
Cholera	110	143	634	74	13	293	201	69	309	899	2,745	1,864	...
Dengue	...	222	7,331	411	51	43	674	35	30	64	8,861
Smallpox	22	13	56	82	46	21	21	43	70	38	412	60	...
Chickenpox	1	2	16	7	12	...	3	...	11	6	58
Measles	5	15	50	11	10	41	24	18	46	30	259	1	...
Scarlet Fever	...	9	...	5	47	...	3	3	2	2	78	4	...
Mumps	11	24	17	19	14	15	12	14	17	12	155
Influenza	88	125	65	62	37	...	57	434
Hydrophobia	2	5	2	1	2	...	2	3	20	20	...
Pyæmia	1	2	2	...	3	2	5	4	2	2	23	17	...
Diphtheria	1	2	3	2	5	4	17	6	1
Whooping Cough	...	1	1
Erysipelas	57	97	96	161	201	137	114	86	99	167	1,215	37	1
Gangrene and Phagedæna	2	3	1	1	...	8	4	...
Fever, Enteric	159	193	209	207	239	171	278	233	462	443	2,594	1,113	18
Typhus
Intermittent	30,398	21,265	20,273	18,748	17,306	17,658	19,004	14,270	25,853	40,312	225,087	78	...
Remittent
Continued	9,786	8,483	7,265	7,934	9,690	1,465	8,524	7,262	10,034	9,112	90,930	790	906
Rheumatism, Acute	...	994	778	577	587	7,251	413	466	404	523	16,850	16	1,102
Chronic	...	1,176	1,161	1,111	1,256	1,113	909	661	675	734	9,669
Muscular	333	704	820	855	1,067	1,254	1,233	1,237	1,140	1,026	37,331	...	3
Primary Syphilis	1,359	3,823	3,609	3,143	4,002	3,984	3,501	3,784	5,406	4,720	13,300	48	865
Secondary Syphilis	832	1,502	1,320	1,202	1,493	1,561	1,398	1,281	1,252	1,459	88	53	6
Cancer	6	11	9	7	10	10	13	7	9	6	1
Lupus	...	3	1
Leprosy
Scrofula and Tuberculosis	45	32	38	27	25	27	29	22	24	16	285	13	55
Psoas and Lumbar Abscess	1	...	1	4	4	3	3	17	13	7
Morbus Coxæ	1	3	3	1	1	1	1	11	4	9
Phthisis Pulmonalis	516	525	552	549	462	482	434	387	325	321	4,553	674	1,768
Hæmoptysis	18	35	59	...	54	41	55	62	324	2	5
Tabes Mesenterica	1	...
Scurvy	37	21	28	30	18	5	13	9	13	46	220	10	2
Cancerum Oris	1	1	...
Gout	4	1	7	9	7	12	9	14	18	6	87	...	5
Anæmia	314	377	253	273	218	204	200	125	129	174	2,267	6	436
General Dropsy	7	28	25	18	4	11	14	10	13	15	145	6	14
Elephantiasis	3	...	1
Diabetes and Diuresis	6	3	6	11	7	3	4	5	2	6	53	...	13
Purpura	12	12	4	1
Tumour of Brain	7	...
Atrophy of Brain	1	...
Encephalitis	23	20	20	22	23	41	17	14	14	7	201	71	25
Hydatid of Brain	1	...
Meningitis	4	29	32	18	9	...	15	15	26	18	166	77	23
Myelitis	3	3	2	2	10	7	1
Spinal Hæmorrhage	3	2	...
Apoplexy	...	22	46	22	15	22	20	21	30	38	2,144	884	120
Sunstroke	194	99	202	168	122	215	216	204	214	274	59	5	47
Paralysis, Hemiplegia	28	13	5	13	27	3	23
Paraplegia	3	6	2	11	24	1	1
General	6	5	13	71	...	25
Local	16	25	8	473	4	106
Character not stated	39	74	92	80	72	46	13	14	23	20	11	...	29
Locomotor Ataxy	11	26	...	1
Tetanus	2	2	4	5	1	4	...	3	2	2	30	21	...
Hysteria	...	1	2	8	2	...	7	4	3	3	25	...	5
Chorea	4	1	2	1	4	...	2	3	5	3	28	...	16
Paralysis Agitans	2	...	7	...	6	...	4	6	...	3	1,518	15	309
Epilepsy and Epileptic Vertigo	114	144	140	155	149	169	161	156	168	162	4	...	144
Hyperæsthesia and Anæsthesia	...	2	1	...	524	504	468	447	347	...	169
Neuralgia	232	440	460	535	502	524	524	504	468	447	500	...	285
Mania	40	38	39	47	40	25	30	22	37	29	316	...	144
Dementia	26	77	49	54	55	40	53	52	43	51	59	...	11
Melancholia	...	47	27	37	37	39	34	31	29	35	11,693	...	336
Hypochondriasis	3	14	10	13	5	...	7	1	2	4	3,962	...	39
Eye Diseases	1,335	1,343	1,348	1,276	1,274	1,193	1,051	980	987	906	11	9	2
Otitis	213	364	353	375	480	443	421	445	421	447
Caries of Mastoid Cells	9	2
Deafness	41	58	78	48	64	...	68	56	58	62	533	...	170
Ozæna	3	7	12	10	8	8	2	7	3	11	71	1	5
Epistaxis	27	18	18	23	24	19	37	24	28	39	257	1	1
Polypus Nasi	...	2	1	2	5	...	4	3	5	2	24	...	1
Palpitation	223	504	579	838	908	876	851	804	598	687	6,868	...	1,037
Syncope	1	1	6	5	3	...	4	12	3	...	35	2	1
Angina Pectoris	3	8	5	7	15	...	5	2	4	...	50	1	9
Endocarditis	2
Valve Disease of Heart	138	210	195	244	221	254	154	111	118	105	1,750	239	690
Hypertrophy of Heart	87	124	84	70	65	...	41	49	30	25	575	45	288
Fatty Degeneration of Heart	4	2	5	4	9	4	5	5	11	2	51	59	4
Embolism	2	...	3	...	1	...	1	4	11	8	...
Rupture of Heart and Aorta	...	1	...	2	1	...	1	1	7	18	...
of Vena Cava	1	1	1	...
Thrombosis	1	1	1	...
Dilatation of the Aorta	2	2	...	1
Rupture of Pulmonary Artery	1	1
Degeneration of Aorta
Pericarditis	32	33	23	31	27	14	15	7	15	10	207	19	10
Tumour of Pericardium	1	...
Aneurism	32	59	61	62	70	67	41	39	39	22	492	287	160
Rupture of Artery	1
Varicose Veins	11	33	33	42	61	56	39	50	35	48	408	...	223
Phlebitis	1	2	2	7	3	3	2	3	4	...	27	...	4
Fibrinous Concretion in the Veins	1	...
Rupture of Jugular Vein	1	1	1	...
Inflammation of Lymphatic Glands	619	1,220	73	78	91	64	43	1,093	1,089	996	10,494	...	17
of Inguinal Glands	...	1	2	4	3	3	2	5	6	6	32	...	5
Goitre	1	...	2
Addison's Disease	5	...
Laryngitis	5	6	20	16	15	41	33	8	18	12	174	11	11
Œdema Glottidis	1	1
Aphonia	2	2	...	1
Emphysema	2
Abscess of Mediastinum	1	1	2	...
Bronchitis	1,589	2,548	2,406	2,737	2,779	2,755	2,527	2,465	2,771	3,088	25,665	66	503

IX.—DETAIL OF ADMISSIONS, DEATHS, AND INVALID-

CCCX

TABLE showing in DETAIL the CAUSES of ADMISSIONS into HOSPITAL in each YEAR, and the TOTAL

DISEASES.	ADMISSIONS FROM DIFFERENT CAUSES IN EACH YEAR.										TOTAL ADMISSIONS AND DEATHS AND INVALIDING OF THE TEN YEARS, 1870-79.		
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Admis- sions.	Deaths.	Invalid- ing.
Asthma	6	39	42	37	55	55	31	35	45	42	397	6	88
Empyema	1	...
Pleurisy	127	176	189	165	159	114	114	95	92	136	1,367	32	27
Pneumonia	143	239	272	244	189	264	231	193	210	561	2,546	413	49
Pulmonary Extravasation	39	60	99	5	1
Cirrhosis of Lungs	1	...	1	1	1	...
Gangrene of Lungs	2	...	3	12	...
Hæmip	1	1
Caries of Teeth	12	3	19	4	5	138	9	5	10	8	213
Stomatitis	28	56	63	41	74	43	29	36	38	33	441	1	6
Inflammation of Salivary Glands	15	21	13	14	63
Abscess of Tongue	2	...
Tonsillitis and Sorethroat	613	1,003	884	1,136	1,542	1,068	1,152	1,031	1,052	1,458	10,939	4	1
Stricture of Oesophagus
Gastritis	11	18	28	13	17	15	8	6	13	16	145	14	9
Abscess of Omentum
Enteritis	15	12	11	9	5	14	6	8	12	14	106	41	1
Peritonitis	13	16	30	12	14	9	18	2	15	10	139	51	5
Iliac and Pericæcal Abscess	1	1	2	5	1
Ulcer of Stomach	1	...
Rupture of Stomach
Dyspepsia	1,268	2,420	2,559	2,602	2,731	2,692	2,914	2,809	2,619	2,115	24,729	...	158
Hæmatemesis	7	6	7	4	10	...	8	14	10	9	75	1	2
Dysentery	2,229	2,183	2,571	2,366	2,149	2,122	1,916	1,779	2,753	2,870	22,938	848	1,153
Diarrhoea	3,719	3,478	4,284	3,109	2,896	3,608	2,885	2,892	3,872	4,682	35,425	67	251
Colic	176	313	360	337	301	387	268	304	353	830	3,122
Constipation	29	76	62	86	58	...	49	66	41	23	490
Melæna	1	2	2	5	4	1	8	23	1	...
Intestinal Hæmorrhage
Typhilitis	14	5	...	18	16	12	18	83	9	5
Ileus and Obstruction of Bowels	...	2	1	6	1	4	...	2	2	...	18	12	...
Stricture of Stomach
Perforation of Intestines	5	3	1	9	9	1
Hæmorrhoids	286	477	559	510	519	481	462	485	499	439	4,717	...	48
Fistula in ano	33	63	76	57	44	45	49	49	54	62	532	...	38
Recto-Vesical Fistula	1
Stricture of Rectum	1	2
Hernia	22	71	57	65	57	77	83	80	107	97	716	5	172
Tapeworm	160	261	327	231	234	246	246	222	195	181	2,303	...	1
Ascariæ	1	4	8	9	4	4	3	2	2	3	40
Spleen Disease	306	364	298	394	351	431	336	286	228	453	3,447	20	258
Hepatitis	3,011	3,258	3,057	3,333	3,127	2,871	2,886	2,447	2,440	2,281	28,461	1,261	3,185
Atrophy of Liver	2	2	3	...
Degeneration of Liver	1	1
Cirrhosis of Liver	5	11	28	12	13	12	14	6	5	14	120	93	18
Lardaceous Liver	3	7	9	...
Cyst and Hydatid of Liver	...	2	2	1	...	4	2	4
Jaundice	164	287	202	262	263	209	297	264	339	561	2,848	11	3
Rupture of Gall Bladder	1
Ascites	3	8	6	13	16	3	14	9	4	7	83	2	13
Nephritis	55	82	77	61	76	73	47	46	55	67	639	100	112
Disease of Supra-renal Capsule	1	1	1	1	3	1	1	9	1	...
Abscess of Kidney	1	...
Cystitis	21	44	42	47	49	68	31	41	64	46	453	...	31
Calculus and Lithiasis	2	4	2	2	4	...	1	5	5	1	24	2	3
Hæmaturia	3	3	1	1	7	...	14	8	12	10	59	...	1
Suppression of Urine	...	1	1
Incontinence of Urine	16	19	20	36	32	...	32	22	26	36	239	...	15
Extravasation of Urine	1	1	2
Stricture of Urethra	101	196	202	201	253	250	233	253	211	236	2,136	8	153
Sloughing of Scrotum	1	1	1	3	1	...
Urinary Fistula	16	9	1	26	1	2
Perineal Fistula	2	...	1
Gonorrhœa and Balanitis	2,962	5,056	4,712	4,777	5,190	5,233	5,463	6,298	5,130	6,754	54,575
Phymosis	31	45	60	37	41	69	33	35	38	57	446
Bubo	1,155	58	68	100	87	1,468
Epididymitis	166	149	125	373	129	145	167	169	1,423
Orchitis	636	919	668	690	700	498	641	737	791	655	6,935	...	47
Malposition of Testis	3	3
Retention of Testis	1	...	1	1	...	3
Atrophy of Testis
Hydrocele	16	31	51	32	42	77	36	50	45	29	409	...	1
Neuralgia Testis	1	1
Hæmatocele	...	2	2	1	8
Hernia Testis	1
Varicocele	13	24	11	27	46	...	25	21	17	25	209	...	18
Periostitis	63	98	88	102	75	105	74	68	51	61	785	...	49
Deformity of Clavicle	1
Loose Cartilage	4
Caries	8	10	...	4	7	...	4	7	6	5	51	5	20
Articular Disease of Sacrum	1
Necrosis	4	15	11	9	13	...	5	6	5	2	70	1	20
Club Foot	3
Anchylolisis	3	3	...	3
Disease of Cartilage and Bone of Joints
Synovitis	78	156	140	137	141	127	111	130	128	130	1,399	3	85
Enlargement of Bursæ	34	21	...	29	13	10	14	2
Hypertrophy of Leg	10	9	...	133	...	88
Contraction and Atrophy of Muscle	18	12	25	17	10	...	5	11	5	2	174	...	10
Curvature of Spine	2	2	3	...	5	49
Abscess	621	949	1,072	1,021	1,082	1,010	923	1,047	1,076	1,079	9,880	14	152
Ulcer	864	1,629	1,750	1,493	1,739	1,490	1,438	1,403	1,474	1,547	14,827
Boils	613	1,163	1,074	1,251	1,285	1,176	1,107	1,182	1,219	1,001	11,071
Carbuncle	13	19	23	20	10	...	16	10	13	19	143	3	...
Obesity	1	1	...	2	...	5
Whitlow	...	194	135	264	158	...	168	153	148	128	1,348
Itch	47	91	85	101	75	109	110	100	118	146	952
Skin Diseases	354	678	797	812	743	735	779	699	780	728	7,105	...	32
Guinea Worm	4	46	34	21	19	11	21	26	11	10	203	...	2
Tumours and Cysts	28	43	41	71	51	54	48	54	48	36	474	1	33
Warts	62	136	105	140	140	162	140	124	185	231	1,425
General Debility	484	1,275	1,474	1,523	1,312	1,365	1,620	1,607	1,964	2,473	15,007	35	4,999
Delirium Tremens	352	348	259	204	217	268	284	296	259	227	2,714	138	1
Irritation of Plants and Insects	110
Poisoning	4	6	4	6	1	...	7	3	3	6	40	3	...

ING, IN THE EUROPEAN ARMY OF INDIA, 1870-79.

III—continued.

NUMBER of ADMISSIONS and DEATHS and CASES INVALIDED during the TEN YEARS 1870-79.

DISEASES.	ADMISSIONS FROM DIFFERENT CAUSES IN EACH YEAR.										TOTAL ADMISSIONS AND DEATHS AND INVALIDING OF THE TEN YEARS, 1870-79.		
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Admis- sions.	Deaths.	Invalid- ing.
Snake-bite	...	2	...	2	3	2	2	1	2	...	14	1	...
Burns and Scalds	28	63	67	57	49	66	79	62	69	75	946
Wounds and Contusions	1,886	3,421	3,191	3,173	3,389	3,417	3,504	3,587	3,352	3,056	31,976	244	159
Gunshot Wounds in battle	35	144	179	10	...
Killed in action	69	...
Fracture	114	264	237	256	282	258	240	253	240	231	2,375	2	152
Dislocation	35	50	55	62	58	53	60	70	55	51	560	...	32
Sprain	734	1,255	1,312	1,392	1,520	1,596	1,505	1,615	1,312	1,339	13,582	...	32
Compression and Concussion of Brain	...	11	...	22	18	9	...	19	10	15	104	...	17
Suicide and Suicidal Wounds	6	12	...	6	3	8	...	12	18	17	162	300	...
Foreign Body in Esophagus	...	1	1	2	1	...
Drowning	1	6	7	269	...
Died while Drunk	2	2	75	...
Murder and Homicide	2	...	3	...	2	5	...	1	13	25	...
Execution	15	...
Struck by Lightning	1	1	1	2	...	5	5	...
Punished	4	3	2	7	9	32
Surgical Operations	8	17	12	8	9	...	12	21	9	16	112	1	36
Blisters of the Feet	39	165	142	160	167	229	182	153	246	160	1,648
Rupture of Spleen	...	1	...	1	1	...	1	2	6	6	...
" Kidney	1
" Muscle	...	2	2	1	2	7	...	4
" Tendon	1	1
Asphyxia	1	1	...	1	3	1	...
Cause not ascertained	23	45	62	81	94	167	61	63	104	128	832	10	6
Not classified	13,569 ⁺	13,569	105	1,071
TOTAL	89,315	80,853	86,419	77,253	79,239	78,208	77,963	71,585	93,052	107,631	841,550	11,138	23,189

* No details received from the Madras and Bombay Commands.



X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXIV.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of INDIA during the TEN-YEAR PERIOD, 1870-79, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Ten Years.	Died per 1,000 of Strength.	CAUSES OF DEATHS.														
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anaemia.	Childbirth and Abortion.	All other Causes.
January	59,195	1,539	26.0	96	1.62	3	1	5	...	7	3	8	8	6	11	9	4	5	14	
February	59,915	1,484	24.8	63	1.05	1	1	1	...	9	1	1	5	2	7	10	3	4	12	
March	60,194	1,634	27.1	74	1.23	2	1	4	...	5	6	2	5	1	10	5	2	6	19	
April	59,902	2,032	33.9	110	1.84	17	2	2	...	9	4	9	8	9	13	2	5	4	14	
May	59,439	2,465	41.5	155	2.61	24	5	7	1	17	11	12	6	10	18	4	5	7	13	
June	59,248	2,604	44.0	136	2.30	11	1	6	...	23	26	10	6	11	12	1	3	2	13	
July	59,182	2,793	47.2	142	2.40	27	...	6	...	23	12	13	7	2	17	4	5	2	15	
August	58,967	3,099	52.6	175	2.97	46	...	4	3	12	4	17	13	13	24	4	2	5	14	
September	58,764	3,096	52.7	195	3.32	59	...	6	1	29	2	22	9	9	20	3	6	6	12	
October	58,308	2,664	45.7	119	2.04	13	...	4	1	21	...	14	9	8	13	4	6	5	11	
November	58,282	2,134	36.6	111	1.90	9	...	1	...	18	...	14	10	7	10	5	1	4	21	
December	57,545	1,625	28.2	106	1.84	3	3	3	...	22	1	11	6	8	9	3	5	9	15	
						215	14	49	6	195	70	133	92	86	164	54	47	59	173	
						Died per 1,000 of Strength.														
TEN YEARS	59,078*	2,264	38.3	1,482	25.09	3.64	.24	.83	3.40	1.18	2.25	1.56	1.45	2.78	.91	.80	1.00	2.93	2.12	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue	12	6	14	72	66	65	103	55	153	112	41	22	721	12.2	...
Cholera	4	1	5	23	34	15	44	69	74	19	13	2	303	5.1	70.96
Smallpox	11	10	15	26	18	7	4	4	19	114	1.9	12.28
Enteric Fever	7	5	3	9	17	7	9	...	13	...	6	5	97	1.6	50.52
Intermittent Fever	506	443	540	677	926	1,026	1,143	1,173	1,526	1,733	1,394	884	11,971	202.6	.05
Remittent and Continued Fevers	235	227	311	600	791	836	788	694	795	757	547	358	6,939	117.4	2.81
Apoplexy	5	3	6	5	20	32	20	6	2	5	1	1	103	1.8	66.04
Dysentery	102	82	106	153	149	173	220	274	225	187	148	124	1,943	32.9	6.84
Diarrhoea	137	154	203	310	279	248	492	572	404	281	226	172	3,478	58.9	2.65
Hepatitis	61	86	75	122	124	129	104	115	128	123	76	86	1,229	20.8	7.00
Spleen disease	13	7	19	14	17	21	22	20	16	18	13	12	192	3.3	...
Respiratory diseases	227	203	199	220	204	159	181	159	178	166	189	189	2,266	38.4	2.38
Phthisis Pulmonalis	44	39	61	40	56	53	52	49	32	46	44	47	563	9.5	29.13
Atrophy and Anæmia	733	763	974	1,421	1,526	1,361	1,532	1,676	1,486	1,225	917	738	14,355	243.0	.41
Rheumatism	77	91	88	108	123	98	129	117	102	97	80	68	1,178	19.9	...
Eye diseases	63	40	66	276	316	228	530	776	573	339	154	71	3,462	58.6	...
Abortion	70	78	95	109	131	118	108	99	97	90	67	74	1,136	19.2	2.02
Diseases peculiar to Women	166	167	187	214	222	200	227	206	200	178	122	113	2,202	37.3	...
Abscess and Ulcer	111	83	107	134	139	154	186	162	130	134	80	89	1,509	25.6	...
Injuries	45	38	67	51	64	61	58	61	43	48	46	35	620	10.5	1.83
All other Causes	331	294	417	499	475	473	557	606	465	382	318	271	5,088	86.1	...
	2,960	2,823	3,558	5,086	5,727	5,464	6,509	6,924	6,622	5,958	4,462	3,379	59,472		
	Died per 1,000 of the Average Strength in each Month.														
	50.0	47.1	59.1	84.9	96.4	92.2	110.0	117.4	112.7	102.2	76.6	58.7	1,006.6		

* The Returns for the Women and Children of the Bombay Presidency incorporated in this Table and in the Table which follows are for the Nine Years 1871-79. The Returns of 1870, which were not available by Months, are wanting in this Aggregate. In this Table Dyspepsia is included under "All other Causes," but in Table CCCXXII it appears under the heading "Anæmia and Atrophy."

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXVI.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the BENGAL PRESIDENCY during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Ten Years.	Died per 1,000 of Strength.	CAUSES OF DEATHS.															
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anæmia.	Child-birth and Abor-tion.	All other Causes.	
January	34,915	966	27.7	60	1.72	1	1	3	...	5	2	5	5	4	8	7	...	4	8	7	
February	35,339	911	25.8	40	1.13	...	1	7	4	2	7	6	1	4	4	4	
March	35,575	1,019	28.6	41	1.15	10	...	3	...	3	3	1	3	1	6	4	2	2	9	3	
April	35,320	1,305	36.9	70	1.98	1	1	2	...	6	...	7	7	7	9	1	4	2	7	7	
May	34,990	1,664	47.6	92	2.63	13	5	7	...	10	8	8	3	8	7	4	4	3	7	5	
June	34,880	1,774	50.9	93	2.67	6	...	4	...	18	17	5	6	7	7	...	2	1	11	9	
July	34,798	1,840	52.9	95	2.76	17	...	4	...	17	11	7	3	1	13	2	5	2	9	5	
August	34,601	2,079	60.1	122	3.53	36	...	3	3	7	3	9	7	10	18	4	2	2	8	10	
September	34,503	2,124	61.5	143	4.14	45	...	4	1	21	2	16	7	6	14	3	4	6	9	5	
October	34,324	1,777	51.8	81	2.36	10	...	2	1	17	...	9	5	5	9	3	5	3	8	4	
November	33,994	1,402	41.2	73	2.15	7	...	1	...	14	...	7	6	6	7	3	1	2	11	8	
December	33,707	1,062	31.5	76	2.25	2	2	3	...	19	1	9	4	7	7	...	3	5	9	5	
						148	10	36	5	144	47	83	60	64	112	37	33	36	100	72	
						Died per 1,000 of Strength.															
TEN YEARS	347,416	1,495	43.0	987	28.41	4.26	.29	1.04	4.29	1.35	2.39	1.73	1.84	3.22	1.06	.95	1.04	2.88	2.07		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue	1	...	2	32	14	8	40	27	134	96	24	15	393	11.3	...
Cholera	1	...	3	14	18	7	31	56	61	16	10	2	219	6.3	67.58
Smallpox	5	4	3	18	18	4	3	3	17	75	2.2	13.33
Enteric Fever	3	3	1	6	16	6	6	7	6	3	3	4	64	1.8	56.25
Intermittent Fever	308	259	315	442	646	705	767	792	1,029	1,187	1,041	593	8,034	232.7	.06
Remittent and Continued Fevers	123	125	179	406	615	643	578	504	568	553	345	223	4,862	139.9	2.96
Apoplexy	2	...	3	1	16	21	19	5	2	4	1	...	74	2.1	63.51
Dysentery	55	42	64	103	97	103	113	147	140	120	89	72	1,145	33.0	7.25
Diarrhoea	71	91	127	204	189	157	297	394	285	193	149	89	2,246	64.6	2.67
Hepatitis	32	49	42	92	83	91	66	76	84	69	44	56	784	22.6	8.16
Spleen disease	10	7	13	7	17	15	15	16	12	16	12	8	148	4.2	...
Respiratory diseases	136	133	106	150	131	91	95	94	76	94	96	105	1,307	37.6	2.83
Phthisis Pulmonalis	32	25	38	31	32	34	37	34	22	25	28	32	370	10.6	30.27
Atrophy and Anæmia	400	422	534	874	923	832	835	1,006	902	723	533	423	8,421	242.4	.43
Rheumatism	49	56	53	65	78	63	78	70	56	52	44	43	707	20.4	...
Eye Diseases	34	19	45	232	303	167	351	541	376	158	83	34	2,343	67.4	...
Abortion	48	56	60	64	84	75	70	64	58	58	43	38	718	20.7	1.95
Diseases peculiar to Women	82	89	100	128	121	124	136	115	124	97	52	59	1,227	35.3	1.97
Abscess and Ulcer	61	48	63	77	71	84	116	100	80	77	43	60	880	25.3	...
Injuries	26	18	37	27	41	31	28	37	32	24	25	16	342	9.9	...
All other Causes*	162	156	257	289	276	282	297	355	269	215	183	140	2,881	82.9	...
	1,650	1,602	2,045	3,262	3,789	3,543	3,978	4,440	4,316	3,780	2,856	2,029	37,290		
	Admitted per 1,000 of the Average Strength in each Month.														
	47.3	45.3	57.5	92.4	108.3	101.6	114.3	128.3	125.1	110.1	84.0	60.2	1,073.2		

* See second Footnote at Table CCCXIV.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXVII.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the BENGAL PRESIDENCY during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.		Aggregate Strength in each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month.	Died per 1,000 of Strength.	CAUSES OF DEATHS.																				
							Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tuberc Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.	
January	...	62,710	1,433	22.9	234	3.73	...	3	7	3	1	...	3	10	...	10	34	7	11	1	4	27	37	35	20	21	
February	...	63,399	1,364	21.5	173	2.73	2	1	10	3	4	5	1	9	30	8	6	...	4	13	15	32	11	19	
March	...	63,665	1,585	24.9	269	4.23	1	1	34	7	2	...	1	14	...	18	45	6	12	...	7	43	33	31	4	10	
April	...	63,036	2,257	35.8	465	7.34	5	2	23	2	1	2	5	25	3	55	70	15	20	1	15	106	57	26	5	23	
May	...	62,601	2,842	45.4	439	7.81	18	3	33	5	3	2	4	36	5	52	67	17	21	...	21	110	47	14	13	18	
June	...	62,680	2,838	45.3	414	6.60	7	1	30	5	2	...	2	52	6	39	66	20	11	2	11	75	44	16	9	16	
July	...	62,701	2,990	47.7	440	7.02	36	...	27	10	2	2	5	35	3	44	59	10	12	2	12	101	47	13	8	12	
August	...	62,837	3,582	57.0	611	9.72	72	...	17	5	9	...	3	36	2	85	76	12	19	...	27	141	62	17	9	19	
September	...	62,972	3,482	55.3	541	8.59	60	...	10	2	...	1	8	40	1	70	63	12	22	1	21	131	47	19	12	21	
October	...	62,856	2,800	44.5	380	6.19	22	...	1	2	...	2	14	34	5	27	64	8	14	2	20	70	41	19	17	27	
November	...	61,822	2,220	35.9	375	6.07	6	...	4	1	23	39	4	25	46	10	17	...	19	63	64	21	15	18	
December	...	61,342	1,605	26.2	340	5.54	...	4	8	6	1	...	14	20	1	26	57	9	14	1	14	48	46	36	16	19	
							220	15	204	50	21	10	86	346	31	460	677	134	179	10	179	928	540	279	139	223	
Died per 1,000 of Strength.																											
TEN YEARS		...	62,720	2,417	38.5	4,740	75.57	3.65	24	3.25	80	33	16	1.37	5.52	40	7.33	10.79	2.14	2.85	16	2.85	14.80	8.61	4.45	2.22	3.56

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.													Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue	...	1	...	5	40	25	5	59	46	147	82	31	10	451	7.2	...
Cholera	1	7	21	9	51	97	72	29	10	...	289	4.8	76.59
Smallpox	...	18	7	19	18	13	4	1	2	1	10	93	1.5	16.13
Measles	...	100	297	421	328	421	389	250	177	75	72	115	209	2,914	46.5	7.00
Whooping Cough	...	45	41	62	69	69	103	125	51	33	15	21	57	691	11.0	7.21
Scarlet Fever	...	7	8	17	21	8	8	30	13	1	2	1	...	116	1.9	18.10
Enteric Fever	...	2	1	2	9	5	4	6	6	8	5	2	3	53	.8	18.87
Intermittent Fever	...	281	203	259	420	601	516	566	650	907	1,324	1,274	601	7,593	121.0	1.13
Remittent and Continued Fevers	...	168	151	270	491	628	673	589	620	769	776	613	303	6,051	96.5	5.72
Apoplexy	1	1	7	8	9	10	5	12	9	5	1	68	1.1	45.59
Dysentery	...	49	34	60	133	120	77	130	181	163	135	93	61	1,250	19.9	14.32
Diarrhoea	...	179	148	400	839	686	518	782	1,129	751	441	357	258	6,498	103.6	14.28
Hepatitis	...	2	6	5	11	12	5	12	5	8	5	7	3	81	1.3	...
Spleen disease	...	11	11	9	14	16	26	14	24	19	16	18	11	189	3.0	...
Respiratory diseases	...	377	396	332	292	269	207	178	214	286	284	233	276	3,284	52.4	12.73
Eye diseases	...	76	69	227	1,155	1,223	633	1,501	2,275	1,500	656	278	113	9,706	154.8	...
Anæmia and Atrophy	...	379	354	362	539	553	574	567	579	521	584	514	444	5,979	95.3	9.03
Tubercular Diseases	...	32	19	38	64	70	38	46	47	52	42	48	31	527	8.4	35.86
Meningitis and Hydrocephalus	...	10	13	10	29	26	25	17	18	12	17	14	10	201	3.2	66.67
Convulsions	...	41	40	59	101	89	85	76	101	89	102	72	68	926	14.8	73.11
Dentition	...	118	100	144	293	306	303	267	353	280	200	169	135	2,673	42.6	17.21
Abscess and Ulcer	...	47	31	50	47	93	105	109	97	104	86	57	48	874	13.9	...
Injuries	...	77	59	80	93	79	79	68	86	92	79	51	56	899	14.3	...
All other Causes	...	133	209	247	240	237	224	203	232	203	200	150	130	2,408	38.4	5.01
	2,216	2,144	3,080	5,265	5,593	4,619	5,657	7,013	6,104	5,161	4,134	2,838	53,824			
Admitted per 1,000 of the Average Strength in each Month.																
	35.3	33.8	48.4	83.5	89.3	73.7	90.2	111.6	96.9	82.1	6.69	46.3	858.2			

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXVIII.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the MADRAS PRESIDENCY during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Ten Years.	Died per 1,000 of Strength.	CAUSES OF DEATHS.														
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhœa.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anæmia.	Child-birth and Abortion.	All other Causes.
January	14,282	313	21·9	23	1·54	2	...	2	...	2	...	2	3	1	3	2	2	3
February	14,349	318	22·2	17	1·19	1	2	1	1	4	6	2
March	14,301	338	23·6	22	1·54	1	1	1	...	1	3	1	1	...	2	1	...	4	5	1
April	14,200	404	28·5	28	1·97	6	3	3	2	...	1	3	1	1	1	3	4
May	14,112	434	30·8	30	2·13	3	1	3	1	4	...	1	3	...	1	4	2	7
June	14,084	453	32·2	18	1·24	2	1	1	...	1	1	4	...	2	4	1	...
July	14,166	527	37·2	31	2·19	4	...	1	...	4	1	4	4	1	3	1	4	4
August	14,161	541	38·2	25	1·77	6	...	1	...	3	...	5	3	2	1	1	2	1
September	14,071	482	34·3	26	1·85	8	...	1	...	5	...	1	...	2	5	4	5
October	13,878	455	32·8	16	1·15	1	1	...	1	1	1	...	3	...	1	1	2	4
November	14,083	379	26·9	22	1·56	1	2	...	4	3	1	2	1	...	1	6	1
December	14,031	303	21·6	14	1·00	1	2	...	1	1	2	...	1	5	1
						36	2	9	1	28	10	30	16	11	29	12	3	13	38	33
Died per 1,000 of the Average Strength.																				
TEN YEARS	...	14,144	413	29·2	271	19·16	2·55	·14	·63	2·05	·71	2·12	1·13	·78	2·05	·85	·21	·92	2·69	2·33

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.																
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.																			
Dengue	6	6	3	8	27	19	14	10	12	8	1	1	115	8·1	...																
Cholera	3	1	2	8	7	3	6	8	7	1	2	...	48	3·4	75·00																
Smallpox	2	3	11	6	...	3	1	1	1	28	2·0	7·14																
Enteric Fever	4	...	2	2	...	1	1	4	3	1	2	...	20	1·4	45·00																
Intermittent Fever	61	68	100	69	102	108	114	95	112	100	99	96	1,124	79·4	·09																
Remittent and Continued Fevers	63	59	86	122	98	103	124	116	120	115	93	75	1,174	83·0	2·39																
Apoplexy	1	3	3	3	2	1	1	1	15	1·1	66·67																
Dysentery	27	33	27	25	35	55	70	67	59	47	41	32	518	36·7	2·39																
Diarrhoea	34	39	43	57	56	52	112	100	67	42	31	46	679	48·0	2·36																
Hepatitis	20	23	19	22	27	21	22	29	27	41	22	17	290	20·5	3·79																
Spleen disease	1	...	2	2	1	...	2	8	·6	...																
Respiratory diseases	51	41	52	43	51	46	55	61	47	55	39	53	594	42·0	2·02																
Phthisis Pulmonalis	7	9	13	3	13	10	8	9	5	15	9	10	111	7·8	26·12																
Atrophy and Anæmia	193	200	277	368	359	372	464	427	367	311	251	207	3,826	270·5	·34																
Rheumatism	18	27	24	21	23	20	33	31	23	30	22	16	288	20·4	...																
Eye diseases	12	8	6	18	20	45	123	139	94	132	52	16	665	47·0	...																
Abortion	12	14	17	24	25	26	20	19	21	22	10	24	234	16·5	2·14																
Diseases peculiar to Women	59	55	47	48	52	43	47	52	50	46	51	32	582	41·1	1·47																
Abscess and Ulcer	30	18	25	32	40	28	36	37	30	37	22	16	352	24·9																	
Injuries	10	10	17	17	16	15	16	16	8	18	11	18	172	12·2																	
All other Causes	114	81	96	121	129	112	161	136	119	106	83	81	1,339	94·7																	
													728	698	872	1,018	1,112	1,083	1,430	1,356	1,171	1,128	842	744	12,182						
Admitted per 1,000 of the Average Strength in each Month.																															
																	51·0	48·6	61·0	71·7	78·8	76·9	100·9	95·8	83·2	81·3	59·8	53·0	861·3		

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXIX.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the MADRAS PRESIDENCY during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength in each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month.	Died per 1,000 of Strength.	CAUSES OF DEATHS.																			
						Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
January ...	27,351	385	14.1	68	2.49	3	1	1	1	1	10	14	1	5	...	5	6	8	5	3	4
February ...	27,495	431	15.7	79	2.87	4	1	1	1	2	...	8	17	1	9	...	3	11	8	5	4	5
March ...	27,725	448	16.2	110	3.96	1	...	8	...	1	6	...	15	16	7	4	...	5	11	16	9	4	6
April ...	27,458	577	21.0	129	4.70	4	1	4	1	...	2	2	9	1	16	30	6	5	...	6	17	9	5	4	6
May ...	27,352	655	23.9	179	6.54	5	...	11	...	1	1	1	7	2	27	55	11	4	1	6	14	19	8	1	6
June ...	27,464	709	25.8	153	5.57	7	1	7	1	...	7	...	19	30	6	10	...	9	20	19	9	3	5
July ...	27,633	847	30.6	193	6.98	4	...	4	7	...	28	32	5	10	...	16	41	29	5	5	7
August ...	27,711	854	30.8	185	6.68	5	...	3	3	...	1	...	7	...	27	18	3	13	...	18	46	17	10	5	9
September ...	27,784	721	26.0	148	5.33	10	2	...	3	...	20	23	6	7	...	13	27	13	10	5	9
October ...	27,499	653	23.7	99	3.60	1	1	2	4	...	9	24	2	9	1	6	12	12	6	4	6
November ...	27,366	499	18.2	85	3.11	1	1	6	1	8	21	6	5	...	4	13	4	6	4	5
December ...	27,062	423	15.6	93	3.44	3	...	1	4	...	9	18	...	2	...	4	8	13	8	10	13
						41	3	45	6	3	7	7	63	6	196	298	54	83	2	95	226	167	86	52	81
						Died per 1,000 of Strength.																			
TEN YEARS ...	27,493	599	21.8	1,521	55.32	1.49	1.11	1.64	2.22	1.11	2.25	2.25	2.29	2.22	7.13	10.84	1.96	3.02	1.07	3.46	8.22	6.07	3.13	1.89	2.95

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.													
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.																
Dengue	11	2	4	20	37	13	28	13	21	7	...	2	158	5.8	...													
Cholera	...	5	1	6	10	9	7	8	13	...	1	2	62	2.3	66.13													
Smallpox	1	5	10	8	1	1	1	28	1.0	10.71													
Measles	47	43	141	237	244	123	67	43	30	47	17	44	1,083	39.4	4.16													
Whooping Cough	16	11	17	21	9	22	18	8	9	18	13	23	185	6.7	3.21													
Scarlet Fever	3	4	3	2	4	2	3	21	.8	14.29													
Enteric Fever	1	4	2	4	...	5	2	1	...	1	22	.8	31.82													
Intermittent Fever	83	53	80	62	51	86	111	120	121	121	129	78	1,095	39.8	.64													
Remittent and Continued Fevers	102	103	147	175	204	177	187	153	162	201	145	109	1,865	67.8	3.38													
Apoplexy	1	...	3	2	2	1	...	1	1	1	12	.4	50.00													
Dysentery	59	43	38	74	60	86	116	128	96	84	53	67	895	32.6	10.61													
Diarrhoea	99	145	128	158	182	248	346	292	182	139	129	95	2,143	78.0	10.55													
Hepatitis	2	2	3	1	5	3	1	3	5	7	1	2	35	1.3	...													
Spleen diseases	1	1	...	3	...	3	...	8	.3	...													
Respiratory diseases	107	108	113	129	121	127	138	142	168	193	154	148	1,648	59.9	8.37													
Eye diseases	39	47	44	80	95	258	628	714	448	505	164	47	3,069	111.6	...													
Anæmia and Atrophy	151	120	159	186	233	209	255	205	176	175	162	153	2,184	79.4	7.65													
Tubercular Diseases	17	27	10	19	34	16	31	18	25	20	12	15	244	8.9	34.84													
Meningitis and Hydrocephalus	1	2	10	10	13	9	13	6	8	2	8	...	82	3.0	65.85													
Convulsions	22	24	26	39	70	37	51	31	29	34	20	21	413	15.0	72.15													
Dentition	64	59	95	109	136	116	105	96	83	66	60	50	1,030	37.5	19.03													
Abscess and Ulcer	22	28	44	50	77	53	51	40	42	43	32	29	511	18.6	...													
Injuries	35	45	31	37	22	22	34	39	40	38	37	36	416	15.1	...													
All other Causes	111	141	145	149	130	91	112	111	105	133	86	89	1,403	51.0	3.41													
													985	1,008	1,253	1,578	1,742	1,712	2,303	2,176	1,768	1,836	1,236	1,015	18,612	
Admitted per 1,000 of the Average Strength in each Month.																36.0	36.7	45.2	57.5	63.7	62.3	83.3	78.5	63.6	66.8	45.2	37.5	677.0

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXX.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY during the NINE-YEAR PERIOD 1871-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength for each Month of the Nine Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Nine Years.	Died per 1,000 of Strength.	CAUSES OF DEATHS.														
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anæmia.	Child-birth and Abortion.	All other Causes.
January	9,998	260	260	14	1.40	1	1	...	1	4	1	4	2
February	10,217	255	250	6	.59	1	2
March	10,318	277	268	11	1.07	1	...	1	1	...	2
April	10,382	323	311	12	1.16	1	1	1	1	1	1	1	1	4	1
May	10,337	367	355	33	3.19	8	4	...	3	1	1	8	4	3
June	10,284	377	367	25	2.43	3	8	1	...	2	1	...	1	...	1	2
July	10,218	426	417	15	1.47	6	...	1	2	1	1	2	...
August	10,205	479	469	28	2.74	4	2	1	3	3	...	5	3
September	10,185	490	481	26	2.55	6	...	1	...	3	...	5	2	1	1	3	2
October	10,106	432	427	22	2.18	2	...	1	...	4	...	4	3	3	1	1	...	1	1	1
November	10,205	353	346	16	1.57	1	2	...	3	1	...	1	1	...	1	4	2
December	9,807	260	265	16	1.63	...	1	1	...	1	1	1	2	1	2	3	1	2
						31	2	4	...	23	13	20	16	11	23	5	11	10	35	20
						Died per 1,000 of Strength.														
NINE YEARS	10,189	358	351	224	21.98	3.04	20	39	...	2.26	1.28	1.96	1.57	1.08	2.26	.49	1.08	.98	3.43	1.96

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Nine Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.														
Dengue	5	...	9	32	25	38	56	32	7	8	16	6	234	230	...											
Cholera	1	9	5	8	4	6	2	1	...	36	35	86.11											
Smallpox	4	3	1	2	1	11	11	18.18											
Enteric Fever	...	2	...	1	1	...	2	2	3	2	13	13	30.77											
Intermittent Fever	137	116	125	166	178	213	262	286	385	446	254	195	2,763	271.2	...											
Remittent and Continued Fevers	49	43	46	72	78	90	86	74	107	89	109	60	903	88.6	255											
Apoplexy	2	1	2	10	...	1	...	1	17	17	76.47											
Dysentery	20	7	15	25	17	15	37	60	26	20	18	20	280	27.5	7.14											
Diarrhoea	32	24	33	49	34	39	83	78	52	46	46	37	553	54.3	2.90											
Hepatitis	9	14	14	8	14	17	16	10	17	13	10	13	155	15.2	7.10											
Spleen disease	2	...	4	7	...	6	5	4	4	1	1	2	36	3.5	...											
Respiratory diseases	40	29	41	27	22	22	31	26	36	29	31	31	365	35.8	137											
Phthisis Pulmonalis	5	5	10	6	11	9	7	6	5	6	7	5	82	8.0	28.05											
Atrophy and Anæmia	131	144	163	179	214	157	233	243	217	191	128	108	2,108	206.9	47											
Rheumatism	10	8	11	22	22	15	18	16	23	15	14	9	183	17.9	...											
Eye diseases	17	13	15	26	23	16	56	96	103	49	19	21	454	44.6	...											
Abortion	10	3	18	21	22	17	18	16	18	10	14	12	184	18.0	217											
Diseases peculiar to Women	25	23	40	38	49	33	44	39	26	35	19	22	393	38.6	} 191											
Abscess and Ulcer	20	17	19	24	28	42	34	25	20	15	13	27	277	27.2												
Injuries	9	10	13	10	7	15	14	8	3	6	10	1	106	10.4												
All other Causes	55	57	64	89	70	79	92	101	77	61	52	50	847	83.1												
582														523	641	806	826	838	1,102	1,127	1,135	1,050	764	606	10,000	
Admitted per 1,000 of the Average Strength in each Month.																										
58.2														51.2	62.1	77.6	79.9	81.5	107.9	110.4	111.4	103.9	74.9	61.8	981.4	

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXI.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY during the NINE-YEAR PERIOD 1871-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength in each Month of the Nine Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Nine-Year Period.	Died per 1,000 of Strength.	CAUSES OF DEATHS.																			
						Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tubes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhea.	Anamia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
January	18,929	442	23·3	81	4·28	3	1	...	2	...	6	16	3	5	1	3	9	16	6	3	7
February	19,420	465	23·9	55	2·83	6	...	1	1	...	1	...	4	13	1	1	6	9	3	3	3
March	19,544	495	25·3	107	5·47	...	1	10	1	1	5	...	8	25	6	5	13	12	5	3	3
April	19,405	543	27·9	118	6·05	4	2	12	1	1	19	30	5	6	21	5	3	3	7
May	19,505	593	30·4	95	4·87	7	...	5	7	15	6	8	14	11	3	3	5
June	19,678	582	29·6	76	3·86	1	14	15	5	5	9	10	5
July	19,626	677	34·5	148	7·54	3	...	1	18	25	7	4	37	22	6	6	6
August	19,617	676	34·4	147	7·53	7	1	28	22	5	13	66	17	5
September	19,598	863	44·0	171	8·73	4	3	1	26	36	42	17	2
October	19,524	762	39·0	103	5·28	1	2	11	22	3	3	18	16	3	3	5
November	19,510	620	31·8	90	4·61	8	18	4	2	11	17	3	1	2
December	18,713	446	23·8	67	3·58	...	1	1	3	12	3	5	...	3	8	8	7	4	5
						25	4	38	5	4	8	28	60	4	152	249	50	51	1	59	254	160	63	25	60
						Died per 1,000 of Strength.																			
NINE YEARS	19,430	614	31·6	1,300	66·91	1·29	·21	1·96	·26	·21	·41	1·44	3·09	·21	7·82	12·81	2·57	2·62	·05	3·04	13·07	8·23	3·24	1·29	3·09

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Nine Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.														
Dengue	...	1	...	19	55	43	62	84	30	15	6	5	6	326	16·8	...										
Cholera	4	10	...	4	9	5	32	1·6	78·12										
Smallpox	...	5	7	10	6	6	8	1	1	44	2·3	9·00										
Measles	...	120	121	100	55	59	29	17	12	5	7	6	31	562	28·9	6·76										
Hooping Cough	...	8	24	21	8	12	26	17	12	10	21	7	5	171	8·8	2·92										
Scarlet Fever	...	5	4	5	6	1	...	5	1	3	30	1·5	13·33										
Enteric Fever	2	...	2	2	3	11	3	...	2	25	1·3	32·00										
Intermittent Fever	...	198	121	143	169	156	197	285	379	490	590	408	266	3,402	175·1	·82										
Remittent and Continued Fevers	...	58	38	97	108	107	76	101	125	164	165	171	89	1,299	66·9	4·62										
Apoplexy	1	2	2	1	1	...	1	2	3	13	·7	30·77										
Dysentery	...	14	12	25	29	18	23	41	73	56	29	24	19	363	18·7	16·25										
Diarrhoea	...	80	76	147	137	156	124	258	310	170	120	102	78	1,758	90·5	14·45										
Hepatitis	...	3	3	...	2	9	3	4	4	2	4	2	1	37	1·9	...										
Spleen disease	...	3	...	1	2	2	...	4	3	4	3	2	1	25	1·3	...										
Respiratory diseases	...	70	64	65	43	58	48	57	82	90	98	84	76	835	43·0	10·54										
Eye diseases	...	74	48	72	156	97	53	287	509	393	257	84	72	2,102	108·2	...										
Anæmia and Atrophy	...	87	91	124	123	145	125	157	120	131	148	102	122	1,475	75·9	10·85										
Tubercular diseases	...	15	12	7	9	16	13	12	13	12	12	15	10	146	7·5	35·62										
Meningitis and Hydrocephalus	...	4	3	6	8	5	8	7	5	5	5	6	5	67	3·4	74·63										
Convulsions	...	20	15	27	36	19	22	34	26	44	30	25	14	312	16·1	79·81										
Dentition	...	47	37	54	95	68	74	106	121	87	67	60	50	866	44·6	17·55										
Abscess and Ulcer	...	13	16	14	26	35	46	38	28	30	21	16	17	300	15·4	} 4·21										
Injuries	...	31	24	34	22	23	29	24	36	23	27	21	19	313	16·1											
All other Causes	...	58	58	91	68	70	72	70	64	51	50	43	54	749	38·5											
												914	777	1,064	1,171	1,118	1,039	1,613	1,965	1,800	1,666	1,184	941	15,252		
Admitted per 1,000 of the Average Strength in each Month.																										
												48·3	40·0	54·4	60·1	57·3	52·8	82·2	100·2	91·8	85·3	60·7	50·3	785·0		

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXII.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Average Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.															
					All Causes.	Exclud- ing Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abor- tion.	All other Causes.	
1870	...	6,168	*	166	26·91	23·67	20	...	1	...	30	12	16	11	8	20	5	5	7	18	12	
1871	...	6,384	264	154	24·12	22·24	12	1	4	...	27	3	18	11	10	21	10	4	3	16	14	
1872	...	6,650	280	154	36·54	26·01	70	2	7	1	23	11	22	20	9	28	2	10	9	18	11	
1873	...	6,626	213	132	19·92	19·01	6	2	5	1	19	4	11	12	9	18	2	4	3	16	20	
1874	...	6,627	235	129	19·47	19·32	1	2	4	...	17	2	14	5	12	19	8	3	11	20	11	
1875	...	6,335	259	164	25·89	20·52	34	...	7	2	20	5	14	10	7	14	7	3	6	21	14	
1876	...	6,050	200	126	20·83	17·85	18	1	5	...	12	9	13	7	5	11	7	5	5	16	13	
1877	...	5,614	177	127	22·50	19·13	19	...	6	...	10	7	10	4	14	14	4	2	6	19	12	
1878	...	5,170	206	151	29·20	23·98	27	3	7	...	25	7	7	8	8	15	5	6	4	15	14	
1879	...	4,640	182	116	25·00	23·28	8	3	5	1	13	10	13	5	5	9	5	5	7	18	9	
							215	14	50	6	196	70	138	93	87	169	55	47	61	177	130	
Died per 1,000 of Strength.																						
TEN YEARS	...	60,294	2,046	† 37·8	1,508	25·01	21·44	3·57	·23	·83	3·35	1·16	2·29	1·54	1·44	2·80	·91	·78	1·01	2·94	2·16	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.								
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
											
Dengue	651	29	3	2	36	721	12·0	...								
Cholera	100	7	1	51	27	24	35	11	303	5·0	70·96								
Smallpox	13	15	5	2	8	17	28	16	114	1·9	12·28								
Enteric Fever	9	11	6	13	9	17	11	11	99	1·6	50·51								
Intermittent Fever	1,840	1,397	1,282	1,113	1,153	1,201	969	767	1,055	1,555	12,332	204·5	·05								
Remittent and Continued Fevers	802	759	893	781	832	606	649	512	813	460	7,107	117·9	2·76								
Apoplexy	15	9	2	13	13	9	9	12	107	1·8	65·42								
Dysentery	222	253	279	227	189	191	167	163	1,981	32·8	6·97								
Diarrhoea	413	368	521	365	340	432	299	277	3,539	58·7	2·63								
Hepatitis	119	135	142	144	117	120	136	116	1,251	20·7	6·95								
Spleen disease	22	7	14	20	25	22	23	18	194	3·2	...								
Respiratory diseases	213	270	222	230	275	220	255	222	1,966	38·3	2·38								
Phthisis Pulmonalis	63	69	78	60	57	67	41	54	573	9·5	29·49								
Anæmia and Atrophy ‡	1,129	1,361	1,541	1,280	1,236	1,129	1,625	1,580	14,515	240·7	·42								
Rheumatism	116	107	168	129	126	108	119	115	1,202	20·0	...								
Eye diseases	319	522	437	395	430	347	272	235	3,491	57·9	...								
Abortion	115	156	139	126	126	98	88	107	1,155	19·2	1·90								
Diseases peculiar to Women	202	244	218	244	231	270	247	204	195	182	37·1	} 1·85							
Abscess and Ulcer	169	166	173	167	197	155	138	142	113	116	25·5								
Injuries	68	70	75	69	76	59	53	52	57	52	10·5								
All other Causes	490	783	767	710	719	723	298	239	222	190	85·3								
											60,542										
Admitted per 1,000 of the Average Strength in each Year.																					
											1,034·5	1,050·8	1,164·1	925·3	926·7	965·3	901·0	866·2	1,120·1	1,119·4	1,004·1

* Not obtainable.
† Daily Sick-rate calculated on the Aggregate Strength of 9 Years.
‡ (a) Dyspepsia included under Anæmia and Atrophy.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXIII.

TABLE showing the RATIOS of SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Average Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.													
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.
1870	6,168	*	26·91	23·67	3·24	...	·16	5·03	1·94	2·60	1·78	1·30	3·24	·81	·81	1·14	2·92	1·94
1871	6,384	41·4	24·12	22·24	1·88	·16	·63	4·23	·47	2·82	1·72	1·56	3·29	1·56	·63	·47	2·51	2·19
1872	6,650	42·1	36·54	26·01	10·53	·30	1·05	3·61	1·65	3·31	3·01	1·35	4·21	·30	1·51	1·35	2·71	1·65
1873	6,626	36·7	19·92	19·01	·91	·30	·75	3·02	·60	1·66	1·81	1·36	2·72	·30	·60	·45	2·42	3·02
1874	6,627	35·5	19·47	19·32	·15	·30	·60	2·57	·30	2·11	·76	1·81	2·87	1·21	·45	1·66	3·02	1·66
1875	6,335	40·9	25·89	20·52	5·37	...	1·10	3·48	·79	2·21	1·58	1·10	2·21	1·10	·47	·95	3·31	2·21
1876	6,050	33·1	20·83	17·85	2·98	·17	·66	1·98	1·40	2·15	1·15	·83	1·82	1·15	·83	·83	2·64	2·15
1877	5,644	31·4	22·50	19·13	3·37	...	1·06	1·77	1·24	1·77	·71	2·48	2·48	·71	·35	1·06	3·37	2·13
1878	5,170	39·8	29·20	23·98	5·22	·58	1·35	4·84	1·35	1·35	1·55	1·55	2·90	·97	1·16	·77	2·90	2·71
1879	4,640	39·2	25·00	23·28	1·72	·64	1·08	3·02	2·16	2·80	1·08	1·08	1·94	1·08	1·08	1·50	3·88	1·94
TEN YEARS	60,294	*37·8	25·01	21·44	3·57	·23	·83	3·35	1·16	2·29	1·54	1·44	2·80	·91	·78	1·01	2·94	2·16

CAUSES OF ADMISSIONS	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	97·9	4·4	·5	·3	6·0	12·0
Cholera	4·6	3·0	15·0	1·1	·1	8·1	4·5	4·2	6·8	2·4	5·0
Smallpox	·5	1·1	2·0	2·3	·8	·3	1·3	3·0	5·4	3·4	1·9
Enteric Fever	·5	1·4	1·4	1·7	·9	2·1	1·5	3·0	2·1	2·4	1·6
Intermittent Fever	298·3	218·8	192·8	167·9	174·0	189·6	160·0	135·9	204·1	335·1	204·5
Remittent and Continued Fevers	130·0	118·9	134·3	117·9	125·5	95·7	107·3	90·7	157·3	99·1	117·9
Apoplexy	2·4	·9	2·9	1·3	·3	2·1	2·2	1·6	1·7	2·6	1·8
Dysentery	36·0	39·6	41·9	34·2	28·5	30·1	27·6	28·9	31·7	27·2	32·8
Diarrhoea	67·0	57·6	78·3	55·1	51·3	68·2	49·4	49·1	57·8	48·5	58·7
Hepatitis	19·3	21·2	21·4	21·7	17·7	18·9	22·5	20·5	21·5	23·9	20·7
Spleen disease	3·6	1·1	2·1	3·0	3·0	3·9	3·6	4·1	3·5	5·0	3·2
Respiratory diseases	39·4	42·3	33·4	34·7	41·5	27·6	36·4	45·2	42·9	42·2	38·3
Phthisis Pulmonalis	10·2	10·8	11·7	9·1	8·6	10·6	6·8	9·6	10·1	6·9	9·5
Anæmia and Atrophy	183·0	213·2	231·7	193·3	186·5	225·6	268·6	280·0	358·4	319·2	240·7
Rheumatism	18·8	16·8	25·3	19·5	19·0	17·0	19·7	20·4	22·1	21·6	20·0
Eye diseases	51·7	81·8	65·7	59·6	64·9	54·8	45·0	41·6	60·5	47·6	57·9
Abortion	18·6	24·4	20·9	90·0	19·0	19·9	16·2	15·6	20·7	16·0	19·2
Diseases peculiar to Women	32·7	38·2	32·8	36·8	34·9	42·6	40·8	36·1	37·7	39·2	37·1
Abscess and Ulcer	27·4	26·0	26·0	25·2	29·7	24·5	22·8	25·2	21·9	25·0	25·5
Injuries	11·0	11·0	11·3	10·4	11·5	9·3	9·6	9·2	11·0	11·2	10·5
All other Causes	79·5	122·7	115·3	107·1	108·5	114·1	49·2	42·3	42·9	40·9	85·3
	1,034·5	1,050·8	1,164·1	925·3	926·7	965·3	901·0	866·2	1,120·1	1,119·4	1,004·1

* See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXIV.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhea.	Anæmia and Atrophy.	Bronchitis, and Pneumonia.	Croup and Diphtheria.	All other Causes.	
1870	10,086	*	*	757	75.05	73.76	13	...	3	6	3	3	39	66	1	84	101	23	39	2	32	151	111	32	17	31	
1871	10,700	425	39.7	794	74.21	73.28	10	...	34	19	17	11	55	5	5	64	136	34	30	...	27	149	88	44	18	51	
1872	11,637	459	39.4	1,155	99.08	88.96	118	6	27	3	6	5	10	76	3	92	171	38	46	3	44	222	141	60	27	57	
1873	11,860	398	33.6	715	60.29	59.36	11	7	20	7	1	...	8	56	3	64	115	23	32	1	40	133	89	43	30	32	
1874	12,393	397	32.0	686	55.35	55.19	2	1	31	4	...	5	10	34	5	93	111	21	26	3	35	116	78	47	25	39	
1875	12,359	379	30.7	862	69.75	64.65	63	...	49	7	...	1	4	42	12	86	137	25	29	...	37	179	87	41	25	38	
1876	11,882	340	28.6	664	55.88	54.28	19	...	27	5	...	1	4	33	1	87	118	19	36	4	31	121	69	42	14	33	
1877	11,266	280	24.9	567	50.33	48.73	18	2	2	4	...	2	5	33	3	68	109	12	29	...	20	119	65	37	8	31	
1878	10,423	351	33.7	831	79.73	77.33	25	6	32	4	...	4	11	46	4	99	154	27	43	...	40	149	85	50	26	26	
1879	8,993	304	33.8	675	75.06	73.28	16	...	63	5	4	3	24	39	4	79	95	22	15	...	33	94	77	39	29	34	
							295	22	288	64	31	26	126	480	41	816	1,247	244	325	13	339	1,133	890	435	219	372	
Died per 1,000 of Strength.																											
TEN YEARS	111,619	3,333	32.8†	7,706	69.04	66.40	2.64	.20	2.58	.57	.28	.23	1.13	4.30	.37	7.31	11.17	2.19	2.91	.12	3.04	12.84	7.97	3.90	1.96	3.33	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.								
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
Dengue	878	21	19	1	919	8.2	...							
Cholera	...	14	19	154	16	3	83	26	22	38	18	393	3.5	75.06							
Smallpox	...	2	3	21	33	28	2	3	36	23	14	165	1.5	13.33							
Measles	...	102	563	372	250	659	684	589	205	504	636	4,564	40.9	6.31							
Hooping Cough	...	70	216	61	99	134	139	87	122	83	76	1,077	9.7	5.94							
Scarlet Fever	...	15	110	23	8	2	...	4	14	5	17	198	1.8	15.66							
Enteric Fever	...	6	9	16	5	11	5	12	8	20	9	101	.9	25.74							
Intermittent Fever	...	1,502	1,173	1,378	1,245	1,247	1,232	1,010	710	1,336	1,603	12,436	111.4	1.01							
Remittent and Continued Fevers	...	903	776	1,215	912	1,175	915	921	756	1,113	718	9,404	84.3	5.10							
Apoplexy	...	5	9	11	8	10	21	6	5	11	7	93	.8	44.09							
Dysentery	...	276	255	322	264	214	296	223	222	289	176	2,537	22.7	13.36							
Diarrhoea	...	1,093	1,167	1,484	1,065	924	1,287	972	878	1,033	709	10,612	95.1	13.50							
Hepatitis	...	12	25	15	16	16	17	18	13	9	14	155	1.4	...							
Spleen disease	...	9	27	14	28	21	29	18	8	19	49	222	2.0	...							
Respiratory diseases	...	430	548	573	556	666	655	577	578	663	607	5,853	52.4	11.17							
Eye diseases	...	1,282	1,791	1,562	1,716	1,758	1,686	1,375	1,351	1,468	1,002	14,991	131.3	...							
Anæmia and Atrophy	...	672	833	1,279	1,043	1,201	1,061	926	780	988	955	9,738	87.2	9.14							
Tubercular diseases	...	103	115	115	85	78	93	99	71	102	73	934	8.4	36.19							
Meningitis and Hydrocephalus	...	35	46	57	31	34	39	27	26	31	32	358	3.2	65.16							
Convulsions	...	113	156	225	165	155	186	171	152	204	149	1,676	15.0	74.40							
Dentition	...	456	414	401	478	543	493	504	456	519	373	4,637	41.5	17.60							
Abscess and Ulcer	...	149	149	168	167	195	191	195	183	183	129	1,709	15.3	} 4.43							
Injuries	...	150	169	164	174	201	175	191	146	152	137	1,659	14.9								
All other Causes	...	344	482	534	405	578	533	490	474	395	407	4,642	41.6								
											89,073										
Admitted per 1,000 of the Average Strength in each Year.																					
											767.7	846.3	946.4	741.1	795.0	794.7	712.3	640.6	881.5	879.6	798.0

* See Note at foot of Table CCCXXII.
† See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXV.

TABLE showing the *RATIO* of *SICKNESS* and *MORTALITY* for the *CHILDREN* of the *EUROPEAN ARMY* of *INDIA* in each *YEAR* and for the *TEN-YEAR PERIOD* 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.																				
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tuberc Mesenterica.	Phtisis Pulmonalis.	Dysentery.	Diarrhea.	Anemia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.	
1870	...	10,086	*	75·05	73·76	1·29	...	·30	·59	·30	·30	3·87	6·5 ¹	·10	8·33	10·01	2·28	3·87	·20	3·17	14·97	11·01	3·17	1·68	3·07
1871	...	10,700	39·7	74·21	73·28	·93	...	3·18	1·78	1·59	·19	1·03	5·14	·47	5·98	12·71	3·18	2·80	...	2·52	13·93	8·22	4·11	1·68	4·77
1872	...	11,657	39·4	99·08	88·96	10·12	·51	2·32	·26	·51	·43	·86	6·52	·26	7·89	14·67	3·26	3·94	·26	3·77	19·04	12·10	5·15	2·32	4·89
1873	...	11,860	33·6	60·29	59·36	·93	·59	1·06	·59	·09	...	·68	4·71	·25	5·39	9·70	1·94	2·70	·09	3·37	11·21	7·50	3·63	2·53	2·70
1874	...	12,393	32·0	55·35	55·19	·16	·08	2·50	·32	...	·40	·80	2·75	·40	7·50	8·96	1·70	2·10	·24	2·82	9·36	6·30	3·79	2·02	3·15
1875	...	12,359	30·7	69·75	64·65	5·10	...	3·96	·57	...	·08	·32	3·40	·97	6·96	11·09	2·02	2·35	...	2·99	14·48	7·04	3·32	2·02	3·07
1876	...	11,882	28·6	55·88	51·28	1·60	...	2·27	·42	...	·09	·34	2·77	·09	7·32	9·93	1·60	3·03	·34	2·61	10·18	5·81	3·53	1·18	2·77
1877	...	11,266	24·9	50·33	48·73	1·60	·18	·18	·36	...	·18	·44	2·93	·26	6·04	9·68	1·07	2·57	...	1·77	10·56	5·77	3·28	·71	2·75
1878	...	10,423	33·7	79·73	77·33	2·40	·58	3·07	·38	...	·38	1·05	4·42	·38	9·50	14·78	2·59	4·13	...	3·84	14·30	8·15	4·80	2·49	2·49
1879	...	8,993	33·8	75·06	73·28	1·78	...	7·01	·56	·44	·33	2·67	4·34	·44	8·78	10·56	2·45	1·67	...	3·67	10·45	8·56	4·34	3·23	3·78
TEN YEARS	...	111,619	†32·8	69·04	66·40	2·64	·20	2·58	·57	·28	·23	1·13	4·30	·37	7·31	11·17	2·19	2·91	·12	3·04	12·84	7·97	3·90	1·96	3·33

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	75·3	1·8	1·6	·1	8·2
Cbolera	...	1·4	1·8	13·2	1·3	·2	6·7	2·2	2·0	3·6	3·5
Smallpox	...	·2	·3	1·8	2·8	2·3	·2	·3	3·2	2·2	1·5
Measles	...	10·1	52·6	31·9	21·1	53·2	55·3	49·6	18·2	48·3	40·9
Whooping Cough	...	6·9	20·2	4·4	8·3	10·8	11·2	7·3	10·8	8·0	9·7
Scarlet Fever	...	1·5	10·3	2·0	·7	·2	...	·3	1·2	·5	1·8
Enteric Fever	...	·6	·8	1·3	·4	·9	·4	1·0	·7	1·9	·9
Intermittent Fever	...	148·9	109·6	118·2	105·0	100·6	99·7	85·0	63·0	128·2	111·4
Remittent and Continued Fevers	...	89·5	72·5	104·2	76·9	94·8	74·0	77·5	67·1	106·8	84·3
Apoplexy	...	·5	·8	·9	·7	·8	1·7	·5	·4	1·1	·8
Dysentery	...	27·4	23·8	27·6	22·3	17·3	24·0	18·8	19·7	27·7	22·7
Diarrhoea	...	108·4	109·1	127·3	89·8	74·6	104·1	81·8	77·9	99·1	95·1
Hepatitis	...	1·2	2·3	1·3	1·3	1·3	1·4	1·5	1·2	·9	1·4
Spleen disease	...	·9	2·5	1·2	2·3	1·7	2·3	1·5	·7	1·8	2·0
Respiratory diseases	...	42·6	51·2	49·2	46·9	53·7	53·0	48·6	51·3	63·6	52·4
Eye diseases	...	127·1	167·4	134·0	144·7	141·9	136·4	115·7	119·9	140·8	134·3
Anæmia and Atrophy	...	66·6	77·9	109·7	87·9	96·9	85·8	77·9	69·2	94·8	87·2
Tubercular diseases	...	10·2	10·8	9·9	7·2	6·3	7·5	8·3	6·3	9·8	8·4
Meningitis and Hydrocephalus	...	3·5	4·3	4·9	2·6	2·7	3·2	2·3	2·3	3·0	3·2
Convulsions	...	11·2	14·6	19·3	13·9	12·5	15·0	14·4	13·5	19·6	15·0
Dentition	...	45·2	38·7	34·4	40·3	43·8	39·9	42·4	40·5	49·8	41·5
Abscess and Ulcer	...	14·8	14·0	14·4	14·1	15·7	15·5	16·4	16·3	17·5	15·3
Injuries	...	14·9	15·8	14·1	14·7	16·2	14·2	16·2	13·0	14·6	14·9
All other Causes	...	34·1	45·0	45·9	34·1	46·6	43·1	41·2	42·1	37·9	41·6
	767·7	846·3	946·4	741·1	795·0	794·7	712·3	640·6	881·5	879·6	798·0

* See Note at foot of Table CCCXXII.
† See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXVI.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	of Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.															
					All Causes.	Exclud- ing Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abor- tion.	All other Causes.	
1870	...	3,519	174	49·5	115	32·68	28·99	13	...	†	1	26	11	9	7	6	14	4	5	4	11	4
1871	...	3,680	184	50·0	105	28·53	26·08	9	1	3	...	19	11	9	7	7	15	7	3	2	10	7
1872	...	3,838	186	48·5	177	46·12	30·23	61	1	5	...	18	4	17	12	6	16	12	7	7	13	7
1873	...	3,858	166	43·0	88	22·81	21·77	4	2	4	1	13	2	7	7	7	13	12	3	1	9	13
1874	...	3,866	153	39·6	80	20·69	20·43	1	...	3	...	14	2	8	4	8	11	4	3	8	10	4
1875	...	3,722	170	45·7	114	30·63	23·38	27	...	4	1	15	4	7	8	4	8	5	12	5	16	8
1876	...	3,498	129	36·9	80	22·87	20·58	8	...	2	...	8	6	9	3	5	9	5	3	3	10	9
1877	...	3,194	101	31·6	58	18·16	17·53	2	...	5	...	8	5	5	3	9	8	12	1	1	5	4
1878	...	2,896	120	41·4	94	32·46	27·28	15	3	6	...	16	4	3	3	7	11	3	3	3	7	10
1879	...	2,675	112	41·9	76	28·41	25·42	8	3	4	1	7	7	4	5	7	3	3	2	9	6	
								148	10	36	5	144	47	83	60	64	112	37	33	36	100	72
Died per 1,000 of Strength.																						
TEN YEARS	...	34,746	1,495	43·0	987	28·41	24·15	4·26	·29	1·04	4·29	1·35	2·39	1·73	1·84	3·22	1·06	·95	1·04	2·88	2·07	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue	353	3	2	2	33	393	11·3	...	
Cholera	...	19	13	90	5	1	41	14	3	22	219	6·3	67·58	
Smallpox	...	3	4	4	12	2	2	2	8	23	15	75	2·2	13·33
Enteric Fever	6	6	9	5	5	4	11	8	10	64	1·8	56·25
Intermittent Fever	...	1,219	934	745	761	841	836	690	516	610	932	8,084	232·7	·06
Remittent and Continued Fevers.	...	556	535	647	624	632	441	416	299	444	268	4,862	139·9	2·96
Apoplexy	...	11	4	11	5	2	11	8	7	6	9	74	2·1	63·51
Dysentery	...	148	147	184	143	97	113	96	76	79	62	1,145	33·0	7·25
Diarrhea	...	266	243	343	241	225	307	185	129	161	146	2,246	64·6	2·67
Hepatitis	...	74	91	93	83	66	73	76	72	74	82	784	22·6	8·16
Spleen disease	...	19	4	12	17	16	17	14	19	13	17	148	4·2	...
Respiratory diseases	...	134	151	137	145	161	94	153	116	109	107	1,307	37·6	2·83
Phthisis Pulmonalis	...	42	45	45	37	36	50	23	37	33	22	370	10·6	30·27
Anæmia and Atrophy *	...	739	1,129	1,149	942	901	1,117	959	773	988	850	9,538	274·5	·38
Rheumatism	...	62	73	105	72	71	83	72	62	52	55	707	20·4	...
Eye diseases	...	225	348	296	243	302	236	183	108	248	154	2,343	67·4	...
Abortion	...	67	92	94	82	84	74	63	49	68	45	718	20·7	1·95
Diseases peculiar to Women	...	109	134	133	138	138	145	128	104	104	94	1,227	35·3	} 2·49
Abscess and Ulcer	...	94	92	102	114	123	89	70	73	58	65	880	25·3	
Injuries	...	34	35	43	39	39	39	27	32	30	24	312	9·9	
All other Causes	...	212	234	188	193	194	207	177	127	115	117	1,764	50·8	
Admitted per 1,000 of the Average Strength in each Year.														

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXVII.

TABLE showing the *RATIO* of *SICKNESS* and *MORTALITY* for the *WOMEN* of the *EUROPEAN ARMY* of the *BENGAL PRESIDENCY* in each *YEAR* and for the *TEN-YEAR PERIOD*, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.														
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.	
1870	...	3,519	49·5	32·68	28·99	3·69	...	†	7·67	3·13	2·56	1·99	1·70	3·97	1·14	1·42	1·14	3·13	1·14
1871	...	3,680	50·0	28·53	26·08	2·45	·27	·81	5·17	·54	2·99	2·45	1·90	4·08	1·90	·81	·54	2·72	1·90
1872	...	3,838	48·5	46·12	30·23	15·89	·26	1·30	4·95	1·04	4·43	3·13	1·56	4·17	·52	1·83	1·83	3·38	1·83
1873	...	3,858	43·0	22·81	21·77	1·04	·52	1·04	3·63	·52	1·81	1·81	1·81	3·37	·52	·78	·26	2·33	3·37
1874	...	3,866	39·6	20·69	20·43	·26	...	·77	3·62	·52	2·07	1·04	2·07	2·84	1·04	·77	2·07	2·58	1·04
1875	...	3,722	45·7	30·63	23·38	7·25	...	1·07	4·30	1·07	1·88	2·15	1·07	2·15	1·34	·54	1·34	4·30	2·15
1876	...	3,498	36·9	22·87	20·58	2·29	...	·57	2·29	1·72	2·57	·86	1·43	2·57	1·43	·86	·86	2·85	2·57
1877	...	3,194	31·6	18·16	17·53	·63	...	1·57	2·50	1·57	1·57	·94	2·81	2·50	·63	·31	·31	1·57	1·25
1878	...	2,896	41·4	32·46	27·28	5·18	1·04	2·07	5·52	1·38	1·04	1·04	2·41	3·80	1·04	1·04	1·04	2·41	3·45
1879	...	2,675	41·9	28·41	25·42	2·99	1·12	1·50	2·99	2·62	2·62	1·50	1·87	2·62	1·12	1·12	·74	3·36	2·24
TEN YEARS	...	34,746	43·0	28·41	24·15	4·26	·29	1·04	4·29	1·35	2·39	1·73	1·84	3·22	1·06	·95	1·04	2·88	2·07

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	92·0	·8	·5	·5	9·5	11·3
Cholera	...	5·4	3·5	23·4	1·3	·3	11·0	4·0	·9	7·6	6·3
Smallpox	...	·9	1·1	1·0	3·1	·5	·5	·6	2·5	7·9	2·2
Enteric Fever	1·6	1·6	2·3	1·3	1·3	1·1	3·4	2·8	1·8
Intermittent Fevers	...	346·4	253·8	194·1	197·3	217·5	224·6	197·3	161·6	210·6	232·7
Remittent and Continued Fevers	...	158·0	145·4	168·6	161·7	163·5	118·5	118·9	93·6	153·3	139·9
Apoplexy	...	3·1	1·1	2·9	1·3	·5	3·0	2·3	2·2	2·1	2·1
Dysentery	...	42·1	40·0	47·9	37·0	25·1	30·4	27·4	23·8	27·3	33·0
Diarrhea	...	75·6	66·0	89·4	62·5	58·2	82·5	52·9	40·4	55·6	64·6
Hepatitis	...	21·0	24·7	24·2	21·5	17·1	19·6	21·7	22·5	25·5	22·6
Spleen disease	...	5·4	1·1	3·1	4·4	4·1	4·6	4·0	6·0	4·5	4·2
Respiratory diseases	...	38·1	41·1	35·7	37·6	41·6	25·2	43·7	36·3	37·6	37·6
Phthisis Pulmonalis	...	11·9	12·2	11·7	9·6	9·3	13·4	6·6	11·6	11·4	10·6
Anæmia and Atrophy *	...	207·5	306·8	299·3	244·2	233·1	300·1	274·2	242·0	341·2	274·5
Rheumatism	...	17·6	19·8	27·3	18·7	18·4	22·3	20·6	19·4	18·0	20·4
Eye diseases	...	63·9	94·6	77·1	63·0	78·1	63·4	52·3	33·8	85·6	67·4
Abortion	...	19·0	25·0	24·5	21·2	21·7	19·9	18·0	15·3	23·5	20·7
Diseases peculiar to Women	...	31·0	36·4	34·7	35·8	35·7	38·9	36·6	32·6	35·9	35·3
Abscess and Ulcer	...	26·7	25·0	26·6	29·6	31·8	23·9	20·0	22·9	20·0	25·3
Injuries	...	9·7	9·5	11·2	10·1	10·1	10·5	7·7	10·0	10·4	9·9
All other Causes	...	60·2	63·6	49·1	50·0	50·2	55·6	50·6	39·8	39·7	50·8
	1,143·5	1,172·3	1,245·4	1,013·0	1,018·6	1,069·9	970·0	820·6	1,120·5	1,073·3	1,073·2

* See Note (a) at foot of Table CCCXXII.
† See Note at foot of preceding page.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXVIII.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
1870	5,644	237	42.0	461	81.68	80.09	9	3	32	50	1	50	53	12	15	2	19	101	69	17	10	18
1871	6,039	302	50.0	520	86.11	85.11	6	...	29	16	12	1	9	46	4	39	61	22	18	...	13	108	58	28	15	35
1872	6,560	311	47.4	741	112.95	96.34	109	3	13	2	4	1	2	52	2	66	95	19	30	2	26	143	86	39	17	30
1873	6,753	278	41.2	459	67.97	67.23	5	5	10	6	1	...	6	44	3	38	71	14	21	1	21	94	53	27	18	21
1874	6,953	265	38.1	428	61.56	61.27	2	...	23	3	...	2	9	26	3	49	67	11	15	2	17	84	44	32	15	24
1875	7,017	251	35.8	538	76.67	69.40	51	...	33	6	3	33	12	45	75	11	15	...	20	117	54	30	14	19
1876	6,602	224	33.9	395	59.83	58.01	12	...	21	4	3	22	1	40	69	10	18	3	16	81	47	24	7	17
1877	6,183	157	25.4	276	44.64	44.64	...	1	2	4	1	19	2	31	60	6	12	...	10	57	23	27	3	18
1878	5,773	201	34.8	468	81.07	77.26	22	6	13	3	...	3	6	28	2	59	67	16	25	...	17	76	57	30	19	19
1879	5,196	191	36.8	454	87.37	84.87	13	...	60	3	4	3	15	26	1	43	59	13	10	...	20	67	49	25	21	22
							229	15	204	50	21	10	86	346	31	460	677	134	179	10	179	928	540	279	139	223
Died per 1,000 of Strength.																										
TEN YEARS ...	62,720	2,417	38.5	4,740	75.57	71.92	3.65	.24	3.25	.80	.33	.16	1.37	5.52	.40	7.33	10.79	2.11	2.85	.16	2.85	14.80	8.61	4.45	2.22	3.56

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.															
															
Dengue	430	3	17	1	...	451	7.2	...												
Cholera	...	9	9	143	6	...	66	15	...	33	299	4.8	...												
Smallpox	...	2	3	8	21	17	2	...	11	20	93	1.5	...												
Measles	...	36	368	205	78	457	450	457	160	145	2,914	46.5	...												
Whooping Cough	...	34	163	33	70	83	113	46	106	30	691	11.0	...												
Scarlet Fever	71	13	4	2	...	2	5	2	116	1.9	...												
Enteric Fever	5	8	2	6	1	4	2	16	53	.8	...												
Intermittent Fever	...	956	703	764	886	866	766	689	370	697	7,593	121.0	...												
Remittent and Continued Fevers	...	598	506	833	662	831	551	590	424	621	6,051	96.5	...												
Apoplexy	...	5	7	8	6	8	18	5	3	4	68	1.1	...												
Dysentery	...	153	110	182	131	106	163	111	79	121	1,250	19.9	...												
Diarrhoea	...	679	749	906	700	553	841	630	436	551	6,498	103.6	...												
Hepatitis	...	9	14	10	9	3	8	6	7	5	81	1.3	...												
Spleen disease	...	6	25	12	27	18	27	12	8	18	159	3.0	...												
Respiratory diseases	...	200	267	300	320	392	425	339	337	380	3,284	52.4	...												
Eye diseases	...	792	1,204	904	1,098	1,305	1,096	942	581	1,150	9,706	154.8	...												
Anæmia and Atrophy	...	402	538	852	616	735	601	556	383	630	5,979	95.3	...												
Tubercular diseases	...	59	60	66	52	44	50	53	43	55	527	8.4	...												
Meningitis and Hydrocephalus	...	22	27	33	20	18	19	16	14	17	201	3.2	...												
Convulsions	...	61	70	120	101	96	107	102	84	98	926	14.8	...												
Dentition	...	273	229	256	330	293	247	272	234	318	2,673	42.6	...												
Abscess and Ulcer	...	69	82	78	93	121	108	88	75	89	874	13.9	...												
Injuries	...	69	92	88	94	112	99	96	90	81	899	14.3	...												
All other Causes	...	158	295	244	226	315	272	252	219	188	2,408	38.4	...												
														4,592	5,597	6,496	5,555	6,384	6,090	5,300	3,672	5,269	4,869	53,824	
														Admitted per 1,000 of the Average Strength in each Year.											
														813.6	926.8	990.1	822.6	918.2	867.9	802.8	593.9	912.6	937.0	858.2	

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXIX.

TABLE showing the RATIO of SICKNESS and MORTALITY for the CHILDREN of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.																				
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tuberc Mesenterica.	Phtisis Pulmonalis.	Dysentery.	Diarrhea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.	
1870	...	5,644	42.0	81.68	80.09	1.5953	5.67	8.86	.18	8.86	9.39	2.13	2.66	.35	3.37	17.89	12.23	3.01	1.77	3.19
1871	...	6,039	50.0	86.11	85.11	1.00	...	4.80	2.65	2.00	.62	1.49	7.16	.66	6.46	10.10	3.64	2.98	...	2.15	17.85	9.61	4.64	2.48	5.79
1872	...	6,560	47.4	112.95	96.34	16.61	.46	1.93	.30	.61	.15	.30	7.94	.30	10.06	14.45	2.90	4.58	.30	3.96	21.80	13.11	5.94	2.59	4.58
1873	...	6,753	41.2	67.97	67.23	.74	.74	1.48	.89	.1589	6.51	.45	5.63	10.51	2.08	3.11	.15	3.11	13.92	7.85	3.99	2.66	3.11
1874	...	6,953	38.1	61.56	61.27	.29	...	3.31	.4329	1.29	3.74	.43	7.05	9.64	1.58	2.16	.29	2.44	12.08	6.33	4.60	2.16	3.45
1875	...	7,017	35.8	76.67	69.40	7.27	...	4.70	.8643	4.70	1.71	6.41	10.69	1.57	2.14	...	2.85	16.67	7.70	4.25	2.00	2.71
1876	...	6,602	33.9	59.83	58.01	1.82	...	3.18	.6145	3.35	.15	6.06	10.45	1.51	2.73	.45	2.42	12.27	7.12	3.63	1.06	2.57
1877	...	6,183	25.4	44.64	44.6416	.32	.6516	3.07	.32	5.01	9.71	.97	1.94	...	1.62	9.22	3.72	4.37	.49	2.91
1878	...	5,773	34.8	81.07	77.26	3.81	1.04	2.25	.5252	1.04	4.85	.35	10.22	11.61	2.77	4.33	...	2.94	13.16	9.88	5.20	3.29	3.29
1879	...	5,196	36.8	67.37	84.87	2.50	...	11.55	.58	.77	.58	2.89	5.00	.19	8.28	11.36	2.50	1.92	...	3.55	12.89	9.43	4.81	4.04	4.23
TEN YEARS	...	62,720	38.5	75.57	71.92	3.65	.24	3.25	.80	.33	.16	1.37	5.52	.49	7.33	10.79	2.14	2.85	.16	2.85	14.80	8.61	4.45	2.22	3.56

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.											Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Dengue	65.6	.5	2.6	.2	7.2
Cholera	...	1.6	1.5	21.6	.9	.4	9.4	2.3	...	5.7	2.9	4.8
Smallpox4	.5	1.2	3.1	2.4	.3	...	1.8	3.5	1.7	1.5
Measles	...	6.4	60.9	31.3	11.6	65.7	64.1	69.2	25.9	25.1	107.4	46.5
Whooping Cough	...	6.0	27.0	5.0	10.4	12.0	16.1	7.0	17.1	5.2	2.5	11.0
Scarlet Fever	11.8	2.0	.6	.33	.8	.3	3.3	1.9
Enteric Fever8	1.2	.3	.9	.1	.6	.3	2.8	1.7	.8
Intermittent Fever	...	169.4	116.4	116.5	131.2	124.6	109.2	104.4	59.8	120.7	172.4	121.0
Remittent and Continued Fevers	...	105.9	63.8	127.0	98.0	119.5	78.5	69.4	68.6	107.6	83.7	96.5
Apoplexy9	1.2	1.2	.9	1.1	2.6	.8	.5	.7	.8	1.1
Dysentery	...	27.1	18.2	27.8	19.4	15.3	23.2	16.8	12.8	21.0	18.1	19.9
Diarrhœa	...	120.3	124.0	138.1	103.6	79.6	119.9	95.4	70.5	95.4	87.2	103.6
Hepatitis	...	1.6	2.3	1.5	1.3	.4	1.1	.9	1.1	.9	1.9	1.3
Spleen disease	...	1.1	.41	1.8	.40	2.6	3.8	1.8	1.3	3.1	6.9	3.0
Respiratory diseases	...	35.4	44.2	45.7	47.4	56.4	60.6	51.3	54.5	65.8	62.4	52.4
Eye diseases	...	140.3	199.4	137.8	162.6	187.7	156.2	142.7	94.0	199.2	122.0	154.8
Anæmia and Atrophy	...	71.2	69.1	129.9	91.2	105.7	94.2	84.2	62.0	169.1	116.6	95.3
Tubercular diseases	...	10.5	9.9	10.1	7.7	6.3	7.1	8.0	7.0	9.5	8.7	8.4
Meningitis and Hydrocephalus	...	3.9	4.5	5.0	3.0	2.6	2.7	2.4	2.3	2.9	2.9	3.2
Convulsions	...	10.8	11.6	18.3	14.9	13.8	15.2	15.5	13.6	17.0	16.7	14.8
Dentition	...	48.4	37.9	39.0	48.9	42.1	35.2	41.2	37.8	55.1	42.5	42.6
Abscess and Ulcer	...	12.2	13.6	11.9	13.8	17.4	15.4	13.3	12.1	15.4	13.7	13.9
Injuries	...	12.2	15.2	13.4	13.9	16.1	14.1	14.5	14.5	14.0	15.0	14.3
All other Causes	...	28.0	48.9	37.2	33.4	45.3	38.8	38.2	35.4	32.6	46.0	38.4
		813.6	926.8	900.1	822.6	918.2	867.9	802.8	593.9	912.6	937.0	858.2

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXX.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Average Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.														
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.
1870	...	1,435	45	31.4	25	17.42	12.55	7	3	1	2	2	1	1	1	3	3
1871	...	1,421	42	29.5	26	18.30	16.19	3	3	...	4	2	1	2	3	...	1	3	3
1872	...	1,495	49	32.8	22	14.72	14.72	...	1	...	2	...	2	2	...	7	2	2	2
1873	...	1,541	43	27.9	23	14.92	13.63	2	2	1	4	2	...	3	1	2	2
1874	...	1,530	39	25.5	31	20.26	20.26	...	2	...	1	...	3	1	4	5	4	...	1	5	4
1875	...	1,441	40	27.8	27	18.74	17.35	2	...	1	3	...	5	...	2	4	1	...	1	4	4
1876	...	1,417	36	25.4	27	19.05	12.70	9	...	2	3	...	2	2	3	3	4
1877	...	1,400	42	30.0	37	26.43	20.72	2	...	1	2	1	3	...	1	3	2	...	2	2	5
1878	...	1,299	42	32.3	35	26.95	23.10	5	...	1	5	2	3	3	1	3	1	6	3
1879	...	1,165	35	30.0	18	15.45	15.45	4	3	2	1	1	1	3	3
							36	2	9	1	28	10	30	16	11	29	12	3	13	38	33
Died per 1,000 of Strength.																					
TEN YEARS	...	14,144	413	29.2	271	19.16	16.61	2.55	.14	.63	2.05	.71	2.12	1.13	.78	2.05	.85	.21	.92	2.69	2.33

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue	94	18	1	...	2	115	8.1	...										
Cholera	...	9	6	1	2	...	2	12	11	5	...	48	3.4	75.00									
Smallpox	3	6	1	3	...	3	8	3	1	28	2.0	7.14									
Enteric Fever	...	1	1	2	2	1	5	4	4	20	1.4	45.00									
Intermittent Fever	...	260	96	126	77	41	75	61	77	123	188	1,124	79.4	.09									
Remittent and Continued Fevers	...	78	77	124	111	120	98	135	121	205	105	1,174	83.0	2.39									
Apoplexy	...	3	...	2	3	2	1	1	3	15	1.1	66.67									
Dysentery	...	36	61	59	58	65	43	42	64	57	33	518	36.7	5.79									
Diarrhoea	...	86	71	96	83	40	56	64	75	69	39	679	48.0	2.36									
Hepatitis	...	23	20	33	40	19	37	40	32	29	17	290	20.5	3.79									
Spleen disease	...	1	1	1	2	1	1	...	1	8	.6	...									
Respiratory diseases	...	67	72	45	50	53	43	30	110	67	57	594	42.0	2.02									
Phthisis Pulmonalis	...	11	14	16	12	10	8	11	11	13	5	111	7.8	26.12									
Anæmia and Atrophy *	...	380	291	412	405	360	298	392	441	466	381	3,826	270.5	.34									
Rheumatism	...	30	17	30	28	27	24	31	27	40	34	288	20.4	...									
Eye diseases	...	65	89	104	83	51	43	61	90	33	46	665	47.0	...									
Abortion	...	29	33	24	22	15	30	23	20	20	18	234	16.5	2.14									
Diseases peculiar to Women	...	58	67	40	68	48	63	71	64	53	50	582	41.1	1.47									
Abscess and Ulcer	...	48	49	41	27	36	32	33	39	24	23	352	24.9										
Injuries	...	18	25	12	16	21	14	17	12	15	22	172	12.2										
All other Causes	...	84	249	245	206	155	132	75	73	67	53	1,339	94.7										
											1,287	1,242	1,512	1,312	1,067	1,005	1,110	1,281	1,290	1,076	12,182		
Admitted per 1,000 of the Average Strength in each Year.																							
											896.9	874.0	1,011.4	851.4	697.4	697.4	783.3	915.0	993.1	923.6	861.3		

* See Note (a) at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXI.

TABLE showing the RATIOS of SICKNESS and MORTALITY for the WOMEN of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.														
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.	
1870	...	1,435	31·4	17·42	12·55	4·87	2·09	·70	1·39	2·09	·70	·70	·70	2·09	2·09
1871	...	1,421	29·5	18·30	16·19	2·11	2·11	...	2·81	1·41	·71	2·11	2·11	...	·71	2·11	2·11
1872	...	1,495	32·8	24·72	14·72	·66	1·34	1·34	1·34	1·34	...	4·68	1·34	1·34	1·34
1873	...	1,541	27·9	14·92	13·63	1·29	...	·65	1·29	·65	2·60	1·29	·65	1·95	·65	2·60	1·29
1874	...	1,530	25·5	10·26	20·26	...	1·31	·66	·66	...	1·96	·66	2·61	3·26	2·61	...	·66	3·26	2·61
1875	...	1,441	27·8	18·74	17·35	1·39	...	1·39	2·78	...	3·47	·69	1·39	2·78	·69	...	·69	·69	2·78
1876	...	1,417	25·4	19·05	12·70	6·35	...	1·41	2·12	...	1·41	1·41	1·41	2·12	2·82
1877	...	1,400	30·0	26·43	20·72	5·71	...	·72	1·43	·72	2·14	...	·72	2·14	1·43	...	2·14	5·71	3·57
1878	...	1,299	32·3	26·95	23·10	3·85	...	·77	3·85	1·54	2·31	2·31	·77	2·31	·77	1·54	...	4·62	2·31
1879	...	1,765	30·0	15·45	15·45	3·44	2·57	1·72	·86	·86	·86	2·57	2·57
TEN YEARS	...	14,144	29·2	19·16	16·61	2·55	·14	·63	2·05	·71	2·12	1·13	·78	2·05	·85	·21	·92	2·60	2·33

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	62·9	11·6	·7	...	1·4	8·1
Cholera	...	6·3	4·2	·7	1·3	...	1·4	8·5	7·9	3·9	3·4
Smallpox	2·1	4·0	·6	1·9	...	2·1	5·7	2·3	2·0
Enteric Fever	...	·7	·7	1·3	1·3	·7	3·5	2·8	2·9	...	1·4
Intermittent Fever	...	181·2	67·6	84·3	50·0	26·8	52·0	43·0	55·0	94·7	79·4
Remittent and Continued Fevers	...	54·4	54·2	83·0	72·0	78·4	68·0	95·3	86·4	157·8	83·0
Apoplexy	...	2·1	...	1·3	1·9	1·4	·7	·8	1·1
Dysentery	...	25·1	42·9	39·5	37·7	42·5	29·8	29·6	45·7	43·9	36·7
Diarrhoea	...	59·9	50·0	64·2	53·9	26·2	38·9	45·2	53·6	53·1	48·0
Hepatitis	...	16·0	14·1	22·1	25·9	12·4	25·7	23·2	22·8	22·3	20·5
Spleen disease	...	·7	·7	·7	1·4	·7	·7	...	·6
Respiratory diseases	...	46·7	50·7	30·1	32·5	34·6	29·8	21·2	78·6	51·6	42·0
Phthisis Pulmonalis	...	7·7	9·8	10·7	7·8	6·5	5·6	7·8	7·9	10·0	7·8
Anæmia and Atrophy *	...	264·8	204·8	275·6	262·8	235·3	206·8	276·6	315·0	358·7	279·5
Rheumatism	...	20·9	12·0	20·1	18·2	17·7	16·7	21·9	19·3	30·8	20·4
Eye diseases	...	45·3	62·6	69·6	53·9	33·3	29·8	43·1	64·3	25·4	47·0
Abortion	...	20·2	23·2	16·0	14·3	9·8	20·8	16·2	14·3	15·4	16·5
Diseases peculiar to Women	...	40·4	47·1	26·7	44·1	31·4	43·7	50·1	45·7	40·8	41·1
Abscess and Ulcer	...	33·4	34·5	27·4	17·5	23·5	22·2	23·3	27·8	18·5	24·9
Injuries	...	12·5	17·6	8·0	10·4	13·7	9·7	12·0	8·6	11·5	12·2
All other Causes	...	53·6	175·2	163·9	133·7	101·3	91·6	52·9	52·1	51·6	94·7
	896·9	874·0	1,011·4	851·4	697·4	697·4	783·3	915·0	993·1	923·6	861·3

* See Note (a) at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXII.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tuberc Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.	
1870	2,467	60	24.3	151	61.21	59.59	4	...	2	2	26	25	5	12	...	7	25	19	8	4	5
1871	2,534	61	24.1	127	50.12	48.54	4	...	2	3	5	1	15	26	8	9	...	6	16	14	8	1	7	
1872	2,794	70	25.1	191	68.36	68.36	...	2	8	...	1	3	...	13	1	14	37	8	5	1	9	34	21	13	9	12	
1873	2,880	61	22.2	148	51.39	49.30	6	...	9	10	...	16	19	4	8	...	15	18	24	5	9	5	
1874	3,048	57	18.7	131	43.96	43.96	6	1	3	...	23	22	5	5	...	11	19	16	9	5	9	
1875	3,039	54	17.8	148	48.70	47.05	5	...	4	5	...	23	28	6	6	...	8	26	14	8	5	14	
1876	2,920	51	17.5	164	56.16	53.76	7	...	6	1	5	...	24	34	7	14	1	8	21	14	8	6	8	
1877	2,880	65	22.6	174	60.42	56.25	12	1	2	8	...	20	32	3	12	...	9	30	27	5	2	9	
1878	2,658	64	24.1	182	68.47	68.47	6	6	1	15	62	5	13	...	14	26	10	14	4	6	
1879	2,273	53	23.3	102	44.88	43.56	3	...	2	1	3	3	20	13	3	3	...	8	11	8	8	7	6	
							41	3	45	6	3	7	7	63	6	196	298	54	83	2	95	226	167	86	52	81	
Died per 1,000 of Strength.																											
TEN YEARS	27,493	599	21.8	1,521	55.32	53.83	1.49	.11	1.64	.22	.11	.25	.25	2.29	.22	7.13	10.81	1.96	3.02	.07	3.46	8.22	6.07	3.13	1.89	2.95	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue	140	16	2	158	5.8	...
Cholera	5	10	...	10	...	6	10	16	2	3	62	2.3	66.13
Smallpox	9	4	4	...	1	7	1	2	28	1.0	10.71
Measles	61	143	103	148	133	90	127	20	206	52	1,083	39.4	4.16
Hooping Cough	6	38	10	10	32	4	35	5	25	20	185	6.7	3.24
Scarlet Fever	...	11	8	1	1	21	.8	14.29
Enteric Fever	5	...	6	1	...	1	3	6	22	.8	31.82
Intermittent Fever	200	109	102	68	47	84	42	93	155	195	1,095	39.8	.64
Remittent and Continued Fevers	116	135	212	171	169	183	179	219	309	172	1,865	67.8	3.38
Apoplexy	...	1	1	1	1	...	5	3	12	.4	50.00
Dysentery	94	106	80	112	70	78	73	113	117	52	895	32.6	10.61
Diarrhoea	201	209	267	203	187	218	187	260	270	141	2,143	78.0	10.55
Hepatitis	1	7	2	3	5	3	6	4	3	1	35	1.3	...
Spleen disease	3	2	...	1	2	8	.3	...
Respiratory diseases	144	193	204	154	161	125	144	160	187	176	1,648	59.9	8.37
Eye disease	376	292	458	377	172	295	241	486	115	257	3,069	111.6	...
Anæmia and Atrophy	170	207	222	323	316	230	198	192	130	196	2,184	79.4	7.65
Tubercular Diseases	27	40	24	16	15	21	31	20	30	20	244	8.9	34.84
Meningitis and Hydrocephalus	5	13	10	5	8	9	9	6	7	10	82	3.0	65.85
Convulsions	27	35	58	30	31	38	50	42	74	28	413	15.0	72.15
Dentition	115	94	69	77	132	129	131	124	92	67	1,030	37.5	19.03
Abscess and Ulcer	56	41	55	48	33	44	61	66	64	43	511	18.6	...
Injuries	50	43	34	49	54	35	43	29	38	41	416	15.1	3.41
All other Causes	104	112	199	110	128	136	154	179	161	120	1,403	51.0	...
	1,766	1,839	2,273	1,935	1,697	1,730	1,731	2,048	1,992	1,601	18,612		
Admitted per 1,000 of the Average Strength in each Year.													
	715.9	725.7	813.5	671.9	556.7	569.3	592.8	711.1	749.4	704.3	677.0		

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXIII.

TABLE showing the RATIOS of SICKNESS and MORTALITY for the CHILDREN of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick-rate per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
1870	2,467	24.3	61.21	59.59	1.628181	.81	2.03	...	10.54	10.13	2.03	4.87	...	2.84	10.13	7.70	3.24	1.62	2.03
1871	2,534	24.1	50.12	48.54	1.5879	1.19	.79	1.97	.39	5.92	10.26	3.16	3.55	...	2.37	6.31	5.53	3.16	.39	2.76
1872	2,794	25.1	68.36	68.3672	2.8636	1.08	...	4.65	.36	5.01	13.24	2.86	1.19	.36	3.22	12.17	7.52	4.65	3.22	4.29
1873	2,830	22.2	51.39	49.30	2.09	...	3.12	3.47	...	5.55	6.60	1.39	2.78	...	5.21	6.25	8.33	1.74	3.12	1.74
1874	3,048	18.7	43.96	43.96	1.97	.3398	...	7.55	7.22	1.64	1.64	...	3.61	6.23	5.25	2.95	1.64	2.95
1875	3,039	17.8	48.70	47.05	1.65	...	1.32	1.65	...	7.57	9.21	1.97	.66	...	2.63	8.56	4.61	2.63	1.65	4.61
1876	2,920	17.5	56.16	53.76	2.40	...	2.06	.34	1.71	...	8.22	11.64	2.40	4.79	.34	2.74	7.19	4.79	2.74	2.06	2.74
1877	2,880	22.6	60.42	56.25	4.17	.3569	.69	2.78	...	6.95	11.11	1.04	4.17	...	3.12	10.42	9.38	1.74	.69	3.12
1878	2,658	24.1	68.47	68.47	2.26	2.26	.38	5.64	23.32	1.88	4.89	...	5.27	9.78	3.76	5.27	1.50	2.26
1879	2,273	23.3	44.88	43.56	1.3288	.44	1.32	1.32	1.32	8.80	5.72	1.32	1.32	...	3.52	4.84	3.52	3.52	3.08	2.64
TEN YEARS	27,493	21.8	55.32	53.83	1.49	.11	1.64	.22	.11	.25	.25	2.29	.22	7.13	10.84	1.96	3.02	.07	3.46	8.22	6.07	3.13	1.89	2.95

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	50.1	5.6	7	5.8
Cholera	20	3.9	...	3.5	...	2.0	3.4	5.6	.8	1.3	2.3
Smallpox	3.2	1.4	1.3	...	3	2.4	.4	.9	1.0
Measles	24.7	56.4	36.9	51.4	43.6	29.6	43.5	6.9	77.5	22.9	39.4
Whooping Cough	2.4	15.0	3.6	3.5	10.5	1.3	12.0	1.7	9.4	8.8	6.7
Scarlet Fever	...	4.3	2.9	3	.48
Enteric Fever	2.0	...	2.1	.3	...	3	1.0	2.18
Intermittent Fever	81.1	43.0	36.5	23.6	15.4	27.6	14.4	32.3	58.3	85.8	39.8
Remittent and Continued Fevers	47.0	53.3	75.9	59.3	55.5	60.2	61.3	76.0	116.2	75.7	67.8
Apoplexy4	.33	.3	...	1.9	1.3	.4
Dysentery	38.1	41.8	28.6	38.9	23.0	25.7	25.0	39.2	44.0	22.9	32.6
Diarrhoea	81.5	82.5	95.6	70.5	61.4	71.7	64.1	90.3	101.6	62.0	78.0
Hepatitis	.4	2.8	.7	1.0	1.6	1.0	2.1	1.4	1.1	.4	1.3
Spleen disease	1.2	74	.9	.3
Respiratory diseases	58.4	76.2	73.0	53.5	52.8	41.1	49.3	55.6	70.3	77.4	59.9
Eye diseases	152.4	115.2	163.9	130.9	56.4	97.1	82.5	168.7	43.3	113.1	111.6
Anæmia and Atrophy	68.9	81.7	79.4	112.1	103.7	75.7	67.8	66.7	48.9	86.2	79.4
Tubercular diseases	11.0	15.8	8.6	5.6	.49	6.9	10.6	6.9	11.3	8.8	8.9
Meningitis and Hydrocephalus	2.0	5.1	3.6	1.7	2.6	3.0	3.1	2.1	2.6	4.4	3.0
Convulsions	11.0	13.8	20.8	10.4	10.2	12.5	17.1	14.6	27.8	12.3	15.0
Dentition	46.6	37.1	24.7	26.8	43.3	42.4	44.9	43.1	34.6	29.5	37.5
Abscess and Ulcer	22.7	16.2	19.7	16.7	10.8	14.5	20.9	22.9	24.1	18.9	18.6
Injuries	20.3	17.0	12.2	17.0	17.7	11.5	14.7	10.1	14.3	18.0	15.1
All other Causes	42.2	44.2	71.2	38.2	42.0	44.8	52.8	62.1	60.6	52.8	51.0
	715.9	725.7	813.5	671.9	556.7	569.3	592.8	711.1	749.4	704.3	677.0

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXIV.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily sick per 1,000 of Average Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.														
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory Diseases.	Heart Diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.
1870	1,214	*	*	26	21.41	21.41	1	...	1	...	5	1	1	5	1	...	2	4	5
1871	1,283	38	29.6	23	17.93	17.93	1	...	5	1	3	...	2	3	...	1	...	3	4
1872	1,317	46	34.9	44	33.41	26.58	9	1	1	...	3	5	3	6	3	5	...	3	...	2	2
1873	1,227	34	27.7	21	17.11	17.11	4	1	...	3	1	1	1	3	3
1874	1,231	43	34.9	18	14.62	14.62	3	...	3	3	2	5	3
1875	1,171	49	41.8	23	19.64	15.37	5	...	1	...	3	1	...	1	1	3	1	1	...	4	2
1876	1,135	35	30.8	19	16.75	15.86	1	1	1	3	2	2	...	3	2	2	...	3	...
1877	1,050	34	32.4	32	30.48	21.91	9	1	2	1	4	3	...	1	2	6	3
1878	975	43	44.1	22	22.56	15.38	7	4	1	1	2	...	1	1	1	1	2	1
1879	800	35	43.7	22	27.50	27.50	1	...	2	...	4	1	...	2	1	1	4	6	...
							31	2	5	...	24	13	25	17	12	28	6	11	12	39	25
Died per 1,000 of Strength.																					
TEN YEARS	11,403	357	†35.0	250	21.92	19.20	2.72	.18	.44	2.10	1.14	2.19	1.49	1.05	2.46	.53	.96	1.05	3.42	2.19	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.											Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.							
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
											
Dengue	204	8	1	213	18.7	...								
Cholera	9	8	1	10	8	...	36	3.2	86.11								
Smallpox	3	2	3	1	2	...	11	1.0	18.18								
Enteric Fever	2	2	1	3	1	2	3	1	15	1.3	33.33								
Intermittent Fever	361	367	411	275	271	290	218	174	322	435	3,124	274.0	...								
Remittent and Continued Fevers	168	147	122	46	80	67	98	92	164	87	1,071	93.9	2.24								
Apoplexy	1	2	6	1	...	2	3	1	2	...	18	1.6	72.22								
Dysentery	38	45	36	26	27	35	29	23	28	31	318	27.9	7.86								
Diarrhoea	61	54	82	41	75	69	50	73	69	40	614	53.8	2.77								
Hepatitis	22	24	16	21	32	10	20	12	8	12	177	15.5	6.78								
Spleen disease	2	2	2	3	3	6	7	3	5	5	38	3.3	...								
Respiratory diseases	42	47	40	35	61	38	37	29	46	32	407	35.7	1.47								
Phthisis Pulmonalis	10	10	17	11	11	9	7	6	6	5	92	8.0	30.43								
Anæmia and Atrophy †	160	81	173	144	207	214	274	366	399	250	2,268	198.9	.53								
Rheumatism	24	17	33	29	28	1	16	26	22	11	207	18.1	...								
Eye diseases	29	85	37	69	77	68	28	37	32	21	483	42.4	...								
Abortion	19	31	21	22	27	22	12	19	19	11	203	17.8	1.97								
Diseases peculiar to Women	35	43	45	38	45	62	48	36	38	38	428	37.5	...								
Abscess and Ulcer	27	25	30	26	38	34	35	30	31	28	364	26.7	...								
Injuries	16	10	20	14	16	6	14	8	12	6	122	10.7	...								
All other Causes	53	160	141	100	138	184	46	39	40	20	921	80.8	2.03								
											11,070										
Admitted per 1,000 of the Average Strength in each Year.																					
											881.4	897.9	11,00.2	742.4	922.8	963.3	835.2	940.0	1,288.2	1,291.2	970.8

* See Note at foot of Table CCCXXII.

† See Note at foot of Table CCCXXII.

‡ See Note (a) at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXV.

TABLE showing the RATIOS of SICKNESS and MORTALITY for the WOMEN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Average Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.														
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.	
1870	...	1,214	*	21'41	21'41	'82	'82	...	4'12	'82	'82	4'12	'82	...	1'65	3'30	4'12
1871	...	1,283	29'6	17'93	17'93	'78	3'90	'78	2'34	...	1'56	2'34	...	'78	...	2'34	3'11
1872	...	1,317	34'9	33'41	26'58	6'83	'76	'76	2'28	3'79	2'28	4'56	2'28	3'79	...	2'28	...	2'28	1'52
1873	...	1,227	27'7	17'11	17'11	3'26	'81	...	2'45	'81	1'63	...	'81	'81	2'45	4'08
1874	...	1,231	34'9	14'62	14'62	1'62	...	2'44	2'44	1'62	4'06	2'44
1875	...	1,171	41'8	19'64	15'37	4'27	...	'85	1'71	'85	1'71	'85	'85	1'71	'85	'85	...	3'42	1'71
1876	...	1,135	30'8	16'75	15'86	'89	'89	...	'89	2'64	1'76	1'76	...	1'76	1'76	1'76	...	2'64	...
1877	...	1,050	32'4	30'48	21'91	8'57	'95	1'91	'95	3'81	2'86	...	'95	1'91	5'71	2'86
1878	...	975	44'1	22'56	15'38	7'18	4'10	1'03	1'03	2'05	...	1'03	1'03	1'03	1'03	2'05	1'03
1879	...	800	43'7	27'50	27'50	1'25	2'50	...	5'00	1'25	...	2'50	1'25	1'25	5'00	7'50	...
TEN YEARS	...	11,403	35'0†	21'92	19'20	2'72	'18	'44	2'10	1'14	2'19	1'49	1'05	2'46	'53	'96	1'05	3'42	2'19

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	154'9	6'5	'9	18'7
Cholera	6'8	6'8	'9	9'5	8'2	...	3'2
Smallpox	2'3	1'6	2'6	1'0	2'0	...	1'0
Enteric Fever	1'7	1'6	'8	2'6	'9	1'9	3'1	1'3	1'3
Intermittent Fever	297'4	286'0	312'1	224'1	220'1	247'7	192'1	165'7	330'2	543'7	274'0
Remittent and Continued Fevers	138'4	114'6	92'6	37'5	65'0	57'2	86'3	87'6	168'2	108'8	93'9
Apoplexy	'8	1'6	4'6	'8	...	1'7	2'6	1'0	2'0	...	1'6
Dysentery	31'3	35'0	27'3	21'2	21'9	29'9	25'6	21'9	28'7	38'8	27'9
Diarrhœa	50'2	42'1	62'2	33'4	60'9	58'9	44'1	69'5	70'8	50'0	53'8
Hepatitis	18'1	18'7	12'1	17'1	26'0	8'5	17'6	11'4	8'2	15'0	15'5
Spleen disease	1'7	1'6	1'5	2'4	2'4	5'1	6'2	2'9	5'1	6'2	3'3
Respiratory diseases	34'6	36'6	30'4	28'5	49'6	32'5	32'5	27'6	47'2	40'0	35'7
Phthisis Pulmonalis	8'1	7'8	12'9	9'0	8'9	7'7	6'2	5'7	6'2	6'2	8'0
Anæmia and Atrophy †	131'8	63'1	131'4	117'4	168'2	182'7	241'4	348'6	409'2	312'5	198'9
Rheumatism	19'8	13'3	25'1	23'7	22'7	'9	14'1	24'8	22'7	13'7	18'1
Eye diseases	23'9	66'2	28'1	56'2	62'6	58'1	24'7	35'2	32'8	26'3	42'4
Abortion	15'7	24'2	15'9	17'9	21'9	18'8	10'6	18'1	19'5	13'7	17'8
Diseases peculiar to Women	28'8	33'5	34'2	31'0	36'6	52'9	42'3	34'3	39'0	47'5	37'5
Abscess and Ulcer	22'2	19'5	22'8	21'2	30'9	29'0	30'8	28'6	31'8	35'0	26'7
Injuries	13'2	7'8	15'2	11'4	13'0	5'1	12'3	7'6	12'3	7'5	10'7
All other Causes	43'7	124'7	107'0	81'5	112'1	157'1	40'5	37'1	41'0	25'0	80'8
	881'4	897'9	1,100'2	742'4	922'8	963'3	835'2	940'0	1,288'2	1,291'2	970'8

* See Note at foot of Table CCCXXII.
† See Note at foot of Table CCCXXII.
‡ See Note (a) at foot of Table CCCXXII.

CCCXXVI.

[illegible]

* See Note at foot of Table CCCXI.
† See Note at foot of Table CCCXI.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXVII.

TABLE showing the RATIOS of SICKNESS and MORTALITY for the CHILDREN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.																				
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabs Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.	
1870	...	1,975	*	73·42	73·42	·51	1·52	1·52	·51	2·53	5·57	...	4·05	11·65	3·04	6·07	...	3·04	12·65	11·65	3·54	1·52	4·05
1871	...	2,127	29·1	69·11	69·11	1·41	...	1·41	·47	·94	1·88	...	4·70	23·04	1·88	1·41	...	3·76	11·76	7·52	3·76	·94	4·23
1872	...	2,303	33·9	96·83	92·92	3·91	·43	2·61	·43	·43	·43	3·48	4·78	...	5·21	16·94	4·78	4·78	...	3·91	19·54	14·76	3·48	·43	6·51
1873	...	2,227	25·1	48·50	48·50	...	·90	·45	·45	·90	·90	...	4·49	11·23	2·25	1·34	...	1·80	9·43	5·39	4·94	1·34	2·69
1874	...	2,392	31·4	51·84	51·84	...	·42	·84	1·25	·42	2·09	·84	8·78	9·20	2·09	2·51	·42	2·92	5·43	7·52	2·51	2·09	2·51
1875	...	2,303	32·6	76·42	73·38	3·04	...	5·21	·43	...	·43	·43	1·74	...	7·82	14·76	3·47	5·21	...	3·91	15·63	8·25	1·30	2·61	2·17
1876	...	2,360	27·5	44·49	44·49	·42	·42	2·55	...	9·74	6·36	·85	1·69	...	2·97	8·05	3·39	4·24	·42	3·39
1877	...	2,203	26·3	53·11	50·39	2·72	·91	2·72	·45	7·72	7·72	1·36	2·27	...	·45	14·53	6·81	2·27	1·36	1·82
1878	...	1,991	43·2	90·91	89·40	1·51	...	6·53	·50	...	·50	2·51	6·03	·50	12·56	12·56	3·01	2·51	...	4·52	23·61	9·04	3·01	1·51	·50
1879	...	1,524	39·4	78·08	78·08	·65	·65	3·94	6·56	...	10·50	15·10	3·94	1·31	...	3·28	10·50	13·12	3·94	·65	3·94
TEN YEARS	...	21,405	† 31·7	67·51	66·34	1·17	·19	1·82	·37	·33	·42	1·54	3·31	·19	7·48	12·71	2·62	2·94	·05	3·03	13·03	8·55	3·27	1·31	3·18

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	133·7	·9	14·5
Cholera	4·8	4·8	·4	2·7	1·5	...	1·5
Smallpox	1·7	3·6	2·9	...	·8	8·2	1·0	2·0	2·1
Measles	...	2·5	24·5	27·8	10·8	28·8	62·5	2·1	11·3	76·8	26·5
Whooping Cough	...	15·2	7·1	3·4	8·5	7·9	9·6	2·6	5·0	14·1	9·4
Scarlet Fever	...	7·6	13·2	·9	1·8	...	·4	3·6	1·5	...	2·9
Enteric Fever	...	·5	1·8	·8	·9	2·5	1·3	2·1	...	2·0	1·2
Intermittent Fever	...	175·2	169·7	222·3	130·7	139·6	165·9	118·2	112·1	243·1	175·1
Remittent and Continued Fevers	...	95·7	63·5	73·8	35·5	73·2	78·6	64·4	51·3	91·9	69·5
Apoplexy	·5	·9	·9	·8	·9	...	·9	1·0	·6
Dysentery	...	14·7	18·3	26·1	9·4	15·9	23·9	16·5	13·6	25·6	18·3
Diarrhoea	...	107·9	98·2	135·0	72·7	76·9	99·0	65·7	82·6	106·5	92·1
Hepatitis	...	1·0	1·8	1·3	1·8	3·3	2·6	2·6	·9	·5	1·8
Spleen disease	·9	·9	·4	1·2	·9	1·7	1·2
Respiratory diseases	...	43·5	41·4	30·0	36·8	47·3	45·6	39·8	36·8	48·2	43·0
Eye diseases	...	57·7	138·7	86·9	108·2	117·5	128·1	81·4	128·9	102·0	103·5
Anæmia and Atrophy	...	50·6	41·4	89·0	46·7	62·7	73·8	72·9	93·1	114·5	73·6
Tubercular diseases	...	8·6	7·1	10·9	7·6	7·9	9·6	6·4	3·6	8·5	7·6
Meningitis and Hydrocephalus	...	4·1	2·8	6·1	2·7	3·3	4·8	·8	2·7	3·5	3·5
Convulsions	...	12·7	24·0	20·4	15·3	11·7	17·8	8·1	11·8	16·1	15·7
Dentition	...	34·4	42·8	33·0	31·9	49·3	50·8	42·8	44·5	54·7	43·6
Abscess and Ulcer	...	12·2	12·2	15·2	11·7	17·1	16·9	19·5	19·1	15·1	15·1
Injuries	...	15·7	16·0	18·2	13·9	14·6	17·8	22·0	12·3	16·6	16·1
All other Causes	...	41·5	35·3	39·5	31·0	56·4	54·3	35·6	34·5	23·1	38·8
	701·3	761·2	982·6	583·7	740·8	869·3	606·8	679·5	967·8	944·9	777·2

* See Note at foot of Table CCCXXII.
† See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXVIII.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY among the WOMEN in the principal MILITARY STATIONS occupied from 1870-79.

STATIONS.	Aggregate Strength of Stations and Provinces for the Ten Years.	CAUSES OF DEATHS.														Total Deaths of the Year.	DIED PER 1,000 OF STRENGTH.		
		Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phtisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anæmia.	Child-birth and Abortion.	All other Causes.	A. Cholera.	B. All other Causes.	C. All Causes.
Deolali Depôt (Bengal Troops)	2	2	...	1	1	...	1	1	2
Women on the March (Bengal)	3	1	2	1	...	1	1	...	1
Fort William	834	1	1	4	1	...	2	1	5	2	17	1.20	20.38
Dum-Dum	584	2	3	...	3	1	...	2	13	3.42	18.84
Barrackpore	439	4	1	1	...	3	2	1	1	...	13	...	22.26
	1,857	3	1	11	2	4	3	4	9	3	1	2	43	1.62	23.16
Hazaribagh	454	4	...	1	2	...	2	...	2	1	12	8.81	17.62
Diuapore	904	3	1	1	...	2	2	1	2	2	14	3.32	12.17
Benares	431	2	1	2	...	1	6	4.64	9.28
Chunar	21	13.92
Fyzabad	966	24	...	2	...	1	2	2	...	1	2	2	3	39	24.83	15.54
Lucknow	2,354	21	...	5	1	7	3	9	1	2	7	1	2	...	6	4	71	8.92	21.24
Sitapur	519	2	1	1	...	2	1	5	1	13	...	25.05
Fatehgarh	179	1	1	...	2	...	11.17
Cawnpore	682	5	4	2	1	3	2	5	2	24	7.33	27.86
Allahabad	924	9	...	1	...	3	1	2	1	3	2	1	1	4	2	...	30	9.74	22.73
	7,434	68	1	9	1	19	9	17	7	12	21	2	6	6	20	13	211	9.15	19.23
Shahjahanpur	337	2	...	1	1	1	1	2	2	1	1	12	5.93	29.68
Barilly	624	1	1	1	1	1	...	3	1	2	11	1.60	16.03
Moradabad	149	1	1	1	3	6.71	13.42
Roorkee	491	2	1	...	1	4	4.07	4.07
Meerut	1,779	6	1	2	1	6	6	7	6	2	4	...	6	4	51	3.37	25.30
Delhi	453	3	2	2	2	2	2	2	1	1	1	18	6.62	33.11
Muttra	557	2	...	1	...	1	1	1	...	6	...	10.77
	4,390	15	1	1	1	6	6	12	10	13	14	4	5	...	8	9	105	3.42	20.50
Agra	848	5	1	4	2	1	1	...	2	1	1	...	4	2	24	5.90	22.40
Morar	1,093	3	1	11	3	3	1	1	2	1	2	3	6	2	39	2.74	32.94
Gwalior Fortress	322	1	...	1	...	2	1	1	...	1	1	3	1	...	11	3.11	31.05
Jhansi	405	2	1	1	1	1	...	3	2	...	2	...	13	...	32.10
Nowgong	267	4	1	2	...	1	...	1	4	...	13	14.98	33.71
Saugor	285	2	1	1	...	2	1	1	1	...	2	1	...	1	13	7.02	38.59
Jubbulpore	512	1	...	3	1	1	1	7	...	13.67
	3,732	15	3	2	...	23	7	9	5	5	6	7	6	8	18	6	120	4.02	28.13
Umballa	1,437	4	...	4	...	5	1	2	3	2	6	2	...	2	6	7	44	2.78	27.84
Jullundur	797	2	...	4	...	14	...	2	1	...	4	3	4	34	2.51	40.15
Ferozepore	1,059	1	...	5	2	2	1	2	7	1	3	4	28	...	26.44
Mooltan	841	6	...	1	2	2	...	3	2	1	17	...	20.21
Sialkot	1,258	2	...	1	...	10	4	4	1	2	...	3	1	...	2	...	30	1.59	22.26
Amritsar	143	1	1	2	...	13.99
Fort Lahore	17
Mean Meer	1,076	8	...	1	1	6	6	3	4	2	4	3	1	2	5	2	48	7.43	37.18
Rawalpindi	1,870	4	3	5	1	6	4	3	3	2	6	1	3	1	7	6	55	2.14	27.27
Campbellpore	248	3	1	1	5	...	20.16
Attock	82	1	2	3	...	36.59
Nowshera	426	4	1	1	...	2	2	1	1	...	12	...	28.17
Peshawar* (1870 to 1878)	1,350	7	1	3	1	14	2	2	1	3	6	2	4	1	4	3	54	5.19	34.81
	10,604	27	4	19	3	70	20	20	16	18	38	15	9	7	35	31	332	2.55	28.76
Darjeeling	202	1	1	1	...	1	1	1	6	...	29.70
Naini Tal	256	1	1	...	1	5	...	19.53
Landour	178	2	...	11.24
Ranikhet	743	1	...	5	6	2	1	3	...	2	...	2	...	30.96	30.96
Chakrata	708	1	1	...	1	2	2	1	...	1	...	4	1	14	1.41	18.36
Kasauli	646	5	1	...	2	2	2	9	1	1	2	2	...	27	7.74	34.06
Dagshai	999	4	2	...	3	2	...	3	...	2	5	4	1	26	4.00	22.03
Solon
Subathu	676	2	...	2	...	4	...	1	1	1	3	1	4	2	21	2.96	28.11
Jutogh	121	1	1	1	1	1	5	...	41.32
Dalhousie (from 1871 to 1879)	95	1	1	...	2	...	21.05
Murree Hills	1,034	1	...	1	...	1	...	1	...	1	5	9.7	3.86
Murree Depôt (from 1872)	764	7	...	1	...	1	...	2	...	1	2	1	15	9.16	10.49
Cherat (from 1872 to 1877)	460	1	1	...	1	1	...	1	5	...	10.87
	6,882	20	...	5	...	12	2	17	16	12	22	8	7	10	17	8	156	2.91	19.76
BENGAL PRESIDENCY	34,746	148	10	36	5	144	47	83	60	64	112	37	33	36	100	72	987	4.26	24.15

* Women and Children were withdrawn from this Station during 1879 on account of the war in Afghanistan.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXVIII—continued.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY among the WOMEN in the principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate Strength of Stations and Provinces for the Ten Years.	CAUSES OF DEATHS.															Total Deaths of the Year.	DIED PER 1,000 OF STRENGTH.		
		Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory Diseases.	Heart Diseases.	Atrophy and Anæmia.	Child-birth and Abortion.	All other Causes.		A. Cholera.	B. All other Causes.	C. All Causes.
Women on the March (Bombay Presidency)	1	1	...	1	3
Deolali Depôt, Bombay Troops	1	1	2	1	5
Colaba Depôt, Bombay Troops	2	2
Women on the March (Madras Presidency)	1	1
Poonamallee Depôt	1	2	1	...	3	3	...	1	...	2	13
Deolali Depôt, Madras Troops	2	1	3
Colaba Depôt, Madras Troops.	1	1
Nusseerabad ...	634	3	5	2	5	2	...	3	...	1	...	6	2	29	4.73	41.01	45.74
Neemuch ...	246	2	1	2	1	1	1	8	8.13	24.39	32.52
Indore (from 1872 to 1879) ...	38
Mhow ...	1,396	7	...	2	...	5	2	4	3	2	2	...	3	2	4	3	39	5.01	22.93	27.94
Deesa ...	800	5	1	1	...	2	1	1	1	...	1	2	4	...	20	6.25	18.75	25.00
Ahmedabad ...	285	1	1	1	1	2	2	8	3.51	24.56	28.07
Baroda ...	910	...	1	2	2	...	3	2	1	2	1	2	4	2	22	...	24.18	24.18
Kurrachee and Ghizree ...	281	1	1	1	3	...	10.68	10.68
Hyderabad ...	514	2	1	1	2	2	2	10	...	19.46	19.46
Aden
5,104		18	2	3	...	17	10	13	9	5	12	2	6	6	23	13	139	3.53	23.70	27.23
Bombay ...	457	1	2	2	...	5	2.19	8.75	10.94
Asirgarh ...	56	1	1	...	17.86	17.86
Ahmednagar ...	571	3	1	2	1	2	1	4	...	1	1	16	5.25	22.77	28.02
Poona and Kirkee ...	2,300	5	...	1	...	4	2	3	1	2	4	1	1	2	6	4	36	2.17	13.48	15.65
Satara ...	135
Belgaum ...	942	4	1	1	1	2	1	11	4.25	7.43	11.68
Secunderabad ...	2,716	12	...	1	...	5	2	9	3	5	4	1	...	3	6	7	58	4.42	16.93	21.35
Kamptee ...	1,417	1	1	2	...	8	1	4	5	...	6	3	6	4	41	.71	28.22	28.93
8,594		26	1	4	...	19	6	17	14	10	17	4	5	8	21	16	168	3.03	16.52	19.55
Bellary ...	1,031	5	...	1	...	3	3	1	1	2	1	1	3	3	24	4.85	18.43	23.28
Bangalore ...	2,617	7	...	4	...	1	...	7	2	6	3	3	...	1	7	7	48	2.67	15.67	18.34
Cannanore ...	906	1	1	...	1	2	...	1	1	3	1	11	1.10	11.04	12.14
Mallapoorum ...	64	1	1	...	15.62	15.62
Calicut ...	55
Trichinopoly ...	315	1	...	1	...	3	...	5	...	15.87	15.87
St. Thomas' Mount ...	680	2	1	1	1	1	1	...	1	8	2.94	8.82	11.76
Madras ...	943	2	1	1	...	1	2	2	9	2.12	7.42	9.54
6,611		17	...	5	...	8	5	10	3	6	8	6	3	4	18	13	106	2.57	13.46	16.03
Rangoon ...	1,001	1	1	4	1	...	1	1	3	...	12	...	11.99	11.99
Toungoo ...	438	2	...	1	2	2	7	...	15.98	15.98
Thayetnyo ...	617	5	...	1	...	1	2	1	1	11	8.10	9.73	17.83
Port Blair ...	15
2,071		5	...	1	...	2	1	4	3	...	4	1	...	1	5	3	30	2.41	12.08	14.49
Taragarh	1	1	2
Mount Aboo ...	144	2	...	1	3	...	20.83	20.83
Purandhar ...	67	1	...	1	...	14.92	14.92
Wellington ...	788	...	1	...	1	1	...	3	1	...	2	1	...	1	3	4	18	...	22.84	22.84
Ramandroog ...	64
1,063		...	1	...	1	1	...	5	2	1	3	1	...	1	4	4	24	...	22.58	22.58
ARMY OF BENGAL ...	34,746	148	10	36	5	144	47	83	60	64	112	37	33	36	100	72	987	4.26	24.15	28.41
ARMY OF MADRAS ...	14,144	36	2	9	1	28	10	30	16	11	29	12	3	13	38	33	271	2.55	16.61	19.16
ARMY OF BOMBAY ...	10,189	31	2	4	...	23	13	20	16	11	23	5	11	10	35	20	224	3.04	18.94	21.98
ARMY OF INDIA ...	59,078*	215	14	49	6	195	70	133	92	86	164	54	47	59	173	125	1,482	3.64	21.45	25.09

* See Note to Table CCCXIV.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXIX.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY among the CHILDREN in the principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate Strength of Stations and Provinces for the Ten Years.	CAUSES OF DEATHS.																				Total Deaths of the Year.	DIED PER 1,000 OF STRENGTH.			
		Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tuberc Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.		A. Cholera.	B. All other Causes.	C. All Causes.	
Colaba Depôt (Bengal Troops)	1	1	1	3	
Deolali Depôt (")	24	1	2	3	...	6	5	8	12	6	...	6	82	
Children on the March (Bengal)	5	5	1	10	15	6	6	...	1	21	11	10	4	5	102	
Fort William	...	1,486	5	...	10	5	...	6	12	1	2	...	2	8	7	9	5	3	75	3'36	47'11	50'47	
Dum-Dum	...	1,205	1	...	1	4	...	7	21	...	4	...	3	9	8	5	6	2	72	83	58'92	59'75	
Barrackpore	...	826	1	5	2	...	9	...	1	...	9	10	5	5	2	5	54	...	65'38	65'38	
	...	3,517	6	...	12	1	14	2	13	42	1	7	...	14	27	20	19	13	10	201	1'71	55'44	57'15	
Hazaribagh	...	694	5	4	...	2	5	8	1	17	7	1	2	5	57	7'20	74'93	82'13	
Dinapore	...	1,711	4	...	9	1	3	1	10	12	1	1	2	1	16	10	5	3	13	92	2'34	51'43	53'77	
Benares	...	727	1	7	...	3	7	2	2	...	2	22	5	4	2	2	60	1'37	81'16	82'53	
Fyzabad	...	1,554	33	2	1	7	1	21	10	5	4	1	4	30	11	8	3	9	150	21'24	75'09	96'33	
Lucknow	...	4,017	18	3	10	4	...	1	22	...	35	54	9	7	1	14	85	25	17	4	6	315	4'48	73'94	78'42	
Sitapur	...	1,010	1	4	...	8	7	1	5	...	4	12	7	4	3	4	60	...	59'41	59'41	
Fatehgarh	...	369	4	1	1	...	1	3	1	1	4	1	1	...	19	11'11	41'67	52'78	
Cawnpore	...	1,128	3	2	6	1	8	...	11	22	3	2	...	5	32	11	5	1	5	117	2'66	101'06	103'72	
Allahabad	...	1,717	11	...	1	2	8	...	11	36	1	12	...	3	18	8	4	3	2	120	6'41	121'72	128'13	
	...	12,918	79	7	28	5	...	2	5	64	2	104	154	31	34	4	33	233	88	49	22	40	990	6'12	70'52	76'64
Shahjahanpur	...	554	2	1	1	1	...	8	9	2	...	1	2	7	3	2	39	3'61	66'79	70'40	
Bareilly	...	1,085	...	1	3	3	...	6	19	2	3	1	...	14	10	3	5	2	70	...	64'51	64'51	
Moradabad	...	232	1	3	...	1	3	2	4	2	16	4'31	64'66	68'97	
Roorkee	...	743	2	1	3	1	2	3	...	3	...	2	13	5	5	...	2	42	2'69	53'84	56'53	
Meerut	...	3,437	12	...	6	1	...	2	4	19	38	35	9	18	...	13	59	30	9	6	16	277	3'49	77'10	80'59	
Delhi	...	841	1	...	2	2	11	...	1	11	...	3	...	5	20	4	4	2	69	1'19	80'86	82'05	
Muttra	...	874	1	1	2	5	1	11	10	...	1	...	1	9	1	3	4	52	1'14	58'36	59'50	
	...	7,766	19	3	12	1	...	3	8	43	2	67	90	13	28	2	25	126	53	24	17	29	565	2'45	70'30	72'75
Agra	...	1,450	5	1	5	1	10	...	13	10	3	3	...	26	10	5	2	6	102	3'45	66'89	70'34	
Morar	...	2,048	9	...	3	1	24	...	22	31	6	2	...	6	41	18	4	2	11	181	4'39	83'99	88'38
Gwalior Fortress	...	563	2	9	1	6	13	2	2	14	10	1	2	63	3'55	108'35	111'90	
Jhansi	...	867	2	3	...	13	3	...	1	2	9	4	2	44	...	50'75	50'75	
Nowgong	...	422	1	1	4	1	3	...	1	6	4	25	2'36	56'74	59'10	
Saugor	...	453	1	...	1	1	2	3	2	3	4	1	1	...	3	3	...	4	1	30	2'21	64'02	66'23	
Jubbulpore	...	960	1	5	2	3	...	4	2	1	14	5	4	1	6	48	...	50'00	50'00	
	...	6,764	18	1	9	6	...	1	9	56	5	64	66	14	10	...	11	106	50	18	13	493	2'66	70'23	72'89	
Umballa	...	2,404	2	...	3	...	1	...	12	2	22	30	5	11	...	11	37	13	15	6	8	178	8'3	73'21	74'04	
Jullundur	...	1,232	4	...	1	4	3	...	1	8	...	19	26	6	11	...	9	23	28	5	5	158	3'25	125'00	128'25	
Ferozepore	...	1,599	9	3	3	2	10	14	10	4	...	2	38	27	8	2	139	...	86'93	86'92	
Mooltan	...	1,654	5	2	22	1	2	23	4	5	...	1	19	18	8	1	6	117	...	70'74	70'74	
Sialkot	...	2,338	6	2	20	1	14	20	4	3	...	8	26	11	11	5	142	...	60'74	60'74	
Amritsar	...	219	1	2	3	1	2	...	5	3	1	18	...	82'19	82'19	
Fort Lahore	...	27	1	4	...	148'15	148'15	
Meean Meer	...	1,814	32	...	1	2	6	...	3	16	7	16	3	...	6	2	5	38	26	17	10	233	17'64	110'81	128'45	
Rawalpindi	...	3,285	6	2	18	1	3	1	10	17	1	20	45	4	14	...	7	34	29	21	6	252	1'83	74'88	76'71	
Campbellpore	...	393	2	...	1	5	7	4	...	1	10	1	1	...	32	...	81'42	81'42	
Attock	...	159	1	...	2	1	...	4	1	...	11	...	69'18	69'18	
Nowshera	...	778	...	2	2	...	6	4	...	7	4	2	2	...	3	10	11	2	1	58	...	74'55	74'55	
Peshawar (1870 to 1878)	...	2,159	16	...	6	1	33	38	4	16	34	2	4	1	6	18	33	16	5	245	7'41	106'07	113'48	
	...	18,061	60	4	49	10	16	3	59	143	18	131	241	46	68	3	54	258	204	105	43	72	1,587	3'32	84'55	87'87
Darjeeling	...	449	1	1	...	1	...	1	1	1	1	1	9	...	20'04	20'04	
Naini Tal	...	541	3	...	3	2	...	3	1	...	8	5	...	1	1	24	...	44'36	44'36	
Landour	...	445	3	1	2	...	1	1	3	1	1	...	2	29	11	8	1	19	...	42'70	42'70	
Ranikhet	...	1,367	3	4	3	2	1	1	1	...	4	12	11	7	3	69	...	50'47	50'47	
Chakrata	...	1,454	6	2	23	3	2	4	...	2	28	15	12	...	72	...	49'52	49'52	
Kasauli	...	1,415	31	...	7	1	1	...	3	...	12	3	4	9	...	4	28	15	12	...	3	131	21'01	70'67	92'58	
Dagshai	...	2,009	4	...	4	1	2	1	15	6	1	2	...	8	19	17	1	4	2	87	1'99	41'32	43'31	
Solon	...	1,323	1	...	1	1	...	1	...	2	...	8	8	1	2	...	10	15	9	4	6	72	7'6	53'66	54'42	
Subathu
Jutogh	...	221	1	1	...	1	...	1	1	1	1	1	...	7	...	31'67	31'67	
Dalhousie	...	164	4	1	2	1	...	4	10	3	5	3	15	...	93'17	93'17	
Murree Hills	...	2,054	1	...	38	9	...	1	1	...	8	7	...	2	4	10	3	5	5	97	48	46'75	47'23	
Murree Depôt (1872 to 1879)	...	1,429	10	...	9	3	2	5	4	2	...	1	...	5	8	9	8	5	78	7'00	47'58	54'58	
Cherat (1871 to 1877)	...	909	3	...	3	3	1	...	1	...	2	13</								

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXIX—continued.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY among the CHILDREN in the principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate Strength of Stations and Provinces for the Ten Years.	CAUSES OF DEATHS.																			Total Deaths of the Year.	DIED PER 1,000 OF STRENGTH.			
		Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tuberc Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.		All other Causes.	A. Cholera.	B. All other Causes.	C. All Causes.
Children on the March (Bombay Presidency.)	1	1	1	1	2	1	...	1	8
Deolali Depôt (Bombay Troops)	...	3	1	1	...	1	1	...	2	1	3	1	1	4	...	2	1	22
Colaba Depôt (" ")	2	5	3	...	1	1	4	1	17
Children on the March (Madras Presidency.)	...	1	...	3	1	...	2	4	...	1	2	2	16
Poonamallee Depôt	1	1	3	3	1	1	...	2	9	2	2	...	4	29
Deolali Depôt (Madras Troops)	1	4	1	1	...	1	1	1	1	1	...	9
Colaba Depôt (" ")	6	1	3	10
Nnsseerabad	1,222	2	3	4	9	2	8	24	7	2	...	7	36	13	4	1	3	125	...	102.29	102.29
Neemuch	414	5	3	7	7	...	8	5	...	1	...	1	7	4	2	...	43	12.05	91.56	103.61	
Indore	57	1	3	4	...	70.18	70.18	
Mhow	2,534	10	...	7	7	7	7	...	18	42	2	5	1	8	26	20	5	3	5	166	3.95	61.56	65.51
Deesa	1,779	1	1	...	1	1	1	...	22	29	6	8	...	6	58	11	6	2	4	157	56	87.69	88.25
Ahmedabad	577	1	1	...	1	1	...	1	8	2	2	8	8	4	...	2	39	1.73	65.86	67.59
Baroda
Kurrachee and Ghizree	1,708	7	12	1	15	16	4	5	...	8	19	20	8	1	4	120	...	70.26	70.26
Hyderabad	493	8	5	...	1	3	1	...	1	...	19	...	38.54	38.54
Aden	906	6	2	...	12	14	3	4	...	7	6	6	2	3	4	69	...	76.16	76.16
	9,690	17	1	22	2	...	4	15	39	3	93	146	24	28	1	37	163	83	31	11	22	742	1.75	74.82	76.57
Bombay	723	1	1	3	14	...	2	...	1	4	10	3	...	2	41	...	56.71	56.71
Asirgarh	95	1	...	1	3	2	2	9	...	94.74	94.74	
Ahmednagar	1,178	3	...	4	1	...	2	4	6	8	5	3	...	2	2	8	7	1	8	64	2.55	51.78	54.33
Poona and Kirkee	4,100	2	2	6	...	3	4	6	9	...	21	60	10	12	...	6	53	38	7	9	15	263	7.49	63.66	64.15
Satara	273	1	2	1	3	...	1	...	12	...	43.96	43.96	
Belgaum	1,990	6	2	1	2	...	21	10	7	4	...	8	18	7	10	2	7	105	...	52.76	52.76
Secunderabad	5,264	8	...	2	1	...	4	...	11	1	37	86	4	28	2	26	55	31	14	10	17	337	1.52	62.50	64.02
Kamptee	2,257	3	2	...	1	2	...	1	20	1	14	41	7	7	...	12	22	23	12	2	7	177	1.33	77.09	78.42
	15,880	16	4	18	5	5	8	11	48	3	102	222	33	56	2	59	159	119	54	24	60	1,008	1.01	62.47	63.48
Bellary	2,040	1	1	5	3	1	23	22	5	7	...	5	22	14	8	4	9	130	...	63.73	63.73
Bangalore	5,167	3	1	5	...	1	2	...	4	...	35	32	4	9	...	12	19	24	14	7	13	185	58	35.22	35.80
Cannanore	1,755	1	2	...	11	12	6	4	...	5	8	7	7	2	2	67	...	38.12	38.12
Malliapoorum	92	1	1	2	...	21.74	21.74	
Calicut	94	1	1	3	...	1	...	7	...	74.47	74.47	
Trichinopoly	602	4	1	4	6	...	1	...	1	3	1	1	2	...	24	...	39.57	39.57
St. Thomas' Mount	1,329	8	...	1	1	3	1	9	10	1	1	...	3	7	10	...	2	1	58	6.02	37.62	43.64
Madras	1,897	2	...	5	1	3	...	11	21	4	4	...	2	15	12	1	2	4	87	1.06	44.80	45.86
	12,976	13	1	13	2	1	3	5	20	3	94	104	20	26	...	29	77	68	32	19	30	560	1.02	42.14	43.16
Rangoon	1,984	9	1	2	1	20	25	8	10	...	13	26	13	6	10	4	148	...	74.60	74.60
Toungoo	820	1	3	...	3	1	4	3	...	5	8	5	4	1	5	43	...	52.44	52.44
Thayetmyo	1,210	16	...	3	1	1	...	14	16	3	1	17	5	1	4	3	85	13.22	57.03	70.25
Port Blair	31
	4,045	16	...	13	1	1	6	1	37	42	15	14	...	18	51	23	11	15	12	276	3.96	64.27	68.23
Taragarh	3	...	1	4
Mount Aboo	300	1	2	1	3	1	8	...	26.67	26.67
Purandhar	159	1	...	1	1	1	1	5	...	31.45	31.45
Wellington	1,808	7	1	4	...	8	13	7	5	...	8	11	18	9	3	11	105	...	58.08	58.08
Ramandroog	144	2	...	2	...	13.89	13.89
	2,411	7	1	1	5	...	9	16	8	5	...	8	17	20	11	5	11	124	...	51.43	51.43
ARMY OF BENGAL	62,720	229	15	204	50	21	10	86	346	31	460	677	134	179	10	179	928	540	279	139	223	4,740	3.65	71.92	75.57
ARMY OF MADRAS	27,493	41	3	45	6	3	7	7	63	6	196	298	54	83	2	95	226	167	86	52	81	1,521	1.49	53.83	55.32
ARMY OF BOMBAY	19,430	25	4	38	5	4	8	28	60	4	152	249	50	61	1	59	254	160	63	25	60	1,300	1.29	65.62	66.91
ARMY OF INDIA	109,641*	295	22	287	61	28	25	121	469	41	808	1,224	238	313	13	333	1,408	867	428	216	364	7,561	2.69	66.27	68.96

* See Note to Table CCCXIV.

X.—WOMEN AND CHILDREN OF

CCC

TABLE showing in DETAIL the CAUSES of ADMISSIONS among the WOMEN of the EUROPEAN ARMY

CAUSES OF ADMISSIONS.	BENGAL.											BOM						
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.
Dengue	353	3	2	2	33	1	1	1	396	...	21	204	8	1
Cholera	19	13	90	5	1	41	14	3	22	11	219	9	8	1
Smallpox	3	4	4	12	2	2	2	8	23	15	75	3	2	3
Chickenpox	2	...	1	...	1	2	6	1
Measles	2	2	2	3	3	9	11	2	6	5	45	2	...	7
Scarlet Fever	1	1	1	3	...	1
Diphtheria
Hooping Cough	1	2
Mumps	2	2	...	1	1	...	1	7	1	1	...
Erysipelas	5	13	1	10	12	9	3	10	5	6	74	3	1	2	1	...	1	2
Pyæmia	1	1	1	3	1
Enteric Fever	...	6	6	9	5	5	4	11	8	10	64	2	2	1	3	1
Intermittent Fever	1,219	934	745	761	841	836	690	516	610	932	8,084	361	367	411	275	271	290	218
Remittent and Continued Fevers	556	535	647	624	632	441	416	299	444	268	4,862	168	147	122	46	80	70	98
Rheumatism	62	73	70	53	71	71	43	40	30	36	549	18	17	23	23	28	12	9
Primary Syphilis	3	2	5
Secondary Syphilis	1	1	2	1	1	5	3	1	3	3	21	3	4	5	4	3	9	5
Scrofula	2	1	1	3	8	5	...	2	...	1	23	2	1	...	3	6
Phthisis Pulmonalis	42	45	45	37	40	50	25	37	33	22	376	10	10	17	11	11	9	7
Hip-joint disease	1	1
Scurvy	1	1	...	3	6
Anæmia	259	310	201	81	123	101	95	60	25	19	1,274	66	24	13	12	28	26	12
General Dropsy	...	2	...	3	1	1	1	9	...	1	1	1
Cancer	2	1	1	...	4	1	...	2	...
Diabetes and Diuresis	3	4
Meningitis	1	1	...	1	1	4	2	2
Encephalitis	1	...	1	3	1	6
Hypochondriasis
Sunstroke	12	4	11	5	2	11	8	7	6	9	75	1	2	6	1	...	2	3
Paralysis	2	2	6	2	1	1	1	3	4	5	27	3	1	1	...
Epilepsy	6	8	9	4	11	6	11	2	6	3	66	...	1	1	4	1	1	...
Chorea	...	1	2	1	...
Mania	10	6	4	1	4	1	2	1	1	2	32	1	...
Dementia	1	1	1	1	2	6	1	1	...
Melancholia	3	1	...	5	10	1
Hysteria	17	17	21	15	18	17	22	13	12	15	167	8	12	5	3	6	14	13
Neuralgia	27	19	35	19	...	26	24	22	20	19	211	6	14	10	6	...	12	6
Tetanus	1	2	3
Ophthalmia	225	348	296	243	302	236	164	108	248	154	2,344	29	85	37	69	77	68	28
Caries of Mastoid cells
Otitis	5	6	9	7	9	2	12	1	2	2	55	1	1	...	2	3	2	1
Deafness	1	1	3
Epistaxis	1	1	2	...	1	1	6	1	2
Goitre	2	1	4
Varix	...	5	1	6	3	2	1	4	2	...	24	1
Palpitation	4	8	7	11	3	...	11	7	7	6	64	...	3	2
Pericarditis	1	1	3	...	1	1
Heart disease	9	8	10	9	7	10	5	2	4	8	72	1	2	4	3	1
Aneurism	...	1	1	2	1	...	1	6	1
Rupture of Aorta	1	1
Angina pectoris	1	1	...	2
Syncope	...	1	1
Phlebitis
Tonsillitis	36	45	30	45	45	32	33	28	24	27	345	8	10	10	11	16	9	9
Laryngitis	2	2	...	2	4	1	...	4	15	...	33	26	20	42	27	2
Bronchitis	81	83	88	80	104	71	98	79	77	68	829	31	33	26	20	...	27	23
Asthma	2	9	9	4	3	5	5	...	4	...	41	2	1	3	2	...	3	...
Pneumonia	9	7	4	11	7	15	10	5	3	6	77	1	...	2	2
Pleurisy	4	7	6	3	2	3	3	3	1	2	34	1	1	...	1	3	3	1
Stomatitis	2	1	3	3	...	2	1	2	2	2	18	...	1	1	1
Gastritis	1	1	...	1	...	1	1	1	6	4	2	1	1	...
Enteritis	1	2	2	2	1	1	3	1	13	1	1	...	1
Peritonitis	3	7	3	...	1	...	1	2	17	...	2
Dyspepsia	141	140	193	211	232	200	209	146	133	109	1,714	76	74	84	57	91	100	58
Constipation	10	10	8	10	6	4	48	2	4	4	1	2
Ileus and Obstruction of bowels	1	1
Colic	39	36	44	43	37	22	46	34	21	28	350	5	12	4	4	6	14	10
Hæmorrhoids	18	13	8	17	10	3	9	6	11	2	97	5	3	3	2	6	2	2
Fistula in Ano	1	1	2
Worms	1	1	3
Tape-worms	8	14	10	10	16	18	7	8	4	2	97	6	1	2	2	3	3	3
Hepatitis	74	91	93	83	66	73	76	72	74	82	784	22	24	16	21	32	10	20
Jaundice	11	13	11	12	13	11	16	3	2	8	100	3	...	2	2	4	3	9
Hæmatemesis	...	5	1	2	3	1	...	2	4	...	18	1	...	2
Cirrhosis	2	2
Ascites	...	1	...	1	1	...	1	1	5
Typhlitis	2	2
Hernia	1	1	2
Fæcal Fistula	1	1
Spleen disease	19	4	12	17	16	17	14	19	13	17	148	2	2	2	3	3	6	7
Dysentery	148	147	184	143	97	114	96	76	79	62	1,146	38	45	36	26	27	36	29
Diarrhoea	266	243	343	241	225	307	185	129	161	146	2,246	61	54	82	41	75	69	50
Hæmaturia																

THE EUROPEAN ARMY, 1870-79.

XL

of INDIA in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

[illegible]

X.—WOMEN AND CHILDREN

CCC

TABLE showing in DETAIL the CAUSES of ADMISSIONS among the WOMEN of the EUROPEAN ARMY

CAUSES OF ADMISSIONS.	BENGAL.											BOM						
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.
Retained placenta	...	1	...	1	2
Phlegmasia Dolens	2	3	3	1	2	...	2	...	13	1	1	...	1
Pelvic Cellulitis	...	1	...	1	2	3	1	2	12	1
Metritis	...	4	3	2	4	6	...	4	3	8	36	3	1
Puerperal Peritonitis	3	4	1	9	2	19	3	...	1	...	2	7	...
Puerperal Fever	1	4	1	4	3	1	1	2	18	1
Puerperal Mania	2	1	...	4	1	...	12	1	...	1
Puerperal Convulsions	...	1	2	2	...	2	2	...	2	1	12
Abortion	...	67	92	94	82	84	74	63	49	63	45	718	19	31	21	22	27	22
Hypertrophy of Breast	1	1
Caries	1	3	1	5
Necrosis	...	3	4	...	3	11	1	1
Synovitis	...	2	9	5	5	5	12	4	1	2	45	1	2	5	1	1
Cramp
Bursal inflammation	1
Periostitis	2	1	...	2	1	1	7	...	1	1
Abscess, Ulcer and Boils	...	93	92	102	113	122	93	69	73	58	65	880	27	25	30	26	38	36
Carbuncle	...	1	1	1	...	1	4	1	...	1
Guinea worm	1
Itch and Skin diseases	...	13	17	7	10	12	5	9	8	6	10	97	1	3	5	5	3	2
Tumour	...	1	...	2	...	2	5	...	1	...	13	1
General Debility	...	330	679	755	650	546	816	655	567	830	722	6,550	18	57	160	132	179	188
Injuries	...	34	35	43	40	39	40	27	32	30	24	344	16	10	20	14	16	6
Drunkenness and Delirium Tremens	...	1	1	1	3	1	1	...	1	1	10	2
Cause not ascertained	...	3	1	1	7	2	14
ALL CAUSES	...	4,024	4,314	4,780	3,908	3,933	3,980	3,393	2,621	3,245	3,085	37,288	1,070	1,152	1,449	911	1,136	1,128

OF THE EUROPEAN ARMY, 1870-79.

XL—continued.

of INDIA in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

BAY.				MADRAS.											ARMY OF INDIA.										
1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.
...	1	1	2	1	1	1	1	4
...	1	6	...	2	3	22
1	2	1	5	1	1	1	1	2	...	2	...	2	2	1	...	2	4	2	4	...	19
...	1	...	5	1	2	4	2	11	5	3	6	7	6	...	4	7	11	3	52
2	...	1	16	1	3	1	3	...	2	1	11	4	...	4	4	6	17	5	2	2	2	46
...	3	...	1	1	1	1	1	1	1	7	...	2	4	1	6	4	2	2	4	3	28
...	2	2	2	...	5	1	...	4	14
...	...	1	2	1	2	...	1	1	1	...	6	2	4	2	1	...	2	3	1	3	2	20
19	19	11	203	29	33	24	22	15	30	23	20	20	18	234	115	156	139	126	126	126	98	88	107	74	1,155
...	1
...	1	1	2	1	5	3	1	1	1	2	1	10
...	2	1	...	1	3	4	1	3	1	1	14
...	10	1	1	2	3	...	1	8	3	11	11	7	6	12	6	4	2	1	63
...	1	1	1
...	1	1	1
...	2	1	1	2	1	3	1	...	3	1	2	11
30	31	28	305	48	49	41	26	35	34	33	39	24	23	352	168	166	173	165	195	163	136	142	113	116	1,537
...	1	1	1	2	2	...	2	7
...	2	1	1	2	1	3
2	2	3	31	9	7	7	5	5	2	6	4	7	...	52	23	27	19	20	20	9	20	14	15	13	180
...	1	1	4	1	1	8	3	...	3	...	2	9	1	22
309	355	218	1,820	210	267	389	398	336	292	293	313	311	271	3,080	558	1,003	1,304	1,180	1,061	1,296	1,152	1,189	1,496	1,211	11,450
8	12	7	123	18	25	12	16	21	14	17	12	15	22	172	68	70	75	70	76	60	58	52	57	53	639
...	1	...	3	1	2	...	3	1	1	1	3	3	2	...	1	4	...	16
...	6	7	1	14	9	8	2	7	2	...	28
987	1,256	1,033	11,070	1,287	1,242	1,512	1,312	1,067	1,004	1,110	1,281	1,290	1,076	12,181	6,381	6,708	7,741	6,131	6,141	6,112	5,451	4,889	5,791	5,194	60,539

X.—WOMEN AND CHILDREN OF

CCC

TABLE showing in DETAIL the CAUSES of ADMISSIONS among the CHILDREN of the

CAUSES OF ADMISSIONS.	BENGAL.												BOM							
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.		
Dengue	71	430	3	...	3	17	1	...	525	...	28	308	2		
Cholera	...	9	9	143	6	3	66	15	...	33	15	11		
Smallpox	...	2	3	8	21	17	2	...	11	20	9		
Chickenpox	...	9	67	33	22	52	37	25	19	8	48	...	3	1	9	3	17	9		
Measles	...	36	368	205	78	457	450	457	160	145	558	...	5	52	64	24	69	144		
Whooping Cough	...	34	163	33	70	83	113	46	106	30	13	...	30	15	8	19	19	22		
Mumps	...	5	6	7	11	9	19	9	6	5	11	...	8	4	4	1		
Scarlet Fever	...	3	...	13	4	2	...	2	5	2	17	...	15	...	2		
Diphtheria	2	3	1	2	1	2	...	12	4	...	32	...	1	...	1	...		
Erysipelas	...	3	5	8	6	9	5	11	8	4	63	...	3	...	5	...	4	...		
Hydrophobia	2	...	2	1	1	1		
Pyæmia	1		
Gangrene of Penis		
Enteric Fever	5	8	2	6	1	4	2	16	9	...	1	4	2	2	5	3		
Intermittent Fever	...	956	703	764	886	866	766	689	370	697	896	...	346	361	512	291	334	382		
Remittent and Continued Fevers	...	598	506	833	662	831	551	590	424	621	435	...	189	135	170	79	175	181		
Rheumatism	...	5	8	5	8	19	17	9	11	4	12	...	98	...	2	2	8	1		
Syphilis	...	4	8	4	3	3	3	4	1	...	2	...	3	5	3	2	1	3		
Lupus		
Scrofula	...	18	25	6	6	12	13	16	6	11	11	...	6	7	10	4	5	2		
Tabes Mesenterica	...	32	25	50	33	25	30	28	31	38	31	...	7	6	15	12	10	20		
Phthisis Pulmonalis	...	3	2	4	5	6	4	4	3	3	1	...	35	2	1	...	4	...		
Hip-joint Disease	...	5	7	6	8	3	5	5	3	3	2	...	47	2	1	1		
Psoas Abscess	...	1	1	2		
Curvature of Spine	...	2	1	1	...	1	...	3	2	1	2	...	13	1	...	1	3	...		
Rickets		
Scurvy	...	2	1	3	...	1	1	1	3	2		
Anæmia	...	173	207	194	148	129	114	91	83	55	34	...	67	33	25	16	23	28		
Cancer of Oris	2	4	...	2	1	2	2	6	1	1	...	2		
General Dropsy	1	9	...	1	1	2	4		
Diabetes		
Encephalitis		
Meningitis	...	9	15	19	15	13	14	12	12	10	11	...	5	5	8	3	3	6		
Hydrocephalus	...	13	12	14	5	5	5	4	1	7	4	...	70	3	1	6	3	5		
Myelitis		
Apoplexy and Sunstroke	...	5	7	8	6	8	18	5	3	4	4	1	2	2	2	...		
Paralysis, Hemiplegia	1	1	...	1		
Paraplegia		
Infantile	2	2	1	1	1	...	1	2	...		
Not specified		
Facial		
Convulsions	...	61	70	120	101	96	100	102	84	98	87	...	25	51	47	34	28	38		
Epilepsy	...	3	7	5	4	2	6	4	5	4	2	...	2	1	2	1	4	3		
Tetanus and Trismus	1	...	1	1	2		
Hysteria	1	4	1	1	3	3	2	1	1		
Chorea	...	1	1	1	3	1	1	1	1	...	9		
Neuralgia	...	1	...	1	1	5	2	1	1	...	13	1		
Dementia	1	1	1	...	3		
Ophthalmia	...	792	1,204	904	1,098	1,365	1,096	942	581	1,150	634	...	114	295	200	241	281	295		
Goitre	1	2		
Inflammation of sub-maxillary glands		
Otitis	...	9	9	6	5	14	3	15	4	10	6	...	81	4	2	1	10	4		
Deafness	1		
Ozæna	1	4		
Epistaxis	1	1	...	2	1	1		
Syncope		
Pericarditis	1	1	2		
Heart disease	...	1	3	2	3	24	1		
Palpitation	...	1	7	...	2	2	1	...	13	1		
Edema Glottidis	1	1		
Tonsillitis and Sore throat	...	32	34	37	48	79	61	63	44	50	63	...	21	3	9	19	17	34		
Croup and Laryngitis	...	26	35	31	33	45	55	27	36	40	41	...	8	4	5	4	10	7		
Bronchitis	...	131	184	213	221	246	290	235	240	258	191	...	55	76	51	52	84	75		
Asthma	...	1	1	...	1	3	1		
Pleurisy	...	2	3	1	1	1	1	...	10	1		
Pneumonia	...	8	11	15	13	19	17	11	16	19	18	...	2	4	4	4	...	9		
Pulmonary Apoplexy		
Stomatitis	...	1	13	18	19	4	8	6	15	5	4	...	93	...	3	3	1	4		
Aphtha	...	6	5	6	4	8	14	7	57	...	1	2	3		
Hæmatemesis and Mælena	1	2	...	1	4		
Gastritis	...	1	1	...	5	1	9	1		
Enteritis	3	1	...	1	2	1	...	2	13	...	1	2	2	...	1	1		
Peritonitis	1	1	1	1	1	...	1	4	...	1	1	3	1	...	1		
Ileus and Obstruction of bowels		
Colic and Constipation	...	6	13	12	9	15	30	18	1	7	6	...	2	1	3	3	3	12		
Dyspepsia	...	15	25	9	10	28	...	13	13	12	8	...	6	11	7	4	7	9		
Worms	13	6	7	4	3	7	3	7	6	...	2	9	4	7	7	8		
Tape-worm	...	20	18	19	25	36	16	27	20	24	221	...	5	8	8	11	21	12		
Hernia	...	1	2	2	3	3	4	5	1	1	3	1	1	1		
Hæmorrhoids and Prolapsus Ani	...	2	4	6	2	3	6	6	2	4	40	1	...		
Fistula in Ano	1	1	...	2		
Intestinal Hæmorrhage		
Dysentery	...	153	110	182	131	106	163													

THE EUROPEAN ARMY, 1870-79.

XLI.

EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

[illegible]

X.—WOMEN AND CHILDREN OF

CCC

TABLE showing in DETAIL the CAUSES of ADMISSIONS among the CHILDREN of the

CAUSES OF ADMISSIONS.		BENGAL.											BOMBAY.						
		1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.
Menorrhagia	2	2	4	...	1	
Leucorrhœa	...	1	1	...	2	...	3	...	3	...	6	...	1	...	1	
Atrophy of Muscle	2	
Contraction	2	1	1	
Synovitis	...	4	...	3	...	2	...	3	...	3	7	34	2	5	...	2	
Caries	1	1	2	...	4	1	
Necrosis	1	1	1	9	
Otitis	3	4	...	1	15	...	1	2	1	
Dentition	...	273	229	256	330	293	247	272	234	318	221	2,673	68	91	76	71	118	101	
Cyanosis	1	1	1	3	
Umbilical hæmorrhage	1	
Harelip and split palate	...	2	...	1	...	1	4	1	
Spina bifida	...	1	1	1	3	
Club-foot	1	1	
Strabismus	1	1	...	2	
Nævus	1	1	2	
Imperforate anus	
Skin diseases, including Itch	...	38	36	37	40	40	35	45	42	50	34	397	21	11	13	17	31	20	
Guinea Worm	1	1	
Abscess, Ulcer and Boil	...	69	83	78	93	122	111	88	75	89	71	879	24	26	35	26	41	44	
Tumour	1	1	3	
General Debility	...	229	331	658	468	606	550	465	300	575	572	4,754	33	55	180	88	127	142	
Injuries	...	69	92	88	96	114	103	96	90	81	78	907	31	34	42	31	35	43	
Causes not specified	1	3	6	10	2	...	
ALL CAUSES	...	4,592	5,597	6,496	5,555	6,384	6,090	5,300	3,672	5,269	4,869	53,824	1,385	1,619	2,263	1,300	1,772	2,002	

THE EUROPEAN ARMY, 1870-79.

XLI—continued.

EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

BAY.				MADRAS.										ARMY OF INDIA.											
1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.
...	1	1	1	1	...	3	2	6
...	...	2	1	12	1	2	4	5	...	2	7	43
...	1	...	1	1	1	2
...	1	1	6
...	...	3	...	15	1	62
...	2	1	...	4	...	1	13	7	...	8	9	11
...	3	2	19
...	9
...	4	19
98	109	85	934	115	94	69	77	132	129	131	124	92	67	1,030	456	414	401	478	543	493	504	456	519	373	4,637
...	1	4
...	1	1	2
...	1	6
...	1	1	1	4
...	3
...	3
...	4
...	1
18	...	8	9	168	19	25	35	24	24	15	...	28	41	...	78	...	72	85	833
...	2	1	3
42	...	30	15	329	56	41	55	48	33	49	...	61	66	...	149	...	150	168	1,724
...	8
192	222	150	1,350	149	197	218	316	311	230	193	186	124	177	2,101	411	583	1,050	872	1,044	922	819	678	921	899	8,205
27	33	18	346	50	43	34	49	54	35	43	29	38	41	416	150	169	164	176	203	181	191	146	152	137	1,669
...	2	2	3	6	2	1	3	18
1,497	1,927	1,440	16,637	1,766	1,839	2,273	1,935	1,697	1,730	1,731	2,048	1,992	1,601	18,612	7,743	9,055	11,032	8,790	9,853	9,822	8,463	7,217	9,188	7,910	89,073

GOVT. CENTRAL BRANCH PRESS, SIMLA.—NO. 71s.c.—14-4-82.—370.

